



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

REC'D 29 JUN 2004

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03450097.5


**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk





Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

EP 200 4 / 0 0 4 2 5 5

Anmeldung Nr:
Application no.: 03450097.5
Demande no:

Anmeldetag:
Date of filing: 22.04.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Intercell Biomedizinische Forschungs- und
Entwicklungs AG
Campus Vienna Biocenter 6
1030 Vienna
AUTRICHE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

H. pylori antigens

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

C07K14/00

Am Anmeldetag benannte Vertragsstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

The present invention relates to isolated nucleic acid molecules, which encode antigens for *Helicobacter pylori*, which are suitable for use in preparation of pharmaceutical medicaments for the prevention and treatment of bacterial infections caused by *Helicobacter pylori*.

Helicobacter pylori is a Gram-negative, microaerobic, spiral and flagellated bacterium representing the most prevalent human pathogen with nearly half the globe's population infected. Infection most likely occurs in early childhood (< age 10) in most cases and the pathogen specifically colonizes the stomach where it becomes a resident. Colonization lasts for years or even decades but it can persist for life, yet about 70-80 % of colonized individuals remain asymptomatic and never develop disease. It is now clear that the prolonged interaction of *H. pylori* with gastric epithelia is a complex and dynamic process, which leads to chronic acute inflammation of the gastric mucosa and to the development of peptic ulcer disease in 10-20 % of the cases. Nearly all duodenal ulcers are caused by *H. pylori* and, in the stomach ulcers can develop into gastric adenocarcinoma with a frequency of 0,1-4 %. The significance of this number is that gastric cancer is the second most common fatal malignancy after lung cancer and within twenty years, it is predicted to be the 8th leading cause of death of any origin worldwide. *H. pylori* infection is also associated with about 90 % of mucosa-associated lymphoid tissue lymphomas (MALT). Patients with *H. pylori* infection develop high titers of primarily IgG and IgA antibodies but their role in the immune response against the bacterium is not known. Presence of the bacteria within the mucosal epithelium is associated with massive neutrophil infiltration. Considerable evidence exists demonstrating that the *H. pylori* -induced Th1-biased CD4⁺ T cell response with prominent IFN- γ production might be a strong contributing factor in the outcome of the local immune reaction linked to tissue damage.

H. pylori is inherently equipped with an array of extremely potent factors and mechanisms that enable the pathogen to uniquely adapt to the gastric mucosal environment leading to survival and long-term colonization in humans. However, the known virulence factors are only associated with increased risk of disease and are not absolute. Perhaps the most obvious system what *H. pylori* developed is its powerful urease enzyme, which by converting urea into ammonia and carbon dioxide allows survival under acidic conditions. Expression of the cytoplasmic apoenzyme is constitutive and its abundance can be as high as 15 % of total *H. pylori* protein. The activity of the enzyme is increased in low pH and the conductance of the inner membrane is also increased for urea under low pH conditions. The produced NH₃ diffuses to the periplasm protecting thereby the bacterium against the extremely acidic environment [Prinz, C. et al., 2003]. The vacuolating cytotoxin product of the *vacA* gene of *H. pylori* induces vacuole formation and, thus, perturbation of structure and function in epithelial cells. The *vacA* gene is present in all strains but its expression varies. It is now known that VacA acts through a Z-type protein tyrosine phosphatase receptor by increasing its tyrosine phosphorylation activity on the G-protein coupled receptor kinase-interactor 1, leading to marked detachment of gastric epithelial cells from their base membrane, a possible mechanism behind *H. pylori* -induced epithelial cell demise and consequent peptic ulcer formation [Fujikawa, A. et al., 2003]. A major virulence-associated genetic element in *H. pylori* is the 40 Kbp pathogenicity island, Cag (cytotoxin associated gene) PAI, contained in the majority of strains. The PAI harbors about 30 genes and one gene product, CagA was originally identified in serological studies as an important determinant of disease outcome in *H. pylori* infected individuals. The Cag PAI contains genes that have close sequence similarities to a type IV secretion system, known to provide a mechanism for direct transfer of bacterial effector proteins into eukaryotic host cells. Not surprising therefore that the CagA protein has been demonstrated as the effector protein that translocates from adherent *H. pylori* into epithelial cells *in vitro*. The subsequently phosphorylated CagA rearranges the host cytoskeleton, which then leads to pedestal formation adjacent to the bacteria [Bjorkholm, B. et al., 2003]. Although, it is present in strains expressing VacA, the *cagA* gene is not linked chromosomally to *vacA*. Strains with the *cagA* PAI and the *vacA* genotype (type I strains) are associated with higher frequency with patients suffering from duodenal ulcer, atrophic gastritis and gastric carcinoma compared with those lacking CagA and VacA (type II strains) [Censini, S. et al., 1996]. Human populations in distinct geographical regions can be differentiated based on genotypic variations located to the right end of the *cag* PAI [Kersulyte, D. et al., 2000].

Attachment of *H. pylori* to gastric epithelium is promoted by a number of factors. The Hpa hemagglutinin binds to sialic acid components of erythrocytes while the *babA2*-encoded BabA adhesion binds to the histo-blood group antigen Lewis^b, present on gastric epithelial cells. *babA2*-positive strains are more frequently isolated from patients with peptic ulcer disease and gastric carcinoma than type 1 strains and, when compared to type 1 strains lacking *babA2*, type 1 isolates that also harbor the *babA2* gene are more prevalent in patients with atrophic gastritis and intestinal metaplasia. The SabA adhesion protein is shown to associate with a glycoconjugate on the onco-fetal surface antigen sialyl-Le^x that is expressed on immature cells of the developing fetal gastric epithelium as well as on rapidly proliferating undifferentiated cells of cancerous and precancerous lesions [Dubreuil, J. et al., 2002].

Another potent virulence-associated mechanism evolved in *H. pylori* is its natural competence for transformation together with the pathogen's highest rate of recombination of any known bacterial species. This mechanism makes *H. pylori* capable of acquiring new genetic material via horizontal gene transfer, a common phenomenon during colonization of an individual and this can result in the generation of novel pathogen subtypes (quasispecies) that exhibit profound changes in virulence markers, such as the *cag* PAI [Loughlin, M. et al., 2003]. Such extreme genetic variability, with any given isolate easily distinguishable from most others by DNA fingerprinting, has also been proposed to account for the expression diversity of many cell surface associated or secreted proteins [Ferrero, R. et al., 2001]. Although, it is not yet clear why only a relatively small portion of the infected population develop clinically manifest disease, the above mentioned pathogen-related factors together with emerging host-specific characteristics, such as IL-1 β promoter allele polymorphism, are likely contribute to the complex mechanisms that lie behind *H. pylori* pathogenicity [Blaser, M., 2000].

Today, patients diagnosed with *H. pylori* infection are treated with a combination of one or two antibiotics and a proton pump inhibitor or bismuth. There are a number of standard combinations but re-infection (most likely from parts of the stomach where eradication did not happen) can occur. Current combinational treatment regimes reach 80-90 % eradication rates in most cases but since *H. pylori* strains are emerging with resistance to one or more of the antibiotics that currently comprise any of the treatment combinations, development of new strategies is urgently needed for an effective treatment to prevent or ameliorate *H. pylori* infections. A vaccine could not only prevent infections by *Helicobacter*, but more specifically prevent or ameliorate colonization of host tissues, thereby reducing the incidence of gastric atrophy, peptic ulcer disease and gastric cancer. Elimination of severe chronic conditions would be a direct consequence of reducing the incidence of acute infection and carriage of the organism.

A vaccine can contain a whole variety of different antigens. Examples of antigens are whole-killed or attenuated organisms, subfractions of these organisms/tissues, proteins, or, in their most simple form, peptides. Antigens can also be recognized by the immune system in form of glycosylated proteins or peptides and may also be or contain polysaccharides or lipids. Short peptides can be used since for example cytotoxic T-cells (CTL) recognize antigens in form of short usually 8-11 amino acids long peptides in conjunction with major histocompatibility complex (MHC). B-cells can recognize linear epitopes as short as 4-5 amino acids, as well as three-dimensional structures (conformational epitopes). In order to obtain sustained, antigen-specific immune responses, adjuvants need to trigger immune cascades that involve all cells of the immune system necessary. Primarily, adjuvants are acting, but are not restricted in their mode of action, on so-called antigen presenting cells (APCs). These cells usually first encounter the antigen(s) followed by presentation of processed or unmodified antigen to immune effector cells. Intermediate cell types may also be involved. Only effector cells with the appropriate specificity are activated in a productive immune response. The adjuvant may also locally retain antigens and co-injected other factors. In addition the adjuvant may act as a chemoattractant for other immune cells or may act locally and/or systemically as a stimulating agent for the immune system.

Attempts to develop a *Helicobacter* vaccine have focused mainly on whole-cell and attenuated or subunit

vaccine approaches. The initial "proof of principle" studies to generate an *H. pylori* vaccine were performed using inactivated whole-cell preparations and cholera toxin as a mucosal adjuvant. Although, such vaccines were highly effective in inducing protective immunity against gastric infection in mice, their safety and licensing as well as difficulties in producing *H. pylori* preparations *in vitro* in large scale eliminated them from human trials [Ferrero, R. et al., 2001]; [Sutton, P., 2001]. For second generation subunit vaccines, candidate antigens were identified by empirical approaches. The selection criteria for these antigens were linked to known or suspected roles of the proteins in bacterial virulence. Such candidates include the urease holoenzyme and its subunits, UreA and UreB, heat shock protein homologues of the chaperonins GroEL and GroES, the VacA cytotoxin and catalase (KatA) ([Prinz, C. et al., 2003]; [Svennerholm, A., 2003] and references therein). Another set of candidate proteins were identified in subsequent studies on the basis of their immunoreactivity in *in vitro* assays. *H. pylori* genomic expression libraries were screened with antibodies from mice that had been immunized with *H. pylori* whole cell sonicates or outer membrane vesicles in the presence of cholera toxin. Antigenic proteins were purified from selected *E. coli* clones and their identity determined by N-terminal sequencing. Among known antigens, such as UreA, UreB, the GroEL homologue and Lpp20 lipoprotein, four previously uncharacterized proteins were also identified. One had homology to L7/L12 ribosomal proteins and the rest were of unknown function. A similar screening strategy combined with a chimeric fusion technique confirmed the Lpp20 protein as a vaccine candidate antigen [Oliaro, J. et al., 2000]. There are other proteins under consideration for vaccine development that are based on recent identifications employing multiparameter selection criteria. These include an Hpa homologue (HP0410) and a novel protein of unknown function (HP0231), both with high protective efficacy [Sabarth, N. et al., 2002]. Despite the benefits of both prophylactic and therapeutic vaccination in animals as demonstrated in several studies, bacterial eradication (sterilizing immunity) has not been described in humans.

Since the above mentioned identification methods are either empirical or limited to a specific selection criterion, there is a demand to identify additional relevant antigens of *H. pylori* using an efficient and comprehensive identification and validation technology.

The present inventors have developed a method for identification, isolation and production of hyperimmune serum reactive antigens from a specific pathogen, especially from *Staphylococcus aureus* and *Staphylococcus epidermidis* (WO 02/059148). However, given the differences in biological property, pathogenic potency and genetic background, *Helicobacter pylori* is distinctive from *Staphylococcus* strains. Importantly, the selection of sera for the identification of antigens from *H. pylori* is different from that applied to the *S. aureus* screens.

Three major types of human sera were collected for this purpose. First, healthy adults below <45 years of age were tested for *H. pylori*-specific IgG and IgA serum antibody levels by ELISA using total bacterial lysate and culture supernatant proteins. High titer individuals were interviewed and selected based on the absence of medical history, symptoms or complaints related to *H. pylori* diseases. Based on correlative data, protective (colonization neutralizing) antibodies are likely to be present in exposed individuals who are not carriers of *H. pylori* or not susceptible to disease caused by *H. pylori*. High titer sera from symptom-free healthy adults were included in the genomic based antigen identification. This approach for selection of human sera is basically very different from that used for *S. aureus*, where carriage or noncarriage state cannot be associated with antibody levels.

Second, serum samples from patients with gastric cancer were characterized for anti-*H. pylori* antibody titers using ELISA and high titer sera were selected for the screens. The third group of serum samples was obtained from individuals with duodenal ulcer and high titer sera determined by ELISA were selected for the screens.

The genomes of the two bacterial species *H. pylori* and *S. aureus* by itself show a number of important differences. The genome of *H. pylori* contains approximately 1.65 Mb sequence information, while *S. aureus* harbours about 2.85 Mb. They have an average GC content of 39 and 33%, respectively. In

addition, the two bacterial species require different growth conditions and media for propagation. While *H. pylori* is a strictly human pathogen, *S. aureus* can also be found infecting a range of warm-blooded animals. A list of the most important diseases, which can be inflicted by the two pathogens, is presented below. *S. aureus* causes mainly nosocomial, opportunistic infections: impetigo, folliculitis, abscesses, boils, infected lacerations, endocarditis, meningitis, septic arthritis, pneumonia, osteomyelitis, scalded skin syndrome (SSS), toxic shock syndrome. *H. pylori* causes likely community acquired gastro-intestinal infections: self limiting traveler's diarrhea, corpus predominant or pangastritis, peptic ulcer disease (stomach and duodenum), gastric cancer (adenocarcinoma), chronic atrophic gastritis (CAG) and MALT (mucosa-associated lymphoid tissue, non-Hodgkin's type B cell lymphoma).

The problem underlying the present invention was to provide means for the development of medicaments such as vaccines against *H. pylori* infection. Particularly, the problem was to provide an efficient, relevant and comprehensive set of nucleic acid molecules or antigens from *H. pylori* that can be used for the manufacture of said medicaments.

Therefore, the present invention provides an isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence, which is selected from the group consisting of:

- a) a nucleic acid molecule having at least 70% sequence identity to a nucleic acid molecule selected from Seq ID No 3-4, 16, 19-21, 28-29, 33-38, 41-42, 44, 48-52, 55, 57-58, 61, 63, 65, 67-68, 72, 74-75, 81, 84, 91, 94, 96-97, 101, 105-108, 112, 115-117, 119, 123-178.
- b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
- c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
- d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b), or c)
- e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid molecule defined in a), b), c) or d).

According to a preferred embodiment of the present invention the sequence identity is at least 80%, preferably at least 95%, especially 100%.

Furthermore, the present invention provides an isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence selected from the group consisting of

- a) a nucleic acid molecule having at least 96% sequence identity to a nucleic acid molecule selected from Seq ID No 8-10, 13-15, 17-18, 24, 27, 32, 39-40, 45-47, 56, 59, 62, 69-70, 73, 77, 79, 82, 85-86, 88, 90, 103, 109-110, 114, 121,
- b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
- c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
- d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b) or c),
- e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).

According to another aspect, the present invention provides an isolated nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of

- a) a nucleic acid molecule selected from Seq ID No 5, 7, 30-31, 53, 60, 66, 76, 83, 87, 92, 99, 120,
- b) a nucleic acid molecule which is complementary to the nucleic acid of a),
- c) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).

Preferably, the nucleic acid molecule is DNA or RNA.

According to a preferred embodiment of the present invention, the nucleic acid molecule is isolated from a genomic DNA, especially from a *H. pylori* genomic DNA.

According to the present invention a vector comprising a nucleic acid molecule according to any of the aspects of the present invention is provided.

In a preferred embodiment the vector is adapted for recombinant expression of the hyperimmune serum reactive antigens or fragments thereof encoded by the nucleic acid molecule according to the present invention.

The present invention also provides a host cell comprising the vector according to the present invention.

According to another aspect the present invention further provides a hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to the present invention.

In a preferred embodiment the amino acid sequence (polypeptide) is selected from the group consisting of Seq ID No 181-182, 194, 197-199, 206-207, 211-216, 219-220, 222, 226-230, 233, 235-236, 239, 241, 243, 245-246, 250, 252-253, 259, 262, 269, 272, 274-275, 279, 283-286, 290, 293-295, 297, 301-356.

In another preferred embodiment the amino acid sequence (polypeptide) is selected from the group consisting of Seq ID No 186-188, 191-193, 195-196, 202, 205, 210, 217-218, 223-225, 234, 237, 240, 247-248, 251, 255, 257, 260, 263-264, 266, 268, 281, 287-288, 292, 299.

In a further preferred embodiment the amino acid sequence (polypeptide) is selected from the group consisting of Seq ID No 183, 185, 208-209, 231, 238, 244, 254, 261, 265, 270, 277, 298.

According to a further aspect the present invention provides fragments of hyperimmune serum-reactive antigens selected from the group consisting of peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region" of Table 1, especially peptides comprising amino acids 63-91, 95-101, 110-116, 134-148, 150-156, 158-164, 188-193, 197-209, 226-241, 247-254, 291-297, 312-319, 338-346, 351-358, 366-378, 404-410, 420-438, 448-454, 465-473, 482-488, 490-498, 503-510, 512-519, 531-543, 547-554, 568-575, 589-604, 610-631 and 239-308 of Seq ID No 179; 16-29, 35-47, 50-68, 70-79, 91-101, 143-149, 158-163, 185-191, 196-206, 215-224, 230-237, 244-251, 258-278, 290-311, 319-325, 338-351, 365-385, 396-429, 445-454, 458-466, 491-499, 501-521, 17-79 and 218-233 of Seq ID No 180; 4-10, 16-41, 46-66, 77-84, 91-97, 102-118, 125-144, 187-200, 202-214, 245-253, 255-261, 286-295, 300-330, 335-342, 350-361, 363-381, 385-392, 396-416, 435-450 and 460-470 of Seq ID No 181; 11-19, 27-48, 52-59, 77-82, 84-107, 118-125, 127-154, 178-183, 192-209, 215-221, 286-295, 302-313, 350-357, 402-415, 417-431, 453-463, 465-493 and 313-331 of Seq ID No 182; 19-26, 30-43, 47-55, 63-68, 72-80, 97-104, 107-119, 129-146, 160-175, 194-216, 231-251, 254-260 and 26-43 of Seq ID No 183; 7-13, 29-37, 65-81, 110-120, 123-131, 135-152, 230-249, 254-260, 284-290, 292-299, 317-326, 329-336, 403-444, 452-458, 466-477, 490-498, 510-519, 541-550, 557-566 and 533-567 of Seq ID No 184; 5-47, 71-77, 79-86, 89-95, 120-126, 137-144, 176-181, 184-196, 202-208, 211-232, 236-282, 301-313, 317-325, 341-347, 353-384, 394-400, 412-433, 436-443 and 59-75 of Seq ID No 185; 4-18, 22-38, 59-69, 106-112, 116-130, 138-149, 156-170, 175-197, 200-214, 216-223, 233-244, 255-261, 266-276, 279-286, 325-333, 342-348, 366-399, 402-420, 429-441, 1-104 and 130-147 of Seq ID No 186; 50-58, 69-95, 97-113, 131-136, 157-163, 170-175, 188-212, 220-226, 254-259, 265-277, 283-289, 297-308, 311-318, 347-358, 360-369, 378-401, 416-421, 440-450, 454-462, 470-476, 493-502, 506-514, 536-567, 585-590, 598-607, 613-618, 653-659 and 35-46 of Seq ID No 187; 16-29, 32-60, 65-87, 89-123, 128-134, 137-158, 162-173, 178-196, 210-216, 218-228 and 206-225 of Seq ID No 188; 10-20, 26-35, 51-64, 86-91, 94-100, 113-122, 154-160, 185-191, 193-

201, 211-217, 225-230, 237-246, 251-257, 298-304, 306-312, 316-328, 340-348, 357-389, 391-397, 415-421, 449-456, 458-471, 488-495, 502-511, 24-55 and 236-341 of Seq ID No 189; 5-22, 41-51, 87-93, 114-122, 127-136, 150-156, 158-166, 223-233, 245-263, 291-296, 9-126 and 127-285 of Seq ID No 190; 30-43, 46-56, 61-70, 72-83, 85-93, 103-113, 119-125, 151-166, 179-191, 212-218, 225-231, 236-243, 262-267, 291-307, 331-344, 349-355, 366-372, 380-386, 414-422, 428-447, 459-464, 469-478, 507-519, 525-544, 563-569, 576-590, 620-626, 633-643, 654-659, 665-671, 684-707, 717-723, 725-733, 747-779, 782-801 and 347-361 of Seq ID No 191; 4-12, 14-26, 37-80, 107-115, 133-139, 144-150, 154-165, 173-180, 191-199, 205-211, 221-231, 237-244, 254-284, 307-340, 342-353, 360-368, 370-380, 479-493, 495-503, 509-522, 525-536, 539-547, 554-560, 565-573, 578-583, 7-23 and 465-479 of Seq ID No 192; 4-17, 47-55, 76-83, 85-100, 104-112, 117-123, 126-135, 142-148, 156-167, 174-182, 267-273 and 258-283 of Seq ID No 193; 8-32, 36-42, 65-88, 102-108, 112-140, 147-163, 170-179, 183-193 and 117-124 of Seq ID No 194; 12-18, 45-50, 62-77, 82-95, 99-113, 115-123, 125-147, 155-177, 187-209, 211-223, 244-253, 259-270, 278-297, 302-307, 311-318, 329-334, 350-356, 359-365, 390-400, 402-413 and 333-350 of Seq ID No 195; 4-13, 15-27, 30-46, 53-58, 68-74, 82-95, 115-126, 134-139, 148-153, 159-176, 182-199, 201-217, 220-225, 227-235, 237-248, 253-266, 300-315, 322-336, 390-396, 412-426, 438-445, 448-459, 477-484, 502-508, 515-527, 529-537, 553-568, 643-651, 658-667, 690-703 and 376-400 of Seq ID No 196; 4-10, 24-32, 38-55, 59-67, 70-77, 80-87, 89-97, 123-129, 134-151, 166-172, 178-189, 191-216, 218-235, 245-259, 271-315, 326-339, 341-360 and 73-94 of Seq ID No 197; 13-25, 31-38, 43-57, 79-85, 92-99, 106-112, 117-128, 130-139, 146-158, 160-175, 194-204, 211-222, 225-232, 234-242, 263-270, 278-292, 299-320, 322-333 and 240-256 of Seq ID No 198; 4-17, 55-63, 66-101, 109-131, 135-143, 145-151, 155-161, 164-170, 177-185, 192-198, 213-218, 223-238, 246-256, 258-268, 273-283, 309-314, 322-328 and 195-221 of Seq ID No 199; 13-24, 31-39, 41-50, 63-69, 90-96, 104-109, 116-141, 148-153, 161-167, 173-178, 190-209, 253-258, 265-272, 279-289, 295-312, 317-343, 355-366, 376-389, 400-407, 430-451, 453-464, 466-472, 487-493, 499-505, 523-538, 554-559, 568-579, 584-601 and 344-363 of Seq ID No 200; 5-22, 30-36, 53-59, 61-70, 82-92, 99-106, 120-131, 135-148, 154-167, 169-183, 187-199, 204-212, 231-247 and 111-249 of Seq ID No 201; 17-36, 40-66, 71-144, 148-171, 173-191, 199-214, 220-252, 265-272, 278-288, 298-333, 342-385 and 287-307 of Seq ID No 202; 4-16, 22-28, 30-36, 42-48, 95-116, 154-162, 164-174, 239-252, 258-263, 273-285, 306-313, 323-333, 341-357, 363-369, 372-379, 395-401, 430-436, 438-453, 464-480, 33-44, 233-258 and 349-369 of Seq ID No 203; 4-21, 30-37, 46-53, 59-68, 80-92, 98-104, 118-143, 150-160, 165-185, 187-200, 204-211, 224-236, 241-246, 252-258, 271-280, 288-294, 311-320, 335-341 and 191-350 of Seq ID No 204; 4-16, 37-59, 64-70, 79-87, 93-102, 107-127, 143-165, 172-188, 197-204, 207-218, 221-227, 242-248, 258-277, 289-296, 298-316, 332-338, 344-365, 367-373, 375-382, 400-408, 415-425, 438-446 and 235-250 of Seq ID No 205; 4-37, 39-66, 84-98, 101-127, 140-149, 157-163, 166-172, 175-182, 184-193, 203-208, 215-232, 234-247, 250-299, 303-345 and 183-204 of Seq ID No 206; 10-20, 41-61, 73-87, 112-141, 176-192, 194-201, 205-222, 230-237, 257-264, 276-282, 284-310, 312-318, 330-337, 349-357 and 304-328 of Seq ID No 207; 4-31, 42-103, 105-113, 121-153, 160-181, 188-196, 210-226, 231-264, 272-287, 297-304, 328-336 and 304-318 of Seq ID No 208; 21-43, 46-52, 54-70, 72-79, 94-107, 133-141, 160-166, 217-253, 311-317, 359-365, 374-381, 390-395, 434-440, 488-494, 497-502, 511-522, 554-563, 565-574, 577-585, 591-598, 601-606, 617-625, 633-643, 658-664, 676-682, 694-702, 710-719, 754-760, 782-788, 802-808, 916-921, 942-948, 955-964, 973-979, 992-998, 1006-1011, 1016-1023, 1030-1038, 1046-1053, 1059-1066, 1088-1098, 1119-1126, 1129-1135, 1156-1171, 1173-1181, 1202-1210, 1255-1261, 1268-1280, 1295-1310, 1312-1320, 1375-1381, 1406-1417, 1450-1471, 1478-1492, 1498-1506, 1569-1578, 1603-1608, 1611-1624, 1648-1655, 1663-1670, 1680-1698, 1702-1707, 1713-1719, 1737-1742, 1747-1753, 1762-1769, 1771-1785, 1790-1804, 1811-1818, 1830-1836, 1838-1852, 1874-1886, 1893-1899, 1902-1909, 1942-1948, 1952-1962, 1980-1986, 2001-2017, 2020-2028, 2042-2050, 2052-2068, 2074-2079, 2083-2095, 2107-2113, 2147-2155, 2177-2194, 2203-2211, 2236-2241, 2251-2258, 2267-2274, 2285-2292, 2314-2328, 2330-2340, 2358-2365, 2390-2401, 2408-2418, 2432-2453, 2463-2476, 2486-2507, 2528-2537, 2540-2548, 2552-2558, 2568-2576, 2596-2601, 2610-2622, 2629-2638, 2653-2669, 2718-2727, 2749-2767, 2777-2784, 2789-2795, 2806-2815, 2817-2824, 2835-2843, 2847-2854, 2860-2881, 511-523, 612-630 and 1790-1803 of Seq ID No 209; 4-54, 61-68, 72-82, 86-93, 100-108, 115-130, 147-154, 187-194, 196-207, 224-229, 236-251, 275-287 and 96-109 of Seq ID No 210; 31-39, 62-69, 91-101, 158-172, 175-180, 186-193, 201-208, 210-223, 243-250, 273-286, 293-299, 319-325, 343-354, 356-365, 368-384, 414-435, 471-491, 512-518, 550-556, 567-581, 584-589, 633-639, 680-692, 697-708, 716-721, 747-754, 779-786, 810-816 and 366-503 of Seq ID No 211; 5-20, 22-48, 57-65, 96-101, 111-122, 130-145, 154-164, 170-181, 193-199, 201-216, 224-241, 244-262, 281-323, 342-351, 359-367, 369-396, 406-416, 424-433, 450-456, 485-491, 493-499, 501-515, 517-535 and 289-305 of Seq ID No 212; 4-17, 22-44, 53-60, 66-

83, 87-94, 101-106, 110-116, 131-137, 148-183, 189-207, 209-215, 233-242, 251-262, 264-272, 290-296, 308-327, 359-373, 375-380, 397-405, 415-420, 426-433, 444-475, 478-484, 529-536, 548-558 and 106-126 of Seq ID No 213; 4-38, 42-50, 58-64, 72-81, 92-118, 140-146, 157-165, 172-192, 198-204, 208-216, 227-234, 238-258, 271-278, 288-293, 311-322, 327-346, 357-370, 375-383, 395-409, 411-417, 425-432, 436-445, 109-129 and 370-380 of Seq ID No 214; 23-30, 36-49, 52-64, 86-94, 97-104, 121-129, 257-272, 279-286, 288-294, 307-327, 334-340, 369-375, 377-386, 406-412, 418-423, 430-438, 441-447, 459-465, 469-476, 482-488, 510-546, 550-580, 584-622, 638-645, 653-659, 675-683, 692-705, 723-731, 752-761, 788-795 and 54-72 of Seq ID No 215; 11-33, 36-46, 88-104, 116-126, 134-170, 189-195, 199-217, 225-250, 255-261, 266-273, 280-291, 296-313, 334-341, 343-349, 354-360, 362-369, 373-380, 387-401, 406-420 and 259-273 of Seq ID No 216; 9-14, 28-44, 57-64, 72-79, 86-93, 104-111, 116-126, 142-150, 159-164 and 61-86 of Seq ID No 217; 10-17, 26-33, 43-61, 69-95, 101-107, 109-125, 129-135, 137-144, 147-153, 158-169, 177-187, 209-219, 221-232, 235-247, 261-268, 271-282, 296-302, 306-347, 355-362, 364-379, 386-399, 409-418, 424-442, 451-460, 467-479, 490-498 and 60-74 of Seq ID No 218; 8-14, 20-31, 65-84, 94-99, 154-179, 193-207, 238-253 and 96-118 of Seq ID No 219; 4-24, 30-44, 47-62, 84-93, 108-116, 124-133, 136-141, 201-209, 217-223, 228-235, 238-245, 247-270, 275-285, 290-314, 328-338, 342-349, 353-365, 375-383, 386-392, 394-402, 417-427, 443-459, 465-481, 492-514, 516-524, 550-566, 602-617, 630-639, 666-676, 687-693, 719-730, 747-753, 783-790, 799-816, 824-831, 837-842 and 167-189 of Seq ID No 220; 6-15, 18-28, 58-66, 84-101, 106-129, 136-151, 154-165, 182-203, 205-211, 214-220, 222-228, 233-240, 251-260, 270-277, 284-291, 306-315, 322-328, 363-369, 378-388, 392-405, 443-452, 495-501, 512-523, 574-583 and 362-375 of Seq ID No 221; 5-25, 27-34, 47-59, 64-70, 76-86, 145-158, 166-183, 189-202, 217-231, 235-242, 260-270, 278-309 and 1-102 of Seq ID No 222; 4-19, 24-76, 78-83, 90-99, 102-109, 114-122, 137-147, 154-174, 177-188, 203-212, 217-223, 227-239 and 226-325 of Seq ID No 223; 7-37, 71-90, 94-109, 117-128, 141-153, 179-192, 199-206, 225-231, 237-243, 258-264 and 40-51 of Seq ID No 224; 13-19, 25-30, 46-59, 75-91, 101-107, 114-124, 129-135, 137-145, 160-167, 171-179, 187-194, 209-215, 217-222, 229-239, 243-249, 257-265, 269-275, 299-308, 310-327 and 282-300 of Seq ID No 225; 86-100, 216-230, 342-369, 382-388, 424-430, 438-445, 452-458, 488-494, 501-518, 554-560, 568-574, 584-592, 603-609, 611-629, 639-645, 652-661, 669-699, 708-714, 726-738, 747-753, 763-775, 785-791, 794-807, 815-824, 826-845, 854-860, 863-868, 870-883, 892-898, 901-906, 909-921, 930-937, 946-959, 968-974, 977-990, 998-1007, 1009-1027, 1037-1043, 1046-1051, 1053-1066, 1075-1081, 1084-1089, 1092-1103, 1113-1119, 1122-1135, 1143-1152, 1154-1172, 1182-1188, 1191-1196, 1200-1210, 1220-1226, 1229-1235, 1237-1249, 1259-1265, 1268-1281, 1289-1298, 1305-1318, 1328-1334, 1337-1343, 1345-1357, 1367-1373, 1390-1396, 1405-1411, 1418-1423, 1426-1435, 1445-1455, 1474-1483, 1493-1500, 1505-1512, 1517-1524, 1538-1544, 1568-1578, 1595-1601, 1674-1682, 1687-1720, 1728-1736, 1738-1744, 1754-1761, 1764-1774, 1798-1824, 1836-1842, 1886-1893, 1895-1903, 366-781, 782-1518 and 1731-1747 of Seq ID No 226; 4-17, 20-39, 46-55, 60-66, 102-110, 114-122, 125-131, 161-167, 172-178, 185-190, 195-202, 218-232, 236-252, 264-291, 293-302, 309-315, 324-339 and 169-381 of Seq ID No 227; 5-10, 13-40, 42-53, 69-75, 83-89, 120-135, 150-161, 174-190, 203-225, 229-247, 257-287, 318-348 and 30-200 of Seq ID No 228; 7-19, 43-53, 64-72, 124-139, 52-84 and 120-131 of Seq ID No 229; 12-19, 39-48, 58-100, 117-123, 154-162, 164-187, 189-195, 202-216, 218-235, 241-246, 262-278, 315-328, 333-347, 354-366, 372-379, 391-405, 422-429, 431-442, 444-450, 458-466, 478-485, 494-501, 504-510, 520-535, 573-580, 589-598, 615-625, 666-676, 686-698, 722-729, 737-746, 756-767, 787-796, 805-816, 824-829, 833-848, 856-864, 866-876, 879-886, 898-904, 918-924, 927-934, 941-960, 967-978 and 561-575 of Seq ID No 230; 11-29, 49-55, 70-77, 84-100, 102-112, 148-155, 160-177, 181-204 and 1-104 of Seq ID No 231; 27-44, 64-71, 122-133, 151-156, 164-178, 214-220, 226-232, 235-244, 253-262, 282-288, 294-310, 317-325, 350-356, 362-368, 376-383, 438-443, 449-454, 459-464, 492-498, 500-511, 529-535, 538-546, 567-573, 597-603, 660-665, 674-679, 724-734, 763-769, 773-784, 791-801, 807-815, 821-826, 840-848, 863-868, 897-902, 908-928, 932-953, 956-975, 980-987, 990-996, 1012-1018, 1042-1063, 1095-1116, 1149-1157, 1160-1167, 110-357, 358-501 and 502-1161 of Seq ID No 232; 4-21, 64-71, 73-84, 128-138, 144-162, 203-217, 240-263, 288-298, 300-308, 310-317, 325-351, 369-380, 391-411 and 330-345 of Seq ID No 233; 5-11, 25-31, 39-48, 51-79, 89-98, 100-122, 135-148, 166-201, 203-227, 230-250, 254-260, 266-272, 274-282, 299-305, 328-337 and 31-45 of Seq ID No 234; 12-23, 29-48, 51-60, 66-72, 75-81, 83-93, 103-115, 133-148, 168-174, 195-204, 222-229, 231-240, 242-251, 270-280, 286-305, 322-344, 349-360, 364-370, 378-400, 421-441, 448-484, 486-493, 495-501, 504-534, 547-561, 567-590, 597-607, 621-635, 643-649, 658-685, 688-694, 702-711, 717-731, 737-742, 759-765, 767-772, 776-786, 803-809, 815-825, 854-908, 910-919, 923-930, 942-948, 961-975, 994-1014 and 915-940 of Seq ID No 235; 4-9, 32-47, 51-61, 75-96, 139-191 and 1-124 of Seq ID No 236; 4-13, 17-38, 43-49, 55-76, 88-95, 110-121, 128-146, 151-157, 162-214, 222-240,

243-249, 251-273, 275-281, 292-298, 300-309, 312-320, 322-331, 355-369, 376-408, 446-460, 471-482, 485-509 and 191-203 of Seq ID No 237; 4-21, 72-82, 89-103, 106-115, 118-124, 140-146, 174-184, 191-200, 204-213, 218-224, 261-266, 282-293, 299-309, 311-340, 342-358, 362-372, 381-389, 391-402, 413-421, 438-447, 457-464, 470-478, 501-507, 545-560, 578-624, 631-641, 658-670, 680-689, 717-738, 753-759, 795-805, 816-822, 830-838, 842-848, 869-881, 892-898, 33-51 and 818-835 of Seq ID No 238; 4-21, 79-85, 156-177, 183-188, 206-214, 243-249, 261-269, 287-292, 315-322, 334-345, 360-366, 374-390, 402-411, 37-97 and 260-399 of Seq ID No 239; 4-9, 19-54, 58-78, 97-104, 111-120, 126-134, 137-145, 163-173, 178-188, 193-203, 211-224, 246-286, 288-324, 337-346, 355-362, 374-390, 392-398, 409-417 and 240-249 of Seq ID No 240; 5-12, 14-31, 35-41, 43-61, 82-92, 97-105, 134-145, 155-166, 184-203, 215-223, 225-251, 272-279, 281-306, 310-345, 358-418, 435-473, 482-490, 525-532, 538-547, 549-563, 578-604, 613-639 and 144-154 of Seq ID No 241; 53-59, 64-72, 74-100, 133-152, 154-172, 176-181, 207-214, 225-238, 275-297, 304-310, 331-340, 362-367, 384-395, 403-410, 437-443, 448-456, 482-490, 579-597, 602-610, 625-630, 633-651, 699-707, 709-715, 734-743, 750-762 and 544-685 of Seq ID No 242; 12-18, 22-40, 45-83, 89-97, 103-109, 147-153, 159-173, 195-204, 210-219, 243-253, 259-265, 273-282, 303-309, 315-325, 332-340, 346-358, 362-367, 377-390, 393-402, 418-426, 447-455, 467-480, 505-512, 514-525, 548-561, 566-576, 584-596, 619-626, 638-645, 649-659, 661-680, 699-708, 714-720, 753-759, 766-772, 775-781, 801-808, 202-218, 282-299, 339-350 and 617-628 of Seq ID No 243; 5-33, 52-62, 87-101, 111-135, 137-143, 145-152, 190-202, 209-221, 233-245, 253-270 and 151-215 of Seq ID No 244; 19-29, 32-39, 42-48, 75-94, 124-135, 137-145, 152-160, 176-182, 193-203, 215-236, 266-273, 275-291, 297-306, 311-319, 322-342, 348-360, 369-378, 394-401 and 48-64 of Seq ID No 245; 4-11, 13-33, 36-43, 53-63, 65-80, 112-129, 134-141, 143-155, 157-168, 178-188, 191-199, 201-207, 215-229, 242-255, 263-270, 283-315, 320-329, 333-338, 340-349, 412-426, 465-478, 485-490, 498-512, 540-554 and 390-516 of Seq ID No 246; 4-18, 23-32, 41-47, 54-70, 88-99, 104-111, 118-138, 143-148, 150-162, 168-175, 181-188, 203-211, 214-220, 227-245, 251-268, 275-281, 287-296, 323-333 and 1-90 of Seq ID No 247; 8-34, 38-49, 72-83, 85-91, 94-104, 112-125, 134-142, 148-168, 181-189, 191-198, 202-214, 222-233, 242-254, 256-262, 273-278, 287-294, 314-325 and 141-159 of Seq ID No 248; 4-24, 30-36, 47-75, 82-105, 124-134, 151-157, 192-202, 208-214, 219-226, 234-247, 285-290, 318-324, 332-340, 343-349, 380-386, 453-462, 472-478, 484-501, 531-540, 550-557, 604-612, 620-625, 642-648, 652-671, 64-84, 93-180 and 181-446 of Seq ID No 249; 12-18, 24-32, 68-75, 77-83, 96-101, 109-116, 129-136, 152-164, 175-184, 190-199, 206-215, 224-233, 241-250, 258-264, 273-292, 302-312, 319-331, 334-346, 348-368, 387-395, 408-416, 420-429, 437-452 and 364-374 of Seq ID No 250; 11-28, 36-52, 60-67, 74-79, 108-116 and 61-76 of Seq ID No 251; 20-27, 38-49, 69-74, 84-107, 138-145, 161-168, 179-195, 210-226, 228-252, 267-281, 283-296, 305-311, 333-340, 342-356, 361-372, 380-399, 401-414, 458-466, 475-481, 492-507, 515-520 and 146-160 of Seq ID No 252; 43-61, 68-74, 76-90, 120-128, 130-149, 156-161, 164-182, 206-234, 242-252, 269-274, 291-304, 332-345, 349-355, 360-371, 374-388, 434-440, 447-453, 459-465, 469-496, 504-522 and 261-285 of Seq ID No 253; 4-17, 24-30, 37-49, 87-98, 118-124, 126-136, 144-171, 176-188, 206-214, 216-228, 233-240, 246-252, 262-271, 277-297, 307-330, 333-342, 346-352, 355-361, 368-386, 391-400, 413-420, 474-480 and 401-427 of Seq ID No 254; 15-26, 31-46, 51-72, 80-93, 96-109, 131-137, 150-158, 179-185, 189-209, 211-219, 221-234, 241-247, 255-262, 265-271, 283-288 and 173-190 of Seq ID No 255; 28-37, 39-45, 51-58, 77-84, 89-97, 132-148, 171-180, 199-205, 212-218, 220-226, 257-265, 273-300, 307-327, 334-340, 344-365, 385-390, 402-408, 426-436, 450-468, 476-485 and 425-497 of Seq ID No 256; 4-25, 70-76, 80-88, 90-100, 120-128, 162-169, 183-203, 261-277, 279-289, 291-297, 302-308, 321-327, 339-353, 358-377, 392-401, 404-410, 414-422, 443-450, 456-461, 470-488, 490-497, 510-535, 570-611, 618-630, 639-647, 649-660, 668-690, 702-716, 718-724, 737-747, 750-764 and 497-509 of Seq ID No 257; 12-48, 50-64, 99-108, 216-223, 235-241, 244-254, 262-274, 287-293, 310-316, 320-326, 361-366, 377-383, 390-395, 408-414, 418-425, 438-444, 462-469, 494-505, 524-530, 536-547, 551-566, 592-598, 601-613, 678-685, 687-695, 709-717, 727-737, 751-757, 760-765, 772-778, 782-788, 801-807, 822-830, 859-868, 870-878, 884-890, 898-903, 909-919, 953-969, 973-980, 990-1000, 1002-1019, 1041-1047, 1059-1065, 1090-1095, 1116-1127, 1130-1139, 1143-1149, 1151-1168, 1178-1183, 1188-1195, 1197-1209, 1213-1220, 1226-1234, 1236-1247, 1255-1274, 1276-1282, 76-100, 270-284, 309-438, 493-505, 786-942 and 947-967 of Seq ID No 258; 4-9, 24-34, 46-95, 97-109, 119-130 and 138-156 of Seq ID No 259; 9-26, 28-35, 43-53, 55-68, 83-92, 99-105, 110-135, 139-149, 157-162, 164-170, 173-183, 193-208, 210-230, 239-245, 253-259, 263-271, 293-305, 310-320, 322-331, 336-343, 351-364, 367-376, 92-107 and 154-173 of Seq ID No 260; 19-39, 52-62, 108-117, 145-152, 160-168, 194-203, 229-240, 252-268, 280-287, 308-316, 333-339, 383-390, 403-412, 414-424, 438-445, 464-472, 479-484, 489-505, 510-526 and 247-260 of Seq ID No 261; 5-17, 25-52, 60-77, 105-113, 118-125, 162-167, 228-234, 272-279, 328-334, 341-357, 381-395, 400-406,

512-518, 557-569, 586-592, 645-651, 690-695, 701-709, 720-726, 733-743, 751-758, 781-786, 879-886, 929-934, 939-944, 952-960, 965-975, 994-1001, 1039-1045, 1102-1109, 1164-1181, 1198-1206, 1223-1229, 1253-1259, 1283-1292, 1312-1317, 1339-1349, 1360-1370, 1389-1398, 1400-1412, 1452-1465, 1470-1484, 1490-1497, 1519-1525, 1554-1564, 1578-1591, 1623-1636, 1638-1646, 1669-1679, 1685-1697, 1704-1711, 1713-1720, 1730-1736, 1738-1749, 1756-1764, 1778-1786, 1796-1803, 1817-1826, 1849-1866, 1975-1993, 2017-2032, 2044-2053, 2070-2086, 2091-2109, 2116-2127, 2156-2167, 2182-2188, 2197-2202, 2244-2252, 2281-2287, 2290-2307, 2350-2361, 2383-2404, 2425-2433, 2445-2455, 2495-2505 and 394-549 of Seq ID No 262; 9-24, 31-53, 57-67, 69-79, 84-114, 133-141, 144-172, 178-186 and 13-46 of Seq ID No 263; 4-25, 27-35, 43-52, 59-70, 79-91, 115-130, 136-152, 154-163, 170-179 and 1-58 of Seq ID No 264; 4-30, 49-55, 71-80, 96-105, 111-126, 139-146, 149-162, 239-245, 279-285, 290-296, 300-307, 331-337, 343-350 and 250-351 of Seq ID No 265; 9-27, 34-41, 43-51, 92-111, 114-120, 123-131, 139-150, 156-171, 176-186, 188-204, 229-241, 252-258, 266-279, 288-297, 319-334, 338-348, 373-379, 389-398, 431-439, 479-484 and 214-398 of Seq ID No 266; 4-15, 18-27, 47-52, 68-83, 91-97, 104-110, 115-121, 139-147, 157-164, 198-206, 227-236, 241-254, 264-273, 278-289, 311-320, 353-361, 372-383, 405-420, 426-434 and 232-386 of Seq ID No 267; 4-10, 24-34, 91-97, 129-141, 156-163, 184-190, 205-219, 229-235, 256-273, 278-285 and 93-116 of Seq ID No 268; 7-29, 35-54, 71-83, 85-91, 104-111, 122-134, 138-144, 146-154, 158-174, 177-183, 186-201, 207-215, 223-235, 240-247, 262-273, 275-283, 287-292 and 48-66 of Seq ID No 269; 7-27, 31-47, 49-70, 75-102, 110-149, 157-171, 217-223, 235-251, 294-302, 358-364, 367-375, 387-393, 395-412, 423-430, 441-451, 456-470, 472-486, 488-495, 499-509, 515-529, 536-549, 556-570, 574-603, 607-615, 625-633, 642-658, 670-676, 683-702, 708-716, 720-726, 747-756, 763-784, 803-812, 815-826 and 475-490 of Seq ID No 270; 7-22, 30-38, 53-59, 64-75, 83-95, 97-112, 120-131, 133-142, 145-151, 154-166, 172-180, 189-203, 227-238, 277-287, 9-156 and 174-287 of Seq ID No 271; 13-23, 25-32, 111-117, 150-164, 185-193, 207-212, 216-224, 230-236, 263-272, 304-311, 342-348, 374-385, 391-407, 444-458, 480-487, 489-499, 523-542, 544-558, 572-579, 620-640, 686-696, 703-710, 742-755, 765-772, 817-822, 830-837, 865-872, 931-937 and 66-86 of Seq ID No 272; 4-27, 49-56, 62-70, 86-92, 121-127, 151-163, 170-182, 195-202, 212-226, 237-243 and 234-254 of Seq ID No 273; 4-10, 13-24, 39-51, 62-78, 92-104, 107-117, 134-141, 156-161, 166-181, 210-216, 222-229, 256-266, 273-280, 297-304, 313-330, 336-349, 371-376, 433-439, 443-448, 488-493, 506-515, 527-534, 560-572, 575-583, 587-593 and 252-483 of Seq ID No 274; 4-15, 21-38, 45-56, 81-95, 102-108, 118-130, 133-147, 152-162, 166-171, 199-204, 211-218, 230-240, 253-261, 274-283, 288-294, 312-317, 325-336, 344-357, 391-414 and 24-146 of Seq ID No 275; 26-31, 38-56, 65-82, 90-101, 112-119, 123-153, 175-188, 197-216, 234-242, 249-265, 273-286, 290-305, 327-335, 338-346, 361-372, 394-404 and 290-306 of Seq ID No 276; 17-26, 43-48, 50-73, 81-93, 95-107, 139-146, 158-168, 171-176, 190-196, 202-212, 216-223, 243-266, 274-282, 308-313, 324-330, 344-378, 380-387, 403-422, 427-443, 448-455, 457-465, 491-515, 517-528, 553-567, 589-599, 610-617, 642-648, 670-697, 709-717, 726-743, 745-759, 769-803, 807-823, 840-849 and 820-851 of Seq ID No 277; 4-18, 39-48, 53-63, 66-90, 102-117, 125-134, 137-145, 156-162, 169-197, 26-40 and 56-80 of Seq ID No 278; 21-33, 36-42, 49-60, 68-76, 91-105, 123-130, 141-161, 169-178, 185-190, 192-199, 205-214, 223-233, 239-247, 260-269, 284-293, 300-314, 324-352, 357-364, 373-382, 389-403, 420-432, 438-446, 466-471, 477-484, 503-509, 549-556, 558-576, 600-623, 625-635, 654-661, 663-669, 671-687, 702-716, 735-741, 744-750, 757-766, 776-786, 807-815, 824-832, 854-860, 863-897, 909-915, 920-946, 952-959, 982-997, 1024-1038, 1049-1055, 1071-1085, 1104-1113, 1121-1132, 1138-1150, 1187-1196, 1212-1221, 1227-1236, 1257-1262, 1264-1278, 1282-1294, 1307-1318, 1353-1370, 1382-1388, 1396-1409, 1434-1440, 1446-1454, 1465-1478, 1485-1513, 1516-1529, 1540-1545, 1563-1568, 1575-1593, 1607-1616, 1628-1645, 1648-1661, 1676-1682, 1689-1697, 1713-1719, 1739-1749, 1753-1758, 1763-1774, 1797-1803, 1807-1846, 1645, 1648-1661, 1676-1682, 1689-1697, 1713-1719, 1739-1749, 1753-1758, 1763-1774, 1797-1803, 1807-1846, 1855-1874, 1877-1891, 1893-1907, 1912-1925, 1931-1943, 1955-1965, 1976-1990, 2032-2043, 2045-2051, 2099-2105, 2131-2138, 2161-2179, 2188-2199, 2205-2216, 2219-2227, 2235-2245, 2247-2267, 2277-2288, 2294-2304, 2314-2326, 2346-2358, 2365-2377, 2383-2402, 2407-2423, 2437-2450, 2454-2473, 2489-2497, 2525-2531, 2557-2570, 2580-2587, 2589-2599, 2621-2641, 2647-2653, 2661-2677, 2685-2690, 2697-2717, 2722-2733, 2739-2777, 2786-2793, 2801-2808, 2811-2822, 2825-2835, 2838-2845, 2859-2871, 2877-2883, 213-344, 954-1080 and 2524-2733 of Seq ID No 279; 10-16, 18-23, 28-41, 63-69, 77-91, 101-109, 118-136, 146-153, 155-162, 168-179, 192-207, 217-226, 229-235, 239-254, 279-286, 294-307, 313-319, 334-341, 344-353, 363-377, 390-396 and 178-328 of Seq ID No 280; 18-42, 68-84, 89-95, 100-105, 107-115, 125-135, 154-177, 189-195, 205-228, 236-243, 252-259, 279-300, 309-316, 323-331, 340-351, 353-364, 377-402 and 85-97 of Seq ID No 281; 4-18, 26-32, 66-76, 100-126, 151-159, 178-186, 188-194, 200-210, 241-248, 253-259, 262-279, 284-291, 307-313, 315-322, 327-337, 376-386, 399-407, 432-441, 467-473, 487-497, 499-505, 543-549, 560-568, 585-593, 598-604, 608-614, 630-642, 647-

653, 690-703, 717-730, 21-200 and 468-480 of Seq ID No 282; 17-49, 52-58, 62-73, 78-97, 100-117, 122-172, 185-190, 193-217, 225-236 and 33-42 of Seq ID No 283; 7-39, 50-58, 73-89, 96-107, 109-120, 126-142, 152-170, 178-202, 205-211, 224-244, 249-259, 261-270, 300-310, 312-325 and 158-169 of Seq ID No 284; 4-31, 40-64, 71-82, 85-92, 102-124, 126-139, 147-152, 159-173, 176-188, 195-207, 210-216, 234-241, 249-256, 258-276, 279-293, 296-302, 310-315, 349-356, 363-378, 380-403, 411-426, 435-441, 448-459, 463-476, 488-494 and 201-221 of Seq ID No 285; 5-13, 15-74, 87-104, 107-120, 123-129, 136-145, 150-191, 193-206, 227-248, 250-264, 278-302, 304-323, 332-378, 384-407, 409-419, 425-457, 462-471, 474-497, 511-545, 555-564, 571-578, 585-598, 640-647, 669-675, 682-691, 693-705, 729-743, 752-761, 772-780, 786-804, 808-818, 822-846, 858-880, 884-900, 910-939, 941-947, 962-971, 973-988, 998-1003, 1007-1027 and 236-259 of Seq ID No 286; 4-19, 27-68, 81-111, 121-160 and 60-79 of Seq ID No 287; 4-37, 40-46, 52-57, 199-205, 222-229, 236-244, 250-267, 269-282 and 27-197 of Seq ID No 288; 4-16, 24-30, 32-38, 63-75, 86-92, 98-111, 113-126, 160-165, 170-180, 198-204, 227-233, 239-245, 253-273, 308-314, 352-365, 382-387, 395-403, 423-429, 472-482, 484-493, 501-507, 518-526, 536-541, 543-550, 556-562, 586-600, 626-633, 649-661, 680-688 and 546-559 of Seq ID No 289; 16-33, 48-59, 63-71, 77-92, 94-109, 117-124, 139-151, 169-181, 184-227, 233-249, 251-261, 263-275, 282-294, 297-321, 326-332, 341-355, 383-399 and 258-272 of Seq ID No 290; 11-26, 31-39, 43-52, 55-62, 64-70, 80-94, 123-133, 135-141, 172-181, 185-206, 209-218, 224-230, 238-244, 251-262, 264-271, 290-301, 306-324, 333-340, 350-357, 367-375, 390-397, 434-441, 443-448, 77-226 and 350-429 of Seq ID No 291; 4-13, 22-27, 31-45, 50-59, 72-96, 99-114, 131-141, 143-150, 159-176, 180-186, 189-198, 208-214, 234-253, 271-287, 294-299, 310-366, 382-390, 398-416, 424-443 and 283-305 of Seq ID No 292; 9-26, 30-53, 62-72, 86-95, 112-122, 136-145, 153-160, 209-221, 227-237, 241-268, 281-288, 291-298, 308-314, 321-328, 336-346, 351-379, 388-397, 409-416, 423-433, 443-481, 511-519 and 213-232 of Seq ID No 293; 12-18, 25-31, 38-50, 59-67, 71-82, 96-126 and 76-88 of Seq ID No 294; 4-25, 39-44, 64-71, 74-88, 100-113, 128-138, 151-162, 164-177, 185-190, 204-213, 233-239, 246-254, 281-286, 293-306, 309-318, 333-347, 349-359, 385-398, 404-423, 458-465, 477-484, 490-499, 501-533, 554-566, 582-590, 596-616, 624-629, 631-639, 654-680, 694-720, 735-743 and 2-100 of Seq ID No 295; 4-16, 36-41, 52-75, 98-107, 109-117, 122-128, 133-139, 141-155, 159-165, 169-182, 187-193, 195-201, 211-224, 230-236, 247-269, 278-290 and 75-92 of Seq ID No 296; 7-21, 25-33, 37-43, 87-94, 103-120, 131-147, 168-174, 197-203, 207-212, 227-237, 247-257, 263-271, 279-287, 298-306, 320-325, 332-340, 363-374, 379-384, 390-401, 403-414, 428-433, 448-457, 462-475, 483-490, 513-519, 525-535, 543-554, 559-566, 571-620, 625-631, 636-642, 659-670, 688-706, 708-723, 770-779, 787-793, 796-807, 820-840, 848-854, 863-874, 895-905, 912-919, 934-942, 968-975, 983-1000, 1012-1019, 1026-1036, 1050-1060, 1064-1070, 1081-1091, 1094-1108, 1112-1118, 1140-1152, 1164-1169, 1172-1180, 1187-1192 and 732-748 of Seq ID No 297; 23-40, 42-59, 66-73, 78-97, 111-128, 130-141, 157-166, 178-183 and 53-71 of Seq ID No 298; 4-27, 38-44, 47-57, 59-85, 99-106, 114-121, 154-166, 181-186, 193-198, 238-244, 253-262, 272-278, 287-299, 314-320, 338-350, 358-368, 382-388, 407-416, 433-446, 456-461, 463-473 and 86-195 of Seq ID No 299; 5-24, 38-59, 64-80, 87-99, 105-126, 134-142, 149-163, 165-179, 181-202, 205-220, 227-233, 243-250, 257-263 and 87-245 of Seq ID No 300; 5-32, 47-53, 66-79, 81-97, 115-151, 155-174, 183-188, 196-210, 215-226, 230-238, 253-258, 263-270, 276-282, 295-301, 304-325, 334-344, 360-390, 397-412, 425-432, 434-462, 478-494, 508-526, 539-564, 571-579, 347-371 and 375-386 of Seq ID No 301; 4-15, 36-44, 49-56, 60-66, 68-82, 84-103, 109-115, 118-141, 147-154, 160-168, 176-185 and 26-39 of Seq ID No 302; 7-13, 23-33 and 13-21 of Seq ID No 303; 2-10 of Seq ID No 304; 4-9, 12-18, 35-42, 49-62 and 6-18 of Seq ID No 305; 19-25 and 1-13 of Seq ID No 306; 15-21, 27-45 and 12-25 of Seq ID No 307; 14-20 and 1-14 of Seq ID No 308; 4-18 and 13-26 of Seq ID No 309; 8-21 and 2-20 of Seq ID No 310; 4-14 and 4-16 of Seq ID No 311; 3-12 of Seq ID No 312; 6-14, 6-25, 35-57 and 2-14 of Seq ID No 313; 6-25, 35-57 and 17-31 of Seq ID No 314; 14-25, 32-46 and 5-19 of Seq ID No 315; 18-31 and 5-16 of Seq ID No 316; 19-24 and 4-26 of Seq ID No 317; 13-21, 29-34, 47-58, 61-73 and 36-47 of Seq ID No 318; 4-15 and 5-24 of Seq ID No 319; 6-18 of Seq ID No 320; 13-20 and 4-13 of Seq ID No 321; 15-23 of Seq ID No 322; 4-9 and 7-21 of Seq ID No 323; 1-10 of Seq ID No 324; 4-14 of Seq ID No 325; 4-17, 35-41, 46-89, 93-98 and 70-88 of Seq ID No 326; 1-13 of Seq ID No 327; 4-16, 26-32 and 25-38 of Seq ID No 328; 8-15, 23-28 and 4-17 of Seq ID No 329; 4-12 and 1-15 of Seq ID No 330; 4-29, 31-42, 52-58 and 6-16 of Seq ID No 331; 4-9, 24-32 and 9-19 of Seq ID No 332; 4-12, 18-27 and 5-18 of Seq ID No 333; 4-11, 37-56, 58-92 and 18-29 of Seq ID No 334; 8-28 and 20-35 of Seq ID No 335; 4-15 of Seq ID No 336; 4-23, 27-39, 55-63 and 35-58 of Seq ID No 337; 6-26, 28-54 and 28-47 of Seq ID No 338; 4-10, 38-52, 58-82 and 30-49 of Seq ID No 339; 4-22, 29-35, 44-50, 53-68, 70-80 and 20-33 of Seq ID No 340; 22-28, 30-36 and 18-33 of Seq ID No 341; 4-11, 13-21, 25-30 and 20-30 of Seq ID No 342; 10-22 and

10-23 of Seq ID No 343; 4-11 and 9-20 of Seq ID No 344; 14-25, 32-46 and 6-19 of Seq ID No 345; 5-30 and 14-33 of Seq ID No 346; 4-15, 28-35, 46-55, 59-65, 76-84 and 9-24 of Seq ID No 347; 27-33 and 5-19 of Seq ID No 348; 5-13 and 8-18 of Seq ID No 349; 9-22, 24-34 and 21-40 of Seq ID No 350; 4-17, 35-41, 46-89, 93-98 and 71-89 of Seq ID No 351; 4-12, 14-24 and 2-17 of Seq ID No 352; 9-17 and 5-16 of Seq ID No 353; 7-41, 48-58, 63-75, 80-89 and 43-53 of Seq ID No 354; 4-22, 25-30 and 4-14 of Seq ID No 355; 4-55 and 18-33 of Seq ID No 356.

The present invention also provides a process for producing a *H. pylori* hyperimmune serum reactive antigen or a fragment thereof according to the present invention comprising expressing one or more of the nucleic acid molecules according to the present invention in a suitable expression system.

Moreover, the present invention provides a process for producing a cell, which expresses a *H. pylori* hyperimmune serum reactive antigen or a fragment thereof according to the present invention comprising transforming or transfecting a suitable host cell with the vector according to the present invention.

According to the present invention a pharmaceutical composition, especially a vaccine, comprising a hyperimmune serum-reactive antigen or a fragment thereof as defined in the present invention or a nucleic acid molecule as defined in the present invention is provided.

In a preferred embodiment the pharmaceutical composition further comprises an immunostimulatory substance, preferably selected from the group comprising polycationic polymers, especially polycationic peptides, immunostimulatory deoxynucleotides (ODNs), peptides containing at least two LysLeuLys motifs, especially KLKLSLK, neuroactive compounds, especially human growth hormone, alum, Freund's complete or incomplete adjuvants or combinations thereof.

In a more preferred embodiment the immunostimulatory substance is a combination of either a polycationic polymer and immunostimulatory deoxynucleotides or of a peptide containing at least two LysLeuLys motifs and immunostimulatory deoxynucleotides.

In a still more preferred embodiment the polycationic polymer is a polycationic peptide, especially polyarginine.

According to the present invention the use of a nucleic acid molecule according to the present invention or a hyperimmune serum-reactive antigen or fragment thereof according to the present invention for the manufacture of a pharmaceutical preparation, especially for the manufacture of a vaccine against *H. pylori* infection, is provided.

Also an antibody, or at least an effective part thereof, which binds at least to a selective part of the hyperimmune serum-reactive antigen or a fragment thereof according to the present invention is provided herewith.

In a preferred embodiment the antibody is a monoclonal antibody.

In another preferred embodiment the effective part of the antibody comprises Fab fragments.

In a further preferred embodiment the antibody is a chimeric antibody.

In a still preferred embodiment the antibody is a humanized antibody.

The present invention also provides a hybridoma cell line, which produces an antibody according to the present invention.

Moreover, the present invention provides a method for producing an antibody according to the present invention, characterized by the following steps:

- initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in the invention, to said animal,
- removing an antibody containing body fluid from said animal, and
- producing the antibody by subjecting said antibody containing body fluid to further purification steps.

Accordingly, the present invention also provides a method for producing an antibody according to the present invention, characterized by the following steps:

- initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in the present invention, to said animal,
- removing the spleen or spleen cells from said animal,
- producing hybridoma cells of said spleen or spleen cells,
- selecting and cloning hybridoma cells specific for said hyperimmune serum-reactive antigens or a fragment thereof,
- producing the antibody by cultivation of said cloned hybridoma cells and optionally further purification steps.

The antibodies provided or produced according to the above methods may be used for the preparation of a medicament for treating or preventing *H. pylori* infections.

According to another aspect the present invention provides an antagonist, which binds to a hyperimmune serum-reactive antigen or a fragment thereof according to the present invention.

Such an antagonist capable of binding to a hyperimmune serum-reactive antigen or fragment thereof according to the present invention may be identified by a method comprising the following steps:

- a) contacting an isolated or immobilized hyperimmune serum-reactive antigen or a fragment thereof according to the present invention with a candidate antagonist under conditions to permit binding of said candidate antagonist to said hyperimmune serum-reactive antigen or fragment, in the presence of a component capable of providing a detectable signal in response to the binding of the candidate antagonist to said hyperimmune serum reactive antigen or fragment thereof; and
- b) detecting the presence or absence of a signal generated in response to the binding of the antagonist to the hyperimmune serum reactive antigen or the fragment thereof.

An antagonist capable of reducing or inhibiting the interaction activity of a hyperimmune serum-reactive antigen or a fragment thereof according to the present invention to its interaction partner may be identified by a method comprising the following steps:

- a) providing a hyperimmune serum reactive antigen or a hyperimmune fragment thereof according to the present invention,
- b) providing an interaction partner to said hyperimmune serum reactive antigen or a fragment thereof, especially an antibody according to the present invention,
- c) allowing interaction of said hyperimmune serum reactive antigen or fragment thereof to said interaction partner to form an interaction complex,
- d) providing a candidate antagonist,
- e) allowing a competition reaction to occur between the candidate antagonist and the interaction complex ,
- f) determining whether the candidate antagonist inhibits or reduces the interaction activities of the hyperimmune serum reactive antigen or the fragment thereof with the interaction partner.

The hyperimmune serum reactive antigens or fragments thereof according to the present invention may be used for the isolation and/or purification and/or identification of an interaction partner of said hyperimmune serum reactive antigen or fragment thereof.

The present invention also provides a process for *in vitro* diagnosing a disease related to expression of a hyperimmune serum-reactive antigen or a fragment thereof according to the present invention comprising determining the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen or fragment thereof according to the present invention or the presence of the hyperimmune serum reactive antigen or fragment thereof according to the present invention.

The present invention also provides a process for *in vitro* diagnosis of a bacterial infection, especially a *H. pylori* infection, comprising analyzing for the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen or fragment thereof according to the present invention or the presence of the hyperimmune serum reactive antigen or fragment thereof according to the present invention.

Moreover, the present invention provides the use of a hyperimmune serum reactive antigen or fragment thereof according to the present invention for the generation of a peptide binding to said hyperimmune serum reactive antigen or fragment thereof, wherein the peptide is an anticaline.

The present invention also provides the use of a hyperimmune serum-reactive antigen or fragment thereof according to the present invention for the manufacture of a functional nucleic acid, wherein the functional nucleic acid is selected from the group comprising aptamers and spiegelmers.

The nucleic acid molecule according to the present invention may also be used for the manufacture of a functional ribonucleic acid, wherein the functional ribonucleic acid is selected from the group comprising ribozymes, antisense nucleic acids and siRNA.

The present invention advantageously provides an efficient, relevant and comprehensive set of isolated nucleic acid molecules and their encoded hyperimmune serum reactive antigens or fragments thereof identified from *H. pylori* using an antibody preparation from multiple human plasma pools and surface expression libraries derived from the genome of *H. pylori*. Thus, the present invention fulfils a widely felt demand for *H. pylori* antigens, vaccines, diagnostics and products useful in procedures for preparing antibodies and for identifying compounds effective against *H. pylori* infection.

An effective vaccine should be composed of proteins or polypeptides, which are expressed by all strains and are able to induce high affinity, abundant antibodies against cell surface components of *H. pylori*. The antibodies should be IgG1 and/or IgG3 for opsonization, and any IgG subtype and IgA for neutralisation of adherence and toxin action. A chemically defined vaccine must be definitely superior compared to a whole cell vaccine (attenuated or killed), since components of *H. pylori*, which cross-react with human tissues or inhibit opsonization can be eliminated, and the individual proteins inducing protective antibodies and/or a protective immune response can be selected.

The approach, which has been employed for the present invention, is based on the interaction of *H. pylori* proteins or peptides with the antibodies present in human sera. The antibodies produced against *H. pylori* by the human immune system and present in human sera are indicative of the *in vivo* expression of the antigenic proteins and their immunogenicity. In addition, the antigenic proteins as identified by the bacterial surface display expression libraries using pools of pre-selected sera are processed in a second and third round of screening by individual selected or generated sera. Thus the present invention supplies an efficient, relevant, comprehensive set of *H. pylori* antigens as promising candidates for the development of a pharmaceutical composition, especially a vaccine preventing infection by *H. pylori*.

In the antigen identification program for identifying a comprehensive set of antigens according to the present invention, at least two different bacterial surface expression libraries are screened with several serum pools or plasma fractions or other pooled antibody containing body fluids (antibody pools). The antibody pools are derived from a serum collection, which has been tested against antigenic compounds of *H. pylori*, such as whole cell extracts and culture supernatant proteins. Preferably, 2 distinct serum collections are used: 1. With very stable antibody repertoire: normal adults, clinically healthy people, who are non-carriers and overcame previous encounters or currently carriers of *H. pylori* without acute disease and symptoms, 2. With antibodies induced acutely by the presence of the pathogenic organism: patients with manifest disease (e.g. *H. pylori* gastritis, peptic ulcer disease or gastric cancer). Sera have to react with multiple *H. pylori*-specific antigens in order to be considered hyperimmune and therefore relevant in the screening method applied for the present invention. The antibodies produced against *H. pylori* by the human immune system and present in human sera are indicative of the *in vivo* expression of the antigenic proteins and their immunogenicity.

The expression libraries as used in the present invention should allow expression of all potential antigens, e.g. derived from all surface proteins of *H. pylori*. Bacterial surface display libraries will be represented by a recombinant library of a bacterial host displaying a (total) set of expressed peptide sequences of *H. pylori* on a number of selected outer membrane proteins (LamB, FhuA) at the bacterial host membrane (Georgiou, G., 1997; (Etz, H. et al., 2001). One of the advantages of using recombinant expression libraries is that the identified hyperimmune serum-reactive antigens may be instantly produced by expression of the coding sequences of the screened and selected clones expressing the hyperimmune serum-reactive antigens without further recombinant DNA technology or cloning steps necessary.

The comprehensive set of antigens identified by the described program according to the present invention is analysed further by additional rounds of screening. Therefore individual antibody preparations or antibodies generated against selected peptides, which were identified as immunogenic are used. According to a preferred embodiment the individual antibody preparations for the second round of screening are derived from patients who have suffered from infection with *H. pylori*, especially from patients who show an antibody titer above a certain minimum level, for example an antibody titer being higher than 80 percentile, preferably higher than 90 percentile, especially higher than 95 percentile of the human (patient or healthy individual) sera tested. Using such high titer individual antibody preparations in the second screening round allows a very selective identification of the hyperimmune serum-reactive antigens and fragments thereof from *H. pylori*.

Following the high throughput screening procedure, the selected antigenic proteins, expressed as recombinant proteins or in vitro translated products, in case it can not be expressed in prokaryotic expression systems, or the identified antigenic peptides (produced synthetically) are tested in a second screening by a series of ELISA and Western blotting assays for the assessment of their immunogenicity with a large human serum collection (> 50 uninfected, > 100 patients sera).

It is important that the individual antibody preparations (which may also be the selected serum) allow a selective identification of the hyperimmune serum-reactive antigens from all the promising candidates from the first round. Therefore, preferably at least 10 individual antibody preparations (i.e. antibody preparations (e.g. sera) from at least 10 different individuals having suffered from an infection to the chosen pathogen) should be used in identifying these antigens in the second screening round. It is possible to use also less than 10 individual preparations, however, selectivity of the step may not be optimal with a low number of individual antibody preparations. Therefore, recognition of a given hyperimmune serum-reactive antigen (or an antigenic fragment thereof) by at least 10 individual antibody preparations, preferably at least 30, especially at least 50 individual antibody preparations confers proper selectivity in the identification process. Hyperimmune serum-reactivity may of course be tested with as many individual preparations as possible (e.g. with more than 100 or even with more than 1,000).

Therefore, the relevant portion of the hyperimmune serum-reactive antibody preparations according to the method of the present invention should preferably be at least 10, more preferred at least 30, especially at least 50 individual antibody preparations. Alternatively (or in combination) hyperimmune serum-reactive antigens may preferably be also identified with at least 20%, preferably at least 30%, especially at least 40% of all individual antibody preparations used in the second screening round.

According to a preferred embodiment of the present invention, the sera from which the individual antibody preparations for the second round of screening are prepared (or which are used as antibody preparations), are selected by their titer against *H. pylori* (e.g. against a preparation of this pathogen, such as a lysate, cell wall components and recombinant proteins). Preferably, some are selected with a total IgA titer above 4,000 U, especially above 6,000 U, and/or an IgG titer above 10,000 U, especially above 12,000 U (U = units, calculated from the OD_{405nm} reading at a given dilution) when the whole organism (total lysate or whole cells) is used as antigen in the ELISA.

The antibodies produced against *Helicobacter* by the human immune system and present in human sera are indicative of the *in vivo* expression of the antigenic proteins and their immunogenicity. The recognition of linear epitopes by antibodies can be based on sequences as short as 4-5 amino acids. It, however, does not necessarily mean that these short peptides are capable of inducing the given antibody *in vivo*. For that reason the defined epitopes, polypeptides and proteins are further to be tested in animals (mainly in mice) for their capacity to induce antibodies against the selected proteins *in vivo*.

The preferred antigens are located on the cell surface or secreted, and are therefore accessible extracellularly. Antibodies against cell wall proteins are expected to serve two purposes: to inhibit adhesion and to promote phagocytosis or complement mediated killing. Antibodies against secreted proteins are beneficial in neutralisation of their function as toxin or virulence component. It is also known that bacteria communicate with each other through secreted proteins. Neutralizing antibodies against these proteins will interrupt growth-promoting cross-talk between or within *Helicobacter* species. Bioinformatic analyses (signal sequences, cell wall localisation signals, transmembrane domains) proved to be very useful in assessing cell surface localisation or secretion. The experimental approach includes the isolation of antibodies with the corresponding epitopes and proteins from human serum, and the generation of immune sera in mice against (poly) peptides selected by the bacterial surface display screens. These sera are then used in a third round of screening as reagents in the following assays: cell surface staining of *Helicobacter* grown under different conditions (FACS, microscopy), determination of neutralizing capacity (toxin, adherence), and promotion of opsonization and phagocytosis (in vitro phagocytosis assay).

For that purpose, bacterial *E. coli* clones are directly injected into mice and immune sera taken and tested in the relevant *in vitro* assay for functional opsonic or neutralizing antibodies. Alternatively, specific antibodies may be purified from human or mouse sera using peptides or proteins as substrate.

It is not clear as to what extend host defence against *H. pylori* relies on innate or adaptive immunological mechanisms. The mucous membranes and the gastric acidic environment are formidable barriers against invasion by *Helicobacter*. However, once the mucous membranes are breached the first line of non-adaptive cellular defence begins its co-ordinate action through complement and phagocytes, especially the polymorphonuclear leukocytes (PMNs) as indicated by the massive neutrophil infiltration of the gastric mucosa in response to the presence of *H. pylori*. Attachment of *H. pylori* induces strong pro-inflammatory cytokine release, including TNF- α , IL-1 β and IL-8 that can mediate a local chemoattractant effect for immuno-effector cells, such as granulocytes (Prinz, C. et al., 2003); (Sutton, P., 2001). These cells can be regarded as the cornerstones in eliminating invading bacteria. As *H. pylori* is thought to be a exclusively extracellular pathogen, the major anti-*Helicobacter* adaptive response should come from the humoral arm of the immune system, and this seems to be in agreement with the high titers of primarily

IgG and IgA antibodies that develop in patient upon *H. pylori* infection (Prinz, C. et al., 2003); (Sutton, P., 2001). The induction of high titer IgG and secretory IgA type antibody response may reflect the importance of adaptive mechanisms in the immune response against this organism. In principle, the effect of these antibodies is mediated through three major mechanisms: promotion of opsonization, toxin neutralisation, and inhibition of adherence. It is believed that opsonization is especially important, because of its requirement for an effective phagocytosis. For efficient opsonization the microbial surface has to be coated with antibodies and complement factors for recognition by PMNs through receptors for the Fc fragment of IgG molecules or for activated C3b. After opsonization, the bacteria are phagocytosed and killed. Antibodies bound to specific antigens on the cell surface of bacteria serve as ligands for the attachment to PMNs and to promote phagocytosis. The very same antibodies bound to the adhesins and other cell surface proteins are expected to neutralize adhesion and prevent colonization.

Inducing high affinity antibodies of the opsonic and neutralizing type by vaccination helps the innate immune system to eliminate bacteria and toxins. This makes the method according to the present invention an optimal tool for the identification of *H. pylori* antigenic proteins. The selection of antigens as provided by the present invention is thus well suited to identify those that will lead to protection against infection in an animal model or in humans.

However, there is compelling evidence indicating that antibodies are not required for immunisation-induced effective immunity against gastric helicobacters. Indeed, *in vitro* studies have demonstrated that diminutive fraction of the colonizing *H. pylori* population might enter epithelial cells and this is in good agreement with the fact that *H. pylori* generally induces a predominantly T helper 1 (Th1) type immune response, normally associated with invasive bacteria. Gastric T cells isolated from infected animals and humans produce TNF- α and IFN- γ but not IL-4, typical for a Th1-biased response. This pro-inflammatory Th1 response is clearly not effective against infection (Prinz, C. et al., 2003); (Sutton, P., 2001). Current vaccination protocols, such as immunization with recombinant UreB, can drive the immune response to a polarized Th2 phenotype. Studies with knockout mice demonstrated that immunization with urease is possible when the Th2 response is absent. Therefore, vaccine development using new antigens as well as suitable adjuvants that are capable of inducing strong Th1-biased responses may be beneficial in disease protection caused by *H. pylori*.

According to the antigen identification method used herein, the present invention can surprisingly provide a set of comprehensive novel nucleic acids and novel hyperimmune serum reactive antigens and fragments thereof of *H. pylori*, among other things, as described below. According to one aspect, the invention particularly relates to the nucleotide sequences encoding hyperimmune serum reactive antigens which sequences are set forth in the Sequence listing Seq ID No 1-178, and the corresponding encoded amino acid sequences representing hyperimmune serum reactive antigens are set forth in the Sequence Listing Seq ID No 179-356.

In a preferred embodiment of the present invention, a nucleic acid molecule is provided which exhibits 70% identity over their entire length to a nucleotide sequence set forth with Seq ID No 3-4, 16, 19-21, 28-29, 33-38, 41-42, 44, 48-52, 55, 57-58, 61, 63, 65, 67-68, 72, 74-75, 81, 84, 91, 94, 96-97, 101, 105-108, 112, 115-117, 119, 123-178. Most highly preferred are nucleic acids that comprise a region that is at least 80% or at least 85% identical over their entire length to a nucleic acid molecule set forth with Seq ID No 3-4, 16, 19-21, 28-29, 33-38, 41-42, 44, 48-52, 55, 57-58, 61, 63, 65, 67-68, 72, 74-75, 81, 84, 91, 94, 96-97, 101, 105-108, 112, 115-117, 119, 123-178. In this regard, nucleic acid molecules at least 90%, 91%, 92%, 93%, 94%, 95%, or 96% identical over their entire length to the same are particularly preferred. Furthermore, those with at least 97% are highly preferred, those with at least 98% and at least 99% are particularly highly preferred, with at least 99% or 99.5% being the more preferred, with 100% identity being especially preferred. Moreover, preferred embodiments in this respect are nucleic acids which encode hyperimmune serum reactive antigens or fragments thereof (polypeptides) which retain substantially the same biological function or activity as the mature polypeptide encoded by said nucleic acids set forth in the Seq ID No 3-4, 16, 19-21,

28-29, 33-38, 41-42, 44, 48-52, 55, 57-58, 61, 63, 65, 67-68, 72, 74-75, 81, 84, 91, 94, 96-97, 101, 105-108, 112, 115-117, 119, 123-178.

Identity, as known in the art and used herein, is the relationship between two or more polypeptide sequences or two or more polynucleotide sequences, as determined by comparing the sequences. In the art, identity also means the degree of sequence relatedness between polypeptide or polynucleotide sequences, as the case may be, as determined by the match between strings of such sequences. Identity can be readily calculated. While there exist a number of methods to measure identity between two polynucleotides or two polypeptide sequences, the term is well known to skilled artisans (e.g. *Sequence Analysis in Molecular Biology*, von Heinje, G., Academic Press, 1987). Preferred methods to determine identity are designed to give the largest match between the sequences tested. Methods to determine identity are codified in computer programs. Preferred computer program methods to determine identity between two sequences include, but are not limited to, GCG program package [Devereux, J. et al., 1984], BLASTP, BLASTN, and FASTA [Altschul, S. et al., 1990].

According to another aspect of the invention, nucleic acid molecules are provided which exhibit at least 96% identity to the nucleic acid sequence set forth with Seq ID No 8-10, 13-15, 17-18, 24, 27, 32, 39-40, 45-47, 56, 59, 62, 69-70, 73, 77, 79, 82, 85-86, 88, 90, 103, 109-110, 114, 121.

According to a further aspect of the present invention, nucleic acid molecules are provided which are identical to the nucleic acid sequences set forth with Seq ID No 5, 7, 30-31, 53, 60, 66, 76, 83, 87, 92, 99, 120.

The nucleic acid molecules according to the present invention can as a second alternative also be a nucleic acid molecule which is at least essentially complementary to the nucleic acid described as the first alternative above. As used herein complementary means that a nucleic acid strand is base pairing via Watson-Crick base pairing with a second nucleic acid strand. Essentially complementary as used herein means that the base pairing is not occurring for all of the bases of the respective strands but leaves a certain number or percentage of the bases unpaired or wrongly paired. The percentage of correctly pairing bases is preferably at least 70 %, more preferably 80 %, even more preferably 90 % and most preferably any percentage higher than 90 %. It is to be noted that a percentage of 70 % matching bases is considered as homology and the hybridization having this extent of matching base pairs is considered as stringent. Hybridization conditions for this kind of stringent hybridization may be taken from Current Protocols in Molecular Biology (John Wiley and Sons, Inc., 1987). More particularly, the hybridization conditions can be as follows:

- Hybridization performed e.g. in 5 x SSPE, 5 x Denhardt's reagent, 0.1% SDS, 100 g/mL sheared DNA at 68°C
- Moderate stringency wash in 0.2xSSC, 0.1% SDS at 42°C
- High stringency wash in 0.1xSSC, 0.1% SDS at 68°C

Genomic DNA with a GC content of 50% has an approximate T_m of 96°C. For 1% mismatch, the T_m is reduced by approximately 1°C.

In addition, any of the further hybridization conditions described herein is in principle applicable as well.

All nucleic acid sequence molecules which encode the same polypeptide molecule as those identified by the present invention are encompassed by any disclosure of a given coding sequence, since the degeneracy of the genetic code is directly applicable to unambiguously determine all possible nucleic acid molecules which encode a given polypeptide molecule, even if the number of such degenerated nucleic acid molecules may be high. This is also applicable for fragments of a given polypeptide, as long as the fragments encode a polypeptide being suitable to be used in a vaccination connection, e.g. as an

active or passive vaccine.

The nucleic acid molecule according to the present invention can as a third alternative also be a nucleic acid which comprises a stretch of at least 15 bases of the nucleic acid molecule according to the first and second alternative of the nucleic acid molecules according to the present invention as outlined above. Preferably, the bases form a contiguous stretch of bases. However, it is also within the scope of the present invention that the stretch consists of two or more moieties, which are separated by a number of bases.

The present nucleic acids may preferably consist of at least 20, even more preferred at least 30, especially at least 50 contiguous bases from the sequences disclosed herein. The suitable length may easily be optimized due to the planned area of use (e.g. as (PCR) primers, probes, capture molecules (e.g. on a (DNA) chip), etc.). Preferred nucleic acid molecules contain at least a contiguous 15 base portion of one or more of the predicted immunogenic amino acid sequences listed in tables 1 and 2, especially the sequences of table 2 with scores of more than 10, preferably more than 20, especially with a score of more than 25. Specifically preferred are nucleic acids containing a contiguous portion of a DNA sequence of any sequence in the sequence protocol of the present application which shows 1 or more, preferably more than 2, especially more than 5, non-identical nucleic acid residues compared to the published *Helicobacter pylori* strain 26695 and J99 genomes (Nature, 388: 539-547 (1997), 4658-4663; GenBank accession AE000511 and Nature, 397: 176-180 (1999), GenBank accession AE001439) and/or any other published *H. pylori* genome sequence or parts thereof. Specifically preferred non-identical nucleic acid residues are residues, which lead to a non-identical amino acid residue. Preferably, the nucleic acid sequences encode for polypeptides having at least 1, preferably at least 2, preferably at least three different amino acid residues compared to the published *H. pylori* counterparts mentioned above. Also such isolated polypeptides, being fragments of the proteins (or the whole protein) mentioned herein e.g. in the sequence listing, having at least 6, 7, or 8 amino acid residues and being encoded by these nucleic acids are preferred.

The nucleic acid molecule according to the present invention can as a fourth alternative also be a nucleic acid molecule which anneals under stringent hybridisation conditions to any of the nucleic acids of the present invention according to the above outlined first, second, and third alternative. Stringent hybridisation conditions are typically those described herein.

Finally, the nucleic acid molecule according to the present invention can as a fifth alternative also be a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to any of the nucleic acid molecules according to any nucleic acid molecule of the present invention according to the first, second, third, and fourth alternative as outlined above. This kind of nucleic acid molecule refers to the fact that preferably the nucleic acids according to the present invention code for the hyperimmune serum reactive antigens or fragments thereof according to the present invention. This kind of nucleic acid molecule is particularly useful in the detection of a nucleic acid molecule according to the present invention and thus the diagnosis of the respective microorganisms such as *H. pylori* and any disease or diseased condition where this kind of microorganism is involved. Preferably, the hybridisation would occur or be preformed under stringent conditions as described in connection with the fourth alternative described above.

Nucleic acid molecule as used herein generally refers to any ribonucleic acid molecule or deoxyribonucleic acid molecule, which may be unmodified RNA or DNA or modified RNA or DNA. Thus, for instance, nucleic acid molecule as used herein refers to, among other, single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded RNA, and RNA that is a mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded, or triple-stranded, or a mixture of single- and double-stranded regions. In addition, nucleic acid molecule as used herein refers to triple-stranded regions

comprising RNA or DNA or both RNA and DNA. The strands in such regions may be from the same molecule or from different molecules. The regions may include all of one or more of the molecules, but more typically involve only a region of some of the molecules. One of the molecules of a triple-helical region often is an oligonucleotide. As used herein, the term nucleic acid molecule includes DNAs or RNAs as described above that contain one or more modified bases. Thus, DNAs or RNAs with backbones modified for stability or for other reasons are "nucleic acid molecule" as that term is intended herein. Moreover, DNAs or RNAs comprising unusual bases, such as inosine, or modified bases, such as tritylated bases, to name just two examples, are nucleic acid molecule as the term is used herein. It will be appreciated that a great variety of modifications have been made to DNA and RNA that serve many useful purposes known to those of skill in the art. The term nucleic acid molecule as it is employed herein embraces such chemically, enzymatically or metabolically modified forms of nucleic acid molecule, as well as the chemical forms of DNA and RNA characteristic of viruses and cells, including simple and complex cells, *inter alia*. The term nucleic acid molecule also embraces short nucleic acid molecules often referred to as oligonucleotide(s). "Polynucleotide" and "nucleic acid" or "nucleic acid molecule" are often used interchangeably herein.

Nucleic acid molecules provided in the present invention also encompass numerous unique fragments, both longer and shorter than the nucleic acid molecule sequences set forth in the sequencing listing of the *H. pylori* coding regions, which can be generated by standard cloning methods. To be unique, a fragment must be of sufficient size to distinguish it from other known nucleic acid sequences, most readily determined by comparing any selected *H. pylori* fragment to the nucleotide sequences in computer databases such as GenBank.

Additionally, modifications can be made to the nucleic acid molecules and polypeptides that are encompassed by the present invention. For example, nucleotide substitutions can be made which do not affect the polypeptide encoded by the nucleic acid, and thus any nucleic acid molecule which encodes a hyperimmune serum reactive antigen or fragments thereof is encompassed by the present invention.

Furthermore, any of the nucleic acid molecules encoding hyperimmune serum reactive antigens or fragments thereof provided by the present invention can be functionally linked, using standard techniques such as standard cloning techniques, to any desired regulatory sequences, whether a *H. pylori* regulatory sequence or a heterologous regulatory sequence, heterologous leader sequence, heterologous marker sequence or a heterologous coding sequence to create a fusion protein.

Nucleic acid molecules of the present invention may be in the form of RNA, such as mRNA or cRNA, or in the form of DNA, including, for instance, cDNA and genomic DNA obtained by cloning or produced by chemical synthetic techniques or by a combination thereof. The DNA may be triple-stranded, double-stranded or single-stranded. Single-stranded DNA may be the coding strand, also known as the sense strand, or it may be the non-coding strand, also referred to as the anti-sense strand.

The present invention further relates to variants of the herein above described nucleic acid molecules which encode fragments, analogs and derivatives of the hyperimmune serum reactive antigens and fragments thereof having a deduced *H. pylori* amino acid sequence set forth in the Sequence Listing. A variant of the nucleic acid molecule may be a naturally occurring variant such as a naturally occurring allelic variant, or it may be a variant that is not known to occur naturally. Such non-naturally occurring variants of the nucleic acid molecule may be made by mutagenesis techniques, including those applied to nucleic acid molecules, cells or organisms.

Among variants in this regard are variants that differ from the aforementioned nucleic acid molecules by nucleotide substitutions, deletions or additions. The substitutions, deletions or additions may involve one or more nucleotides. The variants may be altered in coding or non-coding regions or both. Alterations in the coding regions may produce conservative or non-conservative amino acid substitutions, deletions or

additions. Preferred are nucleic acid molecules encoding a variant, analog, derivative or fragment, or a variant, analogue or derivative of a fragment, which have a *H. pylori* sequence as set forth in the Sequence Listing, in which several, a few, 5 to 10, 1 to 5, 1 to 3, 2, 1 or no amino acid(s) is substituted, deleted or added, in any combination. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the *H. pylori* polypeptides set forth in the Sequence Listing. Also especially preferred in this regard are conservative substitutions.

The peptides and fragments according to the present invention also include modified epitopes wherein preferably one or two of the amino acids of a given epitope are modified or replaced according to the rules disclosed in e.g. (Tourdot, S. et al., 2000), as well as the nucleic acid sequences encoding such modified epitopes.

It is clear that also epitopes derived from the present epitopes by amino acid exchanges improving, conserving or at least not significantly impeding the T cell activating capability of the epitopes are covered by the epitopes according to the present invention. Therefore the present epitopes also cover epitopes, which do not contain the original sequence as derived from *H. pylori*, but trigger the same or preferably an improved T cell response. These epitopes are referred to as "heteroclitic"; they need to have a similar or preferably greater affinity to MHC/HLA molecules, and the need the ability to stimulate the T cell receptors (TCR) directed to the original epitope in a similar or preferably stronger manner.

Heteroclitic epitopes can be obtained by rational design i.e. taking into account the contribution of individual residues to binding to MHC/HLA as for instance described by (Rammensee, H. et al., 1999), combined with a systematic exchange of residues potentially interacting with the TCR and testing the resulting sequences with T cells directed against the original epitope. Such a design is possible for a skilled man in the art without much experimentation.

Another possibility includes the screening of peptide libraries with T cells directed against the original epitope. A preferred way is the positional scanning of synthetic peptide libraries. Such approaches have been described in detail for instance by (Hemmer, B. et al., 1999) and the references given therein.

As an alternative to epitopes represented by the present derived amino acid sequences or heteroclitic epitopes, also substances mimicking these epitopes e.g. "peptidemimetica" or "retro-inverso-peptides" can be applied.

Another aspect of the design of improved epitopes is their formulation or modification with substances increasing their capacity to stimulate T cells. These include T helper cell epitopes, lipids or liposomes or preferred modifications as described in WO 01/78767.

Another way to increase the T cell stimulating capacity of epitopes is their formulation with immune stimulating substances for instance cytokines or chemokines like interleukin-2, -7, -12, -18, class I and II interferons (IFN), especially IFN-gamma, GM-CSF, TNF-alpha, flt3-ligand and others.

As discussed additionally herein regarding nucleic acid molecule assays of the invention, for instance, nucleic acid molecules of the invention as discussed above, may be used as a hybridization probe for RNA, cDNA and genomic DNA to isolate full-length cDNAs and genomic clones encoding polypeptides of the present invention and to isolate cDNA and genomic clones of other genes that have a high sequence similarity to the nucleic acid molecules of the present invention. Such probes generally will comprise at least 15 bases. Preferably, such probes will have at least 20, at least 25 or at least 30 bases, and may have at least 50 bases. Particularly preferred probes will have at least 30 bases, and will have 50 bases or less, such as 30, 35, 40, 45, or 50 bases.

For example, the coding region of a nucleic acid molecule of the present invention may be isolated by screening a relevant library using the known DNA sequence to synthesize an oligonucleotide probe. A labeled oligonucleotide having a sequence complementary to that of a gene of the present invention is then used to screen a library of cDNA, genomic DNA or mRNA to determine to which members of the library the probe hybridizes.

The nucleic acid molecules and polypeptides of the present invention may be employed as reagents and materials for development of treatments of and diagnostics for disease, particularly human disease, as further discussed herein relating to nucleic acid molecule assays, *inter alia*.

The nucleic acid molecules of the present invention that are oligonucleotides can be used in the processes herein as described, but preferably for PCR, to determine whether or not the *H. pylori* genes identified herein in whole or in part are present and/or transcribed in infected tissue such as blood. It is recognized that such sequences will also have utility in diagnosis of the stage of infection and type of infection the pathogen has attained. For this and other purposes the arrays comprising at least one of the nucleic acids according to the present invention as described herein, may be used.

The nucleic acid molecules according to the present invention may be used for the detection of nucleic acid molecules and organisms or samples containing these nucleic acids. Preferably such detection is for diagnosis, more preferable for the diagnosis of a disease related or linked to the present or abundance of *H. pylori*.

Eukaryotes (herein also "individual(s)"), particularly mammals, and especially humans, infected with *H. pylori* may be identifiable by detecting any of the nucleic acid molecules according to the present invention detected at the DNA level by a variety of techniques. Preferred nucleic acid molecules candidates for distinguishing a *H. pylori* from other organisms can be obtained.

The invention provides a process for diagnosing disease, arising from infection with *H. pylori*, comprising determining from a sample isolated or derived from an individual an increased level of expression of a nucleic acid molecule having the sequence of a nucleic acid molecule set forth in the Sequence Listing. Expression of nucleic acid molecules can be measured using any one of the methods well known in the art for the quantitation of nucleic acid molecules, such as, for example, PCR, RT-PCR, Rnase protection, Northern blotting, other hybridisation methods and the arrays described herein.

Isolated as used herein means separated "by the hand of man" from its natural state; i.e., that, if it occurs in nature, it has been changed or removed from its original environment, or both. For example, a naturally occurring nucleic acid molecule or a polypeptide naturally present in a living organism in its natural state is not "isolated," but the same nucleic acid molecule or polypeptide separated from the coexisting materials of its natural state is "isolated", as the term is employed herein. As part of or following isolation, such nucleic acid molecules can be joined to other nucleic acid molecules, such as DNAs, for mutagenesis, to form fusion proteins, and for propagation or expression in a host, for instance. The isolated nucleic acid molecules, alone or joined to other nucleic acid molecules such as vectors, can be introduced into host cells, in culture or in whole organisms. Introduced into host cells in culture or in whole organisms, such DNAs still would be isolated, as the term is used herein, because they would not be in their naturally occurring form or environment. Similarly, the nucleic acid molecules and polypeptides may occur in a composition, such as a media formulations, solutions for introduction of nucleic acid molecules or polypeptides, for example, into cells, compositions or solutions for chemical or enzymatic reactions, for instance, which are not naturally occurring compositions, and, therein remain isolated nucleic acid molecules or polypeptides within the meaning of that term as it is employed herein.

The nucleic acids according to the present invention may be chemically synthesized. Alternatively, the nucleic acids can be isolated from *H. pylori* by methods known to the one skilled in the art.

According to another aspect of the present invention, a comprehensive set of novel hyperimmune serum reactive antigens and fragments thereof are provided by using the herein described antigen identification method. In a preferred embodiment of the invention, a hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by any one of the nucleic acids molecules herein described and fragments thereof are provided. In another preferred embodiment of the invention a novel set of hyperimmune serum-reactive antigens which comprises amino acid sequences selected from a group consisting of the polypeptide sequences as represented in Seq ID No 181-182, 194, 197-199, 206-207, 211-216, 219-220, 222, 226-230, 233, 235-236, 239, 241, 243, 245-246, 250, 252-253, 259, 262, 269, 272, 274-275, 279, 283-286, 290, 293-295, 297, 301-356 and fragments thereof are provided. In a further preferred embodiment of the invention hyperimmune serum-reactive antigens, which comprise amino acid sequences selected from a group consisting of the polypeptide sequences as represented in Seq ID No 186-188, 191-193, 195-196, 202, 205, 210, 217-218, 223-225, 234, 237, 240, 247-248, 251, 255, 257, 260, 263-264, 266, 268, 281, 287-288, 292, 299 and fragments thereof are provided. In a still preferred embodiment of the invention hyperimmune serum-reactive antigens which comprise amino acid sequences selected from a group consisting of the polypeptide sequences as represented in Seq ID No 183, 185, 208-209, 231, 238, 244, 254, 261, 265, 270, 277, 298 and fragments thereof are provided.

The hyperimmune serum reactive antigens and fragments thereof as provided in the invention include any polypeptide set forth in the Sequence Listing as well as polypeptides which have at least 70% identity to a polypeptide set forth in the Sequence Listing, preferably at least 80% or 85% identity to a polypeptide set forth in the Sequence Listing, and more preferably at least 90% similarity (more preferably at least 90% identity) to a polypeptide set forth in the Sequence Listing and still more preferably at least 95%, 96%, 97%, 98%, 99% or 99.5% similarity (still more preferably at least 95%, 96%, 97%, 98%, 99%, or 99.5% identity) to a polypeptide set forth in the Sequence Listing and also include portions of such polypeptides with such portion of the polypeptide generally containing at least 4 amino acids and more preferably at least 8, still more preferably at least 30, still more preferably at least 50 amino acids, such as 4, 8, 10, 20, 30, 35, 40, 45 or 50 amino acids.

The invention also relates to fragments, analogs, and derivatives of these hyperimmune serum reactive antigens and fragments thereof. The terms "fragment", "derivative" and "analog" when referring to an antigen whose amino acid sequence is set forth in the Sequence Listing, means a polypeptide which retains essentially the same or a similar biological function or activity as such hyperimmune serum reactive antigen and fragment thereof.

The fragment, derivative or analog of a hyperimmune serum reactive antigen and fragment thereof may be 1) one in which one or more of the amino acid residues are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code, or 2) one in which one or more of the amino acid residues includes a substituent group, or 3) one in which the mature hyperimmune serum reactive antigen or fragment thereof is fused with another compound, such as a compound to increase the half-life of the hyperimmune serum reactive antigen and fragment thereof (for example, polyethylene glycol), or 4) one in which the additional amino acids are fused to the mature hyperimmune serum reactive antigen or fragment thereof, such as a leader or secretory sequence or a sequence which is employed for purification of the mature hyperimmune serum reactive antigen or fragment thereof or a proprotein sequence. Such fragments, derivatives and analogs are deemed to be within the scope of those skilled in the art from the teachings herein.

Among the particularly preferred embodiments of the invention in this regard are the hyperimmune serum reactive antigens set forth in the Sequence Listing, variants, analogs, derivatives and fragments thereof, and variants, analogs and derivatives of fragments. Additionally, fusion polypeptides

comprising such hyperimmune serum reactive antigens, variants, analogs, derivatives and fragments thereof, and variants, analogs and derivatives of the fragments are also encompassed by the present invention. Such fusion polypeptides and proteins, as well as nucleic acid molecules encoding them, can readily be made using standard techniques, including standard recombinant techniques for producing and expression of a recombinant polynucleic acid encoding a fusion protein.

Among preferred variants are those that vary from a reference by conservative amino acid substitutions. Such substitutions are those that substitute a given amino acid in a polypeptide by another amino acid of like characteristics. Typically seen as conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu and Ile; interchange of the hydroxyl residues Ser and Thr, exchange of the acidic residues Asp and Glu, substitution between the amide residues Asn and Gln, exchange of the basic residues Lys and Arg and replacements among the aromatic residues Phe and Tyr.

Further particularly preferred in this regard are variants, analogs, derivatives and fragments, and variants, analogs and derivatives of the fragments, having the amino acid sequence of any polypeptide set forth in the Sequence Listing, in which several, a few, 5 to 10, 1 to 5, 1 to 3, 2, 1 or no amino acid residues are substituted, deleted or added, in any combination. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the polypeptide of the present invention. Also especially preferred in this regard are conservative substitutions. Most highly preferred are polypeptides having an amino acid sequence set forth in the Sequence Listing without substitutions.

The hyperimmune serum reactive antigens and fragments thereof of the present invention are preferably provided in an isolated form, and preferably are purified to homogeneity.

Also among preferred embodiments of the present invention are polypeptides comprising fragments of the polypeptides having the amino acid sequence set forth in the Sequence Listing, and fragments of variants and derivatives of the polypeptides set forth in the Sequence Listing.

In this regard a fragment is a polypeptide having an amino acid sequence that entirely is the same as part but not all of the amino acid sequence of the afore mentioned hyperimmune serum reactive antigen and fragment thereof, and variants or derivative, analogs, fragments thereof. Such fragments may be "free-standing", i.e., not part of or fused to other amino acids or polypeptides, or they may be comprised within a larger polypeptide of which they form a part or region. Also preferred in this aspect of the invention are fragments characterised by structural or functional attributes of the polypeptide of the present invention, i.e. fragments that comprise alpha-helix and alpha-helix forming regions, beta-sheet and beta-sheet forming regions, turn and turn-forming regions, coil and coil-forming regions, hydrophilic regions, hydrophobic regions, alpha amphipathic regions, beta-amphipathic regions, flexible regions, surface-forming regions, substrate binding regions, and high antigenic index regions of the polypeptide of the present invention, and combinations of such fragments. Preferred regions are those that mediate activities of the hyperimmune serum reactive antigens and fragments thereof of the present invention. Most highly preferred in this regard are fragments that have a chemical, biological or other activity of the hyperimmune serum reactive antigen and fragments thereof of the present invention, including those with a similar activity or an improved activity, or with a decreased undesirable activity. Particularly preferred are fragments comprising receptors or domains of enzymes that confer a function essential for viability of *H. pylori* or the ability to cause disease in humans. Further preferred polypeptide fragments are those that comprise or contain antigenic or immunogenic determinants in an animal, especially in a human.

An antigenic fragment is defined as a fragment of the identified antigen, which is for itself antigenic or may be made antigenic when provided as a hapten. Therefore, also antigens or antigenic fragments showing one or (for longer fragments) only a few amino acid exchanges are enabled with the present

invention, provided that the antigenic capacities of such fragments with amino acid exchanges are not severely deteriorated on the exchange(s), i.e., suited for eliciting an appropriate immune response in an individual vaccinated with this antigen and identified by individual antibody preparations from individual sera.

Preferred examples of such fragments of a hyperimmune serum-reactive antigen are selected from the group consisting of peptides comprising amino acid sequences of column "predicted immunogenic aa", and "Location of identified immunogenic region" of Table 1, especially peptides comprising amino acids 63-91, 95-101, 110-116, 134-148, 150-156, 158-164, 188-193, 197-209, 226-241, 247-254, 291-297, 312-319, 338-346, 351-358, 366-378, 404-410, 420-438, 448-454, 465-473, 482-488, 490-498, 503-510, 512-519, 531-543, 547-554, 568-575, 589-604, 610-631 and 239-308 of Seq ID No 179; 16-29, 35-47, 50-68, 70-79, 91-101, 143-149, 158-163, 185-191, 196-206, 215-224, 230-237, 244-251, 258-278, 290-311, 319-325, 338-351, 365-385, 396-429, 445-454, 458-466, 491-499, 501-521, 17-79 and 218-233 of Seq ID No 180; 4-10, 16-41, 46-66, 77-84, 91-97, 102-118, 125-144, 187-200, 202-214, 245-253, 255-261, 286-295, 300-330, 335-342, 350-361, 363-381, 385-392, 396-416, 435-450 and 460-470 of Seq ID No 181; 11-19, 27-48, 52-59, 77-82, 84-107, 118-125, 127-154, 178-183, 192-209, 215-221, 286-295, 302-313, 350-357, 402-415, 417-431, 453-463, 465-493 and 313-331 of Seq ID No 182; 19-26, 30-43, 47-55, 63-68, 72-80, 97-104, 107-119, 129-146, 160-175, 194-216, 231-251, 254-260 and 26-43 of Seq ID No 183; 7-13, 29-37, 65-81, 110-120, 123-131, 135-152, 230-249, 254-260, 284-290, 292-299, 317-326, 329-336, 403-444, 452-458, 466-477, 490-498, 510-519, 541-550, 557-566 and 533-567 of Seq ID No 184; 5-47, 71-77, 79-86, 89-95, 120-126, 137-144, 176-181, 184-196, 202-208, 211-232, 236-282, 301-313, 317-325, 341-347, 353-384, 394-400, 412-433, 436-443 and 59-75 of Seq ID No 185; 4-18, 22-38, 59-69, 106-112, 116-130, 138-149, 156-170, 175-197, 200-214, 216-223, 233-244, 255-261, 266-276, 279-286, 325-333, 342-348, 366-399, 402-420, 429-441, 1-104 and 130-147 of Seq ID No 186; 50-58, 69-95, 97-113, 131-136, 157-163, 170-175, 188-212, 220-226, 254-259, 265-277, 283-289, 297-308, 311-318, 347-358, 360-369, 378-401, 416-421, 440-450, 454-462, 470-476, 493-502, 506-514, 536-567, 585-590, 598-607, 613-618, 653-659 and 35-46 of Seq ID No 187; 16-29, 32-60, 65-87, 89-123, 128-134, 137-158, 162-173, 178-196, 210-216, 218-228 and 206-225 of Seq ID No 188; 10-20, 26-35, 51-64, 86-91, 94-100, 113-122, 154-160, 185-191, 193-201, 211-217, 225-230, 237-246, 251-257, 298-304, 306-312, 316-328, 340-348, 357-389, 391-397, 415-421, 449-456, 458-471, 488-495, 502-511, 24-55 and 236-341 of Seq ID No 189; 5-22, 41-51, 87-93, 114-122, 127-136, 150-156, 158-166, 223-233, 245-263, 291-296, 9-126 and 127-285 of Seq ID No 190; 30-43, 46-56, 61-70, 72-83, 85-93, 103-113, 119-125, 151-166, 179-191, 212-218, 225-231, 236-243, 262-267, 291-307, 331-344, 349-355, 366-372, 380-386, 414-422, 428-447, 459-464, 469-478, 507-519, 525-544, 563-569, 576-590, 620-626, 633-643, 654-659, 665-671, 684-707, 717-723, 725-733, 747-779, 782-801 and 347-361 of Seq ID No 191; 4-12, 14-26, 37-80, 107-115, 133-139, 144-150, 154-165, 173-180, 191-199, 205-211, 221-231, 237-244, 254-284, 307-340, 342-353, 360-368, 370-380, 479-493, 495-503, 509-522, 525-536, 539-547, 554-560, 565-573, 578-583, 7-23 and 465-479 of Seq ID No 192; 4-17, 47-55, 76-83, 85-100, 104-112, 117-123, 126-135, 142-148, 156-167, 174-182, 267-273 and 258-283 of Seq ID No 193; 8-32, 36-42, 65-88, 102-108, 112-140, 147-163, 170-179, 183-193 and 117-124 of Seq ID No 194; 12-18, 45-50, 62-77, 82-95, 99-113, 115-123, 125-147, 155-177, 187-209, 211-223, 244-253, 259-270, 278-297, 302-307, 311-318, 329-334, 350-356, 359-365, 390-400, 402-413 and 333-350 of Seq ID No 195; 4-13, 15-27, 30-46, 53-58, 68-74, 82-95, 115-126, 134-139, 148-153, 159-176, 182-199, 201-217, 220-225, 227-235, 237-248, 253-266, 300-315, 322-336, 390-396, 412-426, 438-445, 448-459, 477-484, 502-508, 515-527, 529-537, 553-568, 643-651, 658-667, 690-703 and 376-400 of Seq ID No 196; 4-10, 24-32, 38-55, 59-67, 70-77, 80-87, 89-97, 123-129, 134-151, 166-172, 178-189, 191-216, 218-235, 245-259, 271-315, 326-339, 341-360 and 73-94 of Seq ID No 197; 13-25, 31-38, 43-57, 79-85, 92-99, 106-112, 117-128, 130-139, 146-158, 160-175, 194-204, 211-222, 225-232, 234-242, 263-270, 278-292, 299-320, 322-333 and 240-256 of Seq ID No 198; 4-17, 55-63, 66-101, 109-131, 135-143, 145-151, 155-161, 164-170, 177-185, 192-198, 213-218, 223-238, 246-256, 258-268, 273-283, 309-314, 322-328 and 195-221 of Seq ID No 199; 13-24, 31-39, 41-50, 63-69, 90-96, 104-109, 116-141, 148-153, 161-167, 173-178, 190-209, 253-258, 265-272, 279-289, 295-312, 317-343, 355-366, 376-389, 400-407, 430-451, 453-464, 466-472, 487-493, 499-505, 523-538, 554-559, 568-579, 584-601 and 344-363 of Seq ID No 200; 5-22, 30-36, 53-59, 61-70, 82-92, 99-106, 120-131, 135-148, 154-167, 169-183, 187-199, 204-212, 231-247 and 111-249 of Seq ID No 201; 17-36, 40-66, 71-144, 148-171, 173-191, 199-214, 220-252, 265-272, 278-288, 298-333, 342-385 and 287-307 of Seq ID No 202; 4-16, 22-28, 30-36, 42-48, 95-116, 154-162, 164-174, 239-252, 258-263, 273-285,

306-313, 323-333, 341-357, 363-369, 372-379, 395-401, 430-436, 438-453, 464-480, 33-44, 233-258 and 349-369 of Seq ID No 203; 4-21, 30-37, 46-53, 59-68, 80-92, 98-104, 118-143, 150-160, 165-185, 187-200, 204-211, 224-236, 241-246, 252-258, 271-280, 288-294, 311-320, 335-341 and 191-350 of Seq ID No 204; 4-16, 37-59, 64-70, 79-87, 93-102, 107-127, 143-165, 172-188, 197-204, 207-218, 221-227, 242-248, 258-277, 289-296, 298-316, 332-338, 344-365, 367-373, 375-382, 400-408, 415-425, 438-446 and 235-250 of Seq ID No 205; 4-37, 39-66, 84-98, 101-127, 140-149, 157-163, 166-172, 175-182, 184-193, 203-208, 215-232, 234-247, 250-299, 303-345 and 183-204 of Seq ID No 206; 10-20, 41-61, 73-87, 112-141, 176-192, 194-201, 205-222, 230-237, 257-264, 276-282, 284-310, 312-318, 330-337, 349-357 and 304-328 of Seq ID No 207; 4-31, 42-103, 105-113, 121-153, 160-181, 188-196, 210-226, 231-264, 272-287, 297-304, 328-336 and 304-318 of Seq ID No 208; 21-43, 46-52, 54-70, 72-79, 94-107, 133-141, 160-166, 217-253, 311-317, 359-365, 374-381, 390-395, 434-440, 488-494, 497-502, 511-522, 554-563, 565-574, 577-585, 591-598, 601-606, 617-625, 633-643, 658-664, 676-682, 694-702, 710-719, 754-760, 782-788, 802-808, 916-921, 942-948, 955-964, 973-979, 992-998, 1006-1011, 1016-1023, 1030-1038, 1046-1053, 1059-1066, 1088-1098, 1119-1126, 1129-1135, 1156-1171, 1173-1181, 1202-1210, 1255-1261, 1268-1280, 1295-1310, 1312-1320, 1375-1381, 1406-1417, 1450-1471, 1478-1492, 1498-1506, 1569-1578, 1603-1608, 1611-1624, 1648-1655, 1663-1670, 1680-1698, 1702-1707, 1713-1719, 1737-1742, 1747-1753, 1762-1769, 1771-1785, 1790-1804, 1811-1818, 1830-1836, 1838-1852, 1874-1886, 1893-1899, 1902-1909, 1942-1948, 1952-1962, 1980-1986, 2001-2017, 2020-2028, 2042-2050, 2052-2068, 2074-2079, 2083-2095, 2107-2113, 2147-2155, 2177-2194, 2203-2211, 2236-2241, 2251-2258, 2267-2274, 2285-2292, 2314-2328, 2330-2340, 2358-2365, 2390-2401, 2408-2418, 2432-2453, 2463-2476, 2486-2507, 2528-2537, 2540-2548, 2552-2558, 2568-2576, 2596-2601, 2610-2622, 2629-2638, 2653-2669, 2718-2727, 2749-2767, 2777-2784, 2789-2795, 2806-2815, 2817-2824, 2835-2843, 2847-2854, 2860-2881, 511-523, 612-630 and 1790-1803 of Seq ID No 209; 4-54, 61-68, 72-82, 86-93, 100-108, 115-130, 147-154, 187-194, 196-207, 224-229, 236-251, 275-287 and 96-109 of Seq ID No 210; 31-39, 62-69, 91-101, 158-172, 175-180, 186-193, 201-208, 210-223, 243-250, 273-286, 293-299, 319-325, 343-354, 356-365, 368-384, 414-435, 471-491, 512-518, 550-556, 567-581, 584-589, 633-639, 680-692, 697-708, 716-721, 747-754, 779-786, 810-816 and 366-503 of Seq ID No 211; 5-20, 22-48, 57-65, 96-101, 111-122, 130-145, 154-164, 170-181, 193-199, 201-216, 224-241, 244-262, 281-323, 342-351, 359-367, 369-396, 406-416, 424-433, 450-456, 485-491, 493-499, 501-515, 517-535 and 289-305 of Seq ID No 212; 4-17, 22-44, 53-60, 66-83, 87-94, 101-106, 110-116, 131-137, 148-183, 189-207, 209-215, 233-242, 251-262, 264-272, 290-296, 308-327, 359-373, 375-380, 397-405, 415-420, 426-433, 444-475, 478-484, 529-536, 548-558 and 106-126 of Seq ID No 213; 4-38, 42-50, 58-64, 72-81, 92-118, 140-146, 157-165, 172-192, 198-204, 208-216, 227-234, 238-258, 271-278, 288-293, 311-322, 327-346, 357-370, 375-383, 395-409, 411-417, 425-432, 436-445, 109-129 and 370-380 of Seq ID No 214; 23-30, 36-49, 52-64, 86-94, 97-104, 121-129, 257-272, 279-286, 288-294, 307-327, 334-340, 369-375, 377-386, 406-412, 418-423, 430-438, 441-447, 459-465, 469-476, 482-488, 510-546, 550-580, 584-622, 638-645, 653-659, 675-683, 692-705, 723-731, 752-761, 788-795 and 54-72 of Seq ID No 215; 11-33, 36-46, 88-104, 116-126, 134-170, 189-195, 199-217, 225-250, 255-261, 266-273, 280-291, 296-313, 334-341, 343-349, 354-360, 362-369, 373-380, 387-401, 406-420 and 259-273 of Seq ID No 216; 9-14, 28-44, 57-64, 72-79, 86-93, 104-111, 116-126, 142-150, 159-164 and 61-86 of Seq ID No 217; 10-17, 26-33, 43-61, 69-95, 101-107, 109-125, 129-135, 137-144, 147-153, 158-169, 177-187, 209-219, 221-232, 235-247, 261-268, 271-282, 296-302, 306-347, 355-362, 364-379, 386-399, 409-418, 424-442, 451-460, 467-479, 490-498 and 60-74 of Seq ID No 218; 8-14, 20-31, 65-84, 94-99, 154-179, 193-207, 238-253 and 96-118 of Seq ID No 219; 4-24, 30-44, 47-62, 84-93, 108-116, 124-133, 136-141, 201-209, 217-223, 228-235, 238-245, 247-270, 275-285, 290-314, 328-338, 342-349, 353-365, 375-383, 386-392, 394-402, 417-427, 443-459, 465-481, 492-514, 516-524, 550-566, 602-617, 630-639, 666-676, 687-693, 719-730, 747-753, 783-790, 799-816, 824-831, 837-842 and 167-189 of Seq ID No 220; 6-15, 18-28, 58-66, 84-101, 106-129, 136-151, 154-165, 182-203, 205-211, 214-220, 222-228, 233-240, 251-260, 270-277, 284-291, 306-315, 322-328, 363-369, 378-388, 392-405, 443-452, 495-501, 512-523, 574-583 and 362-375 of Seq ID No 221; 5-25, 27-34, 47-59, 64-70, 76-86, 145-158, 166-183, 189-202, 217-231, 235-242, 260-270, 278-309 and 1-102 of Seq ID No 222; 4-19, 24-76, 78-83, 90-99, 102-109, 114-122, 137-147, 154-174, 177-188, 203-212, 217-223, 227-239 and 226-325 of Seq ID No 223; 7-37, 71-90, 94-109, 117-128, 141-153, 179-192, 199-206, 225-231, 237-243, 258-264 and 40-51 of Seq ID No 224; 13-19, 25-30, 46-59, 75-91, 101-107, 114-124, 129-135, 137-145, 160-167, 171-179, 187-194, 209-215, 217-222, 229-239, 243-249, 257-265, 269-275, 299-308, 310-327 and 282-300 of Seq ID No 225; 86-100, 216-230, 342-369, 382-388, 424-430, 438-445, 452-458, 488-494, 501-518, 554-560, 568-574, 584-592, 603-609, 611-629, 639-645, 652-661, 669-699, 708-714, 726-738, 747-753, 763-775, 785-791, 794-807, 815-824,

826-845, 854-860, 863-868, 870-883, 892-898, 901-906, 909-921, 930-937, 946-959, 968-974, 977-990, 998-1007, 1009-1027, 1037-1043, 1046-1051, 1053-1066, 1075-1081, 1084-1089, 1092-1103, 1113-1119, 1122-1135, 1143-1152, 1154-1172, 1182-1188, 1191-1196, 1200-1210, 1220-1226, 1229-1235, 1237-1249, 1259-1265, 1268-1281, 1289-1298, 1305-1318, 1328-1334, 1337-1343, 1345-1357, 1367-1373, 1390-1396, 1405-1411, 1418-1423, 1426-1435, 1445-1455, 1474-1483, 1493-1500, 1505-1512, 1517-1524, 1538-1544, 1568-1578, 1595-1601, 1674-1682, 1687-1720, 1728-1736, 1738-1744, 1754-1761, 1764-1774, 1798-1824, 1836-1842, 1886-1893, 1895-1903, 366-781, 782-1518 and 1731-1747 of Seq ID No 226; 4-17, 20-39, 46-55, 60-66, 102-110, 114-122, 125-131, 161-167, 172-178, 185-190, 195-202, 218-232, 236-252, 264-291, 293-302, 309-315, 324-339 and 169-381 of Seq ID No 227; 5-10, 13-40, 42-53, 69-75, 83-89, 120-135, 150-161, 174-190, 203-225, 229-247, 257-287, 318-348 and 30-200 of Seq ID No 228; 7-19, 43-53, 64-72, 124-139, 52-84 and 120-131 of Seq ID No 229; 12-19, 39-48, 58-100, 117-123, 154-162, 164-187, 189-195, 202-216, 218-235, 241-246, 262-278, 315-328, 333-347, 354-366, 372-379, 391-405, 422-429, 431-442, 444-450, 458-466, 478-485, 494-501, 504-510, 520-535, 573-580, 589-598, 615-625, 666-676, 686-698, 722-729, 737-746, 756-767, 787-796, 805-816, 824-829, 833-848, 856-864, 866-876, 879-886, 898-904, 918-924, 927-934, 941-960, 967-978 and 561-575 of Seq ID No 230; 11-29, 49-55, 70-77, 84-100, 102-112, 148-155, 160-177, 181-204 and 1-104 of Seq ID No 231; 27-44, 64-71, 122-133, 151-156, 164-178, 214-220, 226-232, 235-244, 253-262, 282-288, 294-310, 317-325, 350-356, 362-368, 376-383, 438-443, 449-454, 459-464, 492-498, 500-511, 529-535, 538-546, 567-573, 597-603, 660-665, 674-679, 724-734, 763-769, 773-784, 791-801, 807-815, 821-826, 840-848, 863-868, 897-902, 908-928, 932-953, 956-975, 980-987, 990-996, 1012-1018, 1042-1063, 1095-1116, 1149-1157, 1160-1167, 110-357, 358-501 and 502-1161 of Seq ID No 232; 4-21, 64-71, 73-84, 128-138, 144-162, 203-217, 240-263, 288-298, 300-308, 310-317, 325-351, 369-380, 391-411 and 330-345 of Seq ID No 233; 5-11, 25-31, 39-48, 51-79, 89-98, 100-122, 135-148, 166-201, 203-227, 230-250, 254-260, 266-272, 274-282, 299-305, 328-337 and 31-45 of Seq ID No 234; 12-23, 29-48, 51-60, 66-72, 75-81, 83-93, 103-115, 133-148, 168-174, 195-204, 222-229, 231-240, 242-251, 270-280, 286-305, 322-344, 349-360, 364-370, 378-400, 421-441, 448-484, 486-493, 495-501, 504-534, 547-561, 567-590, 597-607, 621-635, 643-649, 658-685, 688-694, 702-711, 717-731, 737-742, 759-765, 767-772, 776-786, 803-809, 815-825, 854-908, 910-919, 923-930, 942-948, 961-975, 994-1014 and 915-940 of Seq ID No 235; 4-9, 32-47, 51-61, 75-96, 139-191 and 1-124 of Seq ID No 236; 4-13, 17-38, 43-49, 55-76, 88-95, 110-121, 128-146, 151-157, 162-214, 222-240, 243-249, 251-273, 275-281, 292-298, 300-309, 312-320, 322-331, 355-369, 376-408, 446-460, 471-482, 485-509 and 191-203 of Seq ID No 237; 4-21, 72-82, 89-103, 106-115, 118-124, 140-146, 174-184, 191-200, 204-213, 218-224, 261-266, 282-293, 299-309, 311-340, 342-358, 362-372, 381-389, 391-402, 413-421, 438-447, 457-464, 470-478, 501-507, 545-560, 578-624, 631-641, 658-670, 680-689, 717-738, 753-759, 795-805, 816-822, 830-838, 842-848, 869-881, 892-898, 33-51 and 818-835 of Seq ID No 238; 4-21, 79-85, 156-177, 183-188, 206-214, 243-249, 261-269, 287-292, 315-322, 334-345, 360-366, 374-390, 402-411, 37-97 and 260-399 of Seq ID No 239; 4-9, 19-54, 58-78, 97-104, 111-120, 126-134, 137-145, 163-173, 178-188, 193-203, 211-224, 246-286, 288-324, 337-346, 355-362, 374-390, 392-398, 409-417 and 240-249 of Seq ID No 240; 5-12, 14-31, 35-41, 43-61, 82-92, 97-105, 134-145, 155-166, 184-203, 215-223, 225-251, 272-279, 281-306, 310-345, 358-418, 435-473, 482-490, 525-532, 538-547, 549-563, 578-604, 613-639 and 144-154 of Seq ID No 241; 53-59, 64-72, 74-100, 133-152, 154-172, 176-181, 207-214, 225-238, 275-297, 304-310, 331-340, 362-367, 384-395, 403-410, 437-443, 448-456, 482-490, 579-597, 602-610, 625-630, 633-651, 699-707, 709-715, 734-743, 750-762 and 544-685 of Seq ID No 242; 12-18, 22-40, 45-83, 89-97, 103-109, 147-153, 159-173, 195-204, 210-219, 243-253, 259-265, 273-282, 303-309, 315-325, 332-340, 346-358, 362-367, 377-390, 393-402, 418-426, 447-455, 467-480, 505-512, 514-525, 548-561, 566-576, 584-596, 619-626, 638-645, 649-659, 661-680, 699-708, 714-720, 753-759, 766-772, 775-781, 801-808, 202-218, 282-299, 339-350 and 617-628 of Seq ID No 243; 5-33, 52-62, 87-101, 111-135, 137-143, 145-152, 190-202, 209-221, 233-245, 253-270 and 151-215 of Seq ID No 244; 19-29, 32-39, 42-48, 75-94, 124-135, 137-145, 152-160, 176-182, 193-203, 215-236, 266-273, 275-291, 297-306, 311-319, 322-342, 348-360, 369-378, 394-401 and 48-64 of Seq ID No 245; 4-11, 13-33, 36-43, 53-63, 65-80, 112-129, 134-141, 143-155, 157-168, 178-188, 191-199, 201-207, 215-229, 242-255, 263-270, 283-315, 320-329, 333-338, 340-349, 412-426, 465-478, 485-490, 498-512, 540-554 and 390-516 of Seq ID No 246; 4-18, 23-32, 41-47, 54-70, 88-99, 104-111, 118-138, 143-148, 150-162, 168-175, 181-188, 203-211, 214-220, 227-245, 251-268, 275-281, 287-296, 323-333 and 1-90 of Seq ID No 247; 8-34, 38-49, 72-83, 85-91, 94-104, 112-125, 134-142, 148-168, 181-189, 191-198, 202-214, 222-233, 242-254, 256-262, 273-278, 287-294, 314-325 and 141-159 of Seq ID No 248; 4-24, 30-36, 47-75, 82-105, 124-134, 151-157, 192-202, 208-214, 219-226, 234-247, 285-290, 318-324, 332-340, 343-349, 380-386, 453-462, 472-478, 484-501, 531-540, 550-557,

604-612, 620-625, 642-648, 652-671, 64-84, 93-180 and 181-446 of Seq ID No 249; 12-18, 24-32, 68-75, 77-83, 96-101, 109-116, 129-136, 152-164, 175-184, 190-199, 206-215, 224-233, 241-250, 258-264, 273-292, 302-312, 319-331, 334-346, 348-368, 387-395, 408-416, 420-429, 437-452 and 364-374 of Seq ID No 250; 11-28, 36-52, 60-67, 74-79, 108-116 and 61-76 of Seq ID No 251; 20-27, 38-49, 69-74, 84-107, 138-145, 161-168, 179-195, 210-226, 228-252, 267-281, 283-296, 305-311, 333-340, 342-356, 361-372, 380-399, 401-414, 458-466, 475-481, 492-507, 515-520 and 146-160 of Seq ID No 252; 43-61, 68-74, 76-90, 120-128, 130-149, 156-161, 164-182, 492-507, 515-520 and 146-160 of Seq ID No 252; 43-61, 68-74, 76-90, 120-128, 130-149, 156-161, 164-182, 206-234, 242-252, 269-274, 291-304, 332-345, 349-355, 360-371, 374-388, 434-440, 447-453, 459-465, 469-496, 504-522 and 261-285 of Seq ID No 253; 4-17, 24-30, 37-49, 87-98, 118-124, 126-136, 144-171, 176-188, 206-214, 216-228, 233-240, 246-252, 262-271, 277-297, 307-330, 333-342, 346-352, 355-361, 368-386, 391-400, 413-420, 474-480 and 401-427 of Seq ID No 254; 15-26, 31-46, 51-72, 80-93, 96-109, 131-137, 150-158, 179-185, 189-209, 211-219, 221-234, 241-247, 255-262, 265-271, 283-288 and 173-190 of Seq ID No 255; 28-37, 39-45, 51-58, 77-84, 89-97, 132-148, 171-180, 199-205, 212-218, 220-226, 257-265, 273-300, 307-327, 334-340, 344-365, 385-390, 402-408, 426-436, 450-468, 476-485 and 425-497 of Seq ID No 256; 4-25, 70-76, 80-88, 90-100, 120-128, 162-169, 183-203, 261-277, 279-289, 291-297, 302-308, 321-327, 339-353, 358-377, 392-401, 404-410, 414-422, 443-450, 456-461, 470-488, 490-497, 510-535, 570-611, 618-630, 639-647, 649-660, 668-690, 702-716, 718-724, 737-747, 750-764 and 497-509 of Seq ID No 257; 12-48, 50-64, 99-108, 216-223, 235-241, 244-254, 262-274, 287-293, 310-316, 320-326, 361-366, 377-383, 390-395, 408-414, 418-425, 438-444, 462-469, 494-505, 524-530, 536-547, 551-566, 592-598, 601-613, 678-685, 687-695, 709-717, 727-737, 751-757, 760-765, 772-778, 782-788, 801-807, 822-830, 859-868, 870-878, 884-890, 898-903, 909-919, 953-969, 973-980, 990-1000, 1002-1019, 1041-1047, 1059-1065, 1090-1095, 1116-1127, 1130-1139, 1143-1149, 1151-1168, 1178-1183, 1188-1195, 1197-1209, 1213-1220, 1226-1234, 1236-1247, 1255-1274, 1276-1282, 76-100, 270-284, 309-438, 493-505, 786-942 and 947-967 of Seq ID No 258; 4-9, 24-34, 46-95, 97-109, 119-130 and 138-156 of Seq ID No 259; 9-26, 28-35, 43-53, 55-68, 83-92, 99-105, 110-135, 139-149, 157-162, 164-170, 173-183, 193-208, 210-230, 239-245, 253-259, 263-271, 293-305, 310-320, 322-331, 336-343, 351-364, 367-376, 92-107 and 154-173 of Seq ID No 260; 19-39, 52-62, 108-117, 145-152, 160-168, 194-203, 229-240, 252-268, 280-287, 308-316, 333-339, 383-390, 403-412, 414-424, 438-445, 464-472, 479-484, 489-505, 510-526 and 247-260 of Seq ID No 261; 5-17, 25-52, 60-77, 105-113, 118-125, 162-167, 228-234, 272-279, 328-334, 341-357, 381-395, 400-406, 512-518, 557-569, 586-592, 645-651, 690-695, 701-709, 720-726, 733-743, 751-758, 781-786, 879-886, 929-934, 939-944, 952-960, 965-975, 994-1001, 1039-1045, 1102-1109, 1164-1181, 1198-1206, 1223-1229, 1253-1259, 1283-1292, 1312-1317, 1339-1349, 1360-1370, 1389-1398, 1400-1412, 1452-1465, 1470-1484, 1490-1497, 1519-1525, 1554-1564, 1578-1591, 1623-1636, 1638-1646, 1669-1679, 1685-1697, 1704-1711, 1713-1720, 1730-1736, 1738-1749, 1756-1764, 1778-1786, 1796-1803, 1817-1826, 1849-1866, 1975-1993, 2017-2032, 2044-2053, 2070-2086, 2091-2109, 2116-2127, 2156-2167, 2182-2188, 2197-2202, 2244-2252, 2281-2287, 2290-2307, 2350-2361, 2383-2404, 2425-2433, 2445-2455, 2495-2505 and 394-549 of Seq ID No 262; 9-24, 31-53, 57-67, 69-79, 84-114, 133-141, 144-172, 178-186 and 13-46 of Seq ID No 263; 4-25, 27-35, 43-52, 59-70, 79-91, 115-130, 136-152, 154-163, 170-179 and 1-58 of Seq ID No 264; 4-30, 49-55, 71-80, 96-105, 111-126, 139-146, 149-162, 239-245, 279-285, 290-296, 300-307, 331-337, 343-350 and 250-351 of Seq ID No 265; 9-27, 34-41, 43-51, 92-111, 114-120, 123-131, 139-150, 156-171, 176-186, 188-204, 229-241, 252-258, 266-279, 288-297, 319-334, 338-348, 373-379, 389-398, 431-439, 479-484 and 214-398 of Seq ID No 266; 4-15, 18-27, 47-52, 68-83, 91-97, 104-110, 115-121, 139-147, 157-164, 198-206, 227-236, 241-254, 264-273, 278-289, 311-320, 353-361, 372-383, 405-420, 426-434 and 232-386 of Seq ID No 267; 4-10, 24-34, 91-97, 129-141, 156-163, 184-190, 205-219, 229-235, 256-273, 278-285 and 93-116 of Seq ID No 268; 7-29, 35-54, 71-83, 85-91, 104-111, 122-134, 138-144, 146-154, 158-174, 177-183, 186-201, 207-215, 223-235, 240-247, 262-273, 275-283, 287-292 and 48-66 of Seq ID No 269; 7-27, 31-47, 49-70, 75-102, 110-149, 157-171, 217-223, 235-251, 294-302, 358-364, 367-375, 387-393, 395-412, 423-430, 441-451, 456-470, 472-486, 488-495, 499-509, 515-529, 536-549, 556-570, 574-603, 607-615, 625-633, 642-658, 670-676, 683-702, 708-716, 720-726, 747-756, 763-784, 803-812, 815-826 and 475-490 of Seq ID No 270; 7-22, 30-38, 53-59, 64-75, 83-95, 97-112, 120-131, 133-142, 145-151, 154-166, 172-180, 189-203, 227-238, 277-287, 9-156 and 174-287 of Seq ID No 271; 13-23, 25-32, 111-117, 150-164, 185-193, 207-212, 216-224, 230-236, 263-272, 304-311, 342-348, 374-385, 391-407, 444-458, 480-487, 489-499, 523-542, 544-558, 572-579, 620-640, 686-696, 703-710, 742-755, 765-772, 817-822, 830-837, 865-872, 931-937 and 66-86 of Seq ID No 272; 4-27, 49-56, 62-70, 86-92, 121-127, 151-163, 170-182, 195-202, 212-226, 237-243 and 234-254 of Seq ID No 273; 4-10, 13-24, 39-51, 62-78, 92-104, 107-117, 134-141, 156-161, 166-181, 210-216, 222-229, 256-266, 273-280, 297-304, 313-330, 336-349, 371-376,

433-439, 443-448, 488-493, 506-515, 527-534, 560-572, 575-583, 587-593 and 252-483 of Seq ID No 274; 4-15, 21-38, 45-56, 81-95, 102-108, 118-130, 133-147, 152-162, 166-171, 199-204, 211-218, 230-240, 253-261, 274-283, 288-294, 312-317, 325-336, 344-357, 391-414 and 24-146 of Seq ID No 275; 26-31, 38-56, 65-82, 90-101, 112-119, 123-153, 175-188, 197-216, 234-242, 249-265, 273-286, 290-305, 327-335, 338-346, 361-372, 394-404 and 290-306 of Seq ID No 276; 17-26, 43-48, 50-73, 81-93, 95-107, 139-146, 158-168, 171-176, 190-196, 202-212, 216-223, 243-266, 274-282, 308-313, 324-330, 344-378, 380-387, 403-422, 427-443, 448-455, 457-465, 491-515, 517-528, 553-567, 589-599, 610-617, 642-648, 670-697, 709-717, 726-743, 745-759, 769-803, 807-823, 840-849 and 820-851 of Seq ID No 277; 4-18, 39-48, 53-63, 66-90, 102-117, 125-134, 137-145, 156-162, 169-197, 26-40 and 56-80 of Seq ID No 278; 21-33, 36-42, 49-60, 68-76, 91-105, 123-130, 141-161, 169-178, 185-190, 192-199, 205-214, 223-233, 239-247, 260-269, 284-293, 300-314, 324-352, 357-364, 373-382, 389-403, 420-432, 438-446, 466-471, 477-484, 503-509, 549-556, 558-576, 600-623, 625-635, 654-661, 663-669, 671-687, 702-716, 735-741, 744-750, 757-766, 776-786, 807-815, 824-832, 854-860, 863-897, 909-915, 920-946, 952-959, 982-997, 1024-1038, 1049-1055, 1071-1085, 1104-1113, 1121-1132, 1138-1150, 1187-1196, 1212-1221, 1227-1236, 1257-1262, 1264-1278, 1282-1294, 1307-1318, 1353-1370, 1382-1388, 1396-1409, 1434-1440, 1446-1454, 1465-1478, 1485-1513, 1516-1529, 1540-1545, 1563-1568, 1575-1593, 1607-1616, 1628-1645, 1648-1661, 1676-1682, 1689-1697, 1713-1719, 1739-1749, 1753-1758, 1763-1774, 1797-1803, 1807-1846, 1855-1874, 1877-1891, 1893-1907, 1912-1925, 1931-1943, 1955-1965, 1976-1990, 2032-2043, 2045-2051, 2099-2105, 2131-2138, 2161-2179, 2188-2199, 2205-2216, 2219-2227, 2235-2245, 2247-2267, 2277-2288, 2294-2304, 2314-2326, 2346-2358, 2365-2377, 2383-2402, 2407-2423, 2437-2450, 2454-2473, 2489-2497, 2525-2531, 2557-2570, 2580-2587, 2589-2599, 2621-2641, 2647-2653, 2661-2677, 2685-2690, 2697-2717, 2722-2733, 2739-2777, 2786-2793, 2801-2808, 2811-2822, 2825-2835, 2838-2845, 2859-2871, 2877-2883, 213-344, 954-1080 and 2524-2733 of Seq ID No 279; 10-16, 18-23, 28-41, 63-69, 77-91, 101-109, 118-136, 146-153, 155-162, 168-179, 192-207, 217-226, 229-235, 239-254, 279-286, 294-307, 313-319, 334-341, 344-353, 363-377, 390-396 and 178-328 of Seq ID No 280; 18-42, 68-84, 89-95, 100-105, 107-115, 125-135, 154-177, 189-195, 205-228, 236-243, 252-259, 279-300, 309-316, 323-331, 340-351, 353-364, 377-402 and 85-97 of Seq ID No 281; 4-18, 26-32, 66-76, 100-126, 151-159, 178-186, 188-194, 200-210, 241-248, 253-259, 262-279, 284-291, 307-313, 315-322, 327-337, 376-386, 399-407, 432-441, 467-473, 487-497, 499-505, 543-549, 560-568, 585-593, 598-604, 608-614, 630-642, 647-653, 690-703, 717-730, 21-200 and 468-480 of Seq ID No 282; 17-49, 52-58, 62-73, 78-97, 100-117, 122-172, 185-190, 193-217, 225-236 and 33-42 of Seq ID No 283; 7-39, 50-58, 73-89, 96-107, 109-120, 126-142, 152-170, 178-202, 205-211, 224-244, 249-259, 261-270, 300-310, 312-325 and 158-169 of Seq ID No 284; 4-31, 40-64, 71-82, 85-92, 102-124, 126-139, 147-152, 159-173, 176-188, 195-207, 210-216, 234-241, 249-256, 258-276, 279-293, 296-302, 310-315, 349-356, 363-378, 380-403, 411-426, 435-441, 448-459, 463-476, 488-494 and 201-221 of Seq ID No 285; 5-13, 15-74, 87-104, 107-120, 123-129, 136-145, 150-191, 193-206, 227-248, 250-264, 278-302, 304-323, 332-378, 384-407, 409-419, 425-457, 462-471, 474-497, 511-545, 555-564, 571-578, 585-598, 640-647, 669-675, 682-691, 693-705, 729-743, 752-761, 772-780, 786-804, 808-818, 822-846, 858-880, 884-900, 910-939, 941-947, 962-971, 973-988, 998-1003, 1007-1027 and 236-259 of Seq ID No 286; 4-19, 27-68, 81-111, 121-160 and 60-79 of Seq ID No 287; 4-37, 40-46, 52-57, 199-205, 222-229, 236-244, 250-267, 269-282 and 27-197 of Seq ID No 288; 4-16, 24-30, 32-38, 63-75, 86-92, 98-111, 113-126, 160-165, 170-180, 198-204, 227-233, 239-245, 253-273, 308-314, 352-365, 382-387, 395-403, 423-429, 472-482, 484-493, 501-507, 518-526, 536-541, 543-550, 556-562, 586-600, 626-633, 649-661, 680-688 and 546-559 of Seq ID No 289; 16-33, 48-59, 63-71, 77-92, 94-109, 117-124, 139-151, 169-181, 184-227, 233-249, 251-261, 263-275, 282-294, 297-321, 326-332, 341-355, 383-399 and 258-272 of Seq ID No 290; 11-26, 31-39, 43-52, 55-62, 64-70, 80-94, 123-133, 135-141, 172-181, 185-206, 209-218, 224-230, 238-244, 251-262, 264-271, 290-301, 306-324, 333-340, 350-357, 367-375, 390-397, 434-441, 443-448, 77-226 and 350-429 of Seq ID No 291; 4-13, 22-27, 31-45, 50-59, 72-96, 99-114, 131-141, 143-150, 159-176, 180-186, 189-198, 208-214, 234-253, 271-287, 294-299, 310-366, 382-390, 398-416, 424-443 and 283-305 of Seq ID No 292; 9-26, 30-53, 62-72, 86-95, 112-122, 136-145, 153-160, 209-221, 227-237, 241-268, 281-288, 291-298, 308-314, 321-328, 336-346, 351-379, 388-397, 409-416, 423-433, 443-481, 511-519 and 213-232 of Seq ID No 293; 12-18, 25-31, 38-50, 59-67, 71-82, 96-126 and 76-88 of Seq ID No 294; 4-25, 39-44, 64-71, 74-88, 100-113, 128-138, 151-162, 164-177, 185-190, 204-213, 233-239, 246-254, 281-286, 293-306, 309-318, 333-347, 349-359, 385-398, 404-423, 458-465, 477-484, 490-499, 501-533, 554-566, 582-590, 596-616, 624-629, 631-639, 654-680, 694-720, 735-743 and 2-100 of Seq ID No 295; 4-16, 36-41, 52-75, 98-107, 109-117, 122-128, 133-139, 141-155, 159-165, 169-182, 187-193, 195-201, 211-224, 230-236, 247-269, 278-290 and 75-92 of Seq ID No 296; 7-21, 25-33, 37-

43, 87-94, 103-120, 131-147, 168-174, 197-203, 207-212, 227-237, 247-257, 263-271, 279-287, 298-306, 320-325, 332-340, 363-374, 379-384, 390-401, 403-414, 428-433, 448-457, 462-475, 483-490, 513-519, 525-535, 543-554, 559-566, 571-620, 625-631, 636-642, 659-670, 688-706, 708-723, 770-779, 787-793, 796-807, 820-840, 848-854, 863-874, 895-905, 912-919, 934-942, 968-975, 983-1000, 1012-1019, 1026-1036, 1050-1060, 1064-1070, 1081-1091, 1094-1108, 1112-1118, 1140-1152, 1164-1169, 1172-1180, 1187-1192 and 732-748 of Seq ID No 297; 23-40, 42-59, 66-73, 78-97, 111-128, 130-141, 157-166, 178-183 and 53-71 of Seq ID No 298; 4-27, 38-44, 47-57, 59-85, 99-106, 114-121, 154-166, 181-186, 193-198, 238-244, 253-262, 272-278, 287-299, 314-320, 338-350, 358-368, 382-388, 407-416, 433-446, 456-461, 463-473 and 86-195 of Seq ID No 299; 5-24, 38-59, 64-80, 87-99, 105-126, 134-142, 149-163, 165-179, 181-202, 205-220, 227-233, 243-250, 257-263 and 87-245 of Seq ID No 300; 5-32, 47-53, 66-79, 81-97, 115-151, 155-174, 183-188, 196-210, 215-226, 230-238, 253-258, 263-270, 276-282, 295-301, 304-325, 334-344, 360-390, 397-412, 425-432, 434-462, 478-494, 508-526, 539-564, 571-579, 347-371 and 375-386 of Seq ID No 301; 4-15, 36-44, 49-56, 60-66, 68-82, 84-103, 109-115, 118-141, 147-154, 160-168, 176-185 and 26-39 of Seq ID No 302; 7-13, 23-33 and 13-21 of Seq ID No 303; 2-10 of Seq ID No 304; 4-9, 12-18, 35-42, 49-62 and 6-18 of Seq ID No 305; 19-25 and 1-13 of Seq ID No 306; 15-21, 27-45 and 12-25 of Seq ID No 307; 14-20 and 1-14 of Seq ID No 308; 4-18 and 13-26 of Seq ID No 309; 8-21 and 2-20 of Seq ID No 310; 4-14 and 4-16 of Seq ID No 311; 3-12 of Seq ID No 312; 6-14, 6-25, 35-57 and 2-14 of Seq ID No 313; 6-25, 35-57 and 17-31 of Seq ID No 314; 14-25, 32-46 and 5-19 of Seq ID No 315; 18-31 and 5-16 of Seq ID No 316; 19-24 and 4-26 of Seq ID No 317; 13-21, 29-34, 47-58, 61-73 and 36-47 of Seq ID No 318; 4-15 and 5-24 of Seq ID No 319; 6-18 of Seq ID No 320; 13-20 and 4-13 of Seq ID No 321; 15-23 of Seq ID No 322; 4-9 and 7-21 of Seq ID No 323; 1-10 of Seq ID No 324; 4-14 of Seq ID No 325; 4-17, 35-41, 46-89, 93-98 and 70-88 of Seq ID No 326; 1-13 of Seq ID No 327; 4-16, 26-32 and 25-38 of Seq ID No 328; 8-15, 23-28 and 4-17 of Seq ID No 329; 4-12 and 1-15 of Seq ID No 330; 4-29, 31-42, 52-58 and 6-16 of Seq ID No 331; 4-9, 24-32 and 9-19 of Seq ID No 332; 4-12, 18-27 and 5-18 of Seq ID No 333; 4-11, 37-56, 58-92 and 18-29 of Seq ID No 334; 8-28 and 20-35 of Seq ID No 335; 4-15 of Seq ID No 336; 4-23, 27-39, 55-63 and 35-58 of Seq ID No 337; 6-26, 28-54 and 28-47 of Seq ID No 338; 4-10, 38-52, 58-82 and 30-49 of Seq ID No 339; 4-22, 29-35, 44-50, 53-68, 70-80 and 20-33 of Seq ID No 340; 22-28, 30-36 and 18-33 of Seq ID No 341; 4-11, 13-21, 25-30 and 20-30 of Seq ID No 342; 10-22 and 10-23 of Seq ID No 343; 4-11 and 9-20 of Seq ID No 344; 14-25, 32-46 and 6-19 of Seq ID No 345; 5-30 and 14-33 of Seq ID No 346; 4-15, 28-35, 46-55, 59-65, 76-84 and 9-24 of Seq ID No 347; 27-33 and 5-19 of Seq ID No 348; 5-13 and 8-18 of Seq ID No 349; 9-22, 24-34 and 21-40 of Seq ID No 350; 4-17, 35-41, 46-89, 93-98 and 71-89 of Seq ID No 351; 4-12, 14-24 and 2-17 of Seq ID No 352; 9-17 and 5-16 of Seq ID No 353; 7-41, 48-58, 63-75, 80-89 and 43-53 of Seq ID No 354; 4-22, 25-30 and 4-14 of Seq ID No 355; 4-55 and 18-33 of Seq ID No 356, and fragments comprising at least 6, preferably more than 8, especially more than 10 aa of said sequences. All these fragments individually and each independently form a preferred selected aspect of the present invention.

All linear hyperimmune serum reactive fragments of a particular antigen may be identified by analysing the entire sequence of the protein antigen by a set of peptides overlapping by 1 amino acid with a length of at least 10 amino acids. Subsequently, non-linear epitopes can be identified by analysis of the protein antigen with hyperimmune sera using the expressed full-length protein or domain polypeptides thereof. Assuming that a distinct domain of a protein is sufficient to form the 3D structure independent from the native protein, the analysis of the respective recombinant or synthetically produced domain polypeptide with hyperimmune serum would allow the identification of conformational epitopes within the individual domains of multi-domain proteins. For those antigens where a domain possesses linear as well as conformational epitopes, competition experiments with peptides corresponding to the linear epitopes may be used to confirm the presence of conformational epitopes.

It will be appreciated that the invention also relates to, among others, nucleic acid molecules encoding the aforementioned fragments, nucleic acid molecules that hybridise to nucleic acid molecules encoding the fragments, particularly those that hybridise under stringent conditions, and nucleic acid molecules, such as PCR primers, for amplifying nucleic acid molecules that encode the fragments. In these regards, preferred nucleic acid molecules are those that correspond to the preferred fragments, as discussed above.

The present invention also relates to vectors, which comprise a nucleic acid molecule or nucleic acid molecules of the present invention, host cells which are genetically engineered with vectors of the invention and the production of hyperimmune serum reactive antigens and fragments thereof by recombinant techniques.

A great variety of expression vectors can be used to express a hyperimmune serum reactive antigen or fragment thereof according to the present invention. Generally, any vector suitable to maintain, propagate or express nucleic acids to express a polypeptide in a host may be used for expression in this regard. In accordance with this aspect of the invention the vector may be, for example, a plasmid vector, a single or double-stranded phage vector, a single or double-stranded RNA or DNA viral vector. Starting plasmids disclosed herein are either commercially available, publicly available, or can be constructed from available plasmids by routine application of well-known, published procedures. Preferred among vectors, in certain respects, are those for expression of nucleic acid molecules and hyperimmune serum reactive antigens or fragments thereof of the present invention. Nucleic acid constructs in host cells can be used in a conventional manner to produce the gene product encoded by the recombinant sequence. Alternatively, the hyperimmune serum reactive antigens and fragments thereof of the invention can be synthetically produced by conventional peptide synthesizers. Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA construct of the present invention.

Host cells can be genetically engineered to incorporate nucleic acid molecules and express nucleic acid molecules of the present invention. Representative examples of appropriate hosts include bacterial cells, such as streptococci, staphylococci, *E. coli*, *Streptomyces* and *Bacillus subtilis* cells; fungal cells, such as yeast cells and *Aspergillus* cells; insect cells such as *Drosophila* S2 and *Spodoptera* Sf9 cells; animal cells such as CHO, COS, HeLa, C127, 3T3, BHK, 293 and Bowes melanoma cells; and plant cells.

The invention also provides a process for producing a *H. pylori* hyperimmune serum reactive antigen and a fragment thereof comprising expressing from the host cell a hyperimmune serum reactive antigen or fragment thereof encoded by the nucleic acid molecules provided by the present invention. The invention further provides a process for producing a cell, which expresses a *H. pylori* hyperimmune serum reactive antigen or a fragment thereof comprising transforming or transfecting a suitable host cell with the vector according to the present invention such that the transformed or transfected cell expresses the polypeptide encoded by the nucleic acid contained in the vector.

The polypeptide may be expressed in a modified form, such as a fusion protein, and may include not only secretion signals but also additional heterologous functional regions. Thus, for instance, a region of additional amino acids, particularly charged amino acids, may be added to the N- or C-terminus of the polypeptide to improve stability and persistence in the host cell, during purification or during subsequent handling and storage. Also, regions may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to polypeptides to engender secretion or excretion, to improve stability or to facilitate purification, among others, are familiar and routine techniques in the art. A preferred fusion protein comprises a heterologous region from immunoglobulin that is useful to solubilize or purify polypeptides. For example, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another protein or part thereof. In drug discovery, for example, proteins have been fused with antibody Fc portions for the purpose of high-throughout screening assays to identify antagonists. See for example, [Bennett, D. et al., 1995] and [Johanson, K. et al., 1995].

The *H. pylori* hyperimmune serum reactive antigen or a fragment thereof can be recovered and purified

from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, hydroxylapatite chromatography and lectin chromatography.

The hyperimmune serum reactive antigens and fragments thereof according to the present invention can be produced by chemical synthesis as well as by biotechnological means. The latter comprise the transfection or transformation of a host cell with a vector containing a nucleic acid according to the present invention and the cultivation of the transfected or transformed host cell under conditions, which are known to the ones skilled in the art. The production method may also comprise a purification step in order to purify or isolate the polypeptide to be manufactured. In a preferred embodiment the vector is a vector according to the present invention.

The hyperimmune serum reactive antigens and fragments thereof according to the present invention may be used for the detection of the organism or organisms in a sample containing these organisms or polypeptides derived thereof. Preferably such detection is for diagnosis, more preferable for the diagnosis of a disease, most preferably for the diagnosis of diseases related or linked to the presence or abundance of Gram-negative bacteria, especially bacteria selected from the group comprising *Helicobacter*, *Campylobacter* and *Arcobacter*. More preferably, the microorganisms are selected from the group comprising *Helicobacter cinaedi* and *Helicobacter fannelliae*, especially the microorganism is *Helicobacter pylori*.

The present invention also relates to diagnostic assays such as quantitative and diagnostic assays for detecting levels of the hyperimmune serum reactive antigens and fragments thereof of the present invention in cells and tissues, including determination of normal and abnormal levels. Thus, for instance, a diagnostic assay in accordance with the invention for detecting over-expression of the polypeptide compared to normal control tissue samples may be used to detect the presence of an infection, for example, and to identify the infecting organism. Assay techniques that can be used to determine levels of a polypeptide, in a sample derived from a host are well-known to those of skill in the art. Such assay methods include radioimmunoassays, competitive-binding assays, Western Blot analysis and ELISA assays. Among these, ELISAs frequently are preferred. An ELISA assay initially comprises preparing an antibody specific to the polypeptide, preferably a monoclonal antibody. In addition, a reporter antibody generally is prepared which binds to the monoclonal antibody. The reporter antibody is attached to a detectable reagent such as radioactive, fluorescent or enzymatic reagent, such as horseradish peroxidase enzyme.

The hyperimmune serum reactive antigens and fragments thereof according to the present invention may also be used for the purpose of or in connection with an array. More particularly, at least one of the hyperimmune serum reactive antigens and fragments thereof according to the present invention may be immobilized on a support. Said support typically comprises a variety of hyperimmune serum reactive antigens and fragments thereof whereby the variety may be created by using one or several of the hyperimmune serum reactive antigens and fragments thereof according to the present invention and/or hyperimmune serum reactive antigens and fragments thereof being different. The characterizing feature of such array as well as of any array in general is the fact that at a distinct or predefined region or position on said support or a surface thereof, a distinct polypeptide is immobilized. Because of this any activity at a distinct position or region of an array can be correlated with a specific polypeptide. The number of different hyperimmune serum reactive antigens and fragments thereof immobilized on a support may range from as little as 10 to several 1000 different hyperimmune serum reactive antigens and fragments thereof. The density of hyperimmune serum reactive antigens and fragments thereof per cm^2 is in a preferred embodiment as little as 10 peptides/polypeptides per cm^2 to at least 400 different peptides/polypeptides per cm^2 and more particularly at least 1000 different hyperimmune serum reactive antigens and fragments thereof per cm^2 .

The manufacture of such arrays is known to the one skilled in the art and, for example, described in US patent 5,744,309. The array preferably comprises a planar, porous or non-porous solid support having at least a first surface. The hyperimmune serum reactive antigens and fragments thereof as disclosed herein, are immobilized on said surface. Preferred support materials are, among others, glass or cellulose. It is also within the present invention that the array is used for any of the diagnostic applications described herein. Apart from the hyperimmune serum reactive antigens and fragments thereof according to the present invention also the nucleic acid molecules according to the present invention may be used for the generation of an array as described above. This applies as well to an array made of antibodies, preferably monoclonal antibodies as, among others, described herein.

In a further aspect the present invention relates to an antibody directed to any of the hyperimmune serum reactive antigens and fragments thereof, derivatives or fragments thereof according to the present invention. The present invention includes, for example, monoclonal and polyclonal antibodies, chimeric, single chain, and humanized antibodies, as well as Fab fragments, or the product of a Fab expression library. It is within the present invention that the antibody may be chimeric, i. e. that different parts thereof stem from different species or at least the respective sequences are taken from different species.

Antibodies generated against the hyperimmune serum reactive antigens and fragments thereof corresponding to a sequence of the present invention can be obtained by direct injection of the hyperimmune serum reactive antigens and fragments thereof into an animal or by administering the hyperimmune serum reactive antigens and fragments thereof to an animal, preferably a non-human. The antibody so obtained will then bind the hyperimmune serum reactive antigens and fragments thereof itself. In this manner, even a sequence encoding only a fragment of a hyperimmune serum reactive antigen and fragments thereof can be used to generate antibodies binding the whole native hyperimmune serum reactive antigen and fragments thereof. Such antibodies can then be used to isolate the hyperimmune serum reactive antigens and fragments thereof from tissue expressing those hyperimmune serum reactive antigens and fragments thereof.

For preparation of monoclonal antibodies, any technique known in the art, which provides antibodies produced by continuous cell line cultures can be used. (as described originally in {Kohler, G. et al., 1975}).

Techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778) can be adapted to produce single chain antibodies to immunogenic hyperimmune serum reactive antigens and fragments thereof according to this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies to immunogenic hyperimmune serum reactive antigens and fragments thereof according to this invention.

Alternatively, phage display technology or ribosomal display could be utilized to select antibody genes with binding activities towards the hyperimmune serum reactive antigens and fragments thereof either from repertoires of PCR amplified v-genes of lymphocytes from humans screened for possessing respective target antigens or from naïve libraries {McCafferty, J. et al., 1990}; {Marks, J. et al., 1992}. The affinity of these antibodies can also be improved by chain shuffling {Clackson, T. et al., 1991}.

If two antigen binding domains are present, each domain may be directed against a different epitope – termed 'bispecific' antibodies.

The above-described antibodies may be employed to isolate or to identify clones expressing the hyperimmune serum reactive antigens and fragments thereof or purify the hyperimmune serum reactive antigens and fragments thereof of the present invention by attachment of the antibody to a solid support for isolation and/or purification by affinity chromatography.

Thus, among others, antibodies against the hyperimmune serum reactive antigens and fragments thereof of the present invention may be employed to inhibit and/or treat infections, particularly bacterial infections and especially infections arising from *H. pylori*.

Hyperimmune serum reactive antigens and fragments thereof include antigenically, epitopically or immunologically equivalent derivatives, which form a particular aspect of this invention. The term "antigenically equivalent derivative" as used herein encompasses a hyperimmune serum reactive antigen and fragments thereof or its equivalent which will be specifically recognized by certain antibodies which, when raised to the protein or hyperimmune serum reactive antigen and fragments thereof according to the present invention, interfere with the interaction between pathogen and mammalian host. The term "immunologically equivalent derivative" as used herein encompasses a peptide or its equivalent which when used in a suitable formulation to raise antibodies in a vertebrate, the antibodies act to interfere with the interaction between pathogen and mammalian host.

The hyperimmune serum reactive antigens and fragments thereof, such as an antigenically or immunologically equivalent derivative or a fusion protein thereof can be used as an antigen to immunize a mouse or other animal such as a rat or chicken. The fusion protein may provide stability to the hyperimmune serum reactive antigens and fragments thereof. The antigen may be associated, for example by conjugation, with an immunogenic carrier protein, for example bovine serum albumin (BSA) or keyhole limpet haemocyanin (KLH). Alternatively, an antigenic peptide comprising multiple copies of the protein or hyperimmune serum reactive antigen and fragments thereof, or an antigenically or immunologically equivalent hyperimmune serum reactive antigen and fragments thereof, may be sufficiently antigenic to improve immunogenicity so as to obviate the use of a carrier.

Preferably the antibody or derivative thereof is modified to make it less immunogenic in the individual. For example, if the individual is human the antibody may most preferably be "humanized", wherein the complementarity determining region(s) of the hybridoma-derived antibody has been transplanted into a human monoclonal antibody, for example as described in (Jones, P. et al., 1986) or (Tempest, P. et al., 1991).

The use of a polynucleotide of the invention in genetic immunization will preferably employ a suitable delivery method such as direct injection of plasmid DNA into muscle, delivery of DNA complexed with specific protein carriers, coprecipitation of DNA with calcium phosphate, encapsulation of DNA in various forms of liposomes, particle bombardment (Tang, D. et al., 1992), (Eisenbraun, M. et al., 1993) and *in vivo* infection using cloned retroviral vectors (Seeger, C. et al., 1984).

In a further aspect the present invention relates to a peptide binding to any of the hyperimmune serum reactive antigens and fragments thereof according to the present invention, and a method for the manufacture of such peptides whereby the method is characterized by the use of the hyperimmune serum reactive antigens and fragments thereof according to the present invention and the basic steps are known to the one skilled in the art.

Such peptides may be generated by using methods according to the state of the art such as phage display or ribosome display. In case of phage display, basically a library of peptides is generated, in form of phages, and this kind of library is contacted with the target molecule, in the present case a hyperimmune serum reactive antigen and fragments thereof according to the present invention. Those peptides binding to the target molecule are subsequently removed, preferably as a complex with the target molecule, from the respective reaction. It is known to the one skilled in the art that the binding characteristics, at least to a certain extent, depend on the particularly realized experimental set-up such as the salt concentration and the like. After separating those peptides binding to the target molecule with a higher affinity or a bigger force, from the non-binding members of the library, and optionally also after removal of the target molecule from the complex of target molecule and peptide, the respective peptide(s) may subsequently

be characterised. Prior to the characterisation optionally an amplification step is realized such as, e. g. by propagating the peptide encoding phages. The characterisation preferably comprises the sequencing of the target binding peptides. Basically, the peptides are not limited in their lengths, however, preferably peptides having a lengths from about 8 to 20 amino acids are preferably obtained in the respective methods. The size of the libraries may be about 10^2 to 10^{18} , preferably 10^8 to 10^{15} different peptides, however, is not limited thereto.

A particular form of target binding hyperimmune serum reactive antigens and fragments thereof are the so-called "anticalines" which are, among others, described in the German patent application DE 197 42 706.

In a further aspect the present invention relates to functional nucleic acids interacting with any of the hyperimmune serum reactive antigens and fragments thereof according to the present invention, and a method for the manufacture of such functional nucleic acids whereby the method is characterized by the use of the hyperimmune serum reactive antigens and fragments thereof according to the present invention and the basic steps are known to the one skilled in the art. The functional nucleic acids are preferably aptamers and spiegelmers.

Aptamers are D-nucleic acids, which are either single stranded or double stranded and which specifically interact with a target molecule. The manufacture or selection of aptamers is, e. g., described in European patent EP 0 533 838. Basically the following steps are realized. First, a mixture of nucleic acids, i. e. potential aptamers, is provided whereby each nucleic acid typically comprises a segment of several, preferably at least eight subsequent randomised nucleotides. This mixture is subsequently contacted with the target molecule whereby the nucleic acid(s) bind to the target molecule, such as based on an increased affinity towards the target or with a bigger force thereto, compared to the candidate mixture. The binding nucleic acid(s) are/is subsequently separated from the remainder of the mixture. Optionally, the thus obtained nucleic acid(s) is amplified using, e.g. polymerase chain reaction. These steps may be repeated several times giving at the end a mixture having an increased ratio of nucleic acids specifically binding to the target from which the final binding nucleic acid is then optionally selected. These specifically binding nucleic acid(s) are referred to as aptamers. It is obvious that at any stage of the method for the generation or identification of the aptamers samples of the mixture of individual nucleic acids may be taken to determine the sequence thereof using standard techniques. It is within the present invention that the aptamers may be stabilized such as, e. g., by introducing defined chemical groups which are known to the one skilled in the art of generating aptamers. Such modification may for example reside in the introduction of an amino group at the 2'-position of the sugar moiety of the nucleotides. Aptamers are currently used as therapeutical agents. However, it is also within the present invention that the thus selected or generated aptamers may be used for target validation and/or as lead substance for the development of medicaments, preferably of medicaments based on small molecules. This is actually done by a competition assay whereby the specific interaction between the target molecule and the aptamer is inhibited by a candidate drug whereby upon replacement of the aptamer from the complex of target and aptamer it may be assumed that the respective drug candidate allows a specific inhibition of the interaction between target and aptamer, and if the interaction is specific, said candidate drug will, at least in principle, be suitable to block the target and thus decrease its biological availability or activity in a respective system comprising such target. The thus obtained small molecule may then be subject to further derivatisation and modification to optimise its physical, chemical, biological and/or medical characteristics such as toxicity, specificity, biodegradability and bioavailability.

Spiegelmers and their generation or manufacture is based on a similar principle. The manufacture of spiegelmers is described in international patent application WO 98/08856. Spiegelmers are L-nucleic acids, which means that they are composed of L-nucleotides rather than D-nucleotides as aptamers are. Spiegelmers are characterized by the fact that they have a very high stability in biological systems and, comparable to aptamers, specifically interact with the target molecule against which they are directed. In

the process of generating spiegelmers, a heterogeneous population of D-nucleic acids is created and this population is contacted with the optical antipode of the target molecule, in the present case for example with the D-enantiomer of the naturally occurring L-enantiomer of the hyperimmune serum reactive antigens and fragments thereof according to the present invention. Subsequently, those D-nucleic acids are separated which do not interact with the optical antipode of the target molecule. But those D-nucleic acids interacting with the optical antipode of the target molecule are separated, optionally identified and/or sequenced and subsequently the corresponding L-nucleic acids are synthesized based on the nucleic acid sequence information obtained from the D-nucleic acids. These L-nucleic acids which are identical in terms of sequence with the aforementioned D-nucleic acids interacting with the optical antipode of the target molecule, will specifically interact with the naturally occurring target molecule rather than with the optical antipode thereof. Similar to the method for the generation of aptamers it is also possible to repeat the various steps several times and thus to enrich those nucleic acids specifically interacting with the optical antipode of the target molecule.

In a further aspect the present invention relates to functional nucleic acids interacting with any of the nucleic acid molecules according to the present invention, and a method for the manufacture of such functional nucleic acids whereby the method is characterized by the use of the nucleic acid molecules and their respective sequences according to the present invention and the basic steps are known to the one skilled in the art. The functional nucleic acids are preferably ribozymes, antisense oligonucleotides and siRNA.

Ribozymes are catalytically active nucleic acids, which preferably consist of RNA which basically comprises two moieties. The first moiety shows a catalytic activity whereas the second moiety is responsible for the specific interaction with the target nucleic acid, in the present case the nucleic acid coding for the hyperimmune serum reactive antigens and fragments thereof according to the present invention. Upon interaction between the target nucleic acid and the second moiety of the ribozyme, typically by hybridisation and Watson-Crick base pairing of essentially complementary stretches of bases on the two hybridising strands, the catalytically active moiety may become active which means that it catalyses, either intramolecularly or intermolecularly, the target nucleic acid in case the catalytic activity of the ribozyme is a phosphodiesterase activity. Subsequently, there may be a further degradation of the target nucleic acid, which in the end results in the degradation of the target nucleic acid as well as the protein derived from the said target nucleic acid. Ribozymes, their use and design principles are known to the one skilled in the art, and, for example described in [Doherty, E. et al., 2001] and [Lewin, A. et al., 2001].

The activity and design of antisense oligonucleotides for the manufacture of a medicament and as a diagnostic agent, respectively, is based on a similar mode of action. Basically, antisense oligonucleotides hybridise based on base complementarity, with a target RNA, preferably with a mRNA, thereby activating RNase H. RNase H is activated by both phosphodiester and phosphorothioate-coupled DNA. Phosphodiester-coupled DNA, however, is rapidly degraded by cellular nucleases with the exception of phosphorothioate-coupled DNA. These resistant, non-naturally occurring DNA derivatives do not inhibit RNase H upon hybridisation with RNA. In other words, antisense polynucleotides are only effective as DNA RNA hybrid complexes. Examples for this kind of antisense oligonucleotides are described, among others, in US-patent US 5,849,902 and US 5,989,912. In other words, based on the nucleic acid sequence of the target molecule which in the present case are the nucleic acid molecules for the hyperimmune serum reactive antigens and fragments thereof according to the present invention, either from the target protein from which a respective nucleic acid sequence may in principle be deduced, or by knowing the nucleic acid sequence as such, particularly the mRNA, suitable antisense oligonucleotides may be designed based on the principle of base complementarity.

Particularly preferred are antisense-oligonucleotides, which have a short stretch of phosphorothioate DNA (3 to 9 bases). A minimum of 3 DNA bases is required for activation of bacterial RNase H and a

minimum of 5 bases is required for mammalian RNase H activation. In these chimeric oligonucleotides there is a central region that forms a substrate for RNase H that is flanked by hybridising "arms" comprised of modified nucleotides that do not form substrates for RNase H. The hybridising arms of the chimeric oligonucleotides may be modified such as by 2'-O-methyl or 2'-fluoro. Alternative approaches used methylphosphonate or phosphoramidate linkages in said arms. Further embodiments of the antisense oligonucleotide useful in the practice of the present invention are P-methoxyoligonucleotides, partial P-methoxyoligodeoxyribonucleotides or P-methoxyoligonucleotides.

Of particular relevance and usefulness for the present invention are those antisense oligonucleotides as more particularly described in the above two mentioned US patents. These oligonucleotides contain no naturally occurring 5'→3'-linked nucleotides. Rather the oligonucleotides have two types of nucleotides: 2'-deoxyphosphorothioate, which activate RNase H, and 2'-modified nucleotides, which do not. The linkages between the 2'-modified nucleotides can be phosphodiester, phosphorothioate or P-ethoxyphosphodiester. Activation of RNase H is accomplished by a contiguous RNase H-activating region, which contains between 3 and 5 2'-deoxyphosphorothioate nucleotides to activate bacterial RNase H and between 5 and 10 2'-deoxyphosphorothioate nucleotides to activate eucaryotic and, particularly, mammalian RNase H. Protection from degradation is accomplished by making the 5' and 3' terminal bases highly nuclease resistant and, optionally, by placing a 3' terminal blocking group.

More particularly, the antisense oligonucleotide comprises a 5' terminus and a 3' terminus; and from position 11 to 59 5'→3'-linked nucleotides independently selected from the group consisting of 2'-modified phosphodiester nucleotides and 2'-modified P-alkoxyphosphotriester nucleotides; and wherein the 5'-terminal nucleoside is attached to an RNase H-activating region of between three and ten contiguous phosphorothioate-linked deoxyribonucleotides, and wherein the 3'-terminus of said oligonucleotide is selected from the group consisting of an inverted deoxyribonucleotide, a contiguous stretch of one to three phosphorothioate 2'-modified ribonucleotides, a biotin group and a P-alkoxyphosphotriester nucleotide.

Also an antisense oligonucleotide may be used wherein not the 5' terminal nucleoside is attached to an RNase H-activating region but the 3' terminal nucleoside as specified above. Also, the 5' terminus is selected from the particular group rather than the 3' terminus of said oligonucleotide.

The nucleic acids as well as the hyperimmune serum reactive antigens and fragments thereof according to the present invention may be used as or for the manufacture of pharmaceutical compositions, especially vaccines. Preferably such pharmaceutical composition, preferably vaccine is for the prevention or treatment of diseases caused by, related to or associated with *H. pylori*. In so far another aspect of the invention relates to a method for inducing an immunological response in an individual, particularly a mammal, which comprises inoculating the individual with the hyperimmune serum reactive antigens and fragments thereof of the invention, or a fragment or variant thereof, adequate to produce antibodies to protect said individual from infection, particularly *Helicobacter* infection and most particularly *H. pylori* infections.

Yet another aspect of the invention relates to a method of inducing an immunological response in an individual which comprises, through gene therapy or otherwise, delivering a nucleic acid functionally encoding hyperimmune serum reactive antigens and fragments thereof, or a fragment or a variant thereof, for expressing the hyperimmune serum reactive antigens and fragments thereof, or a fragment or a variant thereof *in vivo* in order to induce an immunological response to produce antibodies or a cell mediated T cell response, either cytokine-producing T cells or cytotoxic T cells, to protect said individual from disease, whether that disease is already established within the individual or not. One way of administering the gene is by accelerating it into the desired cells as a coating on particles or otherwise.

A further aspect of the invention relates to an immunological composition which, when introduced into a

host capable of having induced within it an immunological response, induces an immunological response in such host, wherein the composition comprises recombinant DNA which codes for and expresses an antigen of the hyperimmune serum reactive antigens and fragments thereof of the present invention. The immunological response may be used therapeutically or prophylactically and may take the form of antibody immunity or cellular immunity such as that arising from CTL or CD4+ T cells.

The hyperimmune serum reactive antigens and fragments thereof of the invention or a fragment thereof may be fused with a co-protein which may not by itself produce antibodies, but is capable of stabilizing the first protein and producing a fused protein which will have immunogenic and protective properties. This fused recombinant protein preferably further comprises an antigenic co-protein, such as Glutathione-S-transferase (GST) or beta-galactosidase, relatively large co-proteins which solubilise the protein and facilitate production and purification thereof. Moreover, the co-protein may act as an adjuvant in the sense of providing a generalized stimulation of the immune system. The co-protein may be attached to either the amino or carboxy terminus of the first protein.

Also, provided by this invention are methods using the described nucleic acid molecule or particular fragments thereof in such genetic immunization experiments in animal models of infection with *H. pylori*. Such fragments will be particularly useful for identifying protein epitopes able to provoke a prophylactic or therapeutic immune response. This approach can allow for the subsequent preparation of monoclonal antibodies of particular value from the requisite organ of the animal successfully resisting or clearing infection for the development of prophylactic agents or therapeutic treatments of *H. pylori* infection in mammals, particularly humans.

The hyperimmune serum reactive antigens and fragments thereof may be used as an antigen for vaccination of a host to produce specific antibodies which protect against invasion of bacteria, for example by blocking adherence of bacteria to damaged tissue. Examples of tissue damage include wounds in skin or connective tissue caused e.g. by mechanical, chemical or thermal damage or by implantation of indwelling devices, or wounds in the mucous membranes, such as the mouth, mammary glands, urethra or vagina.

The present invention also includes a vaccine formulation, which comprises the immunogenic recombinant protein together with a suitable carrier. Since the protein may be broken down in the stomach, it is preferably administered parenterally, including, for example, administration that is subcutaneous, intramuscular, intravenous, intradermal intranasal or transdermal. Formulations suitable for parenteral administration include aqueous and non-aqueous sterile injection solutions which may contain anti-oxidants, buffers, bacteriostats and solutes which render the formulation isotonic with the bodily fluid, preferably the blood, of the individual; and aqueous and non-aqueous sterile suspensions which may include suspending agents or thickening agents. The formulations may be presented in unit-dose or multi-dose containers, for example, sealed ampoules and vials, and may be stored in a freeze-dried condition requiring only the addition of the sterile liquid carrier immediately prior to use. The vaccine formulation may also include adjuvant systems for enhancing the immunogenicity of the formulation, such as oil-in-water systems and other systems known in the art. The dosage will depend on the specific activity of the vaccine and can be readily determined by routine experimentation.

According to another aspect, the present invention relates to a pharmaceutical composition comprising such a hyperimmune serum-reactive antigen or a fragment thereof as provided in the present invention for *H. pylori*. Such a pharmaceutical composition may comprise one or more hyperimmune serum reactive antigens or fragments thereof against *H. pylori*. Optionally, such *H. pylori* hyperimmune serum reactive antigens or fragments thereof may also be combined with antigens against other pathogens in a combination pharmaceutical composition. Preferably, said pharmaceutical composition is a vaccine for preventing or treating an infection caused by *H. pylori* and/or other pathogens against which the antigens have been included in the vaccine.

According to a further aspect, the present invention relates to a pharmaceutical composition comprising a nucleic acid molecule encoding a hyperimmune serum-reactive antigen or a fragment thereof as identified above for *H. pylori*. Such a pharmaceutical composition may comprise one or more nucleic acid molecules encoding hyperimmune serum reactive antigens or fragments thereof against *H. pylori*. Optionally, such *H. pylori* nucleic acid molecules encoding hyperimmune serum reactive antigens or fragments thereof may also be combined with nucleic acid molecules encoding antigens against other pathogens in a combination pharmaceutical composition. Preferably, said pharmaceutical composition is a vaccine for preventing or treating an infection caused by *H. pylori* and/or other pathogens against which the antigens have been included in the vaccine.

The pharmaceutical composition may contain any suitable auxiliary substances, such as buffer substances, stabilisers or further active ingredients, especially ingredients known in connection of pharmaceutical composition and/or vaccine production.

A preferable carrier/or excipient for the hyperimmune serum-reactive antigens, fragments thereof or a coding nucleic acid molecule thereof according to the present invention is an immunostimulatory compound for further stimulating the immune response to the given hyperimmune serum-reactive antigen, fragment thereof or a coding nucleic acid molecule thereof. Preferably the immunostimulatory compound in the pharmaceutical preparation according to the present invention is selected from the group of polycationic substances, especially polycationic peptides, immunostimulatory nucleic acids molecules, preferably immunostimulatory deoxynucleotides, alum, Freund's complete adjuvants, Freund's incomplete adjuvants, neuroactive compounds, especially human growth hormone, or combinations thereof.

It is also within the scope of the present invention that the pharmaceutical composition, especially vaccine, comprises apart from the hyperimmune serum reactive antigens, fragments thereof and/or coding nucleic acid molecules thereof according to the present invention other compounds which are biologically or pharmaceutically active. Preferably, the vaccine composition comprises at least one polycationic peptide. The polycationic compound(s) to be used according to the present invention may be any polycationic compound, which shows the characteristic effects according to the WO 97/30721. Preferred polycationic compounds are selected from basic polypeptides, organic polycations, basic polyamino acids or mixtures thereof. These polyamino acids should have a chain length of at least 4 amino acid residues (WO 97/30721). Especially preferred are substances like polylysine, polyarginine and polypeptides containing more than 20 %, especially more than 50 % of basic amino acids in a range of more than 8, especially more than 20, amino acid residues or mixtures thereof. Other preferred polycations and their pharmaceutical compositions are described in WO 97/30721 (e.g. polyethyleneimine) and WO 99/38528. Preferably these polypeptides contain between 20 and 500 amino acid residues, especially between 30 and 200 residues.

These polycationic compounds may be produced chemically or recombinantly or may be derived from natural sources.

Cationic (poly)peptides may also be anti-microbial with properties as reviewed in (Ganz, T., 1999). These (poly)peptides may be of prokaryotic or animal or plant origin or may be produced chemically or recombinantly (WO 02/13857). Peptides may also belong to the class of defensins (WO 02/13857). Sequences of such peptides can be, for example, found in the Antimicrobial Sequences Database under the following internet address:

<http://www.bbcm.univ.trieste.it/~tossi/pag2.html>

Such host defence peptides or defensives are also a preferred form of the polycationic polymer according

to the present invention. Generally, a compound allowing as an end product activation (or down-regulation) of the adaptive immune system, preferably mediated by APCs (including dendritic cells) is used as polycationic polymer.

Especially preferred for use as polycationic substances in the present invention are cathelicidin derived antimicrobial peptides or derivatives thereof (International patent application WO 02/13857, incorporated herein by reference), especially antimicrobial peptides derived from mammalian cathelicidin, preferably from human, bovine or mouse.

Polycationic compounds derived from natural sources include HIV-REV or HIV-TAT (derived cationic peptides, antennapedia peptides, chitosan or other derivatives of chitin) or other peptides derived from these peptides or proteins by biochemical or recombinant production. Other preferred polycationic compounds are cathelin or related or derived substances from cathelin. For example, mouse cathelin is a peptide, which has the amino acid sequence NH₂-RLAGLLRKGGEKIGEKLLKKIGOKIKNFFQKLVPQPE-COOH. Related or derived cathelin substances contain the whole or parts of the cathelin sequence with at least 15-20 amino acid residues. Derivations may include the substitution or modification of the natural amino acids by amino acids, which are not among the 20 standard amino acids. Moreover, further cationic residues may be introduced into such cathelin molecules. These cathelin molecules are preferred to be combined with the antigen. These cathelin molecules surprisingly have turned out to be also effective as an adjuvant for an antigen without the addition of further adjuvants. It is therefore possible to use such cathelin molecules as efficient adjuvants in vaccine formulations with or without further immunactivating substances.

Another preferred polycationic substance to be used according to the present invention is a synthetic peptide containing at least 2 KLK-motifs separated by a linker of 3 to 7 hydrophobic amino acids (International patent application WO 02/32451, incorporated herein by reference).

The pharmaceutical composition of the present invention may further comprise immunostimulatory nucleic acid(s). Immunostimulatory nucleic acids are e. g. neutral or artificial CpG containing nucleic acids, short stretches of nucleic acids derived from non-vertebrates or in form of short oligonucleotides (ODNs) containing non-methylated cytosine-guanine di-nucleotides (CpG) in a certain base context (e.g. described in WO 96/02555). Alternatively, also nucleic acids based on inosine and cytidine as e.g. described in the WO 01/93903, or deoxynucleic acids containing deoxy-inosine and/or deoxyuridine residues (described in WO 01/93905 and PCT/EP 02/05448, incorporated herein by reference) may preferably be used as immunostimulatory nucleic acids for the present invention. Preferably, the mixtures of different immunostimulatory nucleic acids may be used according to the present invention.

It is also within the present invention that any of the aforementioned polycationic compounds is combined with any of the immunostimulatory nucleic acids as aforementioned. Preferably, such combinations are according to the ones as described in WO 01/93905, WO 02/32451, WO 01/54720, WO 01/93903, WO 02/13857 and PCT/EP 02/05448 and the Austrian patent application A 1924/2001, incorporated herein by reference.

In addition or alternatively such vaccine composition may comprise apart from the hyperimmune serum reactive antigens and fragments thereof, and the coding nucleic acid molecules thereof according to the present invention a neuroactive compound. Preferably, the neuroactive compound is human growth factor as, e.g. described in WO 01/24822. Also preferably, the neuroactive compound is combined with any of the polycationic compounds and/or immunostimulatory nucleic acids as afore-mentioned.

In a further aspect the present invention is related to a pharmaceutical composition. Such pharmaceutical composition is, for example, the vaccine described herein. Also a pharmaceutical composition is a pharmaceutical composition which comprises any of the following compounds or combinations thereof:

the nucleic acid molecules according to the present invention, the hyperimmune serum reactive antigens and fragments thereof according to the present invention, the vector according to the present invention, the cells according to the present invention, the antibody according to the present invention, the functional nucleic acids according to the present invention and the binding peptides such as the anticalines according to the present invention, any agonists and antagonists screened as described herein. In connection therewith any of these compounds may be employed in combination with a non-sterile or sterile carrier or carriers for use with cells, tissues or organisms, such as a pharmaceutical carrier suitable for administration to a subject. Such compositions comprise, for instance, a media additive or a therapeutically effective amount of a hyperimmune serum reactive antigen and fragments thereof of the invention and a pharmaceutically acceptable carrier or excipient. Such carriers may include, but are not limited to, saline, buffered saline, dextrose, water, glycerol, ethanol and combinations thereof. The formulation should suit the mode of administration.

The pharmaceutical compositions may be administered in any effective, convenient manner including, for instance, administration by topical, oral, anal, vaginal, intravenous, intraperitoneal, intramuscular, subcutaneous, intranasal or intradermal routes among others.

In therapy or as a prophylactic, the active agent may be administered to an individual as an injectable composition, for example as a sterile aqueous dispersion, preferably isotonic.

Alternatively the composition may be formulated for topical application, for example in the form of ointments, creams, lotions, eye ointments, eye drops, ear drops, mouthwash, impregnated dressings and sutures and aerosols, and may contain appropriate conventional additives, including, for example, preservatives, solvents to assist drug penetration, and emollients in ointments and creams. Such topical formulations may also contain compatible conventional carriers, for example cream or ointment bases, and ethanol or oleyl alcohol for lotions. Such carriers may constitute from about 1 % to about 98 % by weight of the formulation; more usually they will constitute up to about 80 % by weight of the formulation.

In addition to the therapy described above, the compositions of this invention may be used generally as a wound treatment agent to prevent adhesion of bacteria to matrix proteins exposed in wound tissue and for prophylactic use in dental treatment as an alternative to, or in conjunction with, antibiotic prophylaxis.

A vaccine composition is conveniently in injectable form. Conventional adjuvants may be employed to enhance the immune response. A suitable unit dose for vaccination is 0.05-5 μ g antigen / per kg of body weight, and such dose is preferably administered 1-3 times and with an interval of 1-3 weeks.

With the indicated dose range, no adverse toxicological effects should be observed with the compounds of the invention, which would preclude their administration to suitable individuals.

In a further embodiment the present invention relates to diagnostic and pharmaceutical packs and kits comprising one or more containers filled with one or more of the ingredients of the aforementioned compositions of the invention. The ingredient(s) can be present in a useful amount, dosage, formulation or combination. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, reflecting approval by the agency of the manufacture, use or sale of the product for human administration.

In connection with the present invention any disease related use as disclosed herein such as, e. g. use of the pharmaceutical composition or vaccine, is particularly a disease or diseased condition which is caused by, linked or associated with *Helicobacter*, more preferably, *H. pylori*. In connection therewith it is

to be noted that *H. pylori* comprises several strains including those disclosed herein. A disease related, caused or associated with the bacterial infection to be prevented and/or treated according to the present invention includes besides others peptic ulcer and assoziated cancer in humans.

In a still further embodiment the present invention is related to a screening method using any of the hyperimmune serum reactive antigens or nucleic acids according to the present invention. Screening methods as such are known to the one skilled in the art and can be designed such that an agonist or an antagonist is screened. Preferably an antagonist is screened which in the present case inhibits or prevents the binding of any hyperimmune serum reactive antigen and fragment thereof according to the present invention to an interaction partner. Such interaction partner can be a naturally occurring interaction partner or a non-naturally occurring interaction partner.

The invention also provides a method of screening compounds to identify those, which enhance (agonist) or block (antagonist) the function of hyperimmune serum reactive antigens and fragments thereof or nucleic acid molecules of the present invention, such as its interaction with a binding molecule. The method of screening may involve high-throughput.

For example, to screen for agonists or antagonists, the interaction partner of the nucleic acid molecule and nucleic acid, respectively, according to the present invention, maybe a synthetic reaction mix, a cellular compartment, such as a membrane, cell envelope or cell wall, or a preparation of any thereof, may be prepared from a cell that expresses a molecule that binds to the hyperimmune serum reactive antigens and fragments thereof of the present invention. The preparation is incubated with labelled hyperimmune serum reactive antigens and fragments thereof in the absence or the presence of a candidate molecule, which may be an agonist or antagonist. The ability of the candidate molecule to bind the binding molecule is reflected in decreased binding of the labelled ligand. Molecules which bind gratuitously, i. e., without inducing the functional effects of the hyperimmune serum reactive antigens and fragments thereof, are most likely to be good antagonists. Molecules that bind well and elicit functional effects that are the same as or closely related to the hyperimmune serum reactive antigens and fragments thereof are good agonists.

The functional effects of potential agonists and antagonists may be measured, for instance, by determining the activity of a reporter system following interaction of the candidate molecule with a cell or appropriate cell preparation, and comparing the effect with that of the hyperimmune serum reactive antigens and fragments thereof of the present invention or molecules that elicit the same effects as the hyperimmune serum reactive antigens and fragments thereof. Reporter systems that may be useful in this regard include but are not limited to colorimetric labelled substrate converted into product, a reporter gene that is responsive to changes in the functional activity of the hyperimmune serum reactive antigens and fragments thereof, and binding assays known in the art.

Another example of an assay for antagonists is a competitive assay that combines the hyperimmune serum reactive antigens and fragments thereof of the present invention and a potential antagonist with membrane-bound binding molecules, recombinant binding molecules, natural substrates or ligands, or substrate or ligand mimetics, under appropriate conditions for a competitive inhibition assay. The hyperimmune serum reactive antigens and fragments thereof can be labelled such as by radioactivity or a colorimetric compound, such that the molecule number of hyperimmune serum reactive antigens and fragments thereof bound to a binding molecule or converted to product can be determined accurately to assess the effectiveness of the potential antagonist.

Potential antagonists include small organic molecules, peptides, polypeptides and antibodies that bind to a hyperimmune serum reactive antigen and fragments thereof of the invention and thereby inhibit or extinguish its activity. Potential antagonists also may be small organic molecules, a peptide, a polypeptide such as a closely related protein or antibody that binds to the same sites on a binding

molecule without inducing functional activity of the hyperimmune serum reactive antigens and fragments thereof of the invention.

Potential antagonists include a small molecule, which binds to and occupies the binding site of the hyperimmune serum reactive antigens and fragments thereof thereby preventing binding to cellular binding molecules, such that normal biological activity is prevented. Examples of small molecules include but are not limited to small organic molecules, peptides or peptide-like molecules.

Other potential antagonists include antisense molecules (see {Okano, H. et al., 1991}; OLIGODEOXYNUCLEOTIDES AS ANTISENSE INHIBITORS OF GENE EXPRESSION; CRC Press, Boca Raton, FL (1988), for a description of these molecules).

Preferred potential antagonists include derivatives of the hyperimmune serum reactive antigens and fragments thereof of the invention.

As used herein the activity of a hyperimmune serum reactive antigen and fragment thereof according to the present invention is its capability to bind to any of its interaction partner or the extent of such capability to bind to its or any interaction partner.

In a particular aspect, the invention provides the use of the hyperimmune serum reactive antigens and fragments thereof, nucleic acid molecules or inhibitors of the invention to interfere with the initial physical interaction between a pathogen and mammalian host responsible for sequelae of infection. In particular the molecules of the invention may be used: i) in the prevention of adhesion of *H. pylori* to mammalian extracellular matrix proteins on in-dwelling devices or to extracellular matrix proteins in mucosal wounds; ii) to block protein mediated mammalian cell invasion by, for example, initiating phosphorylation of mammalian tyrosine kinases (Rosenshine, I. et al., 1992) to block bacterial adhesion between mammalian extracellular matrix proteins and bacterial proteins which mediate tissue damage; iv) to block the normal progression of pathogenesis in infections initiated other than by the implantation of in-dwelling devices or by other surgical techniques.

Each of the DNA coding sequences provided herein may be used in the discovery and development of antibacterial compounds. The encoded protein upon expression can be used as a target for the screening of antibacterial drugs. Additionally, the DNA sequences encoding the amino terminal regions of the encoded protein or Shine-Delgarno or other translation facilitating sequences of the respective mRNA can be used to construct antisense sequences to control the expression of the coding sequence of interest.

The antagonists and agonists may be employed, for instance, to inhibit diseases arising from infection with *Helicobacter*, especially *H. pylori*, such as peptic ulcer disease and gastric cancer.

In a still further aspect the present invention is related to an affinity device such affinity device comprises as least a support material and any of the hyperimmune serum reactive antigens and fragments thereof according to the present invention, which is attached to the support material. Because of the specificity of the hyperimmune serum reactive antigens and fragments thereof according to the present invention for their target cells or target molecules or their interaction partners, the hyperimmune serum reactive antigens and fragments thereof allow a selective removal of their interaction partner(s) from any kind of sample applied to the support material provided that the conditions for binding are met. The sample may be a biological or medical sample, including but not limited to, fermentation broth, cell debris, cell preparation, tissue preparation, organ preparation, blood, urine, lymph liquid, liquor and the like.

The hyperimmune serum reactive antigens and fragments thereof may be attached to the matrix in a covalent or non-covalent manner. Suitable support material is known to the one skilled in the art and can

be selected from the group comprising cellulose, silicon, glass, aluminium, paramagnetic beads, starch and dextrane.

The present invention is further illustrated by the following figures, examples and the sequence listing from which further features, embodiments and advantages may be taken. It is to be understood that the present examples are given by way of illustration only and not by way of limitation of the disclosure.

In connection with the present invention

Figure 1 shows the characterization of *H. pylori* specific human sera.

Figure 2 shows the characterization of the small fragment genomic library LHP1-50 from *H. pylori* isolate KTH-Ca1.

Figure 3 shows the characterization of the small fragment genomic library LHP2-50 from *H. pylori* isolate KTH-Du.

Figure 4 shows the selection of bacterial cells by MACS using biotinylated human IgGs.

Table 1 shows the summary of all screens performed with genomic *H. pylori* libraries and human serum.

The figures to which it might be referred to in the specification are described in the following in more details.

Figure 1 shows the characterization of human sera for anti-*H. pylori* antibodies as measured by immune assays. Total anti-*H. pylori* IgG and IgA antibody levels were measured by standard ELISA using total bacterial lysate prepared from *H. pylori* KTH Ca1 strain as coating antigen. (A) Serum samples from randomly selected 54 adults were analysed for antibody levels and afterwards interviewed for symptoms (gastric pain) and previous history of *H. pylori* infections. Four individuals were identified with high antibody titers without symptoms or disease (S-) and four with acute symptoms or known clinical disease (S+). (B) Sera from patients presenting themselves with typical symptoms of *H. pylori* diseases were analysed for IgG and IgA levels and grouped based on negative or positive results in the Urease test performed by clinicians. ELISA units are calculated from absorbance readings at two serum dilutions (10.000X and 50.000X). Averages for the two different groups are given. (C) Immunoblot analysis was performed on sera pre-selected by ELISA in order to ensure multiple immune reactivity with protein antigens. Results of a representative experiment using total bacterial lysate prepared from *H. pylori* KTH Ca1 strain and selected sera at 5.000X dilution are shown. Serum samples are from; Lane 1: a high titer S- individual, Lane 2: a high titer urease -patient, Lane 3 and 4: a high titer urease + patient. Lane 1-3 was developed with anti-human IgG secondary antibody and Lane 4 with anti-human IgA secondary antibody. Mw: molecular weight markers.

Figure 2 shows the fragment size distribution of the KTH-Ca1 *H. pylori* strain small fragment genomic library, LHP1-50. After sequencing 576 randomly selected clones sequences were trimmed to eliminate vector residues and the number of clones with various genomic fragment sizes were plotted. (B) Graphic illustration of the distribution of the same set of randomly sequenced clones of LHP1-50 over the *H. pylori* chromosome. Blue circles indicate matching sequences to annotated ORFs in both +/+ and +/- orientations. Red rectangles represent fully matched clones to non-coding chromosomal sequences in both +/+ and +/- orientations. Green diamonds positions all clones with chimeric sequences. Numeric distances in base pairs are indicated over each circular genome for orientation. Partitioning of various clone sets within the library is given in numbers and percentage at the bottom of the figure.

Figure 3 shows the fragment size distribution of the KTH-Du *H. pylori* strain small fragment genomic library, LHP2-50. After sequencing 576 randomly selected clones sequences were trimmed to eliminate vector residues and the number of clones with various genomic fragment sizes were plotted. (B) Graphic illustration of the distribution of the same set of randomly sequenced clones of LHP2-50 over the *H. pylori* chromosome. Blue circles indicate matching sequences to annotated ORFs in both +/+ and +/- orientations. Red rectangles represent fully matched clones to non-coding chromosomal sequences in both +/+ and +/- orientations. Green diamonds positions all clones with chimeric sequences. Numeric distances in base pairs are indicated over each circular genome for orientation. Partitioning of various clone sets within the library is given in numbers and percentage at the bottom of the figure.

Figure 4A shows the MACS selection with biotinylated human IgGs. The LHP1-50 library in pMAL9.1 was screened with 10 µg biotinylated, human serum (P6-IgG) in the first and with 10 µg in the second selection round. As negative control, no serum was added to the library cells for screening. Number of cells selected after the 1st and 2nd elution are shown for each selection round. Figure 4B shows the reactivity of specific clones (1-26) isolated by bacterial surface display as analysed by Western blot analysis with the human serum (P6-IgG) used for selection by MACS at a dilution of 1:3,000. As a loading control the same blot was also analysed with antibodies directed against the platform protein LamB at a dilution of 1:5,000. LB, Extract from a clone expressing LamB without foreign peptide insert.

Table 1: Immunogenic proteins identified by bacterial surface display.

A, 300bp library of *H. pylori* KTH Ca1 in fhuA with IC7-IgG (757), B, 300bp library of *H. pylori* KTH Ca1 in fhuA with P5-IgG (729), C, 300bp library of *H. pylori* KTH Ca1 in fhuA with P9-IgG (441), D, 50bp library of *H. pylori* KTH Ca1 in lamB with IC7-IgG (448), E, 50bp library of *H. pylori* KTH Ca1 in lamB with P5-IgA (1130), F, 50bp library of *H. pylori* KTH Ca1 in lamB with P5-IgG (911), G, 50bp library of *H. pylori* KTH Ca1 in lamB with P6-IgA (1135), H, 50bp library of *H. pylori* KTH Ca1 in lamB with P6-IgG (844), I, 50bp library of *H. pylori* KTH Ca1 in lamB with P9-IgG (1121), J, 300bp library of *H. pylori* KTH Du in fhuA with P6-IgG (433), K, 300bp library of *H. pylori* KTH Du in fhuA with P8-IgG (550), L, 50bp library of *H. pylori* KTH Du in lamB with P6-IgG (1077), M, 50bp library of *H. pylori* KTH Du in lamB with P8-IgG (740); *, prediction of antigenic sequences longer than 5 amino acids was performed with the program ANTIGENIC [Kolaskar, A. et al., 1990].

EXAMPLES

Example 1: Characterization and selection of human sera based anti-*H.pylori* antibodies, preparation of antibody screening reagents

Experimental procedures

Enzyme linked immune assay (ELISA).

ELISA plates (Maxisorb, Millipore) were coated with 5-10 µg/ml total protein diluted in coating buffer (0.1M sodium carbonate pH 9.2). Three dilutions of sera (2,000X, 10,000X, 50,000X) were made in PBS-BSA. Highly specific Horse Radish Peroxidase (HRP)-conjugated anti-human IgG or anti-human IgA secondary antibodies (Southern Biotech) were used according to the manufacturers' recommendations (dilution: 1,000x). Antigen-antibody complexes were quantified by measuring the conversion of the substrate (ABTS) to colored product based on OD_{405nm} readings by automatic ELIAS reader (TECAN SUNRISE).

Preparation of bacterial antigen extracts

H. pylori KTH DU or KTH Ca1 strains were grown for 48 hours on agar plates, cells collected and lysed by repeated freeze-thaw cycles: incubation on dry ice/ethanol-mixture until frozen (1 min), then thawed at 37°C (5 min): repeated 3 times. This was followed by sonication and collection of supernatant by centrifugation (3,500 rpm, 15 min, 4°C).

Immunoblotting

Total bacterial lysate preparations were prepared from *in vitro* grown *H. pylori* KTH DU or KTH Ca1 strains. 10 to 25µg total protein/lane was separated by SDS-PAGE using the BioRad Mini-Protean 3 Cell electrophoresis system and proteins transferred to nitrocellulose membrane (ECL, Amersham Pharmacia). After overnight blocking in 5% milk, human sera were added at 2,000x dilution, and HRPO labeled anti-human IgG was used for detection.

Purification of antibodies for genomic screening. Five sera from both the patient and the healthy group were selected based on the overall anti-streptococcal titers for a serum pool used in the screening procedure. Antibodies against *E. coli* proteins were removed by incubating the heat-inactivated sera with whole cell *E. coli* cells (DH5α, transformed with pHIE11, grown under the same condition as used for bacterial surface display). Highly enriched preparations of IgGs from the pooled, depleted sera were generated by protein G affinity chromatography, according to the manufacturer's instructions (UltraLink Immobilized Protein G, Pierce). IgA antibodies were purified also by affinity chromatography using biotin-labeled anti-human IgA (Southern Biotech) immobilized on Streptavidin-agarose (GIBCO BRL). The efficiency of depletion and purification was checked by SDS-PAGE, Western blotting, ELISA and protein concentration measurements.

Results

The antibodies produced against *H. pylori* by the human immune system and present in human sera are indicative of the *in vivo* expression of the antigenic proteins and their immunogenicity. These molecules are essential for the identification of individual antigens in the approach as described in the present invention, which is based on the interaction of the specific antibodies and the corresponding *H. pylori* peptides or proteins. To gain access to relevant antibody repertoires, human sera were collected from

I. 54 randomly selected healthy adults. Individuals were interviewed for the presence or absence of clinical symptoms and previously diagnosed *H. pylori* infection.

II. patients with duodenal ulcer.

III. patients with gastric ulcer and cancer.

For the patient groups *H. pylori* infection was confirmed and medical diagnosis was based on medical microbiological tests, Urease test, biopsy or gastroscopy. A total of 191 sera from patients were included in the analysis.

The sera were characterized for anti-*H. pylori* antibodies by a series of ELISA and immunoblotting assays. For that purpose two different antigen preparation were used: whole cell extracts prepared from *H. pylori* strains KTH-Ca1 and KTH-Du and both IgG and IgA antibody levels were determined. Antibody titers were expressed as units calculated from absorbance readings at two different dilutions - 10.000X and 50.000X for IgG and 1.000X and 5.000X for IgA - where the response was linear (Fig 1A and B). Among the high titer randomly taken individuals eighth out of the 54 included (15%) showed significant IgG and IgA antibody levels. Half of these individuals were known *H. pylori* 'patients' acutely or before, the other half had no medical history or any complains. Sera of these four individuals were pooled and prepared for antigen identification. Since *H. pylori* infections are common, antibodies are present as a consequence of natural immunization from previous encounters with *Helicobacter* even without consequent carriage. The value of the ELISA assay employed were further proved by analyzing patients' sera with or without active disease. Comparing the antibody levels in urease test positive and urease test negative individuals,

significantly higher antibody levels were measured in the Urease + group (Fig. 1B). According to literature data, the false negative cases (~ 10%) are much more prevalent than the false positives in this test, suggesting that the ELIAS assay is likely to be even more powerful predicting active *H. pylori* infections. Sera were ranked based on the reactivity against total lysate preparation in both antibody classes, and the highest ones from all three serum donor groups were selected for further analysis by immunoblotting. This latter assay confirmed immune reactivity against multiple *H. pylori* proteins, as it is exemplified on Fig. 1C.

This extensive antibody characterization approach has led to the unambiguous identification of anti-*Helicobacter* hyperimmune sera and allowed the preparation of 5 donor pools.

Example 2: Generation of highly random, frame-selected, small-fragment, genomic DNA libraries of *Helicobacter pylori*

Experimental procedures

Preparation of helicobacter genomic DNA. Sufficient amounts of bacterial pellets from the KTH-Ca1 and KTH-Du clinical isolates of *H. pylori* were obtained from Dr. Lars Engstrand. Bacterial pellets were washed 3 x with PBS and carefully re-suspended in 0.5 ml of Lysozyme solution (100 mg/ml). 0.1 ml of 10 mg/ml heat treated RNase A and 20 U of RNase T1 were added, mixed carefully and the solution was incubated for 1 h at 37°C. Following the addition of 0.2 ml of 20 % SDS solution and 0.1 ml of Proteinase K (10 mg/ml) the tube was incubated overnight at 55 °C. 1/3 volume of saturated NaCl was then added and the solution was incubated for 20 min at 4°C. The extract was pelleted in a microfuge (13,000 rpm) and the supernatant transferred into a new tube. The solution was extracted with PhOH/CHCl₃/IAA (25:24:1) and with CHCl₃/IAA (24:1). DNA was precipitated at room temperature by adding 0.6x volume of Isopropanol, spooled from the solution with a sterile Pasteur pipette and transferred into tubes containing 80% ice-cold ethanol. DNA was recovered by centrifuging the precipitates with 10-12,000x g, then dried on air and dissolved in ddH₂O.

Preparation of small genomic DNA fragments. Genomic DNA was mechanically sheared into fragments ranging in size between 150 and 300 bp using a cup-horn sonicator (Bandelin Sonoplus UV 2200 sonicator equipped with a BB5 cup horn, 10 sec. pulses at 100 % power output) or into fragments of size between 50 and 70 bp by mild DNase I treatment (Novagen). It was observed that sonication yielded a much tighter fragment size distribution when breaking the DNA into fragments of the 150-300 bp size range. However, despite extensive exposure of the DNA to ultrasonic wave-induced hydromechanical shearing force, subsequent decrease in fragment size could not be efficiently and reproducibly achieved. Therefore, fragments of 50 to 70 bp in size were obtained by mild DNase I treatment using Novagen's shotgun cleavage kit. A 1:20 dilution of DNase I provided with the kit was prepared and the digestion was performed in the presence of MnCl₂ in a 60 µl volume at 20°C for 5 min to ensure double-stranded cleavage by the enzyme. Reactions were stopped with 2 µl of 0.5 M EDTA and the fragmentation efficiency was evaluated on a 2% TAE-agarose gel. This treatment resulted in total fragmentation of genomic DNA into near 50-70 bp fragments. Fragments were then blunt-ended twice using T4 DNA Polymerase in the presence of 100 µM each of dNTPs to ensure efficient flushing of the ends. Fragments were used immediately in ligation reactions or frozen at -20°C for subsequent use.

Description of the vectors. The vector pMAL4.31 was constructed on a pASK-IBA backbone [Skerra, A., 1994] with the beta-lactamase (*bla*) gene exchanged with the Kanamycin resistance gene. In addition, the *bla* gene was cloned into the multiple cloning site. The sequence encoding mature beta-lactamase is preceded by the leader peptide sequence of *ompA* to allow efficient secretion across the cytoplasmic membrane. Furthermore a sequence encoding the first 12 amino acids (spacer sequence) of mature beta-

lactamase follows the *ompA* leader peptide sequence to avoid fusion of sequences immediately after the leader peptidase cleavage site, since e.g. clusters of positive charged amino acids in this region would decrease or abolish translocation across the cytoplasmic membrane [Kajava, A. et al., 2000]. A *SmaI* restriction site serves for library insertion. An upstream *FseI* site and a downstream *NotI* site, which were used for recovery of the selected fragment, flank the *SmaI* site. The three restriction sites are inserted after the sequence encoding the 12 amino acid spacer sequence in such a way that the *bla* gene is transcribed in the -1 reading frame resulting in a stop codon 15 bp after the *NotI* site. A +1 bp insertion restores the *bla* ORF so that beta-lactamase protein is produced with a consequent gain of Ampicillin resistance.

The vector pMAL9.1 was constructed by cloning the *lamB* gene into the multiple cloning site of pEH1 [Hashemzadeh-Bonehi, L. et al., 1998]. Subsequently, a sequence was inserted in *lamB* after amino acid 154, containing the restriction sites *FseI*, *SmaI* and *NotI*. The reading frame for this insertion was constructed in such a way that transfer of frame-selected DNA fragments excised by digestion with *FseI* and *NotI* from plasmid pMAL4.31 yields a continuous reading frame of *lamB* and the respective insert.

The vector pHIE11 was constructed by cloning the *fhuA* gene into the multiple cloning site of pEH1. Thereafter, a sequence was inserted in *fhuA* after amino acid 405, containing the restriction site *FseI*, *XbaI* and *NotI*. The reading frame for this insertion was chosen in a way that transfer of frame-selected DNA fragments excised by digestion with *FseI* and *NotI* from plasmid pMAL4.31 yields a continuous reading frame of *fhuA* and the respective insert.

Cloning and evaluation of the library for frame selection. Genomic fragments of *H.pylori* DNA were ligated into the *SmaI* site of the vector pMAL4.31. Recombinant DNA was electroporated into DH10B electrocompetent *E. coli* cells (GIBCO BRL) and transformants plated on LB-agar supplemented with Kanamycin (50 µg/ml) and Ampicillin (50 µg/ml). Plates were incubated over night at 37°C and colonies collected for large scale DNA extraction. A representative plate was stored and saved for collecting colonies for colony PCR analysis and large-scale sequencing. A simple colony PCR assay was used to initially determine the rough fragment size distribution as well as insertion efficiency. From sequencing data the precise fragment size was evaluated, junction intactness at the insertion site as well as the frame selection accuracy ($3n+1$ rule).

Cloning and evaluation of the library for bacterial surface display. Genomic DNA fragments were excised from the pMAL4.31 vector, containing the *H. pylori* libraries with the restriction enzymes *FseI* and *NotI*. The entire population of fragments was then transferred into plasmids pMAL9.1 (*LamB*) or pHIE11 (*FhuA*), which have been digested with *FseI* and *NotI*. Using these two restriction enzymes, which recognise an 8 bp GC rich sequence, the reading frame that was selected in the pMAL4.31 vector is maintained in each of the platform vectors. The plasmid library was then transformed into *E. coli* DH5alpha cells by electroporation. Cells were plated onto large LB-agar plates supplemented with 50 µg/ml Kanamycin and grown over night at 37°C at a density yielding clearly visible single colonies. Cells were then scraped off the surface of these plates, washed with fresh LB medium and stored in aliquots for library screening at -80°C.

Results

Libraries for frame selection. Four libraries (LHP1-50, LHP2-50, LHP1-300 and LHP2-300) were generated in the pMAL4.31 vector with sizes of approximately 50 and 300 bp, respectively. For each library, ligation and subsequent transformation of approximately 1 µg of pMAL4.31 plasmid DNA and 50 ng of fragmented genomic *H. pylori* DNA yielded 4×10^5 to 2×10^6 clones after frame selection. To assess the randomness of the libraries, approximately 600 randomly chosen clones of LHP1-50 and LHP2-50 were sequenced. The bioinformatic analysis showed that of these clones only very few were present more than once. Furthermore, it was shown for example for LHP2-50 that 90% of the clones fell in the size range

between 19 and 64 bp with an average size of 28 bp (Figure 2, 3). All sequences followed the "3n+1 rule", showing that all clones were properly frame selected.

Bacterial surface display libraries. The display of peptides on the surface of *E. coli* required the transfer of the inserts from the LHP libraries from the frame selection vector pMAL4.31 to the display plasmids pMAL9.1 (LamB) or pHIE11 (FhuA). Genomic DNA fragments were excised by *FseI* and *NotI* restriction and ligation of 5ng inserts with 0.1µg plasmid DNA and subsequent transformation into DH5alpha cells resulted in 2-5x 10⁶ clones. The clones were scraped off the LB plates and frozen without further amplification.

Example 3: Identification of highly immunogenic peptide sequences from *H. pylori* using bacterial surface displayed genomic libraries and human serum

Experimental procedures

MACS screening. Approximately 2.5x 10⁸ cells from a given library were grown in 5 ml LB-medium supplemented with 50 µg/ml Kanamycin for 2 h at 37°C. Expression was induced by the addition of 1 mM IPTG for 30 min. Cells were washed twice with fresh LB medium and approximately 2x 10⁷ cells re-suspended in 100 µl LB medium and transferred to an Eppendorf tube.

10 µg of biotinylated, human IgGs purified from serum was added to the cells and the suspension incubated over night at 4°C with gentle shaking. 900 µl of LB medium was added, the suspension mixed and subsequently centrifuged for 10 min at 6,000 rpm at 4°C (for IgA screens, 10 µg of purified IgAs were used and these captured with biotinylated anti-human-IgA secondary antibodies). Cells were washed once with 1 ml LB and then re-suspended in 100 µl LB medium. 10 µl of MACS microbeads coupled to streptavidin (Miltenyi Biotech, Germany) were added and the incubation continued for 20 min at 4°C. Thereafter 900 µl of LB medium was added and the MACS microbead cell suspension was loaded onto the equilibrated MS column (Miltenyi Biotech, Germany) which was fixed to the magnet. (The MS columns were equilibrated by washing once with 1 ml 70% EtOH and twice with 2 ml LB medium.)

The column was then washed three times with 3 ml LB medium. After removal of the magnet, cells were eluted by washing with 2 ml LB medium. After washing the column with 3 ml LB medium, the 2 ml eluate was loaded a second time on the same column and the washing and elution process repeated. The loading, washing and elution process was performed a third time, resulting in a final eluate of 2 ml.

A second round of screening was performed as follows. The cells from the final eluate were collected by centrifugation and re-suspended in 1 ml LB medium supplemented with 50 µg/ml Kanamycin. The culture was incubated at 37°C for 90 min and then induced with 1 mM IPTG for 30 min. Cells were subsequently collected, washed once with 1 ml LB medium and suspended in 10 µl LB medium. Since the volume was reduced, 10 µg of human, biotinylated IgGs was added and the suspension incubated over night at 4°C with gentle shaking. All further steps were exactly the same as in the first selection round. Cells selected after two rounds of selection were plated onto LB-agar plates supplemented with 50 µg/ml Kanamycin and grown over night at 37°C.

Evaluation of selected clones by sequencing and Western blot analysis. Selected clones were grown over night at 37°C in 3 ml LB medium supplemented with 50 µg/ml Kanamycin to prepare plasmid DNA using standard procedures. Sequencing was performed at MWG (Germany).

For Western blot analysis approximately 10 to 20 µg of total cellular protein was separated by 10% SDS-PAGE and blotted onto HybondC membrane (Amersham Pharmacia Biotech, England). The LamB or FhuA fusion proteins were detected using human serum as the primary antibody at a dilution of

approximately 1:5,000 and anti-human IgG or IgA antibodies coupled to HRP at a dilution of 1:5,000 as secondary antibodies. Detection was performed using the ECL detection kit (Amersham Pharmacia Biotech, England). Alternatively, rabbit anti FhuA or mouse anti LamB antibodies were used as primary antibodies in combination with the respective secondary antibodies coupled to HRP for the detection of the fusion proteins.

Results

Screening of bacterial surface display libraries by magnetic activated cell sorting (MACS) using biotinylated Igs. The libraries LHP1-50 and LHP2-50 in pMAL9.1 and LHP1-300 and LHP2-300 in pHIE11 were screened with pools of biotinylated, human IgGs and IgAs from patient sera or sera from healthy individuals (see Example 1: *Preparation of antibodies from human serum*). The selection procedure was performed as described under Experimental procedures. Figure 4A shows a representative example of a screen with the LHP1-50 library and P6-IgGs. As can be seen from the colony count after the first selection cycle from MACS screening, the total number of cells recovered at the end is reduced from app. 1 to 2×10^7 cells to approximately 10^4 cells, whereby the selection in the presence of serum yielded a slightly higher number of cells than in the absence of antibodies (Figure 4A). After the second round of screening however, a similar number of cells was recovered with P6-IgG, while only a few hundred cells were recovered when no IgGs from human serum were added, clearly showing that selection was dependent on *H. pylori* specific antibodies. To evaluate the performance of the screen, approximately 50 selected clones were picked randomly and subjected to Western blot analysis with the same, pooled serum (Figure 4B). This analysis revealed that 70% of the selected clones showed reactivity with antibodies present in the relevant serum whereas the control strain expressing LamB without a *H. pylori* specific insert did not react with the same serum. In general, the rate of reactivity was observed to lie within the range of 35 to 75%. Colony PCR analysis confirmed that all selected clones contained an insert in the expected size range.

Subsequent sequencing of a larger number of randomly picked clones (600 to 1200 per screen) led to the identification of the gene and the corresponding peptide or protein sequence that was specifically recognized by the human serum used for screening. The frequency with which a specific clone is selected reflects at least in part the abundance and/or affinity of the specific antibodies in the serum used for selection and recognizing the epitope presented by this clone. In that regard it is striking that clones derived from some ORFs (e.g. HP0527, HP0547 and HP1341) were picked more than 100 times, indicating their highly immunogenic property. Table 1 summarizes the data obtained for all 13 performed screens. All clones in Table 1 have been verified by Western blot analysis with whole cellular extracts from single clones to show the indicated reactivity with the pool of human serum used in the respective screen. As seen in Table 1, distinct regions of the identified ORF are identified as immunogenic, since variably sized fragments of the proteins are displayed on the surface by the platform proteins.

It is further worth noticing that most of the genes identified by the bacterial surface display screen encode proteins that are either attached to the surface of *H. pylori* and/or are secreted. This is in accordance with the expected role of surface attached or secreted proteins in virulence of *H. pylori*.

References

- Altschul, S., et al. (1990). Journal of Molecular Biology 215: 403-10.
- Bennett, D., et al. (1995). J Mol Recognit 8: 52-8.
- Bjorkholm, B., et al. (2003). J Intern Med 253: 102-19.
- Blaser, M. (2000). Nat Med 6: 376-7.
- Censini, S., et al. (1996). Proc Natl Acad Sci U S A 93: 14648-53.
- Clackson, T., et al. (1991). Nature 352: 624-8.
- Devereux, J., et al. (1984). Nucleic acids research 12: 387-95.
- Doherty, E., et al. (2001). Annu Rev Biophys Biomol Struct 30: 457-475.
- Dubreuil, J., et al. (2002). Microbiol Mol Biol Rev 66: 617-29.
- Eisenbraun, M., et al. (1993). DNA Cell Biol 12: 791-7.
- Etz, H., et al. (2001). J Bacteriol 183: 6924-35.
- Ferrero, R., et al. (2001). Scand J Immunol 53: 443-8.
- Fujikawa, A., et al. (2003). Nat Genet 33: 375-81.
- Ganz, T. (1999). Science 286: 420-421.
- Georgiou, G. (1997). Nature Biotechnology 15: 29-34.
- Hancock, R. E., et al. (1999). Drugs 57: 469-473.
- Hashemzadeh-Bonehi, L., et al. (1998). Mol Microbiol 30: 676-678.
- Heinje, von G (1987) e.g Sequence Analysis in Molecular Biology, Academic Press
- Hemmer, B., et al. (1999). Nat Med 5: 1375-82.
- Johanson, K., et al. (1995). J Biol Chem 270: 9459-71.
- John Wiley & Sons (1987) Current Protocols in Molecular Biology
- Jones, P., et al. (1986). Nature 321: 522-5.
- Kajava, A., et al. (2000). J Bacteriol 182: 2163-9.
- Kersulyte, D., et al. (2000). J Bacteriol 182: 3210-8.
- Kohler, G., et al. (1975). Nature 256: 495-7.
- Kolaskar, A., et al. (1990). FEBS Lett 276: 172-4.
- Lewin, A., et al. (2001). Trends Mol Med 7: 221-8.
- Loughlin, M., et al. (2003). Infect Immun 71: 2022-31.
- Marks, J., et al. (1992). Biotechnology (N Y) 10: 779-83.
- McCafferty, J., et al. (1990). Nature 348: 552-4.
- Okano, H., et al. (1991). J Neurochem 56: 560-7.
- Oliaro, J., et al. (2000). J Med Microbiol 49: 643-50.
- Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression; CRC Press, Boca Ration, FL (1988) for a description of these molecules.
- Prinz, C., et al. (2003). Trends Microbiol 11: 134-8.
- Rammensee, H., et al. (1999). Immunogenetics 50: 213-9.
- Rosenshine, I., et al. (1992). Infect Immun 60: 2211-7.
- Sabarth, N., et al. (2002). Infect Immun 70: 6499-5303.
- Seeger, C., et al. (1984). Proc Natl Acad Sci U S A 81: 5849-52.
- Shibuya, A., et al. (2000) Nature Immunology 1: 441-446
- Skerra, A. (1994). Gene 151: 131-5.
- Sutton, P. (2001). Vaccine 19: 2286-90.
- Svennerholm, A. (2003). Vaccine 21: 347-53.
- Tang, D., et al. (1992). Nature 356: 152-4.
- Tempest, P., et al. (1991). Biotechnology (N Y) 9: 266-71.
- Tourdot, S., et al. (2000). Eur J Immunol 30: 3411-21.

Table 1: Immunogenic proteins identified by bacterial surface display.

A, 300bp library of *H. pylori* KTH Ca1 in *fluA* with IC7-IgG (757), B, 300bp library of *H. pylori* KTH Ca1 in *fluA* with P5-IgG (729), C, 300bp library of *H. pylori* KTH Ca1 in *fluA* with P9-IgG (441), D, 50bp library of *H. pylori* KTH Ca1 in *lamB* with IC7-IgG (448), E, 50bp library of *H. pylori* KTH Ca1 in *lamB* with P5-IgA (1130), F, 50bp library of *H. pylori* KTH Ca1 in *lamB* with P5-IgG (911), G, 50bp library of *H. pylori* KTH Ca1 in *lamB* with P6-IgA (1135), H, 50bp library of *H. pylori* KTH Ca1 in *lamB* with P6-IgG (844), I, 50bp library of *H. pylori* KTH Ca1 in *lamB* with P9-IgG (1121), J, 300bp library of *H. pylori* KTH Du in *fluA* with P6-IgG (433), K, 300bp library of *H. pylori* KTH Du in *fluA* with P8-IgG (550), L, 50bp library of *H. pylori* KTH Du in *lamB* with P6-IgG (1077), M, 50bp library of *H. pylori* KTH Du in *lamB* with P8-IgG (740); *, prediction of antigenic sequences longer than 5 amino acids was performed with the program ANTIGENIC (Kolaskar and Tongaonkar, 1990).

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
HP0009	outer membrane protein (omp1)	63-91,95-101,110-116,134-148,150-156,158- 164,188-193,197-209,226-241,247-254,291-297,312- 319,338-346,351-358,366-378,404-410,420-438,448- 454,465-473,482-488,490-498,503-510,512-519,531- 543,547-554,568-575,589-604,610-631	G: 1, H: 2, K: 2, M: 38	239-308	1, 179
HP0010	chaperone and heat shock protein (groEL)	16-29,35-47,50-68,70-79,91-101,143-149,158- 163,185-191,196-206,215-224,230-237,244-251,258- 278,290-311,319-325,338-351,365-385,396-429,445- 454,458-466,491-499,501-521	K: 1	17-79, 218-233	2, 180
HP0043	mannose-6- phosphate isomerase (pmi)	4-10,16-41,46-66,77-84,91-97,102-118,125-144,187- 200,202-214,245-253,255-261,286-295,300-330,335- 342,350-361,363-381,385-392,396-416,435-450	G: 1	460-470	3, 181
HP0063	hypothetical protein	11-19,27-48,52-59,77-82,84-107,118-125,127- 154,178-183,192-209,215-221,286-295,302-313,350- 357,402-415,417-431,453-463,465-493	D: 4, E: 1, G: 2	313-331	4, 182
HP0067	urease accessory protein (ureH)	19-26,30-43,47-55,63-68,72-80,97-104,107-119,129- 146,160-175,194-216,231-251,254-260	H: 1	26-43	5, 183
HP0072	urease beta subunit (urea amidohydrolase) (ureB)	7-13,29-37,65-81,110-120,123-131,135-152,230- 249,254-260,284-290,292-299,317-326,329-336,403- 444,452-458,466-477,490-498,510-519,541-550,557- 566	E: 2, G: 3, H: 1, M: 2	533-567	6, 184
HP0086	Conserved hypothetical protein	5-47,71-77,79-86,89-95,120-126,137-144,176- 181,184-196,202-208,211-232,236-282,301-313,317- 325,341-347,353-384,394-400,412-433,436-443	B: 3, C: 1, I: 4	59-75	7, 185
HP0087	hypothetical protein	4-18,22-38,59-69,106-112,116-130,138-149,156-	A: 2, B: 2,	1-104, 130-147	8, 186

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		170,175-197,200-214,216-223,233-244,255-261,266- 276,279-286,325-333,342-348,366-399,402-420,429- 441	E: 2, F: 1, G: 2, I: 1, L: 2		
HP0088	RNA polymerase sigma-70 factor (rpoD)	50-58,69-95,97-113,131-136,157-163,170-175,188- 212,220-226,254-259,265-277,283-289,297-308,311- 318,347-358,360-369,378-401,416-421,440-450,454- 462,470-476,493-502,506-514,536-567,585-590,598- 607,613-618,653-659	A: 2, B: 9, D: 2, F: 3, H: 4	35-46	9, 187
HP0089	pfs protein (pfs)	16-29,32-60,65-87,89-123,128-134,137-158,162- 173,178-196,210-216,218-228	E: 11, G: 2	206-225	10, 188
HP0115	flagellin B (flaB)	10-20,26-35,51-64,86-91,94-100,113-122,154- 160,185-191,193-201,211-217,225-230,237-246,251- 257,298-304,306-312,316-328,340-348,357-389,391- 397,415-421,449-456,458-471,488-495,502-511	F: 2, H: 1, K: 1, L: 52	24-55, 236-341	11, 189
HP0175	cell binding factor 2	5-22,41-51,87-93,114-122,127-136,150-156,158- 166,223-233,245-263,291-296	A: 11, C: 7, K: 2	9-126, 127-285	12, 190
HP0121	phosphoenolpyruvate synthase (ppsA)	30-43,46-56,61-70,72-83,85-93,103-113,119- 125,151-166,179-191,212-218,225-231,236-243,262- 267,291-307,331-344,349-355,366-372,380-386,414- 422,428-447,459-464,469-478,507-519,525-544,563- 569,576-590,620-626,633-643,654-659,665-671,684- 707,717-723,725-733,747-779,782-801	H: 3, I: 4, K: 3	347-361	13, 191
HP0123	threonyl-tRNA synthetase (thrS)	4-12,14-26,37-80,107-115,133-139,144-150,154- 165,173-180,191-199,205-211,221-231,237-244,254- 284,307-340,342-353,360-368,370-380,479-493,495- 503,509-522,525-536,539-547,554-560,565-573,578- 583	D: 6, F: 1, H: 2, M: 1	7-23, 465-479	14, 192
HP0130	hypothetical protein	4-17,47-55,76-83,85-100,104-112,117-123,126- 135,142-148,156-167,174-182,267-273	A: 1, C: 1, E: 1, K: 1, M: 3	258-283	15, 193
HP0150	hypothetical protein	8-32,36-42,65-88,102-108,112-140,147-163,170- 179,183-193	A: 1, B: 1, D: 1, J: 1, L: 2	117-124	16, 194
HP0183	serine hydroxymethyltrans- ferase (glyA)	12-18,45-50,62-77,82-95,99-113,115-123,125- 147,155-177,187-209,211-223,244-253,259-270,278- 297,302-307,311-318,329-334,350-356,359-365,390- 400,402-413	I: 5	333-350	17, 195
HP0192	fumarate reductase,	4-13,15-27,30-46,53-58,68-74,82-95,115-126,134-	H: 1, I: 1	376-400	18, 196

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
	flavoprotein subunit (frdA)	139,148-153,159-176,182-199,201-217,220-225,227- 235,237-248,253-266,300-315,322-336,390-396,412- 426,438-445,448-459,477-484,502-508,515-527,529- 537,553-568,643-651,658-667,690-703	A, L: 20		
HP0197	S- adenosylmethionine synthetase 2 (metX)	4-10,24-32,38-55,59-67,70-77,80-87,89-97,123- 129,134-151,166-172,178-189,191-216,218-235,245- 259,271-315,326-339,341-360	F: 1, H: 1, L: 8	73-94	19, 197
HP0201	fatty acid/phospholipid synthesis protein (plsX)	13-25,31-38,43-57,79-85,92-99,106-112,117- 128,130-139,146-158,160-175,194-204,211-222,225- 232,234-242,263-270,278-292,299-320,322-333	L: 5	240-256	20, 198
HP0202	beta-ketoacyl-acyl carrier protein synthase III	4-17,55-63,66-101,109-131,135-143,145-151,155- 161,164-170,177-185,192-198,213-218,223-238,246- 256,258-268,273-283,309-314,322-328	F: 1, I: 3	195-221	21, 199
HP0210	chaperone and heat shock protein C62.5 (hspG)	13-24,31-39,41-50,63-69,90-96,104-109,116- 141,148-153,161-167,173-178,190-209,253-258,265- 272,279-289,295-312,317-343,355-366,376-389,400- 407,430-451,453-464,466-472,487-493,499-505,523- 538,554-559,568-579,584-601	F: 1, M: 2	344-363	22, 200
HP0211	conserved hypothetical secreted protein	5-22,30-36,53-59,61-70,82-92,99-106,120-131,135- 148,154-167,169-183,187-199,204-212,231-247	A: 1, C: 1, K: 1	111-249	23, 201
HP0228	conserved hypothetical integral membrane protein	17-36,40-66,71-144,148-171,173-191,199-214,220- 252,265-272,278-288,298-333,342-385	A: 1, E: 6, F: 1	287-307	24, 202
HP0229	outer membrane protein (omp6)	4-16,22-28,30-36,42-48,95-116,154-162,164- 174,239-252,258-263,273-285,306-313,323-333,341- 357,363-369,372-379,395-401,430-436,438-453,464- 480	E: 1, F: 1, L: 14	33-44, 233- 258, 349-369	25, 203
HP0235	conserved hypothetical secreted protein	4-21,30-37,46-53,59-68,80-92,98-104,118-143,150- 160,165-185,187-200,204-211,224-236,241-246,252- 258,271-280,288-294,311-320,335-341	B: 5	191-350	26, 204
HP0239	glutamyl-tRNA reductase (hemA)	4-16,37-59,64-70,79-87,93-102,107-127,143- 165,172-188,197-204,207-218,221-227,242-248,258- 277,289-296,298-316,332-338,344-365,367-373,375- 382,400-408,415-425,438-446	H: 2	235-250	27, 205
HP0258	conserved	4-37,39-66,84-98,101-127,140-149,157-163,166-	H: 1, L: 1	183-204	28, 206

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
	hypothetical integral membrane protein	172,175-182,184-193,203-208,215-232,234-247,250- 299,303-345			
HP0266	dihydroorotase (pyrC)	10-20,41-61,73-87,112-141,176-192,194-201,205- 222,230-237,257-264,276-282,284-310,312-318,330- 337,349-357	M: 21	304-328	29, 207
HP0279	lipopolysaccharide heptosyltransferase- 1 (rfaC)	4-31,42-103,105-113,121-153,160-181,188-196,210- 226,231-264,272-287,297-304,328-336	G: 1, L: 6	304-318	30, 208
HP0289	toxin-like outer membrane protein	21-43,46-52,54-70,72-79,94-107,133-141,160- 166,217-253,311-317,359-365,374-381,390-395,434- 440,488-494,497-502,511-522,554-563,565-574,577- 585,591-598,601-606,617-625,633-643,658-664,676- 682,694-702,710-719,754-760,782-788,802-808,916- 921,942-948,955-964,973-979,992-998,1006- 1011,1016-1023,1030-1038,1046-1053,1059- 1066,1088-1098,1119-1126,1129-1135,1156- 1171,1173-1181,1202-1210,1255-1261,1268- 1280,1295-1310,1312-1320,1375-1381,1406- 1417,1450-1471,1478-1492,1498-1506,1569- 1578,1603-1608,1611-1624,1648-1655,1663- 1670,1680-1698,1702-1707,1713-1719,1737- 1742,1747-1753,1762-1769,1771-1785,1790- 1804,1811-1818,1830-1836,1838-1852,1874- 1886,1893-1899,1902-1909,1942-1948,1952- 1962,1980-1986,2001-2017,2020-2028,2042- 2050,2052-2068,2074-2079,2083-2095,2107- 2113,2147-2155,2177-2194,2203-2211,2236- 2241,2251-2258,2267-2274,2285-2292,2314- 2328,2330-2340,2358-2365,2390-2401,2408- 2418,2432-2453,2463-2476,2486-2507,2528- 2537,2540-2548,2552-2558,2568-2576,2596- 2601,2610-2622,2629-2638,2653-2669,2718- 2727,2749-2767,2777-2784,2789-2795,2806- 2815,2817-2824,2835-2843,2847-2854,2860-2881	B: 1, E: 2, H: 2, I: 3, L: 7	511-523, 612- 630, 1790-1803	31, 209
HP0292	hypothetical protein	4-54,61-68,72-82,86-93,100-108,115-130,147- 154,187-194,196-207,224-229,236-251,275-287	E:14	96-109	32, 210
HP0295	flagellin B homolog	31-39,62-69,91-101,158-172,175-180,186-193,201-	A: 1, B: 2,	366-503	33, 211

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
	(fla)	208,210-223,243-250,273-286,293-299,319-325,343-354,356-365,368-384,414-435,471-491,512-518,550-556,567-581,584-589,633-639,680-692,697-708,716-721,747-754,779-786,810-816	C: 3		
HP0349	CTP synthetase (pyrG)	5-20,22-48,57-65,96-101,111-122,130-145,154-164,170-181,193-199,201-216,224-241,244-262,281-323,342-351,359-367,369-396,406-416,424-433,450-456,485-491,493-499,501-515,517-535	M: 2	289-305	34, 212
HP0351	flagellar basal-body M-ring protein (fliF)	4-17,22-44,53-60,66-83,87-94,101-106,110-116,131-137,148-183,189-207,209-215,233-242,251-262,264-272,290-296,308-327,359-373,375-380,397-405,415-420,426-433,444-475,478-484,529-536,548-558	G: 9, I: 1	106-126	35, 213
HP0380	glutamate dehydrogenase (gdhA)	4-38,42-50,58-64,72-81,92-118,140-146,157-165,172-192,198-204,208-216,227-234,238-258,271-278,288-293,311-322,327-346,357-370,375-383,395-409,411-417,425-432,436-445	H: 6, I: 1, L: 4	109-129, 370-380	36, 214
HP0392	histidine kinase (cheA)	23-30,36-49,52-64,86-94,97-104,121-129,257-272,279-286,288-294,307-327,334-340,369-375,377-386,406-412,418-423,430-438,441-447,459-465,469-476,482-488,510-546,550-580,584-622,638-645,653-659,675-683,692-705,723-731,752-761,788-795	B: 1, F: 2	54-72	37, 215
HP0401	3-phosphoshikimate 1- carboxyvinyltransfe rase (aroA)	11-33,36-46,88-104,116-126,134-170,189-195,199-217,225-250,255-261,266-273,280-291,296-313,334-341,343-349,354-360,362-369,373-380,387-401,406-420	E: 1, M: 12	259-273	38, 216
HP0406	hypothetical protein	9-14,28-44,57-64,72-79,86-93,104-111,116-126,142-150,159-164	M: 2	61-86	39, 217
HP0409	GMP synthase (guaA)	10-17,26-33,43-61,69-95,101-107,109-125,129-135,137-144,147-153,158-169,177-187,209-219,221-232,235-247,261-268,271-282,296-302,306-347,355-362,364-379,386-399,409-418,424-442,451-460,467-479,490-498	B: 1, F: 1	60-74	40, 218
HP0413	transposase-like protein, PS3IS	8-14,20-31,65-84,94-99,154-179,193-207,238-253	E: 9, F: 1, G: 1	96-118	41, 219
HP0459	virB4 homolog (virB4)	4-24,30-44,47-62,84-93,108-116,124-133,136-141,201-209,217-223,228-235,238-245,247-270,275-285,290-314,328-338,342-349,353-365,375-383,386-392,394-402,417-427,443-459,465-481,492-514,516-	M: 6	167-189	42, 220

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		524,550-566,602-617,630-639,666-676,687-693,719-730,747-753,783-790,799-816,824-831,837-842			
HP0480	GTP-binding protein, fusA- homolog (yihK)	6-15,18-28,58-66,84-101,106-129,136-151,154-165,182-203,205-211,214-220,222-228,233-240,251-260,270-277,284-291,306-315,322-328,363-369,378-388,392-405,443-452,495-501,512-523,574-583	H: 1	362-375	43, 221
HP0485	catalase-like protein	5-25,27-34,47-59,64-70,76-86,145-158,166-183,189-202,217-231,235-242,260-270,278-309	A: 1, B: 2, C: 3, K: 2	1-102	44, 222
HP0508	hypothetical protein	4-19,24-76,78-83,90-99,102-109,114-122,137-147,154-174,177-188,203-212,217-223,227-239	A: 1	226-325	45, 223
HP0519	conserved hypothetical protein	7-37,71-90,94-109,117-128,141-153,179-192,199-206,225-231,237-243,258-264	B: 2, H: 1	40-51	46, 224
HP0525	virB11 homolog	13-19,25-30,46-59,75-91,101-107,114-124,129-135,137-145,160-167,171-179,187-194,209-215,217-222,229-239,243-249,257-265,269-275,299-308,310-327	D: 5	282-300	47, 225
HP0527	cag pathogenicity island protein (cag7- cagY)	86-100,216-230,342-369,382-388,424-430,438-445,452-458,488-494,501-518,554-560,568-574,584-592,603-609,611-629,639-645,652-661,669-699,708-714,726-738,747-753,763-775,785-791,794-807,815-824,826-845,854-860,863-868,870-883,892-898,901-906,909-921,930-937,946-959,968-974,977-990,998-1007,1009-1027,1037-1043,1046-1051,1053-1066,1075-1081,1084-1089,1092-1103,1113-1119,1122-1135,1143-1152,1154-1172,1182-1188,1191-1196,1200-1210,1220-1226,1229-1235,1237-1249,1259-1265,1268-1281,1289-1298,1305-1318,1328-1334,1337-1343,1345-1357,1367-1373,1390-1396,1405-1411,1418-1423,1426-1435,1445-1455,1474-1483,1493-1500,1505-1512,1517-1524,1538-1544,1568-1578,1595-1601,1674-1682,1687-1720,1728-1736,1738-1744,1754-1761,1764-1774,1798-1824,1836-1842,1886-1893,1895-1903	A: 316, B: 388, C: 61, F: 12, G: 1, H: 1, I: 7, J: 274, K: 93, L: 14, M: 12	366-781, 782-1518, 1731-1747	48, 226
HP0540	cag pathogenicity island protein (cag19)	4-17,20-39,46-55,60-66,102-110,114-122,125-131,161-167,172-178,185-190,195-202,218-232,236-252,264-291,293-302,309-315,324-339	A: 2, B: 6, C: 2, I: 1	169-381	49, 227
HP0541	cag pathogenicity	5-10,13-40,42-53,69-75,83-89,120-135,150-161,174-	B: 2, G: 1	30-200	50, 228

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
	island protein (cag20)	190,203-225,229-247,257-287,318-348			
HP0542	cag pathogenicity island protein (cag21-cagG)	7-19,43-53,64-72,124-139	B: 2, L: 18, M: 2	52-84, 120-131	51, 229
HP0544	cag pathogenicity island protein (cag23-cagE)	12-19,39-48,58-100,117-123,154-162,164-187,189- 195,202-216,218-235,241-246,262-278,315-328,333- 347,354-366,372-379,391-405,422-429,431-442,444- 450,458-466,478-485,494-501,504-510,520-535,573- 580,589-598,615-625,666-676,686-698,722-729,737- 746,756-767,787-796,805-816,824-829,833-848,856- 864,866-876,879-886,898-904,918-924,927-934,941- 960,967-978	H: 1	561-575	52, 230
HP0545	cag pathogenicity island protein (cag24)	11-29,49-55,70-77,84-100,102-112,148-155,160- 177,181-204	A: 1, B: 3, I: 2, K: 1	1-104	53, 231
HP547	cag pathogenicity island protein (cag26-cagA)	27-44,64-71,122-133,151-156,164-178,214-220,226- 232,235-244,253-262,282-288,294-310,317-325,350- 356,362-368,376-383,438-443,449-454,459-464,492- 498,500-511,529-535,538-546,567-573,597-603,660- 665,674-679,724-734,763-769,773-784,791-801,807- 815,821-826,840-848,863-868,897-902,908-928,932- 953,956-975,980-987,990-996,1012-1018,1042- 1063,1095-1116,1149-1157,1160-1167	A: 72, B: 65, C: 175, D: 74, F: 51, G: 7, H: 10, I: 108, J: 9, K: 23, L: 33, M: 129	110-357, 358- 501, 502-1161	54, 232
HP0563	hypothetical protein	4-21,64-71,73-84,128-138,144-162,203-217,240- 263,288-298,300-308,310-317,325-351,369-380,391- 411	L: 134	330-345	55, 233
HP0604	uroporphyrinogen decarboxylase (hemE)	5-11,25-31,39-48,51-79,89-98,100-122,135-148,166- 201,203-227,230-250,254-260,266-272,274-282,299- 305,328-337	A: 2, B: 1, F: 1, K: 2	31-45	56, 234
HP0607	acriflavine resistance protein (acrB)	12-23,29-48,51-60,66-72,75-81,83-93,103-115,133- 148,168-174,195-204,222-229,231-240,242-251,270- 280,286-305,322-344,349-360,364-370,378-400,421- 441,448-484,486-493,495-501,504-534,547-561,567- 590,597-607,621-635,643-649,658-685,688-694,702- 711,717-731,737-742,759-765,767-772,776-786,803- 809,815-825,854-908,910-919,923-930,942-948,961-	F: 2, G: 1, I: 1, L: 2	915-940	57, 235

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		975,994-1014			
HP0630	modulator of drug activity (mda66)	4-9,32-47,51-61,75-96,139-191	A: 1, F: 1, H: 2, I: 1	1-124	58, 236
HP0635	hypothetical protein	4-13,17-38,43-49,55-76,88-95,110-121,128-146,151- 157,162-214,222-240,243-249,251-273,275-281,292- 298,300-309,312-320,322-331,355-369,376-408,446- 460,471-482,485-509	F: 2, H: 1	191-203	59, 237
HP0655	protective surface antigen D15	4-21,72-82,89-103,106-115,118-124,140-146,174- 184,191-200,204-213,218-224,261-266,282-293,299- 309,311-340,342-358,362-372,381-389,391-402,413- 421,438-447,457-464,470-478,501-507,545-560,578- 624,631-641,658-670,680-689,717-738,753-759,795- 805,816-822,830-838,842-848,869-881,892-898	G: 1, H: 2	33-51, 818-835	60, 238
HP0659	hypothetical protein	4-21,79-85,156-177,183-188,206-214,243-249,261- 269,287-292,315-322,334-345,360-366,374-390,402- 411	A: 4, B: 1, K: 2	37-97, 260-399	61, 239
HP0683	UDP-N- acetylglucosamine pyrophosphorylase (glmU)	4-9,19-54,58-78,97-104,111-120,126-134,137- 145,163-173,178-188,193-203,211-224,246-286,288- 324,337-346,355-362,374-390,392-398,409-417	G:8	240-249	62, 240
HP0687	iron(II) transport protein (feoB)	5-12,14-31,35-41,43-61,82-92,97-105,134-145,155- 166,184-203,215-223,225-251,272-279,281-306,310- 345,358-418,435-473,482-490,525-532,538-547,549- 563,578-604,613-639	F: 1, L: 3	144-154	63, 241
HP0696	N- methylhydantoinase	53-59,64-72,74-100,133-152,154-172,176-181,207- 214,225-238,275-297,304-310,331-340,362-367,384- 395,403-410,437-443,448-456,482-490,579-597,602- 610,625-630,633-651,699-707,709-715,734-743,750- 762	A: 5, B: 6, C: 13, E: 2, F: 1, G: 1, L: 1	544-685	64, 242
HP0701	DNA gyrase, sub A (gyrA)	12-18,22-40,45-83,89-97,103-109,147-153,159- 173,195-204,210-219,243-253,259-265,273-282,303- 309,315-325,332-340,346-358,362-367,377-390,393- 402,418-426,447-455,467-480,505-512,514-525,548- 561,566-576,584-596,619-626,638-645,649-659,661- 680,699-708,714-720,753-759,766-772,775-781,801- 808	G: 2, H: 2, I: 3, L: 1	202-218, 282- 299, 339-350, 617-628	65, 243
HP0706	outer membrane protein (omp15)	5-33,52-62,87-101,111-135,137-143,145-152,190- 202,209-221,233-245,253-270	J: 1, K: 1, L: 37	151-215	66, 244

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
HP0714	RNA polymerase sigma-54 factor (rpoN)	19-29,32-39,42-48,75-94,124-135,137-145,152- 160,176-182,193-203,215-236,266-273,275-291,297- 306,311-319,322-342,348-360,369-378,394-401	F: 7	48-64	67, 245
HP0717	DNA polymerase III gamma and tau subunits (dnaX)	4-11,13-33,36-43,53-63,65-80,112-129,134-141,143- 155,157-168,178-188,191-199,201-207,215-229,242- 255,263-270,283-315,320-329,333-338,340-349,412- 426,465-478,485-490,498-512,540-554	A: 2, B: 3, M: 2	390-516	68,246
HP0723	L-asparaginase II (ansB)	4-18,23-32,41-47,54-70,88-99,104-111,118-138,143- 148,150-162,168-175,181-188,203-211,214-220,227- 245,251-268,275-281,287-296,323-333	B: 1, F: 1, H: 6, K: 2	1-90	69, 247
HP0727	transcriptional regulator, putative	8-34,38-49,72-83,85-91,94-104,112-125,134- 142,148-168,181-189,191-198,202-214,222-233,242- 254,256-262,273-278,287-294,314-325	B: 2, G: 2, I: 2	141-159	70, 248
HP0752	flagellar hook- associated protein 2 (fliD)	4-24,30-36,47-75,82-105,124-134,151-157,192- 202,208-214,219-226,234-247,285-290,318-324,332- 340,343-349,380-386,453-462,472-478,484-501,531- 540,550-557,604-612,620-625,642-648,652-671	A:7, B:4, C:2, G:1, H:1, I:3, J:1, K:2	64-84, 93-180, 181-446	71, 249
HP0760	conserved hypothetical protein	12-18,24-32,68-75,77-83,96-101,109-116,129- 136,152-164,175-184,190-199,206-215,224-233,241- 250,258-264,273-292,302-312,319-331,334-346,348- 368,387-395,408-416,420-429,437-452	F: 3, G: 1	364-374	72, 250
HP0836	hypothetical protein	11-28,36-52,60-67,74-79,108-116	B: 1, L: 4	61-76	73, 251
HP0850	type I restriction enzyme M protein (hsdM)	20-27,38-49,69-74,84-107,138-145,161-168,179- 195,210-226,228-252,267-281,283-296,305-311,333- 340,342-356,361-372,380-399,401-414,458-466,475- 481,492-507,515-520	H: 2	146-160	74, 252
HP0853	ABC transporter, ATP-binding protein (yheS)	43-61,68-74,76-90,120-128,130-149,156-161,164- 182,206-234,242-252,269-274,291-304,332-345,349- 355,360-371,374-388,434-440,447-453,459-465,469- 496,504-522	M: 15	261-285	75, 253
HP0863	hypothetical protein	4-17,24-30,37-49,87-98,118-124,126-136,144- 171,176-188,206-214,216-228,233-240,246-252,262- 271,277-297,307-330,333-342,346-352,355-361,368- 386,391-400,413-420,474-480	E: 1, M: 11	401-427	76, 254
HP0874	hypothetical protein	15-26,31-46,51-72,80-93,96-109,131-137,150- 158,179-185,189-209,211-219,221-234,241-247,255- 262,265-271,283-288	F: 2	173-190	77, 255
HP0875	catalase	28-37,39-45,51-58,77-84,89-97,132-148,171-	K: 6	425-497	78, 256

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		180,199-205,212-218,220-226,257-265,273-300,307- 327,334-340,344-365,385-390,402-408,426-436,450- 468,476-485			
HP0876	iron-regulated outer membrane protein (frpB)	4-25,70-76,80-88,90-100,120-128,162-169,183- 203,261-277,279-289,291-297,302-308,321-327,339- 353,358-377,392-401,404-410,414-422,443-450,456- 461,470-488,490-497,510-535,570-611,618-630,639- 647,649-660,668-690,702-716,718-724,737-747,750- 764	B: 1, E: 1, G: 1, I: 1	497-509	79, 257
HP0887	vacuolating cytotoxin	12-48,50-64,99-108,216-223,235-241,244-254,262- 274,287-293,310-316,320-326,361-366,377-383,390- 395,408-414,418-425,438-444,462-469,494-505,524- 530,536-547,551-566,592-598,601-613,678-685,687- 695,709-717,727-737,751-757,760-765,772-778,782- 788,801-807,822-830,859-868,870-878,884-890,898- 903,909-919,953-969,973-980,990-1000,1002- 1019,1041-1047,1059-1065,1090-1095,1116- 1127,1130-1139,1143-1149,1151-1168,1178- 1183,1188-1195,1197-1209,1213-1220,1226- 1234,1236-1247,1255-1274,1276-1282	A: 1, B: 5, C: 2, D: 3, E: 5, G: 2, H: 3, I: 2, K: 9, L: 29, M: 7	76-100, 270- 284, 309-438, 493-505, 786- 942, 947-967	80, 258
HP0891	conserved hypothetical protein	4-9,24-34,46-95,97-109,119-130	F: 2	138-156	81, 259
HP0910	adenine specific DNA methyltransferase (HINDIIM)	9-26,28-35,43-53,55-68,83-92,99-105,110-135,139- 149,157-162,164-170,173-183,193-208,210-230,239- 245,253-259,263-271,293-305,310-320,322-331,336- 343,351-364,367-376	E: 33, H: 1	92-107, 154- 173	82, 260
HP0913	outer membrane protein (omp21)	19-39,52-62,108-117,145-152,160-168,194-203,229- 240,252-268,280-287,308-316,333-339,383-390,403- 412,414-424,438-445,464-472,479-484,489-505,510- 526	C: 1, I: 1	247-260	83, 261
HP0922	toxin-like outer membrane protein	5-17,25-52,60-77,105-113,118-125,162-167,228- 234,272-279,328-334,341-357,381-395,400-406,512- 518,557-569,586-592,645-651,690-695,701-709,720- 726,733-743,751-758,781-786,879-886,929-934,939- 944,952-960,965-975,994-1001,1039-1045,1102- 1109,1164-1181,1198-1206,1223-1229,1253- 1259,1283-1292,1312-1317,1339-1349,1360- 1370,1389-1398,1400-1412,1452-1465,1470-	A: 1, B: 3, D: 1, F: 4, G: 2	394-549	84, 262

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		1484,1490-1497,1519-1525,1554-1564,1578- 1591,1623-1636,1638-1646,1669-1679,1685- 1697,1704-1711,1713-1720,1730-1736,1738- 1749,1756-1764,1778-1786,1796-1803,1817- 1826,1849-1866,1975-1993,2017-2032,2044- 2053,2070-2086,2091-2109,2116-2127,2156- 2167,2182-2188,2197-2202,2244-2252,2281- 2287,2290-2307,2350-2361,2383-2404,2425- 2433,2445-2455,2495-2505			
HP0925	recombinational DNA repair protein (recR)	9-24,31-53,57-67,69-79,84-114,133-141,144- 172,178-186	E: 1, G: 1	13-46	85, 263
HP0953	hypothetical protein	4-25,27-35,43-52,59-70,79-91,115-130,136-152,154- 163,170-179	J: 3	1-58	86, 264
HP0973	hypothetical protein	4-30,49-55,71-80,96-105,111-126,139-146,149- 162,239-245,279-285,290-296,300-307,331-337,343- 350	B: 3, K: 2	250-351	87, 265
HP0977	conserved hypothetical secreted protein	9-27,34-41,43-51,92-111,114-120,123-131,139- 150,156-171,176-186,188-204,229-241,252-258,266- 279,288-297,319-334,338-348,373-379,389-398,431- 439,479-484	A: 2	214-398	88, 266
HP1019	serine protease (htrA)	4-15,18-27,47-52,68-83,91-97,104-110,115-121,139- 147,157-164,198-206,227-236,241-254,264-273,278- 289,311-320,353-361,372-383,405-420,426-434	A: 3, H: 1, I: 1	232-386	89, 267
HP1024	co-chaperone- curved DNA binding protein A (CbpA)	4-10,24-34,91-97,129-141,156-163,184-190,205- 219,229-235,256-273,278-285	E: 1, G: 1, L: 24	93-116	90, 268
HP1052	UDP-3-O-acetyl N- acetylglucosamine deacetylase (envA)	7-29,35-54,71-83,85-91,104-111,122-134,138- 144,146-154,158-174,177-183,186-201,207-215,223- 235,240-247,262-273,275-283,287-292	E: 1, F: 5, G: 14	48-66	91, 269
HP1090	cell division protein (ftsK)	7-27,31-47,49-70,75-102,110-149,157-171,217- 223,235-251,294-302,358-364,367-375,387-393,395- 412,423-430,441-451,456-470,472-486,488-495,499- 509,515-529,536-549,556-570,574-603,607-615,625- 633,642-658,670-676,683-702,708-716,720-726,747- 756,763-784,803-812,815-826	D: 2, F: 1, G: 1, H: 1	475-490	92, 270
HP1098	conserved	7-22,30-38,53-59,64-75,83-95,97-112,120-131,133-	A: 4, B: 1,	9-156, 174-287	93, 271

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
	hypothetical secreted protein	142,145-151,154-166,172-180,189-203,227-238,277-287	F: 1, I: 2, K: 1		
HP1116	hypothetical protein	13-23,25-32,111-117,150-164,185-193,207-212,216-224,230-236,263-272,304-311,342-348,374-385,391-407,444-458,480-487,489-499,523-542,544-558,572-579,620-640,686-696,703-710,742-755,765-772,817-822,830-837,865-872,931-937	L: 1, K: 2, L: 31	66-86	94, 272
HP1117	conserved hypothetical secreted protein	4-27,49-56,62-70,86-92,121-127,151-163,170-182,195-202,212-226,237-243	A: 1, F: 4	234-254	95, 273
HP1119	flagellar hook- associated protein 1 (HAP1) (flgK)	4-10,13-24,39-51,62-78,92-104,107-117,134-141,156-161,166-181,210-216,222-229,256-266,273-280,297-304,313-330,336-349,371-376,433-439,443-448,488-493,506-515,527-534,560-572,575-583,587-593	A: 7, B: 1, D: 1, F: 3, J: 1	252-483	96, 274
HP1126	colicin tolerance-like protein (tolB)	4-15,21-38,45-56,81-95,102-108,118-130,133-147,152-162,166-171,199-204,211-218,230-240,253-261,274-283,288-294,312-317,325-336,344-357,391-414	A: 3, B: 2, J: 1	24-146	97, 275
HP1152	signal recognition particle protein (ffh)	26-31,38-56,65-82,90-101,112-119,123-153,175-188,197-216,234-242,249-265,273-286,290-305,327-335,338-346,361-372,394-404	D: 1, F: 4, G: 10	290-306	98, 276
HP1153	valyl-tRNA synthetase (valS)	17-26,43-48,50-73,81-93,95-107,139-146,158-168,171-176,190-196,202-212,216-223,243-266,274-282,308-313,324-330,344-378,380-387,403-422,427-443,448-455,457-465,491-515,517-528,553-567,589-599,610-617,642-648,670-697,709-717,726-743,745-759,769-803,807-823,840-849	F: 4, G: 3, L: 3	820-851	99, 277
HP1186	carbonic anhydrase	4-18,39-48,53-63,66-90,102-117,125-134,137-145,156-162,169-197	D: 5, H: 1	26-40, 56-80	100, 278
HP1198	DNA-directed RNA polymerase, beta subunit (rpoB)	21-33,36-42,49-60,68-76,91-105,123-130,141-161,169-178,185-190,192-199,205-214,223-233,239-247,260-269,284-293,300-314,324-352,357-364,373-382,389-403,420-432,438-446,466-471,477-484,503-509,549-556,558-576,600-623,625-635,654-661,663-669,671-687,702-716,735-741,744-750,757-766,776-786,807-815,824-832,854-860,863-897,909-915,920-946,952-959,982-997,1024-1038,1049-1055,1071-	A: 26, B: 14, C: 25, D: 3, F: 1, G: 3, I: 3, J: 31, K: 2	213-344, 954-1080, 2524-2733	101, 279

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		1085,1104-1113,1121-1132,1138-1150,1187-1196,1212-1221,1227-1236,1257-1262,1264-1278,1282-1294,1307-1318,1353-1370,1382-1388,1396-1409,1434-1440,1446-1454,1465-1478,1485-1513,1516-1529,1540-1545,1563-1568,1575-1593,1607-1616,1628-1645,1648-1661,1676-1682,1689-1697,1713-1719,1739-1749,1753-1758,1763-1774,1797-1803,1807-1846,1855-1874,1877-1891,1893-1907,1912-1925,1931-1943,1955-1965,1976-1990,2032-2043,2045-2051,2099-2105,2131-2138,2161-2179,2188-2199,2205-2216,2219-2227,2235-2245,2247-2267,2277-2288,2294-2304,2314-2326,2346-2358,2365-2377,2383-2402,2407-2423,2437-2450,2454-2473,2489-2497,2525-2531,2557-2570,2580-2587,2589-2599,2621-2641,2647-2653,2661-2677,2685-2690,2697-2717,2722-2733,2739-2777,2786-2793,2801-2808,2811-2822,2825-2835,2838-2845,2859-2871,2877-2883			
HP1205	translation elongation factor EF-Tu (tufB)	10-16,18-23,28-41,63-69,77-91,101-109,118-136,146-153,155-162,168-179,192-207,217-226,229-235,239-254,279-286,294-307,313-319,334-341,344-353,363-377,390-396	A : 4, B : 1	178-328	102, 280
HP1229	aspartokinase (lysC)	18-42,68-84,89-95,100-105,107-115,125-135,154-177,189-195,205-228,236-243,252-259,279-300,309-316,323-331,340-351,353-364,377-402	I: 1, K: 1, L: 3	85-97	103, 281
HP1243	outer membrane protein (omp28)	4-18,26-32,66-76,100-126,151-159,178-186,188-194,200-210,241-248,253-259,262-279,284-291,307-313,315-322,327-337,376-386,399-407,432-441,467-473,487-497,499-505,543-549,560-568,585-593,598-604,608-614,630-642,647-653,690-703,717-730	B: 3, F: 1, G: 1, H: 1	21-200, 468-480	104, 282
HP1254	biotin synthesis protein (bioC)	17-49,52-58,62-73,78-97,100-117,122-172,185-190,193-217,225-236	H: 2, I: 2	33-42	105, 283
HP1265	hypothetical protein	7-39,50-58,73-89,96-107,109-120,126-142,152-170,178-202,205-211,224-244,249-259,261-270,300-310,312-325	F: 2, G: 6, I: 1	158-169	106, 284
HP1282	anthranilate	4-31,40-64,71-82,85-92,102-124,126-139,147-	E: 20, G:	201-221	107,

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
	synthase component I (trpE)	152,159-173,176-188,195-207,210-216,234-241,249- 256,258-276,279-293,296-302,310-315,349-356,363- 378,380-403,411-426,435-441,448-459,463-476,488- 494	I: 1		285
HP1329	cation efflux system protein (czcA)	5-13,15-74,87-104,107-120,123-129,136-145,150- 191,193-206,227-248,250-264,278-302,304-323,332- 378,384-407,409-419,425-457,462-471,474-497,511- 545,555-564,571-578,585-598,640-647,669-675,682- 691,693-705,729-743,752-761,772-780,786-804,808- 818,822-846,858-880,884-900,910-939,941-947,962- 971,973-988,998-1003,1007-1027	B: 2, F: 1, J: 1, L: 2	236-259	108, 286
HP1339	biopolymer transport protein (exbB)	4-19,27-68,81-111,121-160	F: 5, I: 4	60-79	109, 287
HP1341	siderophore- mediated iron transport protein	4-37,40-46,52-57,199-205,222-229,236-244,250- 267,269-282	A: 20, B: 23, C: 30, E: 31, F: 5, G: 3, H: 6, I: 1, J: 2, K: 5	27-197	110, 288
HP1342	outer membrane protein (omp29)	4-16, 24-30, 32-38, 63-75, 86-92, 98-111, 113-126, 160-165, 170-180, 198-204, 227-233, 239-245, 253- 273, 308-314, 352-365, 382-387, 395-403, 423-429, 472-482, 484-493, 501-507, 518-526, 536-541, 543- 550, 556-562, 586-600, 626-633, 649-661, 680-688	A: 1, B: 3, C: 1, D: 1, E: 1, F: 2, H: 7	546-559	111, 289
HP1345	phosphoglycerate kinase	16-33,48-59,63-71,77-92,94-109,117-124,139- 151,169-181,184-227,233-249,251-261,263-275,282- 294,297-321,326-332,341-355,383-399	D: 20, I: 6	258-272	112, 290
HP1350	protease	11-26,31-39,43-52,55-62,64-70,80-94,123-133,135- 141,172-181,185-206,209-218,224-230,238-244,251- 262,264-271,290-301,306-324,333-340,350-357,367- 375,390-397,434-441,443-448	A: 3, B: 1, C: 1, G: 1, K: 2, M: 12	77-226, 350- 429	113, 291
HP1374	ATP-dependent protease ATPase subunit (clpX)	4-13,22-27,31-45,50-59,72-96,99-114,131-141,143- 150,159-176,180-186,189-198,208-214,234-253,271- 287,294-299,310-366,382-390,398-416,424-443	G: 9, M: 2	283-305	114, 292
HP1393	DNA repair protein (recN)	9-26,30-53,62-72,86-95,112-122,136-145,153- 160,209-221,227-237,241-268,281-288,291-298,308- 314,321-328,336-346,351-379,388-397,409-416,423-	E: 1, F: 2, G: 7, I: 1	213-232	115, 293

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
		433,443-481,511-519			
HP1448	ribonuclease P, protein component (rnpA)	12-18,25-31,38-50,59-67,71-82,96-126	G: 6	76-88	116, 294
HP1453	conserved hypothetical protein	4-25,39-44,64-71,74-88,100-113,128-138,151- 162,164-177,185-190,204-213,233-239,246-254,281- 286,293-306,309-318,333-347,349-359,385-398,404- 423,458-465,477-484,490-499,501-533,554-566,582- 590,596-616,624-629,631-639,654-680,694-720,735- 743	B: 1, D: 4, F: 2, J: 1, K: 11, L: 3	2-100	117, 295
HP1454	hypothetical protein	4-16,36-41,52-75,98-107,109-117,122-128,133- 139,141-155,159-165,169-182,187-193,195-201,211- 224,230-236,247-269,278-290	B: 1, M: 8	75-92	118, 296
HP1460	DNA polymerase III alpha-subunit (dnaE)	7-21,25-33,37-43,87-94,103-120,131-147,168- 174,197-203,207-212,227-237,247-257,263-271,279- 287,298-306,320-325,332-340,363-374,379-384,390- 401,403-414,428-433,448-457,462-475,483-490,513- 519,525-535,543-554,559-566,571-620,625-631,636- 642,659-670,688-706,708-723,770-779,787-793,796- 807,820-840,848-854,863-874,895-905,912-919,934- 942,968-975,983-1000,1012-1019,1026-1036,1050- 1060,1064-1070,1081-1091,1094-1108,1112- 1118,1140-1152,1164-1169,1172-1180,1187-1192	F: 3, G: 2, I: 3	732-748	119, 297
HP1497	peptidyl-tRNA hydrolase (pth)	23-40,42-59,66-73,78-97,111-128,130-141,157- 166,178-183	E: 6, F: 1, H: 2	53-71	120, 298
HP1527	hypothetical protein	4-27,38-44,47-57,59-85,99-106,114-121,154- 166,181-186,193-198,238-244,253-262,272-278,287- 299,314-320,338-350,358-368,382-388,407-416,433- 446,456-461,463-473	B: 3, C: 1, E: 7	86-195	121, 299
HP1564	outer membrane protein	5-24,38-59,64-80,87-99,105-126,134-142,149- 163,165-179,181-202,205-220,227-233,243-250,257- 263	A: 2, B: 1, C: 3, F: 1, H: 1	87-245	122, 300
HP1565	penicillin-binding protein 2 (pbp2)	5-32,47-53,66-79,81-97,115-151,155-174,183- 188,196-210,215-226,230-238,253-258,263-270,276- 282,295-301,304-325,334-344,360-390,397-412,425- 432,434-462,478-494,508-526,539-564,571-579	A: 1, F: 2, H: 1, L: 5	347-371, 375- 386	123, 301
HP1574	riboflavin synthase alpha subunit (ribC)	4-15,36-44,49-56,60-66,68-82,84-103,109-115,118- 141,147-154,160-168,176-185	F: 1, M: 5	26-39	124, 302

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
ARF0044	Hypothetical protein	7-13,23-33	H: 1, I: 2	13-21	125, 303
ARF0048	Hypothetical protein	none	F: 1, G: 1, I: 4, L: 8	2-10	126, 304
ARF0143	Hypothetical protein	4-9,12-18,35-42,49-62	F: 1	6-18	127, 305
ARF0184	Hypothetical protein	19-25	A: 1, I: 6	1-13	128, 306
ARF0219	Hypothetical protein	15-21,27-45	E: 7	12-25	129, 307
ARF0308	Hypothetical protein	14-20	E: 41	1-14	130, 308
ARF0349	Hypothetical protein	4-18	G:11	13-26	131, 309
ARF0387	Hypothetical protein	8-21	G: 12, H: 2, K: 1	2-20	132, 310
ARF0402	Hypothetical protein	4-14	F: 2, G: 10, H: 1, M: 2	4-16	133, 311
ARF0501	Hypothetical protein	none	M: 2	3-12	134, 312
ARF0509	Hypothetical protein	6-14,6-25,35-57	G: 5, H: 1, M: 3	2-14	135, 313
ARF0522	Hypothetical protein	6-25,35-57	F: 1, I: 3, K: 2	17-31	136, 314
ARF0578	Hypothetical protein	14-25,32-46	E: 12, G: 15	15-19	137, 315
ARF0629	Hypothetical protein	18-31	G: 1, I: 7	5-16	138, 316
ARF0665	Hypothetical protein	19-24	L: 2, M: 5	4-26	139, 317
ARF0693	Hypothetical protein	13-21,29-34,47-58,61-73	G: 1, I: 6	36-47	140, 318
ARF0752	Hypothetical protein	4-15	D:3	5-24	141, 319
ARF0788	Hypothetical protein	none	B: 1, H: 1	6-18	142, 320

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
					320
ARF0819	Hypothetical protein	13-20	F: 14	4-13	143, 321
ARF0839	Hypothetical protein	none	A: 2, C: 1, I: 1, K: 3	15-23	144, 322
ARF0868	Hypothetical protein	4-9	F: 2, G: 1	7-21	145, 323
ARF0948	Hypothetical protein	none	F: 1	1-10	146, 324
ARF0969	Hypothetical protein	none	B: 1, G: 1, M: 2	4-14	147, 325
ARF1100	Hypothetical protein	4-17,35-41,46-89,93-98	A: 1, B: 1, H: 1, I: 2, M: 5	70-88	148, 326
ARF1164	Hypothetical protein	none	G: 1, H: 3, J: 1, M: 2	1-13	149, 327
ARF1470	Hypothetical protein	4-16,26-32	G: 1, I: 1, M: 2	25-38	150, 328
ARF1553	Hypothetical protein	8-15,23-28	B: 2, F: 6, G: 2, H: 1, I: 1, K: 1	4-17	151, 329
CRF0017	Hypothetical protein	4-12	H: 1, I: 1, M: 5	1-15	152, 330
CRF0025	Hypothetical protein	4-29,31-42,52-58	E: 1, G: 1, L: 3, M: 1	6-16	153, 331
CRF0090	Hypothetical protein	4-9,24-32	F: 13, G: 1, H: 1, L: 1	9-19	154, 332
CRF0127	Hypothetical protein	4-12,18-27	L: 3, M: 10	5-18	155, 333
CRF0169	Hypothetical protein	4-11,37-56,58-92	D: 3	18-29	156, 334
CRF0190	Hypothetical protein	8-28	M: 14	20-35	157, 335
CRF0251	Hypothetical protein	none	D: 16, E: 2, G: 3	4-15	158, 336
CRF0258	Hypothetical protein	4-23,27-39,55-63	A: 1, B: 1, C: 1, F: 1	35-58	159, 337

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
			C: 1, F: 1, L: 5		337
CRF0354	Hypothetical protein	6-26,28-54	F: 8, H: 1	28-47	160, 338
CRF0388	Hypothetical protein	4-10,38-52,58-82	H: 1, L: 3	30-49	161, 339
CRF0409	Hypothetical protein	4-22,29-35,44-50,53-68,70-80	G: 2, H: 1, M: 10	20-33	162, 340
CRF0421	Hypothetical protein	22-28,30-36	F: 4	18-33	163, 341
CRF0480	Hypothetical protein	4-11,13-21,25-30	E: 1, L: 8	20-30	164, 342
CRF0552	Hypothetical protein	10-22	G: 1, M: 5	10-23	165, 343
CRF0563	Hypothetical protein	4-11	G: 1, L: 1, M: 6	9-20	166, 344
CRF0578	Hypothetical protein	14-25,32-46	G: 1, L: 7, M: 12	6-19	167, 345
CRF0626	Hypothetical protein	5-30	L: 43	14-33	168, 346
CRF0870	Hypothetical protein	4-15,28-35,46-55,59-65,76-84	H: 6, I: 1, L: 8	9-24	169, 347
CRF0894	Hypothetical protein	27-33	L: 5	5-19	170, 348
CRF0922	Hypothetical protein	5-13	E: 11, F: 3, G: 1, H: 7, I: 1, L: 4	8-18	171, 349
CRF1012	Hypothetical protein	9-22,24-34	L: 3	21-40	172, 350
CRF1100	Hypothetical protein	4-17,35-41,46-89,93-98	E: 1, H: 5, I: 2, L: 4	71-89	173, 351
CRF1301	Hypothetical protein	4-12,14-24	H: 9, I: 2	2-17	174, 352
CRF1354	Hypothetical protein	9-17	I: 2, M: 16	5-16	175, 353
CRF1422	Hypothetical protein	7-41,48-58,63-75,80-89	G: 2, H: 1	43-53	176, 354

<i>H. pylori</i> antigenic protein	Putative function (by homology)	predicted immunogenic aa**	No. of selected clones per ORF and screen	Location of identified immunogenic region (aa)	Seq. ID (DNA, Prot.)
			L: 62		354
CRF1489	Hypothetical protein	4-22,25-30	E: 1, F: 1, H: 5, L: 10	4-14	177, 355
CRF1549	Hypothetical protein	4-55	G: 1, M: 7	18-33	178, 356



Claims:

1. An isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence which is selected from the group consisting of:
 - a) a nucleic acid molecule having at least 70% sequence identity to a nucleic acid molecule selected from Seq ID No 3-4, 16, 19-21, 28-29, 33-38, 41-42, 44, 48-52, 55, 57-58, 61, 63, 65, 67-68, 72, 74-75, 81, 84, 91, 94, 96-97, 101, 105-108, 112, 115-117, 119, 123-178,
 - b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
 - c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
 - d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b), or c)
 - e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid molecule defined in a), b), c) or d).
2. The isolated nucleic acid molecule according to claim 1, wherein the sequence identity is at least 80%, preferably at least 95%, especially 100%.
3. An isolated nucleic acid molecule encoding a hyperimmune serum reactive antigen or a fragment thereof comprising a nucleic acid sequence selected from the group consisting of
 - a) a nucleic acid molecule having at least 96% sequence identity to a nucleic acid molecule selected from Seq ID No 8-10, 13-15, 17-18, 24, 27, 32, 39-40, 45-47, 56, 59, 62, 69-70, 73, 77, 79, 82, 85-86, 88, 90, 103, 109-110, 114, 121.
 - b) a nucleic acid molecule which is complementary to the nucleic acid molecule of a),
 - c) a nucleic acid molecule comprising at least 15 sequential bases of the nucleic acid molecule of a) or b)
 - d) a nucleic acid molecule which anneals under stringent hybridisation conditions to the nucleic acid molecule of a), b) or c),
 - e) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).
4. An isolated nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of
 - a) a nucleic acid molecule selected from Seq ID No 5, 7, 30-31, 53, 60, 66, 76, 83, 87, 92, 99, 120,
 - b) a nucleic acid molecule which is complementary to the nucleic acid of a),
 - c) a nucleic acid molecule which, but for the degeneracy of the genetic code, would hybridise to the nucleic acid defined in a), b), c) or d).
5. The nucleic acid molecule according to any one of the claims 1, 2, 3 or 4, wherein the nucleic acid is DNA.
6. The nucleic acid molecule according to any one of the claims 1, 2, 3, 4, or 5 wherein the nucleic acid is RNA.
7. An isolated nucleic acid molecule according to any one of claims 1 to 5, wherein the nucleic acid molecule is isolated from a genomic DNA, especially from a *H. pylori* genomic DNA.
8. A vector comprising a nucleic acid molecule according to any one of claims 1 to 7.
9. A vector according to claim 8, wherein the vector is adapted for recombinant expression of the hyperimmune serum reactive antigens or fragment thereof encoded by the nucleic acid molecule according to any one of claims 1 to 7.

10. A host cell comprising the vector according to claim 8 or 9.
11. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 1, 2, 5, 6 or 7 and fragments thereof, wherein the amino acid sequence is selected from the group consisting of Seq ID No 181-182, 194, 197-199, 206-207, 211-216, 219-220, 222, 226-230, 233, 235-236, 239, 241, 243, 245-246, 250, 252-253, 259, 262, 269, 272, 274-275, 279, 283-286, 290, 293-295, 297, 301-356.
12. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 3, 5, 6, or 7 and fragments thereof, wherein the amino acid sequence is selected from the group consisting of Seq ID No 186-188, 191-193, 195-196, 202, 205, 210, 217-218, 223-225, 234, 237, 240, 247-248, 251, 255, 257, 260, 263-264, 266, 268, 281, 287-288, 292, 299.
13. A hyperimmune serum-reactive antigen comprising an amino acid sequence being encoded by a nucleic acid molecule according to any one of the claims 4, 5, 6, or 7 and fragments thereof, wherein the amino acid sequence is selected from the group consisting of Seq ID No 183, 185, 208-209, 231, 238, 244, 254, 261, 265, 270, 277, 298.
14. Fragments of hyperimmune serum-reactive antigens selected from the group consisting of peptides comprising amino acid sequences of column "predicted immunogenic aa" and "location of identified immunogenic region" of Table 1, especially peptides comprising amino acid 63-91, 95-101, 110-116, 134-148, 150-156, 158-164, 188-193, 197-209, 226-241, 247-254, 291-297, 312-319, 338-346, 351-358, 366-378, 404-410, 420-438, 448-454, 465-473, 482-488, 490-498, 503-510, 512-519, 531-543, 547-554, 568-575, 589-604, 610-631 and 239-308 of Seq ID No 179; 16-29, 35-47, 50-68, 70-79, 91-101, 143-149, 158-163, 185-191, 196-206, 215-224, 230-237, 244-251, 258-278, 290-311, 319-325, 338-351, 365-385, 396-429, 445-454, 458-466, 491-499, 501-521, 17-79 and 218-233 of Seq ID No 180; 4-10, 16-41, 46-66, 77-84, 91-97, 102-118, 125-144, 187-200, 202-214, 245-253, 255-261, 286-295, 300-330, 335-342, 350-361, 363-381, 385-392, 396-416, 435-450 and 460-470 of Seq ID No 181; 11-19, 27-48, 52-59, 77-82, 84-107, 118-125, 127-154, 178-183, 192-209, 215-221, 286-295, 302-313, 350-357, 402-415, 417-431, 453-463, 465-493 and 313-331 of Seq ID No 182; 19-26, 30-43, 47-55, 63-68, 72-80, 97-104, 107-119, 129-146, 160-175, 194-216, 231-251, 254-260 and 26-43 of Seq ID No 183; 7-13, 29-37, 65-81, 110-120, 123-131, 135-152, 230-249, 254-260, 284-290, 292-299, 317-326, 329-336, 403-444, 452-458, 466-477, 490-498, 510-519, 541-550, 557-566 and 533-567 of Seq ID No 184; 5-47, 71-77, 79-86, 89-95, 120-126, 137-144, 176-181, 184-196, 202-208, 211-232, 236-282, 301-313, 317-325, 341-347, 353-384, 394-400, 412-433, 436-443 and 59-75 of Seq ID No 185; 4-18, 22-38, 59-69, 106-112, 116-130, 138-149, 156-170, 175-197, 200-214, 216-223, 233-244, 255-261, 266-276, 279-286, 325-333, 342-348, 366-399, 402-420, 429-441, 1-104 and 130-147 of Seq ID No 186; 50-58, 69-95, 97-113, 131-136, 157-163, 170-175, 188-212, 220-226, 254-259, 265-277, 283-289, 297-308, 311-318, 347-358, 360-369, 378-401, 416-421, 440-450, 454-462, 470-476, 493-502, 506-514, 536-567, 585-590, 598-607, 613-618, 653-659 and 35-46 of Seq ID No 187; 16-29, 32-60, 65-87, 89-123, 128-134, 137-158, 162-173, 178-196, 210-216, 218-228 and 206-225 of Seq ID No 188; 10-20, 26-35, 51-64, 86-91, 94-100, 113-122, 154-160, 185-191, 193-201, 211-217, 225-230, 237-246, 251-257, 298-304, 306-312, 316-328, 340-348, 357-389, 391-397, 415-421, 449-456, 458-471, 488-495, 502-511, 24-55 and 236-341 of Seq ID No 189; 5-22, 41-51, 87-93, 114-122, 127-136, 150-156, 158-166, 223-233, 245-263, 291-296, 9-126 and 127-285 of Seq ID No 190; 30-43, 46-56, 61-70, 72-83, 85-93, 103-113, 119-125, 151-166, 179-191, 212-218, 225-231, 236-243, 262-267, 291-307, 331-344, 349-355, 366-372, 380-386, 414-422, 428-447, 459-464, 469-478, 507-519, 525-544, 563-569, 576-590, 620-626, 633-643, 654-659, 665-671, 684-707, 717-723, 725-733, 747-779, 782-801 and 347-361 of Seq ID No 191; 4-12, 14-26, 37-80, 107-115, 133-139, 144-150, 154-165, 173-180, 191-199, 205-211, 221-231, 237-244, 254-284, 307-340, 342-353, 360-368, 370-380, 479-493, 495-503, 509-522, 525-536, 539-547, 554-560,

565-573, 578-583, 7-23 and 465-479 of Seq ID No 192; 4-17, 47-55, 76-83, 85-100, 104-112, 117-123, 126-135, 142-148, 156-167, 174-182, 267-273 and 258-283 of Seq ID No 193; 8-32, 36-42, 65-88, 102-108, 112-140, 147-163, 170-179, 183-193 and 117-124 of Seq ID No 194; 12-18, 45-50, 62-77, 82-95, 99-113, 115-123, 125-147, 155-177, 187-209, 211-223, 244-253, 259-270, 278-297, 302-307, 311-318, 329-334, 350-356, 359-365, 390-400, 402-413 and 333-350 of Seq ID No 195; 4-13, 15-27, 30-46, 53-58, 68-74, 82-95, 115-126, 134-139, 148-153, 159-176, 182-199, 201-217, 220-225, 227-235, 237-248, 253-266, 300-315, 322-336, 390-396, 412-426, 438-445, 448-459, 477-484, 502-508, 515-527, 529-537, 553-568, 643-651, 658-667, 690-703 and 376-400 of Seq ID No 196; 4-10, 24-32, 38-55, 59-67, 70-77, 80-87, 89-97, 123-129, 134-151, 166-172, 178-189, 191-216, 218-235, 245-259, 271-315, 326-339, 341-360 and 73-94 of Seq ID No 197; 13-25, 31-38, 43-57, 79-85, 92-99, 106-112, 117-128, 130-139, 146-158, 160-175, 194-204, 211-222, 225-232, 234-242, 263-270, 278-292, 299-320, 322-333 and 240-256 of Seq ID No 198; 4-17, 55-63, 66-101, 109-131, 135-143, 145-151, 155-161, 164-170, 177-185, 192-198, 213-218, 223-238, 246-256, 258-268, 273-283, 309-314, 322-328 and 195-221 of Seq ID No 199; 13-24, 31-39, 41-50, 63-69, 90-96, 104-109, 116-141, 148-153, 161-167, 173-178, 190-209, 253-258, 265-272, 279-289, 295-312, 317-343, 355-366, 376-389, 400-407, 430-451, 453-464, 466-472, 487-493, 499-505, 523-538, 554-559, 568-579, 584-601 and 344-363 of Seq ID No 200; 5-22, 30-36, 53-59, 61-70, 82-92, 99-106, 120-131, 135-148, 154-167, 169-183, 187-199, 204-212, 231-247 and 111-249 of Seq ID No 201; 17-36, 40-66, 71-144, 148-171, 173-191, 199-214, 220-252, 265-272, 278-288, 298-333, 342-385 and 287-307 of Seq ID No 202; 4-16, 22-28, 30-36, 42-48, 95-116, 154-162, 164-174, 239-252, 258-263, 273-285, 306-313, 323-333, 341-357, 363-369, 372-379, 395-401, 430-436, 438-453, 464-480, 33-44, 233-258 and 349-369 of Seq ID No 203; 4-21, 30-37, 46-53, 59-68, 80-92, 98-104, 118-143, 150-160, 165-185, 187-200, 204-211, 224-236, 241-246, 252-258, 271-280, 288-294, 311-320, 335-341 and 191-350 of Seq ID No 204; 4-16, 37-59, 64-70, 79-87, 93-102, 107-127, 143-165, 172-188, 197-204, 207-218, 221-227, 242-248, 258-277, 289-296, 298-316, 332-338, 344-365, 367-373, 375-382, 400-408, 415-425, 438-446 and 235-250 of Seq ID No 205; 4-37, 39-66, 84-98, 101-127, 140-149, 157-163, 166-172, 175-182, 184-193, 203-208, 215-232, 234-247, 250-299, 303-345 and 183-204 of Seq ID No 206; 10-20, 41-61, 73-87, 112-141, 176-192, 194-201, 205-222, 230-237, 257-264, 276-282, 284-310, 312-318, 330-337, 349-357 and 304-328 of Seq ID No 207; 4-31, 42-103, 105-113, 121-153, 160-181, 188-196, 210-226, 231-264, 272-287, 297-304, 328-336 and 304-318 of Seq ID No 208; 21-43, 46-52, 54-70, 72-79, 94-107, 133-141, 160-166, 217-253, 311-317, 359-365, 374-381, 390-395, 434-440, 488-494, 497-502, 511-522, 554-563, 565-574, 577-585, 591-598, 601-606, 617-625, 633-643, 658-664, 676-682, 694-702, 710-719, 754-760, 782-788, 802-808, 916-921, 942-948, 955-964, 973-979, 992-998, 1006-1011, 1016-1023, 1030-1038, 1046-1053, 1059-1066, 1088-1098, 1119-1126, 1129-1135, 1156-1171, 1173-1181, 1202-1210, 1255-1261, 1268-1280, 1295-1310, 1312-1320, 1375-1381, 1406-1417, 1450-1471, 1478-1492, 1498-1506, 1569-1578, 1603-1608, 1611-1624, 1648-1655, 1663-1670, 1680-1698, 1702-1707, 1713-1719, 1737-1742, 1747-1753, 1762-1769, 1771-1785, 1790-1804, 1811-1818, 1830-1836, 1838-1852, 1874-1886, 1893-1899, 1902-1909, 1942-1948, 1952-1962, 1980-1986, 2001-2017, 2020-2028, 2042-2050, 2052-2068, 2074-2079, 2083-2095, 2107-2113, 2147-2155, 2177-2194, 2203-2211, 2236-2241, 2251-2258, 2267-2274, 2285-2292, 2314-2328, 2330-2340, 2358-2365, 2390-2401, 2408-2418, 2432-2453, 2463-2476, 2486-2507, 2528-2537, 2540-2548, 2552-2558, 2568-2576, 2596-2601, 2610-2622, 2629-2638, 2653-2669, 2718-2727, 2749-2767, 2777-2784, 2789-2795, 2806-2815, 2817-2824, 2835-2843, 2847-2854, 2860-2881, 511-523, 612-630 and 1790-1803 of Seq ID No 209; 4-54, 61-68, 72-82, 86-93, 100-108, 115-130, 147-154, 187-194, 196-207, 224-229, 236-251, 275-287 and 96-109 of Seq ID No 210; 31-39, 62-69, 91-101, 158-172, 175-180, 186-193, 201-208, 210-223, 243-250, 273-286, 293-299, 319-325, 343-354, 356-365, 368-384, 414-435, 471-491, 512-518, 550-556, 567-581, 584-589, 633-639, 680-692, 697-708, 716-721, 747-754, 779-786, 810-816 and 366-503 of Seq ID No 211; 5-20, 22-48, 57-65, 96-101, 111-122, 130-145, 154-164, 170-181, 193-199, 201-216, 224-241, 244-262, 281-323, 342-351, 359-367, 369-396, 406-416, 424-433, 450-456, 485-491, 493-499, 501-515, 517-535 and 289-305 of Seq ID No 212; 4-17, 22-44, 53-60, 66-83, 87-94, 101-106, 110-116, 131-137, 148-183, 189-207, 209-215, 233-242, 251-262, 264-272, 290-296, 308-327, 359-373, 375-380, 397-405, 415-420, 426-433, 444-475, 478-484, 529-536, 548-558 and 106-126 of Seq ID No 213; 4-38, 42-50, 58-64, 72-81, 92-118, 140-146, 157-165, 172-192, 198-204, 208-216, 227-234, 238-258, 271-278, 288-293, 311-322, 327-346, 357-370, 375-383, 395-409, 411-417, 425-432, 436-445, 109-129 and 370-380 of Seq ID No 214; 23-30, 36-49, 52-64, 86-94, 97-104, 121-129,

257-272, 279-286, 288-294, 307-327, 334-340, 369-375, 377-386, 406-412, 418-423, 430-438, 441-447, 459-465, 469-476, 482-488, 510-546, 550-580, 584-622, 638-645, 653-659, 675-683, 692-705, 723-731, 752-761, 788-795 and 54-72 of Seq ID No 215; 11-33, 36-46, 88-104, 116-126, 134-170, 189-195, 199-217, 225-250, 255-261, 266-273, 280-291, 296-313, 334-341, 343-349, 354-360, 362-369, 373-380, 387-401, 406-420 and 259-273 of Seq ID No 216; 9-14, 28-44, 57-64, 72-79, 86-93, 104-111, 116-126, 142-150, 159-164 and 61-86 of Seq ID No 217; 10-17, 26-33, 43-61, 69-95, 101-107, 109-125, 129-135, 137-144, 147-153, 158-169, 177-187, 209-219, 221-232, 235-247, 261-268, 271-282, 296-302, 306-347, 355-362, 364-379, 386-399, 409-418, 424-442, 451-460, 467-479, 490-498 and 60-74 of Seq ID No 218; 8-14, 20-31, 65-84, 94-99, 154-179, 193-207, 238-253 and 96-118 of Seq ID No 219; 4-24, 30-44, 47-62, 84-93, 108-116, 124-133, 136-141, 201-209, 217-223, 228-235, 238-245, 247-270, 275-285, 290-314, 328-338, 342-349, 353-365, 375-383, 386-392, 394-402, 417-427, 443-459, 465-481, 492-514, 516-524, 550-566, 602-617, 630-639, 666-676, 687-693, 719-730, 747-753, 783-790, 799-816, 824-831, 837-842 and 167-189 of Seq ID No 220; 6-15, 18-28, 58-66, 84-101, 106-129, 136-151, 154-165, 182-203, 205-211, 214-220, 222-228, 233-240, 251-260, 270-277, 284-291, 306-315, 322-328, 363-369, 378-388, 392-405, 443-452, 495-501, 512-523, 574-583 and 362-375 of Seq ID No 221; 5-25, 27-34, 47-59, 64-70, 76-86, 145-158, 166-183, 189-202, 217-231, 235-242, 260-270, 278-309 and 1-102 of Seq ID No 222; 4-19, 24-76, 78-83, 90-99, 102-109, 114-122, 137-147, 154-174, 177-188, 203-212, 217-223, 227-239 and 226-325 of Seq ID No 223; 7-37, 71-90, 94-109, 117-128, 141-153, 179-192, 199-206, 225-231, 237-243, 258-264 and 40-51 of Seq ID No 224; 13-19, 25-30, 46-59, 75-91, 101-107, 114-124, 129-135, 137-145, 160-167, 171-179, 187-194, 209-215, 217-222, 229-239, 243-249, 257-265, 269-275, 299-308, 310-327 and 282-300 of Seq ID No 225; 86-100, 216-230, 342-369, 382-388, 424-430, 438-445, 452-458, 488-494, 501-518, 554-560, 568-574, 584-592, 603-609, 611-629, 639-645, 652-661, 669-699, 708-714, 726-738, 747-753, 763-775, 785-791, 794-807, 815-824, 826-845, 854-860, 863-868, 870-883, 892-898, 901-906, 909-921, 930-937, 946-959, 968-974, 977-990, 998-1007, 1009-1027, 1037-1043, 1046-1051, 1053-1066, 1075-1081, 1084-1089, 1092-1103, 1113-1119, 1122-1135, 1143-1152, 1154-1172, 1182-1188, 1191-1196, 1200-1210, 1220-1226, 1229-1235, 1237-1249, 1259-1265, 1268-1281, 1289-1298, 1305-1318, 1328-1334, 1337-1343, 1345-1357, 1367-1373, 1390-1396, 1405-1411, 1418-1423, 1426-1435, 1445-1455, 1474-1483, 1493-1500, 1505-1512, 1517-1524, 1538-1544, 1568-1578, 1595-1601, 1674-1682, 1687-1720, 1728-1736, 1738-1744, 1754-1761, 1764-1774, 1798-1824, 1836-1842, 1886-1893, 1895-1903, 366-781, 782-1518 and 1731-1747 of Seq ID No 226; 4-17, 20-39, 46-55, 60-66, 102-110, 114-122, 125-131, 161-167, 172-178, 185-190, 195-202, 218-232, 236-252, 264-291, 293-302, 309-315, 324-339 and 169-381 of Seq ID No 227; 5-10, 13-40, 42-53, 69-75, 83-89, 120-135, 150-161, 174-190, 203-225, 229-247, 257-287, 318-348 and 30-200 of Seq ID No 228; 7-19, 43-53, 64-72, 124-139, 52-84 and 120-131 of Seq ID No 229; 12-19, 39-48, 58-100, 117-123, 154-162, 164-187, 189-195, 202-216, 218-235, 241-246, 262-278, 315-328, 333-347, 354-366, 372-379, 391-405, 422-429, 431-442, 444-450, 458-466, 478-485, 494-501, 504-510, 520-535, 573-580, 589-598, 615-625, 666-676, 686-698, 722-729, 737-746, 756-767, 787-796, 805-816, 824-829, 833-848, 856-864, 866-876, 879-886, 898-904, 918-924, 927-934, 941-960, 967-978 and 561-575 of Seq ID No 230; 11-29, 49-55, 70-77, 84-100, 102-112, 148-155, 160-177, 181-204 and 1-104 of Seq ID No 231; 27-44, 64-71, 122-133, 151-156, 164-178, 214-220, 226-232, 235-244, 253-262, 282-288, 294-310, 317-325, 350-356, 362-368, 376-383, 438-443, 449-454, 459-464, 492-498, 500-511, 529-535, 538-546, 567-573, 597-603, 660-665, 674-679, 724-734, 763-769, 773-784, 791-801, 807-815, 821-826, 840-848, 863-868, 897-902, 908-928, 932-953, 956-975, 980-987, 990-996, 1012-1018, 1042-1063, 1095-1116, 1149-1157, 1160-1167, 110-357, 358-501 and 502-1161 of Seq ID No 232; 4-21, 64-71, 73-84, 128-138, 144-162, 203-217, 240-263, 288-298, 300-308, 310-317, 325-351, 369-380, 391-411 and 330-345 of Seq ID No 233; 5-11, 25-31, 39-48, 51-79, 89-98, 100-122, 135-148, 166-201, 203-227, 230-250, 254-260, 266-272, 274-282, 299-305, 328-337 and 31-45 of Seq ID No 234; 12-23, 29-48, 51-60, 66-72, 75-81, 83-93, 103-115, 133-148, 168-174, 195-204, 222-229, 231-240, 242-251, 270-280, 286-305, 322-344, 349-360, 364-370, 378-400, 421-441, 448-484, 486-493, 495-501, 504-534, 547-561, 567-590, 597-607, 621-635, 643-649, 658-685, 688-694, 702-711, 717-731, 737-742, 759-765, 767-772, 776-786, 803-809, 815-825, 854-908, 910-919, 923-930, 942-948, 961-975, 994-1014 and 915-940 of Seq ID No 235; 4-9, 32-47, 51-61, 75-96, 139-191 and 1-124 of Seq ID No 236; 4-13, 17-38, 43-49, 55-76, 88-95, 110-121, 128-146, 151-157, 162-214, 222-240, 243-249, 251-273, 275-281, 292-298, 300-309, 312-320, 322-331, 355-369, 376-408, 446-460, 471-482, 485-509

and 191-203 of Seq ID No 237; 4-21, 72-82, 89-103, 106-115, 118-124, 140-146, 174-184, 191-200, 204-213, 218-224, 261-266, 282-293, 299-309, 311-340, 342-358, 362-372, 381-389, 391-402, 413-421, 438-447, 457-464, 470-478, 501-507, 545-560, 578-624, 631-641, 658-670, 680-689, 717-738, 753-759, 795-805, 816-822, 830-838, 842-848, 869-881, 892-898, 33-51 and 818-835 of Seq ID No 238; 4-21, 79-85, 156-177, 183-188, 206-214, 243-249, 261-269, 287-292, 315-322, 334-345, 360-366, 374-390, 402-411, 37-97 and 260-399 of Seq ID No 239; 4-9, 19-54, 58-78, 97-104, 111-120, 126-134, 137-145, 163-173, 178-188, 193-203, 211-224, 246-286, 288-324, 337-346, 355-362, 374-390, 392-398, 409-417 and 240-249 of Seq ID No 240; 5-12, 14-31, 35-41, 43-61, 82-92, 97-105, 134-145, 155-166, 184-203, 215-223, 225-251, 272-279, 281-306, 310-345, 358-418, 435-473, 482-490, 525-532, 538-547, 549-563, 578-604, 613-639 and 144-154 of Seq ID No 241; 53-59, 64-72, 74-100, 133-152, 154-172, 176-181, 207-214, 225-238, 275-297, 304-310, 331-340, 362-367, 384-395, 403-410, 437-443, 448-456, 482-490, 579-597, 602-610, 625-630, 633-651, 699-707, 709-715, 734-743, 750-762 and 544-685 of Seq ID No 242; 12-18, 22-40, 45-83, 89-97, 103-109, 147-153, 159-173, 195-204, 210-219, 243-253, 259-265, 273-282, 303-309, 315-325, 332-340, 346-358, 362-367, 377-390, 393-402, 418-426, 447-455, 467-480, 505-512, 514-525, 548-561, 566-576, 584-596, 619-626, 638-645, 649-659, 661-680, 699-708, 714-720, 753-759, 766-772, 775-781, 801-808, 202-218, 282-299, 339-350 and 617-628 of Seq ID No 243; 5-33, 52-62, 87-101, 111-135, 137-143, 145-152, 190-202, 209-221, 233-245, 253-270 and 151-215 of Seq ID No 244; 19-29, 32-39, 42-48, 75-94, 124-135, 137-145, 152-160, 176-182, 193-203, 215-236, 266-273, 275-291, 297-306, 311-319, 322-342, 348-360, 369-378, 394-401 and 48-64 of Seq ID No 245; 4-11, 13-33, 36-43, 53-63, 65-80, 112-129, 134-141, 143-155, 157-168, 178-188, 191-199, 201-207, 215-229, 242-255, 263-270, 283-315, 320-329, 333-338, 340-349, 412-426, 465-478, 485-490, 498-512, 540-554 and 390-516 of Seq ID No 246; 4-18, 23-32, 41-47, 54-70, 88-99, 104-111, 118-138, 143-148, 150-162, 168-175, 181-188, 203-211, 214-220, 227-245, 251-268, 275-281, 287-296, 323-333 and 1-90 of Seq ID No 247; 8-34, 38-49, 72-83, 85-91, 94-104, 112-125, 134-142, 148-168, 181-189, 191-198, 202-214, 222-233, 242-254, 256-262, 273-278, 287-294, 314-325 and 141-159 of Seq ID No 248; 4-24, 30-36, 47-75, 82-105, 124-134, 151-157, 192-202, 208-214, 219-226, 234-247, 285-290, 318-324, 332-340, 343-349, 380-386, 453-462, 472-478, 484-501, 531-540, 550-557, 604-612, 620-625, 642-648, 652-671, 64-84, 93-180 and 181-446 of Seq ID No 249; 12-18, 24-32, 68-75, 77-83, 96-101, 109-116, 129-136, 152-164, 175-184, 190-199, 206-215, 224-233, 241-250, 258-264, 273-292, 302-312, 319-331, 334-346, 348-368, 387-395, 408-416, 420-429, 437-452 and 364-374 of Seq ID No 250; 11-28, 36-52, 60-67, 74-79, 108-116 and 61-76 of Seq ID No 251; 20-27, 38-49, 69-74, 84-107, 138-145, 161-168, 179-195, 210-226, 228-252, 267-281, 283-296, 305-311, 333-340, 342-356, 361-372, 380-399, 401-414, 458-466, 475-481, 492-507, 515-520 and 146-160 of Seq ID No 252; 43-61, 68-74, 76-90, 120-128, 130-149, 156-161, 164-182, 206-234, 242-252, 269-274, 291-304, 332-345, 349-355, 360-371, 374-388, 434-440, 447-453, 459-465, 469-496, 504-522 and 261-285 of Seq ID No 253; 4-17, 24-30, 37-49, 87-98, 118-124, 126-136, 144-171, 176-188, 206-214, 216-228, 233-240, 246-252, 262-271, 277-297, 307-330, 333-342, 346-352, 355-361, 368-386, 391-400, 413-420, 474-480 and 401-427 of Seq ID No 254; 15-26, 31-46, 51-72, 80-93, 96-109, 131-137, 150-158, 179-185, 189-209, 211-219, 221-234, 241-247, 255-262, 265-271, 283-288 and 173-190 of Seq ID No 255; 28-37, 39-45, 51-58, 77-84, 89-97, 132-148, 171-180, 199-205, 212-218, 220-226, 257-265, 273-300, 307-327, 334-340, 344-365, 385-390, 402-408, 426-436, 450-468, 476-485 and 425-497 of Seq ID No 256; 4-25, 70-76, 80-88, 90-100, 120-128, 162-169, 183-203, 261-277, 279-289, 291-297, 302-308, 321-327, 339-353, 358-377, 392-401, 404-410, 414-422, 443-450, 456-461, 470-488, 490-497, 510-535, 570-611, 618-630, 639-647, 649-660, 668-690, 702-716, 718-724, 737-747, 750-764 and 497-509 of Seq ID No 257; 12-48, 50-64, 99-108, 216-223, 235-241, 244-254, 262-274, 287-293, 310-316, 320-326, 361-366, 377-383, 390-395, 408-414, 418-425, 438-444, 462-469, 494-505, 524-530, 536-547, 551-566, 592-598, 601-613, 678-685, 687-695, 709-717, 727-737, 751-757, 760-765, 772-778, 782-788, 801-807, 822-830, 859-868, 870-878, 884-890, 898-903, 909-919, 953-969, 973-980, 990-1000, 1002-1019, 1041-1047, 1059-1065, 1090-1095, 1116-1127, 1130-1139, 1143-1149, 1151-1168, 1178-1183, 1188-1195, 1197-1209, 1213-1220, 1226-1234, 1236-1247, 1255-1274, 1276-1282, 76-100, 270-284, 309-438, 493-505, 786-942 and 947-967 of Seq ID No 258; 4-9, 24-34, 46-95, 97-109, 119-130 and 138-156 of Seq ID No 259; 9-26, 28-35, 43-53, 55-68, 83-92, 99-105, 110-135, 139-149, 157-162, 164-170, 173-183, 193-208, 210-230, 239-245, 253-259, 263-271, 293-305, 310-320, 322-331, 336-343, 351-364, 367-376, 92-107 and 154-173 of Seq ID No 260; 19-39, 52-62, 108-117, 145-152, 160-168, 194-203, 229-240, 252-

268, 280-287, 308-316, 333-339, 383-390, 403-412, 414-424, 438-445, 464-472, 479-484, 489-505, 510-526 and 247-260 of Seq ID No 261; 5-17, 25-52, 60-77, 105-113, 118-125, 162-167, 228-234, 272-279, 328-334, 341-357, 381-395, 400-406, 512-518, 557-569, 586-592, 645-651, 690-695, 701-709, 720-726, 733-743, 751-758, 781-786, 879-886, 929-934, 939-944, 952-960, 965-975, 994-1001, 1039-1045, 1102-1109, 1164-1181, 1198-1206, 1223-1229, 1253-1259, 1283-1292, 1312-1317, 1339-1349, 1360-1370, 1389-1398, 1400-1412, 1452-1465, 1470-1484, 1490-1497, 1519-1525, 1554-1564, 1578-1591, 1623-1636, 1638-1646, 1669-1679, 1685-1697, 1704-1711, 1713-1720, 1730-1736, 1738-1749, 1756-1764, 1778-1786, 1796-1803, 1817-1826, 1849-1866, 1975-1993, 2017-2032, 2044-2053, 2070-2086, 2091-2109, 2116-2127, 2156-2167, 2182-2188, 2197-2202, 2244-2252, 2281-2287, 2290-2307, 2350-2361, 2383-2404, 2425-2433, 2445-2455, 2495-2505 and 394-549 of Seq ID No 262; 9-24, 31-53, 57-67, 69-79, 84-114, 133-141, 144-172, 178-186 and 13-46 of Seq ID No 263; 4-25, 27-35, 43-52, 59-70, 79-91, 115-130, 136-152, 154-163, 170-179 and 1-58 of Seq ID No 264; 4-30, 49-55, 71-80, 96-105, 111-126, 139-146, 149-162, 239-245, 279-285, 290-296, 300-307, 331-337, 343-350 and 250-351 of Seq ID No 265; 9-27, 34-41, 43-51, 92-111, 114-120, 123-131, 139-150, 156-171, 176-186, 188-204, 229-241, 252-258, 266-279, 288-297, 319-334, 338-348, 373-379, 389-398, 431-439, 479-484 and 214-398 of Seq ID No 266; 4-15, 18-27, 47-52, 68-83, 91-97, 104-110, 115-121, 139-147, 157-164, 198-206, 227-236, 241-254, 264-273, 278-289, 311-320, 353-361, 372-383, 405-420, 426-434 and 232-386 of Seq ID No 267; 4-10, 24-34, 91-97, 129-141, 156-163, 184-190, 205-219, 229-235, 256-273, 278-285 and 93-116 of Seq ID No 268; 7-29, 35-54, 71-83, 85-91, 104-111, 122-134, 138-144, 146-154, 158-174, 177-183, 186-201, 207-215, 223-235, 240-247, 262-273, 275-283, 287-292 and 48-66 of Seq ID No 269; 7-27, 31-47, 49-70, 75-102, 110-149, 157-171, 217-223, 235-251, 294-302, 358-364, 367-375, 387-393, 395-412, 423-430, 441-451, 456-470, 472-486, 488-495, 499-509, 515-529, 536-549, 556-570, 574-603, 607-615, 625-633, 642-658, 670-676, 683-702, 708-716, 720-726, 747-756, 763-784, 803-812, 815-826 and 475-490 of Seq ID No 270; 7-22, 30-38, 53-59, 64-75, 83-95, 97-112, 120-131, 133-142, 145-151, 154-166, 172-180, 189-203, 227-238, 277-287, 9-156 and 174-287 of Seq ID No 271; 13-23, 25-32, 111-117, 150-164, 185-193, 207-212, 216-224, 230-236, 263-272, 304-311, 342-348, 374-385, 391-407, 444-458, 480-487, 489-499, 523-542, 544-558, 572-579, 620-640, 686-696, 703-710, 742-755, 765-772, 817-822, 830-837, 865-872, 931-937 and 66-86 of Seq ID No 272; 4-27, 49-56, 62-70, 86-92, 121-127, 151-163, 170-182, 195-202, 212-226, 237-243 and 234-254 of Seq ID No 273; 4-10, 13-24, 39-51, 62-78, 92-104, 107-117, 134-141, 156-161, 166-181, 210-216, 222-229, 256-266, 273-280, 297-304, 313-330, 336-349, 371-376, 433-439, 443-448, 488-493, 506-515, 527-534, 560-572, 575-583, 587-593 and 252-483 of Seq ID No 274; 4-15, 21-38, 45-56, 81-95, 102-108, 118-130, 133-147, 152-162, 166-171, 199-204, 211-218, 230-240, 253-261, 274-283, 288-294, 312-317, 325-336, 344-357, 391-414 and 24-146 of Seq ID No 275; 26-31, 38-56, 65-82, 90-101, 112-119, 123-153, 175-188, 197-216, 234-242, 249-265, 273-286, 290-305, 327-335, 338-346, 361-372, 394-404 and 290-306 of Seq ID No 276; 17-26, 43-48, 50-73, 81-93, 95-107, 139-146, 158-168, 171-176, 190-196, 202-212, 216-223, 243-266, 274-282, 308-313, 324-330, 344-378, 380-387, 403-422, 427-443, 448-455, 457-465, 491-515, 517-528, 553-567, 589-599, 610-617, 642-648, 670-697, 709-717, 726-743, 745-759, 769-803, 807-823, 840-849 and 820-851 of Seq ID No 277; 4-18, 39-48, 53-63, 66-90, 102-117, 125-134, 137-145, 156-162, 169-197, 26-40 and 56-80 of Seq ID No 278; 21-33, 36-42, 49-60, 68-76, 91-105, 123-130, 141-161, 169-178, 185-190, 192-199, 205-214, 223-233, 239-247, 260-269, 284-293, 300-314, 324-352, 357-364, 373-382, 389-403, 420-432, 438-446, 466-471, 477-484, 503-509, 549-556, 558-576, 600-623, 625-635, 654-661, 663-669, 671-687, 702-716, 735-741, 744-750, 757-766, 776-786, 807-815, 824-832, 854-860, 863-897, 909-915, 920-946, 952-959, 982-997, 1024-1038, 1049-1055, 1071-1085, 1104-1113, 1121-1132, 1138-1150, 1187-1196, 1212-1221, 1227-1236, 1257-1262, 1264-1278, 1282-1294, 1307-1318, 1353-1370, 1382-1388, 1396-1409, 1434-1440, 1446-1454, 1465-1478, 1485-1513, 1516-1529, 1540-1545, 1563-1568, 1575-1593, 1607-1616, 1628-1645, 1648-1661, 1676-1682, 1689-1697, 1713-1719, 1739-1749, 1753-1758, 1763-1774, 1797-1803, 1807-1846, 1855-1874, 1877-1891, 1893-1907, 1912-1925, 1931-1943, 1955-1965, 1976-1990, 2032-2043, 2045-2051, 2099-2105, 2131-2138, 2161-2179, 2188-2199, 2205-2216, 2219-2227, 2235-2245, 2247-2267, 2277-2288, 2294-2304, 2314-2326, 2346-2358, 2365-2377, 2383-2402, 2407-2423, 2437-2450, 2454-2473, 2489-2497, 2525-2531, 2557-2570, 2580-2587, 2589-2599, 2621-2641, 2647-2653, 2661-2677, 2685-2690, 2697-2717, 2722-2733, 2739-2777, 2786-2793, 2801-2808, 2811-2822, 2825-2835, 2838-2845, 2859-2871, 2877-2883, 213-344, 954-1080 and 2524-2733 of Seq ID No 279; 10-16, 18-23, 28-41, 63-69, 77-91, 101-109, 118-

136, 146-153, 155-162, 168-179, 192-207, 217-226, 229-235, 239-254, 279-286, 294-307, 313-319, 334-341, 344-353, 363-377, 390-396 and 178-328 of Seq ID No 280; 18-42, 68-84, 89-95, 100-105, 107-115, 125-135, 154-177, 189-195, 205-228, 236-243, 252-259, 279-300, 309-316, 323-331, 340-351, 353-364, 377-402 and 85-97 of Seq ID No 281; 4-18, 26-32, 66-76, 100-126, 151-159, 178-186, 188-194, 200-210, 241-248, 253-259, 262-279, 284-291, 307-313, 315-322, 327-337, 376-386, 399-407, 432-441, 467-473, 487-497, 499-505, 543-549, 560-568, 585-593, 598-604, 608-614, 630-642, 647-653, 690-703, 717-730, 21-200 and 468-480 of Seq ID No 282; 17-49, 52-58, 62-73, 78-97, 100-117, 122-172, 185-190, 193-217, 225-236 and 33-42 of Seq ID No 283; 7-39, 50-58, 73-89, 96-107, 109-120, 126-142, 152-170, 178-202, 205-211, 224-244, 249-259, 261-270, 300-310, 312-325 and 158-169 of Seq ID No 284; 4-31, 40-64, 71-82, 85-92, 102-124, 126-139, 147-152, 159-173, 176-188, 195-207, 210-216, 234-241, 249-256, 258-276, 279-293, 296-302, 310-315, 349-356, 363-378, 380-403, 411-426, 435-441, 448-459, 463-476, 488-494 and 201-221 of Seq ID No 285; 5-13, 15-74, 87-104, 107-120, 123-129, 136-145, 150-191, 193-206, 227-248, 250-264, 278-302, 304-323, 332-378, 384-407, 409-419, 425-457, 462-471, 474-497, 511-545, 555-564, 571-578, 585-598, 640-647, 669-675, 682-691, 693-705, 729-743, 752-761, 772-780, 786-804, 808-818, 822-846, 858-880, 884-900, 910-939, 941-947, 962-971, 973-988, 998-1003, 1007-1027 and 236-259 of Seq ID No 286; 4-19, 27-68, 81-111, 121-160 and 60-79 of Seq ID No 287; 4-37, 40-46, 52-57, 199-205, 222-229, 236-244, 250-267, 269-282 and 27-197 of Seq ID No 288; 4-16, 24-30, 32-38, 63-75, 86-92, 98-111, 113-126, 160-165, 170-180, 198-204, 227-233, 239-245, 253-273, 308-314, 352-365, 382-387, 395-403, 423-429, 472-482, 484-493, 501-507, 518-526, 536-541, 543-550, 556-562, 586-600, 626-633, 649-661, 680-688 and 546-559 of Seq ID No 289; 16-33, 48-59, 63-71, 77-92, 94-109, 117-124, 139-151, 169-181, 184-227, 233-249, 251-261, 263-275, 282-294, 297-321, 326-332, 341-355, 383-399 and 258-272 of Seq ID No 290; 11-26, 31-39, 43-52, 55-62, 64-70, 80-94, 123-133, 135-141, 172-181, 185-206, 209-218, 224-230, 238-244, 251-262, 264-271, 290-301, 306-324, 333-340, 350-357, 367-375, 390-397, 434-441, 443-448, 77-226 and 350-429 of Seq ID No 291; 4-13, 22-27, 31-45, 50-59, 72-96, 99-114, 131-141, 143-150, 159-176, 180-186, 189-198, 208-214, 234-253, 271-287, 294-299, 310-366, 382-390, 398-416, 424-443 and 283-305 of Seq ID No 292; 9-26, 30-53, 62-72, 86-95, 112-122, 136-145, 153-160, 209-221, 227-237, 241-268, 281-288, 291-298, 308-314, 321-328, 336-346, 351-379, 388-397, 409-416, 423-433, 443-481, 511-519 and 213-232 of Seq ID No 293; 12-18, 25-31, 38-50, 59-67, 71-82, 96-126 and 76-88 of Seq ID No 294; 4-25, 39-44, 64-71, 74-88, 100-113, 128-138, 151-162, 164-177, 185-190, 204-213, 233-239, 246-254, 281-286, 293-306, 309-318, 333-347, 349-359, 385-398, 404-423, 458-465, 477-484, 490-499, 501-533, 554-566, 582-590, 596-616, 624-629, 631-639, 654-680, 694-720, 735-743 and 2-100 of Seq ID No 295; 4-16, 36-41, 52-75, 98-107, 109-117, 122-128, 133-139, 141-155, 159-165, 169-182, 187-193, 195-201, 211-224, 230-236, 247-269, 278-290 and 75-92 of Seq ID No 296; 7-21, 25-33, 37-43, 87-94, 103-120, 131-147, 168-174, 197-203, 207-212, 227-237, 247-257, 263-271, 279-287, 298-306, 320-325, 332-340, 363-374, 379-384, 390-401, 403-414, 428-433, 448-457, 462-475, 483-490, 513-519, 525-535, 543-554, 559-566, 571-620, 625-631, 636-642, 659-670, 688-706, 708-723, 770-779, 787-793, 796-807, 820-840, 848-854, 863-874, 895-905, 912-919, 934-942, 968-975, 983-1000, 1012-1019, 1026-1036, 1050-1060, 1064-1070, 1081-1091, 1094-1108, 1112-1118, 1140-1152, 1164-1169, 1172-1180, 1187-1192 and 732-748 of Seq ID No 297; 23-40, 42-59, 66-73, 78-97, 111-128, 130-141, 157-166, 178-183 and 53-71 of Seq ID No 298; 4-27, 38-44, 47-57, 59-85, 99-106, 114-121, 154-166, 181-186, 193-198, 238-244, 253-262, 272-278, 287-299, 314-320, 338-350, 358-368, 382-388, 407-416, 433-446, 456-461, 463-473 and 86-195 of Seq ID No 299; 5-24, 38-59, 64-80, 87-99, 105-126, 134-142, 149-163, 165-179, 181-202, 205-220, 227-233, 243-250, 257-263 and 87-245 of Seq ID No 300; 5-32, 47-53, 66-79, 81-97, 115-151, 155-174, 183-188, 196-210, 215-226, 230-238, 253-258, 263-270, 276-282, 295-301, 304-325, 334-344, 360-390, 397-412, 425-432, 434-462, 478-494, 508-526, 539-564, 571-579, 347-371 and 375-386 of Seq ID No 301; 4-15, 36-44, 49-56, 60-66, 68-82, 84-103, 109-115, 118-141, 147-154, 160-168, 176-185 and 26-39 of Seq ID No 302; 7-13, 23-33 and 13-21 of Seq ID No 303; 2-10 of Seq ID No 304; 4-9, 12-18, 35-42, 49-62 and 6-18 of Seq ID No 305; 19-25 and 1-13 of Seq ID No 306; 15-21, 27-45 and 12-25 of Seq ID No 307; 14-20 and 1-14 of Seq ID No 308; 4-18 and 13-26 of Seq ID No 309; 8-21 and 2-20 of Seq ID No 310; 4-14 and 4-16 of Seq ID No 311; 3-12 of Seq ID No 312; 6-14, 6-25, 35-57 and 2-14 of Seq ID No 313; 6-25, 35-57 and 17-31 of Seq ID No 314; 14-25, 32-46 and 5-19 of Seq ID No 315; 18-31 and 5-16 of Seq ID No 316; 19-24 and 4-26 of Seq ID No 317; 13-21, 29-34, 47-58, 61-73 and 36-47 of Seq ID No 318; 4-15 and 5-24 of Seq

ID No 319; 6-18 of Seq ID No 320; 13-20 and 4-13 of Seq ID No 321; 15-23 of Seq ID No 322; 4-9 and 7-21 of Seq ID No 323; 1-10 of Seq ID No 324; 4-14 of Seq ID No 325; 4-17, 35-41, 46-89, 93-98 and 70-88 of Seq ID No 326; 1-13 of Seq ID No 327; 4-16, 26-32 and 25-38 of Seq ID No 328; 8-15, 23-28 and 4-17 of Seq ID No 329; 4-12 and 1-15 of Seq ID No 330; 4-29, 31-42, 52-58 and 6-16 of Seq ID No 331; 4-9, 24-32 and 9-19 of Seq ID No 332; 4-12, 18-27 and 5-18 of Seq ID No 333; 4-11, 37-56, 58-92 and 18-29 of Seq ID No 334; 8-28 and 20-35 of Seq ID No 335; 4-15 of Seq ID No 336; 4-23, 27-39, 55-63 and 35-58 of Seq ID No 337; 6-26, 28-54 and 28-47 of Seq ID No 338; 4-10, 38-52, 58-82 and 30-49 of Seq ID No 339; 4-22, 29-35, 44-50, 53-68, 70-80 and 20-33 of Seq ID No 340; 22-28, 30-36 and 18-33 of Seq ID No 341; 4-11, 13-21, 25-30 and 20-30 of Seq ID No 342; 10-22 and 10-23 of Seq ID No 343; 4-11 and 9-20 of Seq ID No 344; 14-25, 32-46 and 6-19 of Seq ID No 345; 5-30 and 14-33 of Seq ID No 346; 4-15, 28-35, 46-55, 59-65, 76-84 and 9-24 of Seq ID No 347; 27-33 and 5-19 of Seq ID No 348; 5-13 and 8-18 of Seq ID No 349; 9-22, 24-34 and 21-40 of Seq ID No 350; 4-17, 35-41, 46-89, 93-98 and 71-89 of Seq ID No 351; 4-12, 14-24 and 2-17 of Seq ID No 352; 9-17 and 5-16 of Seq ID No 353; 7-41, 48-58, 63-75, 80-89 and 43-53 of Seq ID No 354; 4-22, 25-30 and 4-14 of Seq ID No 355; 4-55 and 18-33 of Seq ID No 356.

15. A process for producing a *H. pylori* hyperimmune serum reactive antigen or a fragment thereof according to any one of the claims 11 to 14 comprising expressing the nucleic acid molecule according to any one of claims 1 to 7.
16. A process for producing a cell, which expresses a *H. pylori* hyperimmune serum reactive antigen or a fragment thereof according to any one of the claims 11 to 14 comprising transforming or transfecting a suitable host cell with the vector according to claim 8 or claim 9.
17. A pharmaceutical composition, especially a vaccine, comprising a hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of claims 11 to 14 or a nucleic acid molecule according to any one of claims 1 to 7.
18. A pharmaceutical composition, especially a vaccine, according to claim 17, characterized in that it further comprises an immunostimulatory substance, preferably selected from the group comprising polycationic polymers, especially polycationic peptides, immunostimulatory deoxynucleotides (ODNs), peptides containing at least two LysLeuLys motifs, neuroactive compounds, especially human growth hormone, alum, Freund's complete or incomplete adjuvants or combinations thereof.
19. Use of a nucleic acid molecule according to any one of claims 1 to 7 or a hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 for the manufacture of a pharmaceutical preparation, especially for the manufacture of a vaccine against *H. pylori* infection.
20. An antibody, or at least an effective part thereof, which binds at least to a selective part of the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14.
21. An antibody according to claim 20, wherein the antibody is a monoclonal antibody.
22. An antibody according to claim 20 or 21, wherein said effective part comprises Fab fragments.
23. An antibody according to any one of claims 20 to 22, wherein the antibody is a chimeric antibody.
24. An antibody according to any one of claims 20 to 23, wherein the antibody is a humanized antibody.

25. A hybridoma cell line, which produces an antibody according to any one of claims 20 to 24.
26. A method for producing an antibody according to claim 20, characterized by the following steps:
 - initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of the claims 11 to 14, to said animal,
 - removing an antibody containing body fluid from said animal, and
 - producing the antibody by subjecting said antibody containing body fluid to further purification steps.
27. Method for producing an antibody according to claim 21, characterized by the following steps:
 - initiating an immune response in a non-human animal by administering an hyperimmune serum-reactive antigen or a fragment thereof, as defined in any one of the claims 12 to 15, to said animal,
 - removing the spleen or spleen cells from said animal,
 - producing hybridoma cells of said spleen or spleen cells,
 - selecting and cloning hybridoma cells specific for said hyperimmune serum-reactive antigens or a fragment thereof,
 - producing the antibody by cultivation of said cloned hybridoma cells and optionally further purification steps.
28. Use of the antibodies according to any one of claims 20 to 24 for the preparation of a medicament for treating or preventing *H. pylori* infections.
29. An antagonist which binds to the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14.
30. A method for identifying an antagonist capable of binding to the hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 comprising:
 - a) contacting an isolated or immobilized hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 with a candidate antagonist under conditions to permit binding of said candidate antagonist to said hyperimmune serum-reactive antigen or fragment, in the presence of a component capable of providing a detectable signal in response to the binding of the candidate antagonist to said hyperimmune serum reactive antigen or fragment thereof; and
 - b) detecting the presence or absence of a signal generated in response to the binding of the antagonist to the hyperimmune serum reactive antigen or the fragment thereof.
31. A method for identifying an antagonist capable of reducing or inhibiting the interaction activity of a hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 to its interaction partner comprising:
 - a) providing a hyperimmune serum reactive antigen or a hyperimmune fragment thereof according to any one of claims 11-14,
 - b) providing an interaction partner to said hyperimmune serum reactive antigen or a fragment thereof, especially an antibody according to any one of the claims 20 to 24,
 - c) allowing interaction of said hyperimmune serum reactive antigen or fragment thereof to said interaction partner to form a interaction complex,
 - d) providing a candidate antagonist,
 - e) allowing a competition reaction to occur between the candidate antagonist and the interaction complex,

- f) determining whether the candidate antagonist inhibits or reduces the interaction activities of the hyperimmune serum reactive antigen or the fragment thereof with the interaction partner.
- 32. Use of any of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14 for the isolation and/or purification and/or identification of an interaction partner of said hyperimmune serum reactive antigen or fragment thereof.
- 33. A process for *in vitro* diagnosing a disease related to expression of the hyperimmune serum-reactive antigen or a fragment thereof according to any one of claims 11 to 14 comprising determining the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen and fragment according to any one of claims 1 to 7 or the presence of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11-14.
- 34. A process for *in vitro* diagnosis of a bacterial infection, especially a *H. pylori* infection, comprising analysing for the presence of a nucleic acid sequence encoding said hyperimmune serum reactive antigen and fragment according to any one of claims 1 to 7 or the presence of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14.
- 35. Use of the hyperimmune serum reactive antigen or fragment thereof according to any one of claims 11 to 14 for the generation of a peptide binding to said hyperimmune serum reactive antigen or fragment thereof, wherein the peptide is selected from the group comprising anticalines.
- 36. Use of the hyperimmune serum-reactive antigen or fragment thereof according to any one of claims 11 to 14 for the manufacture of a functional nucleic acid, wherein the functional nucleic acid is selected from the group comprising aptamers and spiegelmers.
- 37. Use of a nucleic acid molecule according to any one of claims 11 to 14 for the manufacture of a functional ribonucleic acid, wherein the functional ribonucleic acid is selected from the group comprising ribozymes, antisense nucleic acids and siRNA.

Summary:

H. pylori antigens

The present invention discloses isolated nucleic acid molecules encoding a hyperimmune serum reactive antigen or a fragment thereof as well as hyperimmune serum reactive antigens or fragments thereof from *H. pylori*, methods for isolating such antigens and specific uses thereof.

[no Fig. on front page]






Figure 1






Fig. 1

A.





B.



Total (trimmed)	562	(100,0 %)
ORF (+/+, +/-)	207	(36,8 %)
non-ORF (+/+, +/-)	185	(32,9 %)
chimeric	88	(15,7 %)
non-blastable	82	(14,6 %)

Figure 2

A.**B.**

Total (trimmed)		439	(100,0 %)
ORF (+/+, +/-)	○	162	(36,9 %)
non-ORF (+/+, +/-)	□	141	(32,1 %)
chimeric	◇	40	(9,1 %)
non-blastable		96	(21,9 %)

Figure 3




A**1. Round of MACS****2. Round of MACS**

Figure 4



Hp 04-04-03.ST251
SEQUENCE LISTING

<110> Interce11 AG

<120> H. pylori antigens

<130> IC Hp

<160> 356

<170> PatentIn version 3.1

<210> 1

<211> 1902

<212> DNA

<213> Helicobacter pylori

<400> 1

```

atggtgaaaa acaccggcga attgaaaaaa ctttcagaca cttatgagaa tttgagcaac   60
cttttaacca attttaacaa cctcaatcaa gcggtaacga acgcgagcag cccttcagaa   120
atcaatgccg cgatcgataa tttaaaagca aacacgcaag ggctgattgg cgaaaaaacc   180
aattccccgg cgtatcaagc ggtgtatttg gcgctcaatg cggcgggtggg gctgtggaat   240
gtgatagcct ataatgtcca atgcggtcct ggtaagagtg gggatcaaag cgtaattttt   300
gatggccaac caggacatga ttcaagatcc attaattgca atttaaccgg ttataacaac   360
gggggttagcg gccctttatc cattgacaat tttaaaacgc ttaatcaagc ttatcaaact   420
atccaacaag ctttaaaaca agatagcgga tttcctgttt tggatagtaa aggaaaacaa   480
gtaactataa aaataacaac acaaactaat ggagctaata aaagtgaaac tactactact   540
actactacta ctaatgacgc tcaaaccctt ttgcaagaag ccagtaaaat gataagcgtc   600
ctcactacaa actgcccatt ggtaaatacc gtcataact caaacggggg tgcaccgtgg   660
aatttaataa cgacagggaa tgtgtgtcag gtttttgcca cggagttag cgccgttact   720
agcatgatca aaaacgcgca agaaatcgta acgcaagctc aaagccttaa caaccgcaa   780
agcaatcaaa acgcgccgaa agatttcaat ctttacacct ctgctgatag ggctttcgct   840
caaaacatgc tcaatcacgc gcaagcgcaa gccaaagatg ttgaactagc cgatcaaatt   900
aaaaaagacc ttaacactat cccaaaacaa tttatcacia actacttggc agcttgccgc   960
aatgggggtg ggacattacc tgatgcaggg gttacttcta acacttgggg ggccggttgc  1020

```

Hp 04-04-03.ST251

gcctatgtgg aagagacgat aaccgcccta aataacagcc ttgcgcattt tggcactcaa	1080
gccgatcaaa tcaagcaatc tgagttgttg gcgcgcacga tacttgattt tagaggcagc	1140
cttaaggatt taaacaacac ttataacagc atcaccacga ccgcttcaaa cacgcccaat	1200
tccccattcc ttaaaaattt gataagccaa tccactaacc ctaataaccc cgggggctta	1260
caggccgttt atcaagtcaa ccaaagcgct tattcgcaat tattaagcgc cacgcaagaa	1320
ttagggcata accctttcag acgcgttggc ttaatcagct ctcaaacc aaacggtgcg	1380
atgaatggga tcggcgtgca aatagggat aaacaatttt ttggtgaaaa aagaagatgg	1440
gggttaagggt attatggttt ttttgattac aaccatgctt atatcaaac cagctttttc	1500
aactccgcct ctgatgtgtt cacttatggg gtaggaacag atgtcctcta taactttatc	1560
aacgataaag ccacaaaaa caataagatt tcttttgggg tgtttggggg gattgctta	1620
gctggcactt cgtggcttaa ttctcaatac gtgaatttag cgacattcaa taatttttac	1680
agcgctaaaa tgaatgtggc gaatttccaa ttcttattca acttgggctt gagaatgaat	1740
ctcgctaaaa acaaaaagaa agcgagcgat catgtagctc agcatggcgt ggaactaggc	1800
gtgaagatcc ctacgatcaa cacgaattac tattctttgc taggcactca actccaatac	1860
cgcaggcttt atagcgtgta tttgaattat gtgtttgctt ac	1902

<210> 2

<211> 1638

<212> DNA

<213> Helicobacter pylori

<400> 2	
atggcaaaag aaatcaaatt ttcagatagc gcgagaaacc ttttatttga aggcgtgaga	60
caactccatg acgctgttaa agtaaccatg gggccaagag gcaggaacgt gttgatccaa	120
aaaagctatg gcgctccaag catcactaaa gatggcgtga gcgtggctaa agagattgaa	180
ttaagttgcc cggtagctaa catgggcgct caactcgtta aagaagtagc gagcaaaacc	240
gctgatgctg ccggcgatgg caccaccaca gcgaccgtgc tggcttatag catttttaaa	300
gaaggtttga ggaacatcac ggctggggct aaccctattg aagtgaacg aggcattggat	360
aaagccgctg aagccattat taatgagctt aaaaaagcga gcaaaaaagt gggcggtaaa	420
gaagaaatca cccaagtggc gaccatttct gcaaaactccg atcacaatat cgggaaactc	480
atcgctgacg ctatggaaaa agtgggtaaa gacggcgtga tcaccgttga agaagctaag	540
ggcattgaag atgaactaga tgttgtagaa ggcattgcaat ttgatagagg ctacctctcc	600
ccttattttg taacaaacgc tgagaaaatg accgctcaat tggataacgc ttacatcctt	660
ttaacggata aaaaaatctc tagcatgaaa gacattctcc cgctactaga aaaaaccatg	720
aaagagggca aaccgctttt aatcatcgct gaagacattg agggcggaagc tttaacgact	780

Hp 04-04-03.ST251

ctagtgggtga ataaattaag aggcgtgttg aatatcgag cggttaaagc tccaggcttt	840
ggggacagaa gaaaagaaat gctcaaagac atcgctatct taaccggcgg tcaagttatt	900
agcgaagaat tgggcttgag tctagaaaac gctgaagtgg agtttttagg caaagccgga	960
aggattgtga ttgacaaaga caacaccacg atcgtagatg gcaaaggcca tagccatgat	1020
gtcaaagaca gagtcgcgca aatcaaaacc caaattgcaa gcacgacaag cgattatgac	1080
aaagaaaaat tgcaagaaag gttggctaaa ctctctggcg gtgtggctgt gattaaagt	1140
ggcgctgcga gtgaagtggg aatgaaagag aaaaaagacc gggttgatga tgcgttgagc	1200
gcgactaaag cggctgttga agaagggtatt gtgattggcg gcggtgcggc tctcattcgc	1260
gcggctcaaa aagtgcattt gaatttgac gatgatgaaa aagtgggcta tgaaatcatc	1320
atgcgcgcca ttaaagcccc attagctcaa atcgctatca atgccgggta tgatggcgg	1380
gtggtcgtga atgaagtaga aaaacacgaa gggcattttg gttttaacgc tagcaatggc	1440
aagtatgtgg atatgtttaa agaaggcatt attgaccctt taaaagtaga aaggatcgct	1500
ttacaaaatg cggtttcggt ttcaagcctg cttttaacca cagaagccac cgtgcatgaa	1560
atcaaagaag aaaaagcggc cccagcaatg cctgatatgg gtggcatggg cggatggga	1620
ggcatgggtg gcatgatg	1638

<210> 3

<211> 1410

<212> DNA

<213> Helicobacter pylori

<400> 3	
atgaaaatta aaaatatctt actgagtggg gggagcggga aacgcctatg gcctttaagc	60
cgtagcctat accctaagca attttttaaag ctttttgacc ataaaagctt gtttgaattg	120
agtttttaaaa gaaacgcttc cttagtagat gaaacgctca ttgtgtgcaa tgaaaagcat	180
tatttttttag ccctagaaga gataaagaat gaaatcaaaa acaaaagcgt gggtttttta	240
ttagagagct tgagtaaaaa caccgctaac gccatcgctt tgagcgcttt aatgagcgat	300
aaagaagatt tgctcatcgt tacgccaagc gatcatttga ttaaagacct tcaagcgat	360
gaaaacgcga taaaaaaagc gattgatcta gcccaaaaag gtttttttagt cacttttggg	420
gtgagtattg acaagcccaa cacggagttt gggatatatt aaagccctaa tggtttagat	480
gtcaagcgat tcattgaaaa gccaagccta gacaaagcga tagagtttca aaaaagcggg	540
ggttttttatt tcaatagcgg catgtttgtt ttccaagcgg gcgttttttt agacgaacta	600
aaaaagcatg cccccactat tttaaagggg tgtgaaagag cgtttgaatc tttagaaaac	660
gcgtattttt ttgaaaaaaa gatcgctcgt ttgagcgaaa agagcatgca agatttagaa	720
gacatgagta ttgatatagc cttaatgcaa caaagccaca aaatcaaaat ggtagaattg	780

Hp 04-04-03.ST251

aacgccaaat ggagcgattt aggggaatttt aacgctcttt ttgaagaagc ggctaacgag	840
cctaaagaaa atgtcagctt gaatcaaacg cctgtttttg ccaaagaaag cgaaaataat	900
ttagtgtttt ctcataaagt gagcgctctt ttaggcgttg agaatttagc ggttattgac	960
actaaagacg ctcttttaat cgctcataaa gacaaggcta aggatttaaa agcttttagtg	1020
aacgaggtag aaacaaacaa ccaagaattg ttgcaaacgc aactaaagt ctatcgccct	1080
tgggggagtt atgaagtctt gcatgagagc gggtgttaca aggttaagat tttagaagtc	1140
aaaccaaacg caaggctttc tttaaaaaag cttttccaca ggagcgaaca ctgggtagtg	1200
attagcgggg tggcgagcgt ggagttggat caccagttgt ttgaattgca agctaattgag	1260
tccacttata tccctaaaaa caccctacac cgcctggcta attacggcaa gatcccttta	1320
attatcatag aagttcaagt gggcgagtat gtcggtgaag acgatattgt gcgcattgat	1380
gatgatttta acagacaaaa tcaaaacgcc	1410

<210> 4

<211> 1488

<212> DNA

<213> Helicobacter pylori

<400> 4

atggctgaat ggaaaacgga tacagaagaa gtcaaagagg ttgttaaaaa atgcagggaa	60
tttaaaagat ctttacaaga agaaaaatgc agtccattta tcaaagacct tgatagttac	120
gcgctaaaaa tcatagtggg gcgcagaaaa attgaacacc aattgcaaga agctatagaa	180
aaattaagaa gagccaaaaa aaagagaagt agcttttggg gatcctttgt agagggtgcg	240
agagatcttc ttgatattgt caggggagatt atcccacctg ctaaattggg tgctgaagct	300
tgtgataagg ttttaaatct tatggaagac aatatagaaa aatgggaaca caatgtaagg	360
ttattagaac gaatgcttga aatctacgcc actcaagcca aagcgagcgc ggaacttgta	420
gagggagctt ggaagagcgt taaaaagtcg ttggactttt ataccgataa gcaccaggaa	480
tttatcaaac gcttgaacta tgcgagtga gcgatagaca acgaatacaa tatcgcgccc	540
ccagaaattt tgaacgagag cgattttgaa agccctacga ttgtttataa ccctaaaaaa	600
agcgtttatg atgaacactt gaaagatttg aggggaagatt ttagcttttc ttatatacgt	660
gatttgaaaa acagaattta cgcttcttct aagctagatc gcaccacaac ctctaaagag	720
caagaatttg aaaagaattt agaggatttg atgccaggct ttagagggtg aactgacact	780
ttgtctggcg atgaattaga gcacatggca agcttttagag ggcaagaatt tgaaaagaat	840
ttagaggatt tgatgccgag ttcttttaggc gtgcattctt atgatgagag cttgaattta	900
gccaaaaaga attgcgttaa aaattgtaag aaagcttttag gagattttac agaaaaaatc	960
aaagaatccc ccaacgattt gaacgctata aacgaagctt ttaatcattt ggaaacagag	1020

Hp 04-04-03.ST251

ttagaacgcg ctacagaaaa tttgagccaa aaaatagcgc ctatttttaga gcggtatgaa	1080
aatgataagc ggcaaaaatt gggttatggc gagtttttag aaaaagaaaa agagggcttt	1140
atggtagatg agcaaaaccc ttatccggaa gaagtccgct ttaatgagtt gcgttttagcg	1200
gaatttgaga gcgttttttag cgccattgtg ccttttagagg atttagataa acctgcatgc	1260
gctcatcatg ccctaaaggc tttagaagcc acgcttaaaa atagggattt gggctttgat	1320
gcgacagaat tggaacagat cgcaaaaggt ttcattccta aggggtattt gtggcatttt	1380
gacgcgaatg ttttagggaa tgtggcggtg gtgagagaag agttattatt aggcgtgaaa	1440
cacacgaaag gatacttact atggaaacaa ttcctgcaaa ctcagaac	1488

<210> 5

<211> 795

<212> DNA

<213> Helicobacter pylori

<400> 5	
atgaacactt acgctcaaga atccaagctc aggttaaaaa ccaaaatagg ggctgatggg	60
cggtgcgtga ttgaagacaa ttttttcacg ccccccttta agctcatggc gcccttttac	120
ccctaaagacg atttagcgga aatcatgctt ttagcggtaa gccctggcat gatgaggggc	180
gatgcgcaag atgtgcaatt aaacatcggc ccaaattgca agttaaggat cacttcgcaa	240
tcctttgaaa aaatccataa cactgaagat gggtttgcca gcagagacat gcatattgtt	300
gtgggggaaa acgctttttt agattttgcg cctttcccgt taatcccctt tgaaaacgcg	360
cattttaagg gcaacaccac gatttccttg cgctctagct ctcaattgct ctatagttaa	420
atcattgtcg cagggcgagt ggcgcgcaat gagttgttta aattcaaccg cttgcacacc	480
aaaatctcta ttttacaaga tgagaaaccc atctattatg acaacacgat tttgatccc	540
aaaaccaccg acttaataa catgtgcatg tttgatggct atacgcatta tttgaatttg	600
gtgcttgta attgccccat agagctctct ggtgtgcgag aatgcattga agaaagcgaa	660
ggggtggatg gggcagtgag tgaaaccgct agttctcatt tatgcgtgaa agcttttagcg	720
aaaggctcag aacccttatt gcatttaaga gaaaaaatcg ctcgcttggc tacgcaaacc	780
accacgcaaa aggtt	795

<210> 6

<211> 1707

<212> DNA

<213> Helicobacter pylori

Hp 04-04-03.ST251

```

<400> 6
atgaaaaaga ttagcagaaa agaatatgtt tctatgtatg gccctactac aggcgataaa 60
gtgagattgg gcgatacaga cttgatcgct gaagtagaac atgactacac catttatggc 120
gaagagctta aattcgggtg cggtaaaacc ctgagagaag gcatgagcca atccaacaac 180
cctagcaaaag aagaattgga tctaatacat actaacgctt taatcgtgga ttacaccggt 240
atttataaag cggatattgg tattaagat ggcaaatcg ctggcattgg taaaggcgg 300
aacaagaca tgcaagatgg cgtaaaaaac aatcttagcg taggtcctgc tactgaagcc 360
ttagccgggtg aaggtttgat cgtaactgct ggtggtattg acacacacat ccacttcatt 420
tcacccaac aaatccctac agcttttgca agcgggtgaa caaccatgat tgggtggcga 480
actggctctg ctgatggcac taatgcgact actatcactc caggcagaag aaatttaaaa 540
tggatgctca gagcggctga agaataattt atgaacttag gtttcttggc taaaggtaac 600
gcttctaacg acgcgagctt agccgatcaa attgaagctg gtgcgattgg ctttaaaatc 660
cacgaagact ggggcaccac tccttctgca atcaatcatg cgtagatgtg tgcagacaaa 720
tacgatgtgc aagtcgctat ccacacagac actttgaatg aagccggttg cgtggaagac 780
actatggcag ctattgccgg acgcactatg cacactttcc aactgaagg tgctggcggc 840
ggacacgctc ctgatattat taaagtagct ggtgaacaca acattcttcc cgcttccact 900
aaccacctta tccctttcac tgtgaatata gaagcagaac acatggacat gcttatggtg 960
tgccaccact tggataaaag cattaagaa gatgttcagt tcgctgattc aaggatccgc 1020
cctcaaacca ttgcggctga agacactttg catgacatgg ggattttctc aatcaccagc 1080
tctgactctc aagctatggg tcgtgtgggt gaagttatca ctagaacttg gcaaacagct 1140
gacaaaaaca aaaaagaatt tggccgcttg aaagaagaaa aaggcgataa cgacaacttc 1200
aggatcaaac gctacttgct taaatacacc attaaccag cgatcgctca tgggattagc 1260
gagtatgtag gttctgtaga agtgggcaaa gtggctgact tggattgtg gagtcccgca 1320
ttctttggcg taaaacccaa catgatcatc azaggcgggt tcattgcgtt gagtcaaatg 1380
ggtgacgcga acgcttctat ccctaccca caaccagttt attacagaga aatgttcgct 1440
catcatggta aagccaaata cgatgcaaac atcacttttg tgtctcaagc ggcttatgac 1500
aaaggcatta aagaagaatt agggcttgaa agacaagtgt tgccggtaaa aaattgcaga 1560
aacatcacta aaaaagacat gcaattcaac gacactaccg ctcacattga agtcaatcct 1620
gaaacttacc atgtgttcgt ggatggcaaa gaagtaactt ctaaaccagc caataaagtg 1680
agcttggcgc aactcttttag ctttttc 1707

```

<210> 7

<211> 1707

<212> DNA

<213> *Helicobacter pylori*

<400> 7
atgaaaaaga ttagcagaaa agaatatgtt tctatgtatg gccctactac aggcgataaa 60
gtgagattgg gcgatacaga cttgatcgct gaagtagaac atgactacac catttatggc 120
gaagagctta aattcgggtg cggtaaaacc ctgagagaag gcatgagcca atccaacaac 180
cctagcaaag aagaattgga tctaatacct actaacgctt taatcgtgga ttacaccggt 240
atttataaag cggatattgg tattaagat ggcaaaatcg ctggcattgg taaaggcggg 300
aacaaagaca tgcaagatgg cgtaaaaaac aatccttagcg taggtcctgc tactgaagcc 360
ttagccgggtg aaggtttgat cgtaactgct ggtggtattg acacacacat ccacttcatt 420
tcacccaac aaatccctac agcttttgca agcgggtgta caaccatgat tgggtggcga 480
actggtcctg ctgatggcac taatgcgact actatcactc caggcagaag aaatttaaaa 540
tggatgctca gagcggctga agaataattct atgaacttag gtttcttggc taaaggtaac 600
gcttctaacg acgcgagctt agccgatcaa attgaagctg gtgcgattgg ctttaaaatc 660
cacgaagact ggggcaccac tccttctgca atcaatcatg cgtttagatgt tgcagacaaa 720
tacgatgtgc aagtcgctat ccacacagac actttgaatg aagccgggtg cgtggaagac 780
actatggcag ctattgccgg acgcactatg cacactttcc acactgaagg tgctggcggc 840
ggacacgctc ctgatattat taaagtagct ggtgaacaca acattcttcc cgcttccact 900
aaccacctta tccctttcac tgtgaatata gaagcagaac acatggacat gcttatgggtg 960
tgccaccact tggataaaaag cattaaagaa gatgttcagt tcgctgattc aaggatccgc 1020
cctcaaacca ttgaggctga agacactttg catgacatgg ggattttctc aatcaccagc 1080
tctgactctc aagctatggg tcgtgtgggt gaagttatca ctagaacttg gcaaacagct 1140
gacaaaaaca aaaaagaatt tggccgcttg aaagaagaaa aaggcgataa cgacaacttc 1200
aggatcaaac gctacttgtc taaatacacc attaaccag cgatcgctca tgggattagc 1260
gagtatgtag gttctgtaga agtgggcaaa gtggctgact tggattgtg gagtcccgca 1320
ttctttggcg taaaacccaa catgatcatc aaaggcgggt tcattgcggt gagtcaaagt 1380
ggtgacgca acgcttctat ccctaccca caaccagttt attacagaga aatgttcgct 1440
catcatggta aagccaaata cgatgcaaac atcacttttg tgtctcaagc ggcttatgac 1500
aaaggcatta aagaagaatt agggcttgaa agacaagtgt tgccggtaaa aaattgcaga 1560
aacatcacta aaaaagacat gcaattcaac gacactaccg ctacattga agtcaatcct 1620
gaaacttacc atgtgttcgt ggatggcaaa gaagtaactt ctaaaccagc caataaagtg 1680
agcttggcgc aactctttag cattttc 1707

<210> 8

<211> 1371

<212> DNA

<213> *Helicobacter pylori*

<400> 8

```

atgCGttatt ttcttgtagt tttcttggtt ttgtttgtgg gttgcacaaa aaaggatttc      60
acgctcaaag atttatcctt gccccaaagag gcttcaagct atcttgcaag ctctcaaaat      120
ggcagtaaca acaaccaaag cattgacccc caagcgtaa gagaaaatct gaaagagagc      180
tatctcaaag cgtgggtatt cccatggcta gatatgaaag tcaaaagcaa taaaaaagaa      240
gtgtttttgga tccttaagga gatgaataaa tccaccggtt atggcgaaga tctaaaaccc      300
aacgcaaaaag ctttcaatga cgcactcatt aagagcatgg atattgagca ttaccctagc      360
gttaagatta gggctgttgt agcgcgagat agcgatgtga gggctgtgcc tactaacaaa      420
ccttattatc tttctcaaaa aggctatcct tttgataggt atcaaaattc gctgattttt      480
caaggcagc cggttttaat cacgcatttt aatctagata aaacttatgc ccacattcaa      540
agcagttttg tttatggctg gatcaaagt agcgatttag tctacatgca cgataaagac      600
atagagcttt taacccatct taaagattat gtcatgccta taaaagataa aatccccctt      660
tatacagact atgggggatt ttacaccaac gccagagtgg gcgaattgtt cgctctcatc      720
cccaaaagtc aaaaaacacc tcaaaaaccc caaaaaaagg aattgaaagc ctatggtttt      780
ttgagagacg ctaaggggta tgcagcttta caaagcgtga tcttagaaga aaaggatttt      840
tttgttttcc ctaaggcttt taacagcgag aacatggcgt attttataga caccatgtta      900
gggcaaaaat acggctgggg cgggctattg ggtaataggg attgctcggc tttcaccaga      960
gatagttttg ctaattttgg tattttgctc cccagaaatt cctatgcgca aagccgttat     1020
gcgaacaatt atgtggattt aagctctatg aaagccaaag aaaaagaaga ctacatcctt     1080
aaaaacgcca cgccttttgg aacgctcatc tatttaaaag ggcataatcat gctttattta     1140
ggcgcacaca accatcaagc gatagtcgct cacagcattt ggtcggtgca aaccctaaag     1200
cattttaaaa ccttgagcca taaaatagga ggcgtgggta tcacttcggt atgggttagct     1260
gaagagcata atggggcggt ttctaaaaag aaattattga ttgatagggt gcttggaatg     1320
agcgatttga aagattttgt caataaaact tcaagccctt taaatgcgaa t               1371

```

<210> 9

<211> 2013

<212> DNA

<213> *Helicobacter pylori*

<400> 9

```

atgaaaaaga aagctaacga agaaaaagcc caaaaaagag ctaaaacaga agccaaagca      60
gaagccacac aagaaaaata aactaaagaa aacaataaag ccaaagaaag caaaattaaa     120
gaaagcaaaa tcaaagaagc taaagcgaaa gaacctattc ctgttaaaaa gcttagtttt     180

```

Hp 04-04-03.ST251

aatgaagcgt tagaagaatt gttcgctaatt tccttaagcg attgcgtttc ttatgagtcc	240
atcattcaaa tcagcgcgaa agtccccact ctagcccaaa tcaaaaaaat caaagaattg	300
tgccaaaaat accaaaagaa attagtcagc tcttcagaat acgctaaaaa actcaatgcg	360
attgacaaga ttaaaaaaac cgaagaaaag caaaaagtgt tagatgaaga attagaagat	420
ggctatgact ttttgaaaga aaaggatttt ttagagtggg gcagaagcga tagcccagtg	480
cgcattgtatt tgcgcgaaat gggggatata aaacttttaa gcaaagatga agagattgaa	540
ttgagcaagc aaatccgctt ggggtgaagac attatttttag acgcgatctg ctcggtgccg	600
tatttgattg attttatcta tgcgtataaa gacgctttta tcaatcgtga aagaagggtt	660
aaagagcttt tcaggagctt tgatgatgac gatgaaaata gcgtgagcga ttctaaaaaa	720
gatgaagaca acgaagaaga tgaagaaaac gaagaaagga aaaaagtcgt ttctgaaaaa	780
gacaagaagc gtgtagaaaa ggttcaagaa agcttttaag ccctagacaa ggctaaaaaa	840
gaatggctta aagcccttga agccccata gatgaaagag aagacgaatt ggtgcggttca	900
ttgaccctag cttacaaacg ccaaacactc aaagacagac tctatgattt agaacctacc	960
agcaaactga ttaatgaatt agtcaaaacg atggaaacca ctttaaaaag cggcgatggg	1020
tttgaaaaag agttgaaacg cttggaatac aaactgccct tattcaatga cactctcatc	1080
gcaaaccata aaaaaatcct tgccaatatc actaacatga ctaaagaaga tattatcgct	1140
caagtgccag aagcgactat ggtgagcgtg tatatggatc ttaaaaagct ttttttgact	1200
aaagaagcga gcgaagaagg ctttgatcta gcccccaaca agctaaaaga aatttttagag	1260
caaatcaaaa gaggggaagt gatttccgat cgcgctaaaa acaaaatggc taaatccaat	1320
ttaagggttg tggtgagcat cgctaaacga ttcacgagca gaggcttacc attcttgat	1380
ttgattcaag agggcaatat tggcttgatg aaagcgggtg ataagtttga gcatgaaaag	1440
ggcttcaagt tttctaccta tgcgacctgg tggatcaaac aagctatcag cagagccata	1500
gccgatcagg cccgcactat ccgcatcccc attcacatga ttgatacgat taatcgcatc	1560
aataaagtca tgcgcaaaca cattcaagaa aacggcaaag agcctgattt agaagtgggtg	1620
gctgaagaag tggggctttc gttagataaa gtgaagaatg tgattaaggt gactaaagag	1680
cctatcagtt tggaaacccc agtcggcaat gatgatgatg gcaagtttgg ggatttcgtg	1740
gaagataaga atatcgtcag ctccattgat cacatcatgc gagaagattt gaaagcacia	1800
attgaaagcg ttttgatca gttgaatgag cgagaaaaag cggatgatccg catgcgtttt	1860
gggcttttag acgatgaaag cgatcgaact ttagaagaaa ttggcaagga attgaatgtt	1920
actagagaaa ggggtgcgca gattgaaagc tctgcgatta aaaaattgag aagcccgag	1980
tacgggcgca ttttaagaaa ctatttgcgc att	2013

<210> 10

<211> 693

<212> DNA

<213> *Helicobacter pylori*

<400> 10

```

atggtgcaaa aaattggcat tttaggggcg atgagagaag aaataacccc tatactagaa      60
ttgtttggcg tggattttga agagatccct ttagggggga atgtcttcca taaaggcggt      120
tatcacaaca aggaaatcat tgtcgcttat agcaagattg gcaagggtgca ttccacttta      180
accacaacga gcatgatattt agcgtttggc gttcaaaagg tgcttttttag cgggggtggct      240
ggaagcttag ttaaagattt aaaaatcaat gatttactag tggctattca attagtccag      300
catgatgtgg atttgagcgc gtttgatcac cctttagggt tcatcccaga aagcgcgatt      360
tttattgaaa cgagcgaaaag tttgaacgct ttggctaaag aagtcgctaa tgaacagcat      420
atcgtgctca aagaaggcgt catcgcatca ggcgatcagt ttgtgcatag caaagaaagg      480
aaagagtttt tagttagcga gtttaaagcg agcgcggtgg aaatggaggg ggcgagcgtg      540
gcgtttgtgt gccaaaaatt tggcgtgccg tgctgtgtgt taaggagcat tagcgataac      600
gctgatgagg aagctaacat gagctttgat gcgttttttag aaaaaagcgc tcaaacttca      660
gcgaaattct taaaaagcat ggtggatgag ctt                                     693

```

<210> 11

<211> 1542

<212> DNA

<213> *Helicobacter pylori*

<400> 11

```

atgagtttta ggataaatac caatatcgcc gctttaactt ctcatgcggt aggggttcaa      60
aacaacagag acctttcaag ctgccttgaa aagttaagct cagggcttag gatcaataaa      120
gccgctgacg attctagtgg gatggcgatc gctgatagct taaggagtca aagcgcgaaat      180
ttgggtcaag cgatccgcaa cgccaatgac gctatttggtg tggttcaaac cgagataaaa      240
gcgatggatg agcaaataca aatcttagac accattaaaa ccaaagccgt tcaagccgct      300
caagatgggc aaactttaga aagccgaaga gcgctccaga gcgatattca aaggttgtta      360
gaagaactgg acaatatcgc taacaccaca agctttaacg gccaacaaat gctttcagga      420
agtttttcta acaaagaatt tcaaattggc gcgtattcta acgccacggt taaagcgtct      480
attggctcaa cgagctcaga taagattggg catgtgcgca tggaaaacttc ttcttttagc      540
ggtgcaggca tgctcgttag cgcggcggca caaaaacttg ctgaagtggg attgaatttc      600
aaacaagtca atggcgtgaa tgattataag attgaaaccg tgcgcatttc tacgagtgtc      660
ggcactggga ttggagcggt aagcgaaatc atcaatcggt tttctaacac ttaggcgtt      720
agggcttctt ataatgtcat ggctaccggc ggcactcccg tgcaatcagg aactgttagg      780

```


Hp 04-04-03.ST251

gagcttacca ttaatggcgt agaaattggg accgtgaatg atgtgcataa aaacgacgct	840
gatgggagat tgactaatgc aatcaactcc gtcaaagaca ggacgggtgt ggaagcgagc	900
ttggatattc aagggcgcat taattttacac tccattgacg ggcgcgcat ttctgtgcat	960
gcagcgagcg cgagcgggtca ggTTTTTggg ggaggggaatt ttgcagggat ttctgggaca	1020
cagcatgcgg ttattgggcg cttaaccttg accagaaccg acgctagaga catcattgtg	1080
agcgggtgtga atttcagcca tgtgggcttt cattccgctc aaggggtggc agaatacacc	1140
gtgaatttga gagcgggttag gggcattttt gatgcgaatg tggcttcagc agccggagcg	1200
aacgctaattg gcgcgcaagc ggagaccaat tctcaaggta taggggctgg ggtaacaagc	1260
cttaaagggg cgatgattgt gatggatatg gcagattcag cgcgcacgca attggacaag	1320
atccgctcgg atatgggttc ggtgcaaatg gaattgggtta caaccattaa taatatttct	1380
gtaaccaag tgaatgttaa agcggctgaa tctcaaatca gagatgtgga ttttgctgaa	1440
gagagcgcgga actttttctaa atacaatatt ttggcgcaaa gcgggagttt tgctatggcg	1500
caagcgaatg cgggtgcaaca aaatgtctta aggcttttac aa	1542

<210> 12

<211> 897

<212> DNA

<213> *Helicobacter pylori*

<400> 12	
atgaaaaaaaa atatcttaaa tttagcggtta gtgggtgctg tgagcacgctc gtttttgatg	60
gctaagccgg ctcataacgc aaataacgct acgcataaca cgaaaaaac gactgattct	120
tcagcaggcg tgtagcgac agtggatggc agacctatca ctaaaagcga ttttgacatg	180
attaagcaac gaaatcctaa ttttgatttt gacaagctta aagagaaaga aaaagaagcc	240
ttgattgatc aagctattcg caccgccctt gtagaaaatg aagctaaaac cgagaaattg	300
gacagcactc cagaatttaa agcgatgatg gaagcgggtta aaaaacaggc tttagtggaa	360
ttttgggcta aaaaacaggc tgaagaagtg aaaaaagtcc aaatcccaga aaaagaaatg	420
caagattttt acaacgctaa caaagatcag ctttttgtca agcaagaagc ccatgctagg	480
catatttttag tgaaaaccga agatgaggct aaacggatta tttctgagat tgacaaacag	540
ccaaaggcta aaaaagaagc taaattcatt gagttagcca atcgggatac gattgatcct	600
aacagcaaga acgcgcaaaa tggcgggtgat ttggggaaat tccaaaagaa ccaaatggct	660
ccggattttt ctaaagccgc tttcgcttta actcctgggg attacactaa aaccctgtt	720
aaaacagagt ttggttatca tattatctat ttgatttcta aagatagccc tgtaacttat	780
acttatgaac aggctaaacc taccattaag gggatgttac aagaaaagct tttccaagaa	840
cgcatgaatc aacgcattga ggaactaaga aagcacgcta aaattgttat caacaag	897

<210> 13

<211> 2436

<212> DNA

<213> Helicobacter pylori

```

<400> 13
gtgcatata tcaagttttt caaagagttg aacaataaaa atgtgaatct ggttgggggc      60
aagaacgcta gtattggtga aatgtttcaa gaattagtgc ctattggtat taaagtcct      120
gatggctttg cgatcaccag cgaagcgtat tggatatcttt tagagcaagg aggggctaaa      180
caaaaaatca tagagctttt agaaaatgtt gatgccaccg aaattgatgt gttaaaaatc      240
cgctccaaac aaatcagaga gcttattttt ggcacgcctt ttcctagcga tttgagagat      300
gagatttttc aagcttatga gattttaagc cagcaatacc acatgaaaga agccgatgtg      360
gctgtaagga gttccgctac tgcagaagat ttgccggacg cttcttttgc cgggcagcaa      420
gacacttatt taaacattaa gggtaaaacc gaattgatcc actatatcaa atcctgttta      480
gcgtcgcttt ttaccgatag agcgattagc tatagggcga gtcgtgggtt tgatcattta      540
aaagtcgcgc tcagcgtggg ggtgcaaaaa atggtgcgag cggataaagg cagcgcgggc      600
gtgatgtttt ctattgacac cgaaaccggt tttaaagacg cgggtgtttat cacttcagcg      660
tgggggttag gcgaaaatgt ggtgggtggc acgataaacc ctgatgaatt ttatgtgttt      720
aagcccactt tagagcaaaa caaacgcccc attatcaaac gccaaactcg caataaaacg      780
caaaaaatgg tctatgcccc aaggggtagc gaacaccca ccagaaacat taaaaccacc      840
aaaaaagaat ggcaatcctt ttcattgagc gatgaagacg tgctgatttt agccaaatac      900
gccattgaaa ttgaaaaaca ctactctaaa gaagccaaac aataaccgcc tatggatata      960
gaatgggcta aagatggcga gagcggggaa atctttatcg ttcaagcgcg cccagaaacc      1020
gttcaaagcc aaaaaagtaa agaagaaagt caagtctttg aaaaattcaa attcaaaaac      1080
cctaacgaaa agaaagagat tatcttaca ggcagagcga ttgggagtaa aattggctca      1140
ggaaaagtgc gcatcatcaa tgatttggag cacatgaatt cttttaaaga gggcgaaatt      1200
ttagttacgg ataacaccga tccggactgg gagccttgca tgaaaaaagc gagcgcggtt      1260
atcactaatc gtggagggcg cacttgccat gccgctattg tggcgagaga aattggcgtg      1320
ccagctatcg ttgggggtgag cggggcgact gatagccttt ataccggcat ggaaatcacg      1380
gtttcttgcg ctgagggcga agagggctat gtgtatgcgg gcatttatga gcatgaaatt      1440
gaaaggtgg agctttctaa catgcaagaa actcaaaaa aaatttacat caatattgga      1500
aaccctgaaa aagccttttg cttttctcaa ctccctaatac acggcgtagg gctagccagg      1560
atggaaatga ttatttttaa tcaaatcaaa gccaccctt tagctttagt ggatttgcac      1620
cacaaaaaaa gcgtgaaaga aaaaaatgaa attgaaaacc tcatggcagg ctatgctaac      1680

```

Hp 04-04-03.ST251

cctaaagatt tttttgtgaa aaaaatcgct gaaggcattg gcatgatcag tgcagcgttt 1740
taccctaaac ctgtcattgt gagaacgagc gattttcaa ccaatgaata catgcgcatg 1800
cttggcggct cttagctatga gcctaataa gaaaacccca tgcttggcta taggggggct 1860
agtcggtatt attcagagag ctataatgaa gcgttttcgt gggagtgtga agccttagcg 1920
ttagtgaggg aagaaatggg attaaccaac atgaaagtga tgatcccttt tttgcgaacc 1980
attgaagagg gtaaaaaagt cctagaaatc ttaagaaaaa acaatttaga atccggtaaa 2040
aacgggcttg aaatttatat catgtgcgaa ttgccggtga atgtcatttt ggctgatgat 2100
ttcttgagct tgtttgatgg cttttctatt ggatcaaacg atttaacca gctcacttta 2160
ggcgtggata gagacagcga attggtcagc catgtctttg atgaaaggaa tgaagcgatg 2220
ctaaagatgt ttaaaaaagc gattgaagct tgcaaaaggc acaacaaata ttgcgggatt 2280
tgcgggcaag ccccaagcga ttaccctgaa gtaacagagt ttttagtcaa agagggcatc 2340
acttccattt ctttaaacc tgaatagcgtg atccccactt ggaacgctgt agccaagtta 2400
gaaaaagaac taaaagaaca tggcttaact gaacat 2436

<210> 14

<211> 1836

<212> DNA

<213> Helicobacter pylori

<400> 14
atgagtgcgg aactgattgc tgtttataaa gacgagcaaa taatagattt agagagcgcg 60
aaagtcttag ggctgagcga tgggattaaa gcgttaaacg ggacagagcc gatataat 120
gatgattcgc ctttggcttt agaggtgatt aggcattcat gcgcgcattt gcttgcgcaa 180
agcttgaaag ccctttatcc ggacgcgaaa tttttttagt gccctgtggt agaagagggg 240
ttttattacg atttcaagac ttcttcaaaa atcagcgaag aggatttgcc taaaattgaa 300
gcgaaaatga aagagtttgc gaagttgaaa ctcgctatca cttaaagagac ttttaaccaga 360
gagcaagctt tggagcggtt taagggcgat gaattaaagc atgcggtgat gagtaaaatc 420
ggtggcgatg ctttggcgt gtatcaacaa ggcgagtttg aagatttggt taaggggccc 480
catctcccaa acaccggtt ttttaaccat ttttaagctca cttaactggc tggggcttat 540
ttgggcggcg atgaaaacaa tgaaatgctc attagaatct atggaatcgc ttttgccacc 600
aaagaggggt taaaagacta tcttttccaa atagaagaag cgaaaaaacg agatcacaga 660
aagctaggcg tggagctagg gcttttttagc tttgatgatg agataggggc gggcttacct 720
ttatggctgc cttaaagggc aaggcttagg aagcgcattg aagatttatt gagtcaagcg 780
ttacttttaa gaggctatga gccgggttaa ggtcctgaga ttttaaagag cgatgtgtgg 840
aaaatcagcg ggcattatga caactataaa gaaaacatgt atttcaccac gattgatgag 900

Hp 04-04-03.ST251

caagaatatg gcataaagcc tatgaactgc gtggggcata ttaaagtcta tcaaagcgct	960
ttgcacagct acagagattt gcccttaagg ttttatgaat acggcgtggt gcatcggcat	1020
gaaaaaagcg gcggtgttgca tgggctttta agggttaggg aattttacca agatgatgca	1080
catatTTTTT gctcttttga acagatccaa agcgaagtga gcgcgatttt agatttttacg	1140
cacaaaatca tgcaagcggt tgatttttagc tatgaaatgg aattatccac aaggccggct	1200
aaatccatag gcgatgataa agtttgggaa aaggccacta acgcttttaa agaagcctta	1260
aaagaacacc gcattgatta caagattgat gaagggggag gggctttcta tgggcctaag	1320
attgacatta aaatcactga cgctttaaag cgtaaattggc agtgtggcac gattcaagtg	1380
gatatgaatt tgcctgaacg cttcaagctc gctttcacta atgagtataa tcacgctgag	1440
cagccggtga tgatccacag agcgatttta ggctcgtttg aaaggtttat tgcgattttg	1500
agcgaacatt ttggggggaa tttccctttc tttgtcgcgc ccactcaaat cgctctcatc	1560
cctattaatg aagagcatca tgTTTTTgct ttgaaattaa aagaggcgct aaaaaagcgc	1620
gatatttttg tagaagtgtt agataaaaac gacagcttga ataaaaaggt gcgattagcc	1680
gaaaagcaaa aaatccctat gatTTTtagtg ttagggaatg aagaagtgga gaccgaaatt	1740
ttatccatta gagacagaga aaaacaagat caatataaaa tgcccttaaa ggagTTTTta	1800
aacatggttg aatctaagat gcaagagggt agTTTT	1836

<210> 15

<211> 858

<212> DNA

<213> Helicobacter pylori

<400> 15

gtgaaacgga ttttattttt tttagtagct acgacttttt tgttgagagc agaaacggat	60
tctgccacta ttaacactac agttgatccc aatgttatgt tttctgaaag ctccacaggg	120
aatgtgaaaa aagaccgcaa gagggtttta aagagcatgg ttaatttgga aaaagagcgc	180
gtgaagaatt ttaaccggta ttctgaaacc aagatgagta agggcgactt atccgctttt	240
ggagctttct ttaaggggag tttggaaagt tgtgtggatc aaaagatttg ttattatgag	300
cataaagatg gcaaggtttc ttttgtggtg aatgacaggg agaagtttta taaacatgtg	360
cttaaagact tagggacaga gctttcgctc ctttgttta actggcttta caaaggctcg	420
gattttgggg ctttgcatga gcagtttggg gatatgtatg atgggtatat caaatacttg	480
atcagtatgg ttagaataag ccaaaaagaa aaggctagaa aagtggatgc aatcgttctt	540
aagaaaatgg aagaacaagc tgagaaagac actaaggcag cgtttcaaaa gaggagcagt	600
ggggagcttg aaagccatac tgatagccct gaatttataa gctcttctaa gaggacacag	660
aacgcttcta attcggatct caattctatg accaatgcta acgcgctcaa agaaacagct	720

tcaaaagagc cagaggcttc ttcaaaaaa gagaaaaagt ctaagaaaaa acgtcgcctt	780
tcaaagaaag aaaaacaaca acaagccttg caacaagagt ttgaaaaaca aattagcgac	840
tctagtaagt ctgaaaaa	858

<210> 16

<211> 588

<212> DNA

<213> Helicobacter pylori

<400> 16	
atgaaagaaa aaaacttttg gcctttaggg atcatgagcg tgctcattct tgggcttggg	60
atcgtggtgt ttttgggtgt gtttgccta aaaaattcgc ctaaaaacga tttagtgtat	120
tttaagggcc ataacgaagt ggatttaaac ttaacgcta tgcttaaac ctatgaaaac	180
tttaaatcca attatcgttt tttggtgggt ttaaagcccc ttattaaaag ccctaaaacc	240
cccattttgc cctatttttc taaaggcacg catggggata aaaaactcca agaaaacctt	300
ttaaacaacg ctttgatttt ggaaaaatcc aacacgcttt atgcgcaatt gcaaccgctc	360
aaaccgctt tagattcgcc aaacattcaa gtgtatttag cgttttatcc cagtccatca	420
cagcccagat ggtaggaac gcttgattgt aaaaacgcat gcgagccttt aaaatttgat	480
ttgttagaga gcgacaaaat ggggcgttat aagatccttt ttaaatttgt ttttaaaaat	540
aaagaagaat tgattttaga acaactggct tttttcaagc aacgcatt	588

<210> 17

<211> 1248

<212> DNA

<213> Helicobacter pylori

<400> 17	
atggcgtatt ttttagaaca aacggatagt gaaatttttg agcttatctt tgaagaatac	60
aagcggcaaa atgagcattt agaaatgata gcgagcgaga attacacttt tgcaagcggt	120
atggaggcta tggggagtggt ttttaacgaat aaatacgtg aaggctaccc taacaagcgc	180
tattatggag gctgtgaagt ggtggataaa atagaaagcc tagccataga aagggtctaaa	240
aagcttttta attgccagtt cgctaacgtg caagcgcat caggctcaca agccaataac	300
gctgtctatc acgctctttt aaagccttat gacaagattt taggcatgga ttttaagctgt	360
ggagggcatt taacgcatgg cgctaaagtg agtttaaccg gcaagcatta tcagagcttt	420
tcttatggcg tgaatttgga tggctatatt gattatgaag aggcgctaaa aatcgctcaa	480
agcgttaagc cagaaatcat cgtgtgcggg ttttcagcct atccaaggga gattgatttt	540

Hp 04-04-03.ST251

aagaaattta gagaaatcgc tgatgaagtg ggggcgttac tattaggcga tatagcccat	600
gtggcagggc ttgtggtaac cggtagcat gcccatcctt tcccgcatg ccatgtggtt	660
tcaagcacca ctcataagac cttagaggg cctagagggg ggattatttt aactaatgat	720
gaagagatag cggctaagat tgacaaagcg atttttccag gaactcaagg cgggcctttg	780
atgcatgtga ttgctgctaa agcggtggtt tttaaagaga atctaaaacc agaatttaaa	840
gcttatgcac aattagtga atctaacatg caagttttgg ctaaagcggtt aaaagaaaaa	900
aaccataagt tagtgagtgg tggcacttct aaccatttgc ttttaatgga ttttttagat	960
aagccttata gcgggaaaga cgctgatatt gcattaggga atgccggaat caccgtgaat	1020
aaaaacacca ttcctggtga aacgcgcagc ccttttgtaa cgagcgggat aaggattggc	1080
tcagcggcat tgagcgcaag gggcatggga gctaaggaat ttgaaatcat agggaataaa	1140
atatcagata ttttgaatga tattaataat gttagtttgc aattgcatgt gaaagaagaa	1200
ttgaaagcca tggatcaatca attccctgtg taccaccaac ctattttt	1248

<210> 18

<211> 2142

<212> DNA

<213> *Helicobacter pylori*

<400> 18

atgaaaataa catattgtga tgcgctaatt attggaggcg gactagctgg gttaagggct	60
agtatcgcac gcaaacaaaa ggggtttaaacc accatcgttt taagcctagt gcctgtcagg	120
cgttcgcact ctgcagccgc tcaagggggc atgcaagcga gccttgcgaa cgctaaaaaa	180
agcagggggc ataatagaaga tttacacttt ttagacacgg ttaaggggag cgattggggg	240
tgcgatcagc aagtggctag gatgtttgta accactgctc cttaaagccat tagggaattg	300
gccagttggg ggggtgccttg gactaggatt aaaaagggcg ataggcctgc ggtcgtcaat	360
ggtagcatg taactatcac tgaaagagac gacaggcatg gttatatctt aagccgtgat	420
tttggcggca ctaaaaaatg gcgcacatgc tttacggctg atgccacagg gcataccatg	480
ctttatgcgg tcgctaataga agccttacac cacaagtggt atattcaaga cagaaaggac	540
atgctcgtt tcattcatca tgataataaa tgctatgggg cggtaggtaag ggatttgatc	600
acaggcgaaa tttcagcgta tgtttctaaa ggcacgcttt tagctaccgg aggttatggg	660
cgctgtata aacacaccac taacgctgtg atttgcatg gagccggggc tgcaagcgcc	720
ttagaaaccg gcgtggctaa attgggcaac atggaagcgg tgcaattcca ccctaccgct	780
ttagtgccaa gcgggatttt aatgaccgaa ggttgagggg gcgatggcgg tgttttaaga	840
gacaagtttg gcagacgctt catgcccgtt tatgagccgg agaaaaaaga gcttgcaagc	900
agagatgtgg tctcaaggcg gatttttagag catatccaaa aaggctatgg agccaaatcg	960

Hp 04-04-03.ST251

ccttatgggg atcatgtgtg gctggatatt gctatttttag ggcgtaacca tgtggaaaaa 1020
aacttaaggg atgtgcgcga tatagccatg acttttgcg gcatgatcc ggctgatagc 1080
aaggaacaaa ccaaagacaa catgcaagga gtgcccgcga atgagcctga atacgggcaa 1140
gcgatggcca agcaaaaagg ctggatcccc ataaaaccca tgcaacacta ttctatgggt 1200
ggggtttagga caaacccctaa aggcgaaacc catttaaaag gcttgttttg cgcggggtgaa 1260
gcggcatgct gggatttgca tgggtttaac cgcttggggg gtaattctgt gagtgaagcg 1320
gtggctcgctg gcatgatcat tggggattat tttgcctcgc attgtttaga agcgcaaatt 1380
gaaatcaaca cgcaaaaagt tgaagctttc attaaagaaa gccaagacta tatgcatttt 1440
ttattgcata atgaaggcaa agaagatgtg tatgaaatta gagagcgcat gaaagaagtc 1500
atggatgaaa aagtgggcgt ttttagagaa ggcaaaaggc tagaagaagc ccttaaagaa 1560
ttgcaagagc tttatgcacg ctccaaaaac atttgcgtga aaaacaaggt tttacacaat 1620
aaccctgaat tagaagacgc ttaccgcacc aaaaaaatgc tcaaactcgc gctttgtatc 1680
actcaaggag cgttactgcg cactgaaagc agagggggctc acacaaggat tgactaccct 1740
aaaagagacg atgaaaaatg gcttaatcgg actctagcga gctggcctag cgctgagcaa 1800
gacatgccca cgattgaata cgaagaatta gatgtgatga aaatggaaat cagccctgat 1860
tttaggggct atggcaaaaaa gggtaatttc atccccacc ccaaaaaaga agagcgcgac 1920
gctgagattt tgaaaacgat tttagaacta gaaaagcttg gaaaagacag aatagaagtc 1980
caacatgcgc tcatgccttt tgaattgcaa gaaaaataca aggctaggaa tatgcgttta 2040
gaagatgagg aagtcagggc taggggggaa catttgatt ctttcaatgt ccatgagtta 2100
ttggaccaac acaacgctaa cctaaaagga gaacaccatg ag 2142

<210> 19

<211> 1155

<212> DNA

<213> Helicobacter pylori

<400> 19

atgaaagata gttttctttt cacttctgaa tcagtaaccg aggggcatcc tgacaaaatg 60
gctgatcaaa tcagcgatgc ggttttagat tacattattg agcgggatca aaaagccaaa 120
gtcgcgatgcg agactttagt ttctaacggg ttttgcata tcaactggcg gttaaaaact 180
tctgtttatg cccctatgca agagattgca agagaagtgg ttaaaaagat tggttatacg 240
gacgctcttt atggctttga ttacaggagc gcggcggttt tgaatggcgt tggcgagcaa 300
agccctgata ttaatcaagg cgtggataga gaagatggcg agattggggc aggggatcaa 360
gggcttatgt ttggttatgc atgcaaagag actgaaacgc tcatgccctt acccattcat 420
ttagcgcacc agctcacttt cgctctggct caaaaaagaa aagacaacac tctgcctttt 480

Hp 04-04-03.ST251

ttaaggcctg atggcaagtc tcaagtgagc gtgcgttatg aaaacaacaa gcctgtaagc	540
attgatacga ttgtcatttc cacccaacat tccccagaag ttccacaaaa acatttataaa	600
gaagctgtga ttgaagagat cgtgtataag gttttatcca aagaatattt gcatgacaat	660
atcaagtttt ttgtcaatcc tacaggaaaa ttcgttatcg gtgggccgca aggcgatgcg	720
ggcttgacgg gcagaaaaat catcgtggat acttatgggg ggagttgccc gcatggcggg	780
ggagcgttta gcgggaaaga ccctagcaaa gtggatagga gcgcggctta tgcggcccgc	840
tatgtggcta aaaatttggg agcgagtggg gtttgcgata aagcgaccgt gcagcttgct	900
tatgcgattg ggggtataga gccagtgtct atttatgtga acacgcataa cacgagcaag	960
tattcaagcg ctgagttgga aaaatgcgtg aaatcggttt tcaaactcac gccaaaaggc	1020
attattgaaa gcttggaattt attaagaccc atttattcgc tcacttcagc ttatgggcat	1080
tttgggcgcg aattagagga attcacttgg gaaaaaacca acaaagctga ggagattaaa	1140
gcgttcttta agcgt	1155

<210> 20

<211> 1014

<212> DNA

<213> Helicobacter pylori

<400> 20

atgatgaaaa ttgtaataga cttaatgggg gctgaccatg gggttttacc cgttattgag	60
ggagtctcaa gggctttaga aaataagagt ttttagcacgg ttttagtggg ggataaagac	120
aaagcaaccc cttttatttc taaagagtta gccagcaaag tggaaatgat ccacacgcaa	180
gattacatca agatggaaga agccgccact gaggcgatca agcgtaagga atcttccatt	240
tacttgggca tggatatttt aaaaaatggg gctgacgctt tgatttcagc ggggcatagc	300
ggagcgacta tgggtttagc caccttgcgt ttagggcgta tcaagggggg tgaaaggcct	360
gctatttgca ctttgatgcc tagcgttggc aaacgcccta gcgtgctgtt agacgcagga	420
gcgaacaccg attgcaagcc tgaatatttg attgattttg ctcttatggg gtatgaatac	480
gctaaaagcg tgttgcattha tgatagccct aagggtgggtc ttttgagtaa tggcgaagaa	540
gatattaaag ggaacatgct cgttaaagaa acgcataaaa tgctgaaagc ttatgacttc	600
ttttatggca atgtggaggg gagcgatatc ttcaaagggg ttgtggatgt ggtagtttgc	660
gatggcttta tggggaatgt ggtcttaag acaacagaag gggtcgctag cgcaataggc	720
tctattttta aagatgaaat taaaagctct tttaaatac aaatgggggc tttgatgctt	780
aagaatgcgt ttgatatttt aaaacaaaa accgattacg ctgaatatgg gggagcgccg	840
cttttgggcg tgaataaaa cgtgatcatc agccatggca agagcaacgc tagagcgatt	900
gaatgcgcga tttatcaggc tatttagcgt gttgaaagtc aggtttgttt gaggattact	960

caagcgtttg agagcttgaa gcctagcggt tctcaaagtg atcagcaaga cgct

1014

<210> 21

<211> 993

<212> DNA

<213> *Helicobacter pylori*

<400> 21
 atggaatttt acgcctctct taaatccatt gcgatgcatg ttccaagcga gcgtgtgaaa 60
 aatgcagagt tccagcaatt tttggatacc agcgatgagt ggatagaaaa aaggaccggt 120
 atcaaagaac gccgtttcgc taacgatgaa gaaaaaagca gcgatttagg ggtaatagcg 180
 gctaaacaag ccatagagag agcgcatTTa accccaaaag acattgattt ggtggttgta 240
 gcgactttaa gccctgattt tttggccatg ctttcaaccg cttgcgtgtt gagcgcgaaa 300
 ttaggcattg aaaacaagcc ggcgtttgat atttcagccg cttgcacggg ttttatctat 360
 ttattatcgg tggctaaggc ttatgttgag agcgggatgt atgaaaatgt gctgattgtg 420
 ggggcagaaa aaacgagcag cgtgttagat tttaaagaca gggggacttg tttttatTTt 480
 ggcgatgggg ctggggcgtg cgtgataggc agaaccaagc gtttaaaaga aagcatttta 540
 gatgtgcaaa tttcagcgaa cgggaatttt tctaattatc tctatacgcc aaggactcta 600
 aaaccacgc cttttaacgc taaagaagaa gcttcagagc cttttttgtg tatgaaaggc 660
 aatgaagtgt ttaaaactagc ggtaaaaacg cttttaaaag atgtggaaat gatccttagaa 720
 aaaaacgctc tcaaacctga agacgtgcgt ttgtttatcc cgcacaaagc taatttttagg 780
 atcattcaag cgggtgcggga gcatttggat tttaaagatg agcaagtggg ttttaaccgtg 840
 cataaatacg gcaacacttc agcagccagt atccctatgg ctatgggtga agcttatgaa 900
 gaggggcgtt tgaaaaaggg cgattttaatg ctttttagacg cttttggtgg aggattgact 960
 tggggttcag cgttggtgta ttttggagga agt 993

<210> 22

<211> 1863

<212> DNA

<213> *Helicobacter pylori*

<400> 22
 atgtctaattc aagaatacac ctttcaaact gaaatcaacc agcttttgga tttgatgatc 60
 cactctttgt attctaataa agagattttt ttaagagagt tggtttctaa cgcgagcgac 120
 gctttggaca agctgaatta tttaatgctg accgatgaga aattaaaagg gctgaatacc 180
 acgcctagca ttcatttgag ttttgatagc cagaaaaaga ccttaacgat taaagataat 240

Hp 04-04-03.ST251

gggtataggca tggataaaaa cgatctcatt gagcatctag gcacgatcgc taaatcaggc	300
acgaagaatt ttttaagcgc tttgagtggg gataagaaaa aagatagcgc ttttaattggc	360
cagtttggcg tgggctttta ttcagcgttt atggtagcga gtaagatcgt cgttcaaacc	420
aaaaaggtaa atagcgatca ggcttatgca tgggtgagcg atggtaaggg caagtttgaa	480
atcagcgagt gcgttaaaga tgagcaaggc acagaaatca ccttcttttt aaaagatgaa	540
gattctcatt ttgagagccg ttgggagatt gatagcgttg ttaaaaagta ttctgagcat	600
atccctttcc ctattttttt aacttacacc gatacgaaac atgagggcga aggggataat	660
caaaaagaaa ttaaagaaga aaaatgcgaa cagatcaatc aagcgagcgc tttatggaaa	720
atgaataaga gcgaattaaa agacaaagat tacaaagagt tttaccaatc gtttgcgcat	780
gataacagcg aacctttgag ctatatccat aataaagtgg aaggctcttt agaatacaca	840
acgctttttt acatccctag cacagcgccc tttgacatgt ttaggggtgga ttataaaagc	900
ggggtcaaac tttatgttaa aagggtgttt atcactgatg atgacaaaga attgttgccc	960
tcttatttga ggtttgtaa aggcgtgatt gacagcgaag atttaccctt gaacgtgagc	1020
cgtgaaatct tacagcaaaa caagatttta gccaatatcc gttcggcttc agtgaaaaag	1080
attttaagcg agattgaacg cttgagcaaa gatgaaaaaa attaccataa attctatgag	1140
cctttcggga aagtgttaaa agaaggcttg tatggggatt ttgaaaacaa agaaaaactt	1200
ttagaattgt taagattcta ttctaaagac aaagaaaaat taatttcttt gaaagaatac	1260
aaagaaaatt taaaagaaaa tcaaaaaagc atttactacc ttttaggcga aaatttagat	1320
ttattaaagg cgtccccgct tttagaaaaa tacgctcaaa aaggctatga tgttttgtta	1380
ttgagcgatg aaattgatgc gtttgtgatg ccaggcgtga atgaatacga taaaacgccc	1440
tttaaagacg ctagccatag cgagagtctg aaagagcttg gtttggaaga aatccatgat	1500
gaggtaaaag atcagtttaa agatttaatg aaagcgtttg aagaaaatct taaagatgag	1560
attaaagggt tagagctttc cagtcatctc acttcagcgg tggctttaat aggcgatgaa	1620
caaatgcga tgatggctaa ttggatgcgt caaatgggtc aaagcgtgcc tgaaagcaag	1680
aaaacgctag aattaaaccc taaccacgcg attttgcaaa aactcttaaa atgtgaagat	1740
aaagagcagt tgagcgcttt tatctggttg ctttatgatg gggcgaaact tttagaaaaa	1800
ggggctttta aagacgctaa aagttttaac gaacgcctaa atagcgtgct attgaaagcg	1860
ttg	1863

<210> 23

<211> 750

<212> DNA

<213> Helicobacter pylori

Hp 04-04-03.ST251

<400> 23
atgctaggaa acgttaaaaa aacccttttt ggggtcttgt gtttgggcac gttgtgtttg 60
agaggggttaa tggcagagcc agacgctaaa gagcttgtaa atttaggcat agagagcgcg 120
aagaagcaag atttcgctca agctaaaacg cttttgaaa aagcttgtga gttaaaaaat 180
ggctttggat gtgttttttt aggggcgttc tatgaagaag ggaaaggagt gggaaaagac 240
ttgaaaaaag ccatccaatt ttacactaaa ggttgtgaat taaatgatgg ttatgggtgt 300
aacctgctag gaaatttata ctataacgga caaggcgtgt caaaagacgc taaaaaagcc 360
tcacaatact actctaaagc ttgcgactta aaccatgctg aagggtgtat ggtattagga 420
agcttacacc attatggcgt aggcacgcct aaggatttaa gaaaggctct tgatttgtat 480
gaaaaagctt gcgattttaa agacagccca ggggtgtatta atgcaggata tatatatagt 540
gtaacaaaga attttaagga ggctatcggt cgttattcta aagcatgcga attaaaagat 600
ggtaggggggt gttataattt aggggttatg caatacaacg ctcaaggtag agcaaaggac 660
gaaaagcaag cggtagaaaa ctttaaaaaa ggctgcaa at caagcgtaa agaagcatgc 720
gacgctctca aggaattaaa aatagaactt 750

<210> 24

<211> 1170

<212> DNA

<213> Helicobacter pylori

<400> 24
atgagaaaga aaggcatgtt tgaaaagata caaaaagaat ggctgagcaa cattcaaaag 60
gatttgttgt ctggttttgt ggtggggctt tctgtgatcc cagagacggc cggctttgcg 120
atcatggtgg gtttagatgt gggcgtggcg ttttatacga ctttttacat ggcttttgtt 180
ttgtctcttt ttggggctag aaaggcgatg attagcgag cggccggctc agtggcgctc 240
attttagtgg gcgtgggttaa aaactatggg cttgaatacg cgggcgtggc gactcttatg 300
gcaggggtgt tgcaaattct tttaggctat ttgaaaatag ggaatctttt gaggtttatc 360
ccccaatcag tgatgtatgg ctttgtgaac gcgctaggca ttttgctttt aatggagcaa 420
ttcaaattcc ttcaaaacca aaatttgggg gtgtttgtct tgctcgctat tgggatactc 480
atcatttatc tttttcctct aatcactaaa aaaatcccct ctaatctgat ttgtatcctt 540
atagttagcg cgatcgcttt aatttttgat atgcatgcgc cgaatttggg gagcattgag 600
caaggggttt caggctttca tttcatcatt atccccaaaa atttggattt taaaataatg 660
atagagtgtg tgccttacgc tctttcttta gactagtgg gaacgataga aagcttattg 720
acggctaaaa ctttagatgt gattttaaaa gacggcgtga gcgataaaaa taaagaaact 780
aaagcgcaag gcttggggaa tatcatctca gggcttttgg ggggaatgac aggggtgcgt 840
ttagtggggc agtctatcat taacgcaaaa tccggggcta aaacaaggct ttctactttt 900

Hp 04-04-03.ST251

tttgccggct	tttctttaat	ggtgctcata	ttagtgttta	atgaatatgt	ggttaagatc	960
cccattgtgg	cggttggtgc	ggtaatggtg	atgatttctt	tcaccacttt	taattttccaa	1020
tccattatta	acattaaaaa	aatcaagctc	tatgacacgc	tcaacatgct	cttagtcgtg	1080
gcggtggttt	tatacacgca	taatttagcg	atagggggtg	tggtgggggt	tttagtcaat	1140
gcgttatgga	tcaaattctaa	agggattgca				1170

<210> 25

<211> 1449

<212> DNA

<213> *Helicobacter pylori*

<400> 25						
atgaaaaaaa	cgattttact	ttctcttatg	gtttcatcgc	tcctcgctga	aaatgacggc	60
gtttttatga	gcgtgggcta	tcaaactcggc	gaagcgggtc	aacaagtga	aaacaccggc	120
gaaatccaaa	aagtctccaa	cgcttacgaa	aatttgaaca	atcttttaac	ccgctataac	180
gaactcaaac	aaacggcctc	taacaccaat	tcaagtaccg	ctcaagcgat	tgataatcta	240
aaagagagcg	ctagccgatt	gaaaacgacc	ccaatagcg	ctaatcaagc	cgtgtcttca	300
gcgctcagct	ctgcggtagc	catgtggcaa	gtaatagtct	ctaatttagc	caataactcg	360
ctaccacta	gtgaatacaa	caaatcaat	gcgatttctc	aatcgctcca	aaacacccta	420
gaaaataaaa	acaatgatct	taaaattgaa	aatgactacg	accatctttt	aactcaagct	480
agcaccatta	ttaataccct	tcaaagccaa	tgcccaggca	tagacggagg	caatggcaaa	540
ccatggggca	ttaatgcaag	cgggaacgca	tgcaatattt	ttggcaacac	ctttaacgcc	600
atcactagca	tgatagatag	cgctaaaaaa	gccgccgcag	atgcccgaag	aactgccccca	660
gaaagtccaa	accaaccaag	tgcgtttaac	aacgctgatt	tcaataaaaa	ccttaatcaa	720
gtctcaagcg	ttattaatga	cacgatctct	tacctcaaag	gggacaattt	agcaaccatc	780
tacaacaccc	ttcaaaaaac	gcccgaattct	aaagggtttc	aaagtttggt	gagccgatct	840
agctatagtt	attccctcaa	cgaaacccaa	tattctgaat	tccaaactac	caccaaagag	900
tttgcccata	acccttttag	aagcgtgggt	ttaatcaact	ctcaaagcaa	taacggagcg	960
atgaatggcg	tgggcggtgca	attaggctat	aagcaattct	ttgggaaaaa	taaatttttt	1020
gggatccggt	attatgcctt	ttttgattac	aacctgcct	atatcaaadc	caactttttc	1080
aactccgctt	ccaatgtttt	cacttatggc	gcaggcagtg	atctttttatt	gaatttcac	1140
aatggcggat	ccgataaaaa	ccgcaaagtc	tcttttggtc	tttttgagg	catcgctcta	1200
gcaggcacga	catggcttaa	ttcccaattt	atgaatttaa	aaaccaccaa	tagcgcttac	1260
agcgctaaga	tcaacaacac	caatttccaa	ttcttattca	atactgggtt	aaggcttcaa	1320
gggattcacc	atggcggtga	attaggcggtg	aaaatcccca	ccatcaacac	gaattactat	1380

tctttcatgg gcgctaaatt agcataccga agactttata gcgtgtattt caattatgtt 1440
 ttggcctat 1449

<210> 26

<211> 1065

<212> DNA

<213> Helicobacter pylori

<400> 26
 atgggtgtca aattttttaa aatattagtt tgtgggttat ttttttgag cttgaacgcc 60
 catttatggg gaaaacaaga caatagtttt ttgggggttg ctgaaaaagc ctataaaagc 120
 gggaattatt ctaaagccac atcttatttt aaaaaagcat gcaacgatgg ggtgagtga 180
 ggttgacgc aattaggaat catttatgaa aacgggcaag gactagaat agattataaa 240
 aaagccctag aatattataa aaccgcatgc caggctgatg atagggaagg gtgttttgg 300
 ttaggggggc tttatgatga ggggttaggc acgactcaa attatcaaga agccattgac 360
 gcttatgcta aggcgtgctg tttaaaacac cctgagagtt gctacaattt aggcattatt 420
 tatgaccgaa aaatcaaagg caatgccgat caagcggta cctactacca aaaaagctgt 480
 aattttgata tggctaaggg gtgttatgtt ttgggcgtgg cttatgaaaa aggcttttta 540
 gaagtcaaac aaagcaacca taaagccgtc atctattatt tgaaagcatg ccgattggat 600
 gatgggcagg cttgtcgcgc gtttagggagt ttgtttgaaa atggcgatgc agggcctgat 660
 gaagattttg aagtggcggt tgattacttg caaaaagctt gcgggttaaa caattctggt 720
 ggttgcgcgga gtttaggctc tatgtatatg ttaggcaggt atgtcaaaaa agatcccaa 780
 aaggctttta attttttcaa acaagcatgc gatatgggga gtgcggtgag ttgctctagg 840
 atgggcttta tgtattccca aggggacgct gttccaaaag acttgaggaa agcccttgat 900
 aattatgaaa ggggttgcgga tatgggcgat gaagtgggtt gcttcgctct agcgggcatg 960
 tattacaaca tgaaagacaa agaaaacgcc ataatgattt atgacaaggg ctgtaagcta 1020
 ggcataaac aagcatgcga aaacctcact aaacttaggg ggtat 1065

<210> 27

<211> 1347

<212> DNA

<213> Helicobacter pylori

<400> 27
 atggagttag aaactcattt gtcaaaatat ttaccctag cctttacgca taaaagcatg 60
 agcttagaaa tgcgagaaaa actcgtatt aattcgaatg caacgcttaa agaattttta 120

Hp 04-04-03.ST251

caaaccatta aaaaccattg ccctaacatc aaagagtgca tgggtgttatc cacatgcaat	180
cgctttgaaa tctatgcgag cctaaacac ggcgctaata ctaatgaaca aaaaaacgca	240
ctattaaaga ttttggctca aaataaaaaa atgagcgtgt ctgatttaga aaaatgcgtt	300
ttaatgaaca ctgatgaaag cgcagtcctat catgtcttta gcgtgtgcag cagtttggat	360
agcttggtgg ttggggaaac tcaaatcaca gggcagatga aaaacgctta taaattcgct	420
tttgaagaga aattttgctc taaagattta acccgattgc tccattttgc tttcaaatgc	480
gccgctaaag tgcgcaatth aaccggcatt tccaagcaag gggtttccat ctcttcagtg	540
gcggtcaaag aagcgcttaa tatttttgaa aaagaaagga ttaaggataa aaaagccctt	600
gtgatagggc ttggcgagat ggctcaatta gtcatacaag acctttttaa caagcaatth	660
gaagcgctta tcttagggcg taatgcggct aaatttgaag atttcatcaa agaattagaa	720
gaacctaaaa aagtaagctt tcaaaatata gaaaatttaa acgcttatat caatgaatac	780
gaactgctth tttgcgccac ttcttcgccg cattttatcg tgcaaaatcg catgttaaaa	840
gaaacgattt tcaggcgtht ttggtttgat ttagccgtgc cacggaatat tgaaaagccg	900
gtattggata atattttctt atacagcgth gatgatttag agcctatggt gagagaaaat	960
gtggaaaaca ggcaagagag cagaatgaga gcttatgaga ttgtagggct tgccacaatg	1020
gagttttacc aatggattca aagtttagaa gtagagcctg tgattaagga ttttaaggaa	1080
ttggctagga tttcagccca aaaagaattg caaaaagcgc ttaaaaaacg ctatgtgcct	1140
aaagaatacg aaaacaacat tgaaaagatc ttgcacaacg ctttcaacac ttttttgcac	1200
aaccctacca tcgccttaaa aaagaacgct caaaaagaag aatccgatgt gcttgtgggt	1260
gcgattaaaa acttgthta tttagacaaa tctaacgcta accatgcccc gaatttgaat	1320
ctctataaat gcgaatatta cgaggaa	1347

<210> 28

<211> 1044

<212> DNA

<213> Helicobacter pylori

<400> 28

atgttcattg tagcggttht gatgctggcg tttttaatct ttgtccatga attagggcat	60
ttcactatcg ctaggatttg tggggtgaag gtagaagtct ttagcattgg ttttggtaaa	120
aaactctgtt tttttaagct ttttggcacg caattcgctt tgtctttgat cccgcttggg	180
ggctatgtga aattaaagg catggataaa gaagaaaatg ggatgaatga aaccacggat	240
gacagctatg cgcaaaaaag cccttttcaa aagctatgga tactatttgg gggggcgtht	300
tttaattttc tttttgcgat tttagtgtat ttttttctgg cattgggtgg ggaaaaagtc	360
ttactgcccc tcattggcga tttagacaaa aacgcgctag aagctgggct attaaagggg	420

Hp 04-04-03.ST251

gataaaatcc tttctatcaa ccataaaaaa atagcgagtt ttagagagat tagaagcgta	480
gtggcgctg ctagaggcga gttggtttta gaaatagagc gaaaccatca ggtttttagaa	540
aaacgactga cccccaaaat cgtagcggta ataagcgatt ctaatgatcc taatgaaatg	600
atccggtata aagcgatagg catcaagcca gacatgcaaa aaatgggctg tgtttcttat	660
tctttgtttc aagcgtttga aaaggccttg agtcggttta aagagggcgt tgttttgatc	720
gtggattcct taaggcgctt gattatggga agctcttcag ttaaggaatt gagcggggtg	780
gtaggcattg tgggagcgtt aagccatgcc aatagtttga gcatgctttt gttggttggg	840
gcgtttttgt ccatcaattt agggatttta aacttactac ccattccagc cttagatggg	900
gcgcaaatac taggggttgt ttttaaaaaa atttttcata tcactttgcc aacaccata	960
caaaatgcgt tgtggctagc ggggggtggg tttttggtt ttatcatgtt tttagggctt	1020
ttcaatgatc tcactcgctt gcta	1044

<210> 29

<211> 1134

<212> DNA

<213> Helicobacter pylori

<400> 29	
atgctgttaa aaaacgcttc gttttatgat gatgaagttt taaaagagc ggatatccgc	60
ttaaagatt ccctcattac agagattaaa gaaaacttaa gccctattaa taatgaagaa	120
gtgattgagt gcagggattt attcgtgctg ccaagcttca ttgatttgag cgttactggt	180
ttggagggtt atgaaaattt aaaacaaaag gcttttaaag ggggggtagg gttactcaat	240
gtttttaatt gcgatcaaag cggcattaaa aacatcatgg caattaaaaa caaccaacta	300
gctgacatcg ccacgcttaa aaataaaggg ggggaaattt taatcgcgcc atctgacgct	360
tttttagaac tcattagcca ctacgcaaaa tcctacaact tgcctctttt aatctcttta	420
gaaaattctt ttgaagccct aaatagtggg gaattagcct atgaattggg gcaaaatttt	480
gtggaaaatg cgtttgaaaa cacgcgcttg gtgcgtttca tggaagtctc tagagcgta	540
caaatccctg tgcttttaga taaagtgaat agtatacca cgctcaaact catcaaagcc	600
tttaatgatt taggggcgaa attacaagcc caaacgccct taagccattt agtttttagat	660
gagagcgtgt atgaagatta tgagccacga tttaaaatcg ctctcctttt aagggataaa	720
gaaagccaaa acgcccataa agaagcccta aaaaataacg aaatcgccat gctcacaagc	780
cttcatgctt ctaaaaattc taacgcacag ctttttgaag aaagcgcttt tgggtgtgag	840
agcatagagg acgcttttag cgtggcttat acttttttag ttcaaaaaaa ggttatcagc	900
ttccaacaac tcattaaagt catggcgatt aaccaagcga agtttttaaa actcaatgca	960
ggcgagggtta aagaaaacca attagccaat ttgatgatcg tggatttaaa cgctcaaaca	1020

Hp 04-04-03.ST251

agagtgagta atcaaaattc gcccttttat ggtttggaat tgtatggcga agtgcaaaga 1080
atgatcttaa aagggcaaac cacatttatt aaggagaatg catgcaagaa atca 1134

<210> 30

<211> 1020

<212> DNA

<213> Helicobacter pylori

<400> 30

ttgaaaatag cgattgtcag gctttcagcg cttggggata ttatcgtgag cgcggtgttt 60
ttggcgggtga ttaaagagtg tctgcctaac gcccaaataag aatgggttcgt ggatgaaaga 120
tttagtgcgga ttttagagca ttccccctat attgataaat tacaccccat cgctttaaaa 180
agtgcactca aaaccttgaa tcctttgaag attttcaaac tttttaaatc ttttaagggt 240
tatgaatacg atataatcat tgacatgcaa ggcctagtca aatccgctct catcacgcaa 300
atggtgaaag cccctaataaa agtcggcttt gattacgctt cggctagaga gggtttgagc 360
atgttttttt actcgcaaaa agtttctatc gcttatgatg agcctgtttt aaagcgcaat 420
ttcacgctcc tttctcatgc cctaaacttg ccccaaaaag aaatttcaaa agaaatttca 480
gagagcttaa gctctagggc taaagcgttt tcttaccagc cttctccaaa aattgatgcg 540
ttaaatttga ataagaataa gccaaaaatc ctttttattt tagaaacttc taaaatcaat 600
aaaacttacc ccatagagcg ttttaaagaa ttagcggttaa ttttagaaaa ttttcaaatt 660
tgcttggttat ggcattgctga tgaatataaa gccactacgc tttatcacgc tttaaaacac 720
caacgcgatg tgttattgct ccccaaactc acttttaacg aggttaaggc gttgctcttt 780
aaaatggatt tgattattgg gggcgatacg ggcattcacgc atttagcatg ggcgttgcaa 840
aaaccagca tcacccttta tggcaacacg cccatggagc gttttaaatt agaaagcccg 900
atcaatgttt cgctcaccgg taattcaaac gccaaactacc ataaaaagga tttttctatc 960
caaaatatag agcctaataaa aattaaagaa tgcgttttaa acatcttaaa ggaaaaagaa 1020

<210> 31

<211> 8679

<212> DNA

<213> Helicobacter pylori

<400> 31

atgaaaaagt ttaaaaagaa accaaaaagt atcaaacgat cgcattcaaaa tcaaaaaaca 60
atcttaaagc gtcctttatg gcttatgcct ttactcatca gcgggtttgc tagtgggggtg 120
tatgcgaata atctgtggga tttgttaaac ccaaaagtgg ggggtgagta tgtgcattgg 180

gttaagggca gtcagtattg tgcattggtg gaatttgctg ggtgttttaa gaatgtatgg	240
ggggcaaadc ataaaggcta tgatgctgga aacgccgcta actatttgct ttctcaaac	300
tatcaagcta tttcgggtgg tagtggggaat gaaacgggga cttatagttt aagcggtttt	360
accaattatg ttgggggcaa tctcacgac aatctaggca atagcgttgt tttagattta	420
agcggttcta atagttttcac ttcgtatcaa gggtataatc aaggcaaaga tgatgtaaca	480
tttacggttg gcgcaatcaa tttaaacggc actttagaag tgggtaatcg tgtgggatcg	540
ggagctggca cgcacaccgg cacagccact ttaaacttga acgctaataa ggtcaatadc	600
aattccaata tcaacgcgta taaaacttcg caagtgaata taggcaacgc taacagcgtt	660
attaccattg gttcggtttc tttgagtggg gatgtttgca gttctttagc tagcgttggg	720
ataggggcta attgctccac ttctgggcct agctattctt ttaaagggaac gactaacgct	780
actaacacgg cgttttagtaa tgcaagcggc agtttcactt ttgaagagaa cgccactttt	840
agcggggcga aatggaatgg ggggacttat acctttaata aagagtttag cgctaccaat	900
aacaccgcct ttagtagcgg tagttttaat tttaaagggt taagctcttt taatggtact	960
tcgttttagta acgcttctta tacttttgac aatcaagcca ctttccaaa cagctccttt	1020
aatgggggga cttttacttt taataaccaa actaatccaa ctaacaacgc tcagcacccc	1080
caaattcaaa acagctcttt tagtggtaac gctaccactc ttaagggtct tgtgaatttc	1140
cagcaagcct ttaacaattc aaaccaccaa ctaacgatcc aaaacgcttc ctttaataac	1200
gccactttta acaataccgg taaaatcact atagaaaaag atgcgagttt taataacacg	1260
acattcaaca cttctgttga tacaacaac atgagtgtta ccggtggcgt tactttaagc	1320
ggtaaaaatg acttgaaaaa tggctcaacc cttgattttg ggagttctaa aatcactctc	1380
gctcaaggga cgactttcaa cctcacaagt ttaggcagtg agaagagcgt aacgatttta	1440
aattctagcg gtgggatcac ttatagtaac cttttaaac atgcaatcaa cggcttgaca	1500
agtgccttaa aaacgaacga aagcctttca aatccgcaaa gtttcgctca aggtttgtgg	1560
gatataatca cttacaatgg gggtaccggg cagcttttga atgaaaacgc tgcaacatct	1620
aaaccactg actcttcgcc ctctaaatcc tctacaaact ctacgcaagt ctatcaagt	1680
ggttacaaaa taggggatac tatctacaaa ctgcaagaaa ctttcagcca caattccatt	1740
attattcagg ctttagagag cgggacttac acgccacccc ctgtcattaa cggctccaaa	1800
tttgacttat ccgcttcaaa ttatatcaat gctgacatgc cttggtatga ccataaatat	1860
tacatcccta aatcccaaaa ttttacagag agcgggactt attacttgcc gagcgtccaa	1920
atatggggga gctacactaa ctcgttttaa caaactttta gcgcaaatgg tagtaatctg	1980
gtgattgggt ataactcaac atggactgat cataatgtct cttctagcgg cacgggtgtct	2040
tttggggaca cttcagggag cgctcttaat gggcattgcg gaccttgcc gtattaccaa	2100
tgacacggca cgactaacgg cacttatagc gcctatcatg tgtatatcac agcgaatctg	2160
cgttctggca atcgtatagg caccgggtgg gcagctaadc taatctttaa tggggtagat	2220

Hp 04-04-03.ST251

agtatcaata tcgctaacgc taccatcacg caacataacg ccggaatcta ttcaagctct	2280
atgacttttt ccacgcaaag catggataat tcgcagaatt tgaatgggtct aaattctaac	2340
ggcaaacttt cgggtgtatgg caccactttc actaacgaag cttaaagatgg gaaattcatt	2400
ttcaatgcag ggcaagcggg ttttgaaaac accaacttta atggagggag ttaccaattc	2460
agcggcgata gcttgaattt ttcaaacaac aaccagttca atagcgggtc gtttgaaatt	2520
agcgcaaaaa acgcttcggt caataacgct aactttaaca acagcgcttc ttttaatttc	2580
aataattcta acgcgaccac ttcgtttgtg ggggatttca ctaacgctaa ttcaaatttg	2640
caaatcgccg ggaacgctgt ttttggaac tctactaatg gctctcaaaa taccgctaata	2700
tttaataata ccggctctgt taatatttca ggggaatgcaa ctttgataa tgtgggtgtt	2760
aatggcccta cgaacacgag cgtgaaaggg caggttactt taaataacat cactttaaaa	2820
aacctgaacg cccctttgtc ttttgccgat gggacgatta cttttaacgc tcattcgggtg	2880
attaatattg ctgaatctat cactaatggc aaccctatca ctcttgtaag ctcttctaaa	2940
gaaattgaat acaacaacgc tttcagtaaa aatctatggc agctcatcaa ctaccaaggg	3000
catggggcaa gcagtgaaaa gctcgtctct agcgcgggta atggcgttta tgatgtggtg	3060
tattctttca ataacaaac ctacaatttc caagagggtt tttcacaaaa cagcatttct	3120
atccggcggt tgggcgttaa catggtgttt gattatgtgg atatggaaaa atcggatcat	3180
ttatattatc aaaacgctct cggttttatg acctacatgc ctaatagcta taacaataat	3240
ttagggaatg caaacaacac catttactat tacgacaaga gcattgattt ttatgcgagc	3300
gggaaaactc tattcactaa agcgggaattt tctcaaacat tcaccgggca aaacagcgcg	3360
atcgtttttg gggctaaaag catatggacg agcttaagcg atgcaccgca gtctaacc	3420
atcattcgct ttggggacaa taaggagca gggagtaatg atgcgagcgg gcattgctgg	3480
aatttgcaat gcataggctt tattacaggg cattatgaag cgcaaaagat ttacatcacc	3540
ggtagcattg aaagcgggaa tcgcatttct agcgggtgggg gcgcgagcct taattttaac	3600
gggcttcaag gcattctttt aacgaacgcg actttgtata accgcgccgc tggcacgcaa	3660
agctcgtcta tgaattttat ctctaacagc gcgaacattc aggtcaaaaa ctctattttt	3720
atagacgata ccgcacaaaa tggcggtaac cctaatttca gtttcaacgc tttgaatctg	3780
gatttttcta acagctcttt tagaggctat gtggggaaaa cgcaatctgt ttttaaatc	3840
aatgccaaga atgcgatcag tttcaccaac agcacgaatt taagctctgg tttgtatcaa	3900
atgcaagcta aaagcgtggt gtttgacaat tccaatttaa gcgtttcagt ggggacaagc	3960
agtattaaag ccaatgcgat caatctttct caaaatgcct ctattaatgc gagcaaccat	4020
tcaaccttag aacttcaagg cgatttgaat gtgaacgaca ccagctcgct caacctcaac	4080
caaagcacga ttaatgtttc caataacgcc acgatcaacg attatgcgag cttgattgcg	4140
agtaatggct ctacacctaa ttttaacggg gcggttaatt tcaattcagc gaatattact	4200
acgagtttga ataattcctc tatcgtgttt aagggggcgg tctctttagg agggcagttt	4260

aatttaagca ataactcttc ttttagatttc caaggctcta gcgctatcac ctctaacacg 4320
gcgtttaatt tctatgataa cgctttttct caaagcccca tcactttcca tcaagccctt 4380
gacattaaag cgcccttaag tttgggaggg aaccttttaa accctaacaa cagcagcgtg 4440
ctggatttaa aaaacagcca gcttggtttt ggcgatcaag ggagtttgaa tatcgctaac 4500
attgatttac taagcgatct aaatgataat aaaaatcgtg tgtataacat cattcaagcg 4560
gacatgaata gtaattggta tgagcgtatc agcttctttg gcatgcacat caatgacggg 4620
atztatgatg ctaaaaacca aacttatagt ttcactaacc cccttaataa cgccctaaaa 4680
atcaccgaga gctttaaaga caaccaacta agcgttacgc tctctcaaat cccgggtatt 4740
aaaaacacgc tctataacat tggctctgaa atttttaact accaaaaagt ttataacaac 4800
gctaattggcg tgtattctta tagcgatgat gcacaaggcg tgttttatct cacaagcaac 4860
gtgaaaggct attacaaccc taaccaatcc tatcaagcca gcggcagtaa caacaccacg 4920
aaaaataata atctaacctc tgaatcttct atcatctcgc aaacctataa cgcgcaaggc 4980
aaccctatta gcgcgttgca catctataac aagggtctata atttcaacaa tatcaaagcg 5040
ttagggcaaa tggctctcaa actctaccct gaaatcaaaa aggtattagg gaatgatttt 5100
tcgccctcaa gtttgaacgc tttaaactct aatgcgctaa accaacttac caaactcatc 5160
acgcctaacg actggaaaaa cattaacgag ttgattgata acgcaaacaa ttcggtgggtg 5220
caaaatttca ataacggcac tttgattgtg ggagcgactc aaatagggca aacagacacc 5280
aatagcgcgg ttgttttttg gggcttgggc tatcaaacac cttgtgatta tactgatatt 5340
gtgtgccaaa aatttagagg cacttattta ggacagcttt tagagtcag ctcggctgat 5400
ttgggctata ttgacacgac ttttaacgct aaagaaatct atcttaccgg cactttaggg 5460
agcgggaacg catgggggac tggggggagc gcgagcgtaa cttttaacag ccaaacttcg 5520
ctcattctca atcaggctaa tatcgtaagc tcgcaaaccg atgggatctt tagcatgctg 5580
gggtcaagagg gtattaataa ggttttcaat caagccgggc tcgctaatat tttgggcgaa 5640
gtggcggtgc aatccatcaa caaagccggg ggattagga atttgatagt aaatacgcta 5700
gggagtaata gcgtgattgg ggggtattta acgctgaac aaaaaaatca aaccctaagc 5760
cagcttttag ggcagaataa ctttgataat ctcataaacg atagcggttt gaatacggcg 5820
attaaggatt tgatcagaca aaaattaggc ttttgaccg ggctagtggg gggattagcc 5880
ggactagggg gcattgattt gcaaaaccct gaaaagctta taggcagcat gtcaatcaat 5940
gatttattga gtaaaaaagg gttgttcaat cagatcaccg gctttatttc cgctaacgat 6000
atagggcaag tcataagcgt aatgttgcaa gatattgtca aaccgagcaa cgctttaaaa 6060
aacgatgtag cggcttttag caagcaaagc attggcgaat ttttaggcca agacacgctc 6120
aattctttag aaagcttggt gcaaaaccag cagattaaaa gcgtttttaga caaagtccta 6180
gcggctaaag gtttagggcc tatttatgaa caaggcttgg gggatttgat acctaattct 6240
ggtaaaaaag ggcttttcgc tccttatggc ttgagtcaag tgtggcaaaa aggggatttt 6300

Hp 04-04-03.ST251

agtttcaacg cacaaggcaa tgtttttgtg caaaattcca ctttctctaa cgccaatgga	6360
ggcagctctt cttttaacgc aggaaattcg ctcatTTTTg ccggaacaa tcatattgca	6420
ttcactaacc acgctggaac tcttcaatta ttgtccgatc aagtttctaa cattaacatc	6480
accacgctta acgctagcaa cggccttaag attaacgccg ctaataacaa tgtttctgtg	6540
tctcaaggca atctgtttgt cagcgctagc tgcgcgcaac aaagcgatcc aactacagct	6600
aatattgcaa acccttgccg gcttagcgcc caaagcacga atggcgcttc ttctaataat	6660
gcgtcaaata acgcgccaat cgccttgagt aataacgatg aaagcttgat gggtgcggcg	6720
aatgatttca atttttcagg caatatttac gctaattgggg tggttgattt ttcaaagatt	6780
aaaggctctg caaacattaa aaacctgtat ctttacaata acgctcaatt ccaagccaac	6840
aatctcacta tttccaatca agcgggtgta gaaaaaacg ccagctttgt aacgaataat	6900
ttaaacattc aaggagcggt taacaacaac gccacgcaaa aaatagaggt gcttcaaaat	6960
ttagtgatcg cttcaaacgc ttctttaagc accgggattt atgggttaga agtagggggg	7020
gctttgaata attctggagc gatccatttt aatttagaaa atacccaaac gccaacgccg	7080
ctcattcaag cagaggggat cattaacctc aacaccacc aaacgccttt tatgaatgtc	7140
aataacagca tggccaataa tacgacttac actttattaa aaagcagccg ttacattgat	7200
tacaatatca accccaacag cttgcaatcg tatttgaatc tctacacttt aatcaatatc	7260
aacgggaacc acatagagga aaaaaacggc gcattgactt atttgggcca acggggtttg	7320
ttgcaagata aggggttatt gttaagcgta gcgctgcca actcaaacaa cgcttctcaa	7380
aacaacattt taagcctttc tgtcctttat aaccaagtta aaatgtcttg cggcgataaa	7440
gcgatggatt ttaccccccc taccttaca gattacattg tgggcattca agggcaaagc	7500
gcgctcaatc aaattgaagc tgttgggggg aacgctatca agtggctttc aacattgatg	7560
atggagacta aagaaaacc gttttttgcg ccgatttatt taaaaacca ctctttgaat	7620
gaaatcttag gcgtaacaaa agatcttcaa aacaccgcaa gcttgatttc taacccta	7680
tttagagata acgctacca tcttttagaa ttggcgaggt acaccaaca aaccagccgt	7740
ttaacaaaac tctctgattt tagatctaga gagggagagt ctgatttttc tttgttagag	7800
cttaaaaaca agcgttttag cgatccta	7860
agcaaacacc caaataacct ttgggttcaa ggggtgggag gagcgagctt tatttctggg	7920
ggcaatggca cgctttatgg cttgaatgcg ggctatgaca gggtgggtta aaatgtgatc	7980
cttgggggtt atgtggctta tggctatagc gactttaatg ggaacatcat gcattctttg	8040
ggtaataatg tggatgtggg gatgtatgcg agggcttttt taaaaggaa cgaattcact	8100
ttgagcgca atgaaactta tggaggcaat gcaactagta tcaattcttc taattctttg	8160
ctctctgtgt tgaaccaacg ctacaactac aacacctgga caacgagcgt gaacgggaat	8220
tacggctatg atttcatgtt caaacaaaa agcgtggtgc taaaacctca agtgggtttg	8280
agctatcatt tcataggtct aagtgggatg aaaggcaatg atgccgctta caaacaattc	8340

Hp 04-04-03.ST251

ctcatgcatt caaaccctc taacgaatcg gttttaacgc tcaacatggg gttggagagc	8400
cgtaaataatt ttggtaaaaa ttcctattat ttigtacgg cgagactagg tagggatctt	8460
ttgatcaaat ctaaaggcag caatacgggtg cgttttgtgg gcgaaaacac tttattgtat	8520
cgcaaggggg aagtttttaa cacttttgcg agcgtgatta cagggggcga aatgcatttg	8580
tggcgtttgg tgtatgtgaa tgcgggggtg gggcttaaga tgggcttgca ataccaagat	8640
attaatataa ccgggaatgt gggcatgcga gtggcgttt	8679

<210> 32

<211> 870

<212> DNA

<213> Helicobacter pylori

<400> 32	
atgtttgaaa aaattaccct agcgcataag gacttgtttt caaggttttt aagcgctcaa	60
aaaatcgttt tatcagatgt gagttttacg aattgctttt tatggcagca cgcaaggctc	120
attcaagtgg cggtgattag ggattgtttg gtgattcaaa ccacttatga aaatcaaaaa	180
cccttttatt tctatcctat cggtaagaat gcgtttgaat gcgtaaaaga gcttttgaaa	240
ttagaaaaaa atttaagatt ccactccctg acttttagagc aaaaagacga tttgaaagac	300
aattttgtag ggggtgttga tttcacttac aaccgagaca ggagcgatta cgttttattct	360
attgaagaat tgatcgcttt aaaagggaaa aaataccata agaaaaaaaa ccacctaaac	420
cagtttttaa ccaatcatgc gaattttgtt tatgaaaaaa tttctcctca aaataaaaag	480
gaagtttttag aagctttctca agcgtgggtt ttagaaaagcc aaaccgatga tatagggcta	540
atcaatgaaa ataagggcat tcaaagcgtg ttagaaaatt atgaaagctt ggatgtaaag	600
ggggggctta ttaggggttaa tggggaaata gcctcgttta gttttggaga agttttaaac	660
gaagagagcg cgctcatcca cattgaaaaa gccgcacag atattgcagg cgcgtatcag	720
atcatcaacc agcagttgct tttgaatgaa tttagtcatt taacttacgc taacagagaa	780
gaagatctag gattagaggg ttttaagaagg tctaaaatga gctataaccc ggtgtttttg	840
atagacaaat acgaagccgt tgctaaaaat	870

<210> 33

<211> 2484

<212> DNA

<213> Helicobacter pylori

<400> 33	
atgcgcgtta cttttggctc aaaatacaac caaatgaata actaccaaaa cgctttacaa	60

Hp 04-04-03.ST251

aataaaatca	acgacgctaa	cacgcagatc	gcttcagggc	taaaaatccg	ttatggttat	120
caaaacagcg	acattaacaa	ccagaattta	aaattccaat	acgaagaaaa	caccttagat	180
caaggcattg	atgtggcgca	aaacgcttac	acttcaacgc	tcaataccga	caaagccttg	240
caagaatfff	ctaaaacgat	ggaggcgfff	aaaaccaaac	tcatccaatc	cgctaacgat	300
gtgcattcag	aaacttctcg	cgccgctatc	gctaacgatt	tagaacgctt	aaaagagcat	360
atgataaatg	tcgctaacac	ttctataggg	ggggaatfff	tatttggggg	cagtaagggtg	420
gatagacccc	ccattgatag	taatgggaaa	taccatggca	atggcgaga	tttaaacgtg	480
cttattagct	ctgataacct	tgtgccttat	aatatcagcg	ggcaagatff	gttttttaggc	540
accgataaag	acaaacacaa	actcattacc	accaacatta	aattattcaa	tcaaaacaag	600
ctccaccctg	atgtgatgga	cgcttttagag	cattcttcat	tgcttgagga	agtttttatt	660
aaaccagcg	ataccttgcg	agaactcatc	ggcgataacg	ataaagaccc	caccaatgac	720
cctaaagagt	ttttttatff	gcaaggcgff	aggcctgatg	gctccagfff	taaagaaaaa	780
ttcgcgttgg	ataaagccta	tcaaaaccaa	gagagtgcct	ctaaagtgag	cgatttgttg	840
gataaaatcg	ctcacgctta	cgggaaacact	tcgcaaaata	aagtcgtgga	tgtgagtttg	900
aacaattggg	ggcaaattga	gatcaaaaac	ctaacccccg	gcagtgaaaa	tttggaatfff	960
catttgatff	ctagcgatgg	ggattttgac	gatttagacg	ccttgcgffc	gagcggtaaa	1020
agggttactg	aatacatcaa	aagtgcgfff	gtaacggata	ggagtttgag	ccaagttaaa	1080
gcggtgccta	acatgtataa	tcccaagggtg	cttgaagtcc	ctagcgtgff	tgtcactaaa	1140
gacaatgfff	tagccaacaa	aaacactaaa	ttgagcgaga	tttttggcga	tagcgtggaa	1200
actttaaaaa	tcaatgccag	ccgtttggac	gaaacaagcg	ctattaaaat	cccaaaccfc	1260
cctgtttatt	tggacattcc	cattctttta	gacgtgaaaa	attctacgat	taaagatttg	1320
aaagacgcga	tcaaaaaacg	cttcaataat	gaagtggatg	tggaaattga	aacaaacggg	1380
cgtttgagga	ttattgacaa	ttcttctaaa	gaatcgcccta	tttctttggc	tttaagcgcc	1440
ctagatgcta	aaggactaga	agtggccgggt	atccctacta	ataacgcgag	cgaataccaa	1500
aaaacctact	tcaataaaga	aggggcaaaa	ttagaaagca	atgtcgtccta	aaccgctcaa	1560
aatggcgcag	ctaattggctc	tactaaactg	agtgaagccg	ctaaggggag	tttagaaaat	1620
agcgttttta	acatgaaatt	aaacgatgtg	aatggcttat	ttttggaagc	gcaaatgaac	1680
ttggataata	atggggctff	tttgagcctc	cctaattggca	ttaaaatccc	gctttatgac	1740
cccacaagcg	ctgatattca	agcgtctaaa	cccaatgaag	tcacttacag	gcaacttatg	1800
gatgcgatga	gtatcgcgct	caattacagc	aatactgacc	cagccatcta	ccaacaaatc	1860
agcgataacc	ccacttccaa	agaaagcaag	gagcgcttta	ttggattgff	aaaacaagct	1920
aaagacaacc	tttctgttaa	tttgaatgaa	gagggaaaaag	tcattatcca	agataacatg	1980
cattccaaca	ccaaaatgca	gttcatgctt	tttgataaag	acgcgaatga	tttttctcaa	2040
aacgccttgc	acagcgacaa	accaagcctt	aaattaaaacg	ctaataacgc	tctcattatt	2100

Hp 04-04-03.ST251

gacaagccca gcgatgaattt ttttgatcaa ttagaaaata ccatcacttc tgtaagaaaa 2160
 gggatttatc gcccgacgc tttaggggat acttattcta gcgatatgcg taatttaggc 2220
 attcaaaacg gcatcacctt tatagatcac ttgagcgatc acatagaaaa aatgatcgct 2280
 aaaaacggtg ctcatggcaa ggcgtttgag aacattatca ggcgtaatga agttttaaaa 2340
 acgcaagttc aaagcattcg tggggaaacg accggcacgg atatggcaga aacttacaac 2400
 aaattttcca atctactaa caactataac gctgttttgg cttccacgaa caaatcaat 2460
 aatttgtctt taacgaaata ctg 2484

<210> 34

<211> 1614

<212> DNA

<213> Helicobacter pylori

<400> 34
 atggatagag ccaaatttat attcgttaca gggggtgtgt taagctctct agggaaaggg 60
 atttcatctt cttcaatcgc tacgctttta cagcattgca attaccaggt ttctattttg 120
 aagatcgacc cttatatcaa tattgatcca ggcaccatga gccctttaga gcatggggaa 180
 gtgtttgtaa ctacgatgg cgctgaaacg gatttagaca tagggcatta tgaacgcttt 240
 ttgaacagga atttaacgag gttgaataat ttcactactg ggcagatttt ttcaagcgtg 300
 atagaaaatg aaaggaaagg ggaatattta ggcaaaacca ttcaaactgt ccccatgta 360
 accgatgaaa tcaaaaggcg cattaaaagc gcggctaagg ggttggattt ttaaatcgtg 420
 gaagtgggag gaaccgtggg cgatatggag ggcattgttt atttggagc gatccgccag 480
 cttaaattgg aattagggaa tgaaaaagtc atcaatgtgc atgtaaccct gatcccctat 540
 atccaaacca ctaacgaact aaaaacaaa cccacgcaac attccgtcca agaattaaga 600
 cgccttgag taacccctca aatcattttg gcgcgatcgc ctaagccttt ggataaagag 660
 ttgaaaaata aaatcgcttt gagttgcgat gtggagcaag acagcgtgat tgcgccaca 720
 gacactaaaa gcatttacgc atgccctatt cttttcttgc aagaaggcat ttaaccccc 780
 attgccagac gctttaattt gaataaacta caccacaaa tggcggcttg gaacacttta 840
 gtagaaaaga ttatcgctcc taaacacaaa gtcaaaattg gttttgtggg caagtattta 900
 agcttgaaag aatcttataa atccttgatt gaagccctaa tccatgcggg cgcgcatctg 960
 gatacgcaag tcaatattga atggctggat agcgagaatt ttaatgaaaa gacggattta 1020
 gagggcggtt atgcgatttt agtgcctggg ggctttggag aaagggggat tgagggcaaa 1080
 atttgcgcca ttcaaagggc taggttagaa aaactccct ttttagggat ttgtttgggc 1140
 atgcaattag cgatcgttga atttgtcgc aatgttttgg gtttaaaagg ggctaactct 1200
 acggagttaa accaacgctg cgaataccct gtggtgtatt tgattggaga ttttatggat 1260

Hp 04-04-03.ST251

caaaaccacc	aaaaacaggt	gcgcacctat	aattcgcctt	taggaggcac	catgcgatta	1320
ggcgaatacg	aatgcgaaat	tatgccaaac	agcttggttag	aaaaagctta	taaaaagcct	1380
agcattaaag	aaagacaccg	ccatcgttat	gaaatcaacc	ccaaataccg	ccaagagtgg	1440
gaaaataagg	gcttgaaagt	ggtgggtttt	ggatcgaatc	atttgattga	agcgattgaa	1500
ttagaagatc	acccgttctt	tgtgggggtg	caattccacc	cagaattcac	ctccaggttg	1560
caaagcccta	accctattat	tttagatttc	attaagagcg	ctctttctaa	atcc	1614

<210> 35

<211> 1701

<212> DNA

<213> *Helicobacter pylori*

<400> 35

ttggatttaa	aggtattatt	gcaacggatt	gttgattttt	tcatcaagct	caataaaaag	60
caaaaaatcg	ccctgattgc	agctgggggt	ttgatcacgg	ctttgcttgt	gtttttattg	120
ctctatccct	ttaaagaaaa	agactacacg	caaggggggt	atgggggttt	atttgaagggt	180
ttagactcta	gcgataacgc	tttaatctta	cagcacctcc	agcaaaacca	aatcccttat	240
aaagtctcaa	aggacgacac	catccttatc	cctaaagata	aagtgtatga	agaaaggatc	300
actctggctt	ctcaagggat	ccctaaaacg	agtaaagtgg	gctttgaaat	ctttgacact	360
aaagactttg	gagcgactga	ttttgatcaa	aatatcaaac	tcattcgcgc	cattgagggg	420
gaattgtcgc	gcacgattga	aagtttaaac	cccattttga	aagccaatgt	gcatattgca	480
atccctaag	acagcgtgtt	tgtggctaaa	gaagtccctc	ctagcgcttc	ggtgatgctc	540
aaactcaagc	ctgacatgaa	gctttcacc	actcaaattt	tagggattaa	aaatttaatc	600
gctgcagctg	tgcctaaact	cacgatagaa	aatgtgaaaa	tcgtgaatga	aaatggcgaa	660
tcaataggcg	aaggcgatat	actagaaaac	tcaaagaat	tagccctaga	gcaattgcat	720
tacaaacaaa	attttgaaaa	cattctagaa	aataagattg	tcaatatctt	agcccctatt	780
gtggggggta	aaaacaaggt	ggttgcaagg	gtcaatgcag	agtttgattt	cagccaaaag	840
aaaagcacta	aagagacttt	tgatcccaat	aatgtcgtaa	ggagcgagca	aaatttagaa	900
gaaaaaaaaag	aaggcgcttc	taaaaaacia	gtcgggtggcg	tgccctgggt	tgtgagcaat	960
atcgggcctg	tgcaaggatt	gaaagacaat	aaagagccag	aaaaatacga	aaagtctcaa	1020
aacacaacca	attatgaagt	gggtaaaacc	attagcgaga	ttaagggcga	gtttggcact	1080
ttagtgcgtt	tgaatgcggc	ggttggtgtg	gatggcaagt	ataaaatcgc	gcttaaagat	1140
ggggtaaaaca	ctttagaata	cgagcctttg	agcgatgaat	cgcttcaaaa	aatcaacgct	1200
ctagtcaaac	aagccattgg	ctataatcaa	aatagaggcg	atgatgtggc	ggtgagcaat	1260
tttgagttta	accctatggc	acctgtgatt	gataacgcta	ctttgagcga	aaaaatcatg	1320

Hp 04-04-03.ST251

cacaaaactc aaaaaatctt aggctcattc acgcccttaa tcaagtatat tttagtgttt	1380
atagtgtctat ttatttttcta taaaaaagtg attgtgcctt tcagcgaacg catgctagaa	1440
gtggtgcctg atgaagataa ggaagtgaat tccatgtttg aagaaatgga tgaagaagaa	1500
gatgaattga acaaactggg cgatttgagg aaaaaagtag aagatcaatt agggcttaat	1560
gcaagcttta gcgaagaaga agtaagatac gaaatcatct tagaaaagat tagagggact	1620
cttaaagaac gccctgatga aatcgcaatg ctctttaaac tcctaatcaa agatgaaatc	1680
tcttcagacg gcgcgaaagg t	1701

<210> 36

<211> 1344

<212> DNA

<213> Helicobacter pylori

<400> 36	
atgtatgttg aaaaaattct ccagtcctta cagaaaaaat acccttatca aaaagagttc	60
catcaagccg tctatgaagc tatcacttct ttaaaacccc ttttagacag cgataaaagt	120
tatgaaaagc atgcgatttt agagcgtttg attgagcctg aaagggagat tttttttagg	180
gtgtgtttgg tagatgataa caatcaaac caagtcaatc gggggtgtag ggttgagttt	240
aattcggtta ttggccctta taaggggggt ttgagattcc accctagcgt gaatgaaagc	300
gtgatcaagt ttttaggctt tgagcaagtg ttgaaaaatt cgctcaccac tttggctatg	360
gggggcgcta agggggggag cgattttgac cctaaaggga agagcgagca tgagatcatg	420
cgtttttgcc aagcgttcat gaatgaatta taccgccata ttggagccac gactgatgtg	480
ccagctgggg atattggagt gggcgaaaga gagattggct atctgtttgg gcaatacaaa	540
aaattagtca atcgttttga gggcgatttg accggtaaag gactcactta tggagggagc	600
ttgtgcagaa aagaagctac cggttatggg tgcgtgtatt ttgctgaaga aatgttgcaa	660
gaaaggaaca gctctttaga gggtaagggt tgcagcgttt ctgggagcgg gaatgtcgca	720
atttatacca ttgaaaaatt gcttcaaata ggagctaac cggtaacggc gagcgattct	780
aatggcatga tttatgacaa agacggcatt gatttagagc ttttgaaaga aattaaagaa	840
gtgcgtcgtg ggaggatcaa agaatacgct ttagaaaaaa agagcgcgga atacacccca	900
acagaaaatt accccaaagg ggggaatgcg gtgtggcatg tgccttgttt tgcggctttt	960
cctagtgcga ccgagaatga attgagcgtt ttagacgccca aaaccctcct ttctaattggg	1020
tgtaaatgcg tggctgaagg ggcgaacatg ccctcaagca atgaagcgat tggattgttt	1080
ttgcaggcta agatttctta tggatataggc aaggcggcta atgctggggg ggtgagcgtg	1140
agcggcttgg aaatggcaca aaacgcaagc atgcaccctt ggagttttga agtgggtggat	1200
gcgaaattgc accatattat gaaagagatt tataagaatg tctctcaaac cgctaaagag	1260

Hp 04-04-03.ST251

tttaaagacc ctactaattt tgtattaggg gccaatatcg ctggtttttag aaaagtagcg	1320
tctgcgatga tagcgcaagg ggtt	1344

<210> 37

<211> 2409

<212> DNA

<213> Helicobacter pylori

<400> 37

atggatgatt tgcaagaaat aatggaagac ttcttgattg aagcctttga aatgaacgag	60
caattggatc aggatttagt ggaattggag cataaccctg aggatttgga cttgctcaat	120
cgcattttta gagtcgcccc caccattaaa ggctctagct cgtttttgaa tcttaacatt	180
ctcacgcacc tcacgcacaa catggaagat gtcttgaatc gcgccagaaa gggcgaaatc	240
aaaatcacgc ctgatattat ggatgtcgtg ttgcgctcca ttgatttgat gaaaaccttg	300
ctcgtaacga ttagagatac cggctctgat actaataacg gcaaggaaaa cgagattgaa	360
gaagcgggtca aacaacttca agccatcacg agtcaaaatt tagagagtgc taaagaaagg	420
actacagaag ccccccaaaa agaaaataaa gaagagacga aagaagaagc gaaagaagaa	480
aataaagaaa acaaggcaaa agcccctact gcagaaaaca catcaagcga taacccgcta	540
gccgatgagc cggatttgga ttacgctaac atgagcgctg aagaagtgga agcagagatt	600
gaacggctgc tgaacaaacg ccaagaagcc gataaagaac gaagagctca aaaaaaaca	660
gaagccaaac ccaaacaaga agttaccca acaaaagaaa ccccaaagc ccctaaaacc	720
gaaactaaag ctaaggctaa agccgatact gaagaaaata aagccccctc tattggcggtg	780
gagcaaaccg ttaggggtgga tgtgcgccgc ttggatcact tgatgaattt aatcggcgag	840
cttgtgttag ggaagaatcg cttgatcagg atttatagcg atgtggaaga acgctatgat	900
ggggaaaagt ttttagagga attaaaccag gtggtctctt ctatttcagc ggtaacgaca	960
gacttgcagc ttgcggtgat gaaaacacgg atgcaaccag tgggtaaggt gttcaataaa	1020
ttccctcgca tggttaaggga tttagccgg gaattaggca agagcattga attgatcatt	1080
gagggcgaaag aaaccgaatt agacaaatcc attgtagaag agattggcga tccgctcatt	1140
cacattatcc gcaactcatg cgatcatggg attgagcctt tagaagaaag acgaaagctt	1200
aacaagcctg aaaccggtaa agtgcaattg agcgcgtata atgagggtaa ccacattgtg	1260
attaaaatct ctgatgatgg caaagggtta gaccctgtga tgcttaaaga aaaagcgatt	1320
gaaaaagggg tgattagcga aagagacgct gaaggcatga gcgataggga agcgtttaac	1380
ctcattttca agccaggctt ttctaccgca aaagtcgttt ccaatgtctc aggcaggggt	1440
gttggcatgg atgtggtgaa aaccaatatt gaaaagctca atgggatcat tgaaattgat	1500
tcagaagtgg gggtaggcac gactcaaaag cttaaaatcc ctctcacttt ggctatcatt	1560

Hp 04-04-03.ST251

caagctttac tcgtgggCGT tcaagaagaa tattacgcta tcccgccttc ttcagtgtta 1620
gaaaccgtgc gcatcagcca ggatgaaatt tacaccgttg atggcaagag cgtgttgcgt 1680
ttgagagatg aggtgctttc tttggtgCGc ctttctgata tttttaaaagt agatgctatt 1740
ttggaatcca actcagatgt gtatgtgggt atcattggct tggctgatca aaaaattggc 1800
gtgatcgtgg attatttaaat cgggtcaagaa gaagtgggtca ttaaattcttt aggttactat 1860
cttaaaaaca ctagaggcat tgctgggtgct acggtgagag gCGatgggaa aatcaccctt 1920
attgtagatg tgggggCGat gatggatatg gcaaaaagca tcaagggtcaa tatcactacc 1980
ttaatgaacg aatccgaaaa cacgaagagc aaaaattccc ctagcgatta tattgtctta 2040
gCGattgatg acagcagcac ggatagagcg attatccgca aatgtttaaa accattaggc 2100
atcacgcttt tagaggcgac taacgggtta gagggcttag aaatgcttaa aaatggcgat 2160
aagattccgg acgctatctt agtggatatt gaaatgccta aaatggacgg ctacactttc 2220
gcttctgaag tgcgtaaata caataaattc aaaaacctgc ctttgatCGc agtaaccagt 2280
cgggtaacta aaaccgatag gatgCGtggc gttgaatccg gcatgactga atacatcacc 2340
aaaccttata gCGgtgaata ttttaaccacc gtagtgaagc gCagcattaa attagaagga 2400
gaccaatcg 2409

<210> 38

<211> 1287

<212> DNA

<213> Helicobacter pylori

<400> 38
gtgatagagc ttgacattaa CGctagcgat aaatCGctct cacacagagc CGttatcttt 60
agcctgctcg ctcaaaaacc ttgtttcgtg CGgaattttt taatgggaga agattgttta 120
agctcttttag aaatCGctca aaatttaggg gctaaagtgg aaaataccgc caaaaattct 180
tttaaaatca ccccccaac aactataaag gagcctaaca agatttttaa ttgcaacaat 240
tctggcacia ccatgCGttt atacagCGgg cttttaagcg ctcaaaaagg gctttttggt 300
ttaagCGggg acaattcctt aaacgcagc ccatgaaaa gaatcattga gcctttgaag 360
gcttttgggg caaaaatttt agggagagag gataaccatt tCGccccctt agtgatctta 420
gggagtccgt taaaagcttg ccattatgaa agccctatcg cttcagctca agtcaaaagc 480
gcttttatct taagCGcctt acaagctcaa ggcgcaagca cttataaaga aagcgagctt 540
agccgtaacc acacagaaat catgcttaaa agtttgaggag ctgatattca caatcaagac 600
ggcgttttaa aaatttcacc cctagaaaaa cccctagaag ctttgattt tacgatagct 660
aatgatccgt ctagCGcgtt ttttttcgCC ctcgcttCGc CGattacgCC aaaaagccgc 720
cttcttttaa aaaatgtctt gctcaacccc actCGcatag aagcttttga agttttgaaa 780

Hp 04-04-03.ST251

aaaatgggtg cttccataga gtatgcgatt cagtccaaag atttagaaat gattggcgat	840
atttatgtag agcatgcccc tttaaaagcg atcaatattg atcaaaatat cgccagtctt	900
attgatgaaa tccccgcttt aagtatcgct atgctttttg caaaaggcaa aagcatgggt	960
aaaaacgcta aagatttacg agctaaagaa agcgacagga ttaaagcggg tgtttcta	1020
ttcaaagctt tagggattga gtgcgaagag tttgaagatg ggttttatgt agagggatta	1080
gaagatataa gcccatataa acagcgcttt tctaggatta agccccctt tatcaaaagc	1140
ttcaatgacc acaggattgc gatgagtttt gctgttttaa ctttagcggt gcctttagaa	1200
attgataatt tagaatgcgc aaacatttct tttccgcaat tcaaacacct actcaatcaa	1260
ttcaaaaaag ggagtcttaa tggaaat	1287

<210> 39

<211> 588

<212> DNA

<213> *Helicobacter pylori*

<400> 39	
ttggatattt tagatttgaa caaagcgcaa gcggtgcaac aaaatgaaca agaggtagag	60
gataaagagc gagagtctaa agagccgggtg gttttagaag atttgagcgc tttagcgtgg	120
cttgaattag aagagtttag ccgcctttca gggcttccta aagaaaggat tttggaatta	180
gtgaatcttg gtaaaatcaa gagcaaaata agcagcaaca agcttttaata tgatgcgagc	240
agcgggacaa acgcttttaata caaaaaggta gaaaatagtt tgatttctat ggatatgaac	300
gggcgttctt tagaacctgt gtttggtgaa aagaccatta acacgatttt aaacttgc	360
gataagggtca ttggcgctaa agatgaaacg atttcagcct ttaaaaatga aaacatgttt	420
ttaaagagc ctttaatctc tatgcaagaa gtctatgaag aagataaaaa aaccattgat	480
cttttgcgcg atgaactcaa tcaagcgaga gaagaaattg aatttatgaa gaggaatac	540
cgcttgatgt gggggaaagt cgctgacatg agcagcgtga ataaaaag	588

<210> 40

<211> 1524

<212> DNA

<213> *Helicobacter pylori*

<400> 40	
atgatttttag tattagattt tgggagtcaa tacacacagc tgattgctag aagattgaga	60
gagagagggga tttatacaga aatagtcctt ttttttgaaa gcatagaaaa cattcaaaaa	120
aaagccccc aaggtttgat tttgagtggg gggccagcga gcgtgtatgc taaagacgct	180

tacaagccta gtgggaaaat ctttgatttg aatgtgccga ttttagggat ttgctacggc	240
atgcagtatt tgggtggattt ttttgggggg gtagtggttg gtgcgaatga gcaagaattt	300
ggtaaggctg ttttagaaat cactcaaaat tctgtgattt ttgaaggcgt gaagattaaa	360
agccttggtg ggatgagcca tatggataaa gtcatagaac tgcctaaagg ctttactacc	420
cttgcaaaaa gccctaattc cccccattgc gcgattgaaa acggcaagat ttttggcttg	480
caattccacc cagaagtcgt tcaaagcgaa gaagggggta agattttaga aaattttgcc	540
cttttagttt gcggctgtga aaaaacttgg gggatgcagc atttcgctca aagagaaatc	600
gcacgattga aagaaaaaat cgctaacgct aagggtttgt gcgcggtgag tgggggcgtg	660
gattctacgg tggctgctac gctgttgac agagccatta aggataattt gatcgctgtt	720
tttgtggatc atggcttggt gcgtaaaaat gaaaaagaaa gggtgcaagc gatgtttaag	780
gacttgaaaa tcccttttaa cacgatagac gctaaagaag tctttttgtc taaattaaag	840
ggcgtgagcg agcctgaatt gaagcgaaaa atcatcggcg agacctttat tgaagtgttt	900
gaaaaagaag ccaaaaagca ccatttaaaa ggcaaaattg aatttttagc ccaaggcact	960
ttataccctg atgtgattga atccgtgagc gttaaagggc cttcaaaagt gatcaaaacc	1020
catcataatg tgggcggact gcctgaatgg atggatttta aactcataga gcctttaagg	1080
gagttgttta aagatgaggt gcgcttactg ggtaaagaat tgggcgttag tcaggatttt	1140
ttaatgcgcc acccttttcc agggcctggg cttgctgtaa ggatttttagg cgaaatcagt	1200
gagagtaaga tcaaacgctt gcaagaagcg gattttattt ttatagagga acttaaaaaa	1260
gccaatgtgt atgacaaggt ttggcaagct ttttgcgtgc tgttgaatgt caattctgtg	1320
ggggttatgg gggataaccg cacttatgaa aacgctatct gcttaagagc ggtaaagtcg	1380
agcgatggca tgacggcgag cttttcattt ttagagcatt cttttttaga aaaggtttct	1440
aaccgtatca ctaatgaagt gagcgggtatc aatagggtgg tgtatgacat tacctctaaa	1500
ccaccaggaa cgattgaatg ggaa	1524

<210> 41

<211> 804

<212> DNA

<213> Helicobacter pylori

<400> 41	
atgaaagtca ataagggttt taaattccgc ttgtatccca ctaaagaaca acaagataag	60
ttgcaacact gcttttttgt ctataatcaa gcttataata ttggcttgaa tgaactgcaa	120
gagcaatatg aaaccaacaa agattcacca cctaaagaaa gaaaatacaa aaaatcaagc	180
gaattagaca atgcgatcaa acaatgcttg agagctaggg acttgccctt tagcgctgtg	240
atagcccaac aagcacgcat gaatgttgaa agggctttta aagatgcttt taaagttaaa	300

Hp 04-04-03.ST251

aacagaggct ttcctaaatt caaaaactct aaatccgcca aacaatcttt ttcgtggaac	360
aatcaaggct tctctatcaa agagagcgat gatgagtgtc tcaagacatt cactctgatg	420
aaaatgcctt tactcatgcg catgcataga agacttcccc ctaattttta agtgaaacaa	480
attagtatct cttgcagcca tagaaaatat tttgttagct ttagcgtgga atacgaacaa	540
gacattactc ccataaaaaa cactaaaaat ggtgtggggc tagatttgaa tatccttgat	600
acagcttggt cttgtgagat aaacaacat gacaaactaa cggactttta gcaataccaa	660
acagacatga aagaattact agggatagaa atagatgaag agctggatac taaacgactt	720
atccctactt attccaaatt gtattcttta aaaaaatact ctaaaaaatt taaaagatta	780
caaagaaaac aaagccgtag gtgt	804

<210> 42

<211> 2574

<212> DNA

<213> Helicobacter pylori

<400> 42

atgtagaaa ggcgccttaa atattgcaag gaaaaagcca tagacctttt agtagggttt	60
gtgccaaaaa cctatttctat ggcacaagag tgcaatatat taggcttgta tgatgatgct	120
ttcattatta ccaaacaaga aaatctagta ggcattatat ccttacaagg actaagctat	180
tctaatttaa tgcaaaaaga cttagagggc tattttgatg ctagacaaaa tgttctcaac	240
accattagta aagacattca attaagaatt gtggctaaaa ggcgtaagga atttatcaat	300
caaagtccaa atattgacaa tatttatgcc aaagctatta tcacacaatt tgaaagcaag	360
ggaatctata aaacagagta ttttttagtg tttgaaacta tcacttctaa tgtcaagtct	420
ttctttgaaa aaaagaaatt ggaaatgact acttcaatta atgaagagtt agaagaaagc	480
tctaaagaag ataaacaaga gaatgaaaat agctccaatg aaactcattc aaacacaagc	540
tctaaaaaag acaagaaaaa caagttcaaa aaaaagataa ccttttagcac caaaagtaaa	600
agagccttac tcattcaaac catagaaaga gtaaaaaacg ctcttaaaga atttaaacc	660
actttactaa attctaaaga agtattaaat ttctacgcag aatacatcaa tggcaaatac	720
atcgccctta atcctaaatt aaagcgatta agcgatagct atattgcatc taatgtgcat	780
tttaagaaag attactttgt cattgaattt caaaatcaaa acaccttttg tgcgtgtgtg	840
gggattaagg cttatgagag cgaagaaatt tcttcgctcc ctatatctac tcttttacac	900
acccaaattg aactagattt aatctttcat atccgctctt tagggcaatt tgaaagcctg	960
aattttttta aaactaagaa aaagctcacg ctttctaaaa tagtaaaagc tgatattgat	1020
aattatatag aattagtgca agccaatcgt ttgagcatgc aagagtgtgc tttaaactta	1080
gttataaggg ctaaaagtaa agctaaatta gacaagcttt taaaagagat tttatccttg	1140

Hp 04-04-03.ST251

cttaataatg ctggactagg cagtgttaca gaaactatag ggctaaaacc atcttatttt	1200
tcattcttcc caaataacgc caatatcaac cctagaatga gacatcaaac ttcccaagtc	1260
atagcatctt tgattttgtt tgagaaaaat aatacagggt ttagagcaaa ttcttggggg	1320
gatatgccct tatctgtgtt taagaacctt gaccatagcc cttatttgtt taattttcat	1380
aatcaagaag tcaaacataa gggcgtgtta gcccacaatg tcgcacgagt agtgggacat	1440
accatgatta taggagcaac aggtgctggt aaaaccacac tcattagcta tttgatgatg	1500
agtgccctaa aatattctaa cattgatatt ttagctcttg atagactaaa tggtttgtat	1560
tcctttacca agtattttga tgggatttat aatcaaggcg aaaactttca tattaaccct	1620
ttttcattag aagatagcgc aactaataga gcctttttat tgcattttta tgcccaaag	1680
gcaaaagtgg atagtattga tgaccataag gataaagtag aagatagaac agccctttta	1740
aatgctattg atacgatgta tagaaattat aacgatgaag tcaaacaagc caaatttagc	1800
aaaccaagaat tacccttcc ttttgattta aaagagtttg tcaatgccat tgctaaaacc	1860
aatacagaca ttttagatag tagttttgaa gactatttaa aatcttcctt attttctagc	1920
cgaatggata gtctagattt taaaactcgt attagcacca taaataccga tagcatttta	1980
cataatgatg atgacgctgg gcttttagcc tactatgtct ttcataagat gattgacaga	2040
gccttaaaaa tcaatcgtgg gtttttatgc tttattgatg agtttaagtc ttacgctcaa	2100
aatgaaatga tgaataaaaa aatcaatgaa atcattactc aagctagaaa ggctaattggg	2160
gtgattgttc tagccttaca agacattaac caactaagcg aagtgagaaa cgctcaaagc	2220
tttataaaaa atatggggca attgattttg tatcccaaaa gaaatattga taccaaagat	2280
ttaaacgata aatttggcct tagactaagc gatacagaaa aacatttttt agaaaacacc	2340
gccgttaatg aatacaaagt ctactcaaa aacatgaatg atggctcatc taacattata	2400
gatgtgagcc taagtctttt gggtaattac ctacaaatct ttagctctaa ttctagcatg	2460
gtagaacaca ttgataatct cattaagcat taccctaaaa cttggcgaga agtctttgtg	2520
agtaacaaac acgaaaattt tgatgacaaa aaacacttag aaaaggtgct taaa	2574

<210> 43

<211> 1797

<212> DNA

<213> Helicobacter pylori

<400> 43	
atgaaaaata ttagaaatat cgctgtaatc gcgcatgttg atcatgggaa aaccactcta	60
gtagatggct tacttttctca atctggcaca tttagtgaga gggaaaaagt ggatgaaagg	120
gtgatggata gcaatgattt ggaaagagaa agagggatta ctatcctgtc taaaaacacc	180
gctatttatt acaaagacac taaaatcaat atcattgaca ctcccgggca tgctgatttt	240

Hp 04-04-03.ST251

gggggcgaag tggagcgcgt tttaaaaaatg gtggatgggg tgttgctttt agtggacgct	300
caagaagggg tcatgcctca aactaaattc gtggttaaaa aggctttgag ttttgggatt	360
tgccctattg tgggtggtgaa taaaattgat aagcctgccg ctgaaccgga cagagtgggtg	420
gatgaagttt ttgacttggt cgtagccatg ggggctagcg ataagcaatt ggatttccct	480
gtggtgtatg ccgccgcacg agatggctat gcgatgaaaa gtttagacga tgaaaagaaa	540
aatttagagc ctttgtttga aacgatttta gagcatgtgc caagccctag cgggagcggt	600
gatgagcctt tgcaaagca aattttcacg cttgattatg acaattatgt gggcaaaatc	660
ggtatcgcta ggggtgttaa tggctcgggt aaaaagaatg aaagcgtgct gttgatgaaa	720
agcgatggga gtaaagaaaa tggccgtatc actaagctta taggtttttt agggctggct	780
aggactgaga ttgaaaacgc ttatgcgggc gatattgtag cgattgccgg gtttaatgca	840
atggatgtgg gcgatagcgt cgttgatcct gctaacccca tgcctttaga tcccatgcat	900
ttagaagagc ctacgatgag cgtgtatttt gctgtcaatg attcaccctt agccgggtta	960
gaaggaaagc atgttactgc taataaattg aaagacaggc tcttaaaaga aatgcaaacc	1020
aatatcgcta tgaaatgcga agaaatgggc gagggcaagt ttaaagttag tgggcgtggg	1080
gaattgcaaa tcactatttt agctgaaaac ttgcgccgtg aagggtttga atttagcatt	1140
tcacgccctg aagtcatcat taaagaagaa aatggcggtta aatgcgagcc ttttgagcat	1200
ttagtgattg acacgcccc aagtttttagt ggggctatca ttgagagatt gggcaaaaga	1260
aaagctgaga tgaaagcgat gaatcccatg agtgatggct atacaagatt agaatttgaa	1320
attcctgcaa gagggcctat cggttatagg agcgagtttt taaccgacac caagggcgaa	1380
ggcgtgatga atcatagctt tttagaattc cgccctttca gcgggagcgt ggaatcgcg	1440
aaaaatgggg cgctaatacag catggaaaat ggcgaagcga ccgctttttt ctttttcaat	1500
atccaagaaa gaggcacgct ttttatcaac ccccaaacga aggtttatgt gggcatggtc	1560
attggcgagc acagccggga taatgattta gatgtcaatc ctattaaatc caagcattta	1620
accaacatga gagcgagcgg gagcgatgat gcgatcaaac tcaccccgcc taggactatg	1680
gtgttagaaa gagcgttaga atggattgaa gaagatgaga ttttggaagt tacccttg	1740
aatttaagga tcaggaaaaa gatttttagac cctaacatga ggaaaagggc gaaaaa	1797

<210> 44

<211> 942

<212> DNA

<213> *Helicobacter pylori*

<400> 44

atgaaaaaaa ttggtttgag cttgtgtttg gttttgagtt tgggtttttt aaaagcccat	60
gaagtgagcg ctgaagagat tgcggatatt ttctacaaac tcaacgcaa agagcctaaa	120

Hp 04-04-03.ST251

atgaaaatca accacactaa ggggttttgc gctaaaggcg tgttcctccc taatgcgcaa	180
gcaaaaaagg atttagatgt gccattactc aatgaaaaag aaatccctgc gtctgtaagg	240
tattcttttag gaggcgtggc aatggacgat aaaagcaaag ttaggggaat ggcgttaaaa	300
ttagaaaacc aaaacgctag ctggacaatg gtgatgctca atacagaaat caattttgcc	360
aaaaacccta acgaattcgc ccaatttttt gagatgagaa tccctaaaaa tggcaagggtg	420
gatgaagcaa gaatcaaaaa gctttatgaa gaagtcccct cttataggaa ttttgccgct	480
tacacaaaaa cgatagggat cagctcaagc gtggctaaca cgccttatta cagcgtgcat	540
gcgttcaggt ttaaagacaa aaaagggaag ttattaccg caagatggaa atttgcct	600
aaagaggga ttaagtatct taacccccaa gaattaaagc aaaaagattc aaattatctg	660
ctctctgcat tccaacaaca ccttaaaact aagcccatag aataccaaat gtatctgggtg	720
tttgcaata aaaatgatgc cactaacgac acgaccgcgc tttggaaagg taaacacaag	780
gaattattgg tggggacctt gaaagttgaa aaatacgaag gaatgggttg caataaagat	840
gtgtatttcc cagctgatct ccccaaaggc gtagaagccc ctactgatcc cttattccaa	900
atcaggaatg aagtttatgg gatcactttt agcagaaggc aa	942

<210> 45

<211> 1356

<212> DNA

<213> Helicobacter pylori

<400> 45	
atgttaaggc ttttgatagg acttcttcta atgagtttta taagcttgca atcagcctct	60
tggcaagaac ccttaagagt gagtatagaa tttgtggatt tgcctaaaaa aatcattcgt	120
tttccggctc atgatttgca agtgggggag tttggttttg tcgttactaa actttcagat	180
tatgaaatcg ttaattctga agtgggtcatt attgccgttg aaaatggcgt cgcaacggct	240
aaattcagag cgtttgagtc tatgaaacaa aggcatttac ccaactccaag aatggctcgt	300
agaaaggggtg atttagtcta ttttaggcaa ttcaacaacc aagcgttttt aatcgctcct	360
aatgatgaac tctatgagca aatcagagcg actaacaccg atattaattt tattagttct	420
gatttggttg ttactttttt gaatgggttt gacccaaaaa tcgctaattt aaggaaagcg	480
tgcaacgttt atagcgtggg ggtgatttat attgtaacca ccaacacgct caatatttta	540
agttgtgaga gttttgaaat tttagaaaaa agagagctgg atacaagcgg cgttactaaa	600
acttccacgc cgtttttttc tagggttgag ggtattgatg caggcacgct agggaaactt	660
ttttcaggca gtcagtctaa aaattacttc gcttactatg acgctttagt gaagaaagaa	720
aaacgcaaag aagtgaggat taaaaagagg gaagaaaaga ttgattctag agaaattaaa	780
cgagaaatca agcaagaggc cattaaagag cctaaaaaag ccaatcaagg cacacaaaac	840

Hp 04-04-03.ST251

gctcctactt tagaagagaa aaactaccaa aaagcagagc gcaaacttga tgctaaagaa	900
gaaaggcggt atttgagaga tgaaaggaaa aaagccaaag ccaccaaaaa ggctatggaa	960
tttgaagaaa gagaaaaaga gcatgatgaa agggacgaac aagagactga aggaagaaga	1020
aaagcttttag aaatggataa aggcgataaa aaagaagaaa gagtcaaacc caaagaaaat	1080
gagcgagaaa tcaagcaaga agccattaaa gagccaagtg atggaaataa cgccacccaa	1140
caaggcgaaa aacaaaacgc tcctaaagag aacaacgctc aaaaagaaga gaataaacca	1200
aattctaaag aagaaaaacg ccgcttgaaa gaagaaaaga aaaaagccaa agccgaacaa	1260
agagcgagag aatttgaaca aagagcgaga gagcatcaag aaagagatga aaaagagctt	1320
gaagagcgaa gaaaggcgct agaagcgggt aaaaaa	1356

<210> 46

<211> 828

<212> DNA

<213> *Helicobacter pylori*

<400> 46

atgtttaaag atttttatcg caccaccctc tcttttttaa agcctttatt gcttttacta	60
gtttttattat tgccgttttc actttgtata gctgatgaat atattagcat aagtgatgat	120
tgggatgaaa ttgtgcgaaa tcataagaca tattattttg aaaatggttt agaccatttt	180
aatcaaggcc aataccagca agccttttaa gatttttagat tggcgcaaga atacagcatc	240
gggcttgga gtgtttattt agccaaaatg tatttgagg gaaagggcgt gaaagtggat	300
tacaaaaaag cacaatttta tgcagaaaac gctatcaaag ggtatgggag cggattgtta	360
gggggtgctc ttatttttagg acgcatgcaa gcagaaggct tagggatgaa aaaggatttg	420
aaacaagcgc tcaagactta taggcatgtg gttcgcatgt tttctaataa aagcacaat	480
tttgctaaca attttagatt accaaacctt gcggaattta ctagtatgct tattggatcg	540
cgattcattg atctttcagg tttgagcgcg aatcctataa aatttgaaa gaaatttgga	600
atacttgta agaaatccac tcaaatcaaa gataagacac ttctttggga agatattgct	660
gaaatttcaa gcaatattac ttactcaaa caacaaatgg gggagatcct ttataggatt	720
gggatcgctt ataaagaagg gcttggcact agaaagaaaa aggacagggc taaaaaattc	780
ctgcaaaaat ccgcagaatt tggctatgaa aaagccatgg aagctctg	828

<210> 47

<211> 990

<212> DNA

<213> *Helicobacter pylori*

<400> 47
 atgactgaag acagattgag tgcagaagat aaaaagtttc tagaagtaga aagagcttta 60
 aaagaagcgg cattaatatcc tctaaggcat gctactgaag aacttttttg tgatttttta 120
 aaaatggaaa atatcactga gatttgttac aatgggaaca aggttgatg ggttttaaaa 180
 aataatggcg aatggcaacc atttgatgtg agagacagga aagccttttag cctgtctcgt 240
 ttaatgcatt ttgctcgggtg ttgtgcaagt tttaagaaaa aaacaataga caactatgaa 300
 aatcctatct tgagcagcaa ttttagcgaat ggtgaaaggg tgcagattgt cctttcccct 360
 gttacagtta atgatgaaac cattttccata tccataagga tacctagcaa aacaacctat 420
 cctcatagct tctttgaaga gcaaggtttt tataatctac tagacaacaa agaacaagcg 480
 atcagcgcga ttaaagatgg tattgctatt ggtaaaaatg tgattgtttg tgggtggcaca 540
 ggaagcggta aaacgactta tatcaaaagc atcatggagt ttatccctaa agaagaaagg 600
 atcatatcca ttgaagacac cgaagagatt gtattcaaac accacaaaaa ctacacacag 660
 cttttttttg gtgggaatat cacctctgct gattgcttaa agtcatgtct gagaatgcgg 720
 cctgatagaa tcatttttagg ggaactcaga agcagtggag catacgattt ttataatgtg 780
 ctttgtagcg gtcataaagg cactactaacc actctgcatg cagggagcag tgaagaagcg 840
 tttatccgtt tggccaacat gagttcatct aatagcgcag caaggaatat caagtttgaa 900
 agtcttattg agggctttta agatttgatt gatatgattg tccatatcaa ccaccacaaa 960
 cagtgtgatg aattttatat caaacacagg 990

<210> 48

<211> 5781

<212> DNA

<213> *Helicobacter pylori*

<400> 48
 atgaatgaag aaaacgataa acttgaaact tctaaaaaag cccaacaaga ttcaccccaa 60
 gatttatcca atgaagaagc aacagaagcc aatcattttg aaaatctttt aaaagaatcc 120
 aaagaaagct cagatcatca tcttgacaac cccacagaaa ctcaaacca ttttgatgga 180
 gacaagtcag aagaaacca aactcaaagt gattctgaag gtaatgaaac ttcagaatct 240
 agcaatggca gtctagcaga caagttattc aaaaaagcca gaaaattagt tgataataaa 300
 aaacctttca ctacagcaaaa gaatttagat gaagaaaccc aagaactgaa cgaagaagac 360
 gatcaagaaa ataatgagta tcaagaagaa actcaaacgg acttaattga tgatgaaact 420
 tctaaaaaaa cccaacaaca ttcaccccaa gatttatcca atgaagaagc aacagaagcc 480
 aatcattttg aaaatctttt aaaagaatcc aaagaaagct cagatcatca tcttgacaac 540
 cccacagaaa ctcaaacca ttttgatgga gacaagtcag aagaaacca aactcaaagt 600

Hp 04-04-03.ST251

gattctgaag gtaatgaaac ttcagaatct agcaatggca gtctagcaga caagttattc	660
aaaaaagcca gaaaattagt tgataataaa aaacctttca ctcagcaaaa gaatttagat	720
gaagaaaccc aagaactgaa cgaagaagac gatcaagaaa ataatgagta tcaagaagaa	780
actcaaacgg acttaattga tgatgaaact tctaaaaaaa cccaacaaca ttcaccccaa	840
gatttatcca atgaagaagc aacagaagcc aatcattttg aaaatctttt aaaagaatcc	900
aaagaaagct cagatcatca tcttgacaac cccacagaaa ctcaaacca ttttgatgga	960
gacaagtcag aagaaataac tgacgactct aacgatcaag agattatcaa aggaagcaaa	1020
aagaaatata ttattggtgg cattgtagtc gctgttctta tcgtgattat tttattttct	1080
agaagcattt ttcactactt catgcctttg gaagataaaa gctctcgttt tagcaaagac	1140
aggaatcttt atgtcaatga tgaaatccaa ataaggcaag agtataaccg attgctgaaa	1200
gaacggaatg aaaaaggcaa tatgatcgat aagaatcttt tcttcaatga cgatcccaat	1260
agaaccttat acaactatth gaatattgca gaaattgagg acaaaaaccc gttgagagcc	1320
ttttatgaat gtattagtaa tgggtggcaac tatgaagaat gtttgaagct tatcaaagac	1380
aaaaaacttc aagatcagat gaaaaagact ctagaggctt ataacgactg catcaaaaat	1440
gccaaaactg aagaagaaaag gatcaagtgt ttagatttaa tcaaagatga aaacctaata	1500
aaaagcttac tgaaccaaca aaaagttcaa gtggcgctag attgtttgaa aaacgctaaa	1560
accgatgaag aacgaaacga gtgcctaaaa ctcataaatg accctgagat tagagagaaa	1620
ttccgtaagg aattagagct tcaaaaagag cttcaagagt ataaggattg tatcaaaaac	1680
gccaaaacag aagctgagaa aaacaaatgc ttgaaaggct tgtctaaaga agctatagag	1740
agattgaaac agcaagcgct agattgtttg aaaaacgcta aaaccgatga agaacgaaac	1800
gagtgcctga aaaatattcc ccaagacttg caaaaagaac tattagctga tatgagcgct	1860
aaggcttaca aggattgcgt atcaaaagct agaaatgaaa aagagaaaca agaatgagag	1920
aaattgctca cgcctgaagc gaggaataag ttagaacaac aggttctaga ttgtttgaaa	1980
aacgctaaaa ccgatgaaga acgaaaaaag tgtttgaaag atctccctaa agacttacaa	2040
agcgatattc tagccaaaga gagcctgaaa gcttataaag actgcgatatc tcaagccaaa	2100
accgaagctg agaaaaaaga atgagagaaa ttactcacc ctagagcgaa aaaactttta	2160
gaagaagaag ccaaagagag cgttaaggct tatttgattt gcgtatctca agccaaaacc	2220
gaagctgaga aaaaagaatg cgagaaattg ctcacccttg aagcgaaaaa aaagttagaa	2280
gaagctaaaa aaagcgtaa agcttacttg gattgcgtat caagagctag gaatgaaaaa	2340
gagaaaaaag aatgagagaa attgctcacc cctgaagcga aaaaactttt agagcaacaa	2400
gcactagatt gtttgaaaaa cgctaaaacc gataaagaac gaaaaaagtg tttgaaagat	2460
ctccctaaag acttgcagaa aaagggtttta gctaaagaaa gcgttaaagc ttacttggat	2520
tgcgtatctc aagccaaaac tgaagctgag aaaaaagaat gcgagaaatt actcaccctt	2580
gaagcgagaa aactttttaga agaagctaaa aaaagcgtaa aggcttattt ggattgcgta	2640

Hp 04-04-03.ST251

tctcaagcca aaactgaagc tgagaaaaaa gaatgcgaga aattactcac ccctgaagcg	2700
agaaaacttt tagaagaaga mgccaaagag agcgtaaag cttacttgga ttgctgtatct	2760
caagccaaaa acgaagctga gaaaaaagaa tgcgagaaat tgctcaccct tgaatcgaaa	2820
aaaaagttag aagaagctaa aaaaagcggt aaggcttatt tggattgctg atctcaagcc	2880
aaaaccgaag ctgagaaaaa agaattgcgaa aaattgctca cgcctgaagc gaaaaaactt	2940
ttagagcaac aagcgctaga ttgtttgaaa aacgctaaaa ccgaagctga taaaaaaagg	3000
tgtgtcaaaag atctccctaa agacttgtag aaaaagggtt tagccaaaga gagcctgaaa	3060
gcttataaag actgctgctc aaaagctagg aatgaaaaag agaaaaaaga atgtagagaa	3120
ttactcaccct ctgaagcgaa aaaactttta gaagaagcta aaaaagcggt taaggcttac	3180
ttggattgctg tatctcaagc caaaactgaa gctgagaaaa aagaatgcga gaaattactc	3240
acccctgaag cgagaaaact cttagaagaa gctaaagaga gcgtaaagc ttataaagac	3300
tgctgtatcaa aagctaggaa tgaaaaagag aaaaaagaat gcgagaaatt actcacgcct	3360
gaagcgaaaa aacttttaga gcaacaagtg ctagattggt tgaaaaacgc taaaaccgaa	3420
gctgataaaa aaagggtgtg caaagatctc ctaaagact tgagaaaaaa ggtttttagct	3480
aaagagagcg ttaaggctta tttggactgc gtatcaagag ctaggaatga aaaagagaaa	3540
aaagaatgctg agaaattgct caccctgaa gcgaaaaaac ttttagaaga agccaaagag	3600
agtcttaaag cttataaaga ctgcctctct caagctagaa atgaagaaga aaggagagct	3660
tgcgagaaac tactcacgcc tgaagcgaga aaactcttag agcaagaagt taagaaaagc	3720
attaaggctt atttgactg cgtatcaaga gctaggaatg aaaaagagaa aaaagaatgc	3780
gagaaattac tcacgcctga agcgagaaaa tttttagcga agcaagtgt aaattgtttg	3840
gaaaaagctg gaaatgaaga agaaagaaaa gcatgtctta aaaatctccc taaagactta	3900
caggaaaata ttttagctaa agagagtctt aaagcttata aagactgcct ctctcaagct	3960
agaaatgaag aagaaaggag agcttgcgag aaactactca cgcctgaagc gagaaaactc	4020
ttagagcaag aagttaagaa aagcgtaaag gcttatttgg actgctgctc aagagctagg	4080
aatgaaaaag agaaaaaaga atgtagagaa ttactcacgc ctgaagcgag aaaattttta	4140
gcgaaagaac tccaacaaaa agataaagcg atcaaagatt gcttgaaaaa cgccgatcct	4200
aacgacagag cggctatcat gaagtgtttg gatgggtttga gcatgaaga gaagctcaaa	4260
tacctgcaag aagctagaga aaaggctgtt gcggattgtt tggctatggc taaaaccgat	4320
gaagaaaaaa ggaaatgcc aacctttat agcgatttga tccaagaaat ccaaaataaa	4380
aggacacaaa acaaacaaaa tcaattgagt aaacagaaa gggtgcatca agcaagcgag	4440
tgcttgata acttagatga ccctactgat caagaggcca tagagcaatg ttagagggc	4500
ttgagcgata gtgaaagggc gctaattcta ggaattaaac gacaagctga tgaagtggat	4560
ctgatttata gcatctaaag aaaccgtaaa accttgata acatggcggc taaagggtat	4620
ccattgttac caatggattt caaaaatggc ggcatattg ccactattaa cgccactaat	4680

Hp 04-04-03.ST251

gttgatgctg	acaaaatagc	tagcgataat	cctatattatg	cttccataga	gcctgatatt	4740
gccaagcaat	acgaaacaga	aaaaaccatt	aaggataaga	atttagaagc	taaattagct	4800
aaggctttag	gtggcaataa	aaaagatgac	gataaagaaa	aaagtaaaaa	atccacagca	4860
gaagctaaag	cagaaaacaa	taagatagac	aaagatgtcg	cagaaactgc	caagaatatc	4920
agtgaaatcg	ctcttaagaa	caaaaaagaa	aagagtgggg	aatttgtaga	tgaaaatggg	4980
aatcccattg	atgacaaaaa	gaaagcagaa	aaacaagatg	aaacaagccc	tgtcaaacag	5040
gccttttatag	gcaagagtga	tcccacattt	gttttagcgc	aatacacccc	cattgaaatc	5100
actctgactt	ctaaagtaga	tgccactctc	acaggtatag	tgagtggggg	tgtagccaaa	5160
gatgtatgga	acatgaacgg	cactatgatc	ttattagaca	aaggcactaa	gggtgatggg	5220
aattatcaaa	gcgtgaaagg	tgccacaccc	attatgacac	gcttaatgat	agtcctttact	5280
aaagccatta	cgcctgatgg	tgtgataata	cctctagcaa	acgctcaagc	agcaggcatg	5340
ttgggtgaag	caggggtaga	tggtctatgtg	aataatcact	ttatgaagcg	cataggcttt	5400
gctgtgatag	caagcgtggg	taatagcttc	ttgcaaactg	cgcctatcat	agctctagat	5460
aaactcatag	gccttggcaa	aggtagaagt	gaaaggacac	ctgaatttaa	ttacgctttg	5520
gggtcaagcta	tcaatggtag	catgcaaagt	tcagctcaga	tgtctaata	aattctaggg	5580
caactgatga	atatccccc	aagtttttac	aaaaacgagg	gcgatagtat	taagattctc	5640
acaatggacg	atattgattt	tagcgggtgtg	tatgatgtta	aaattactaa	caaatctgtg	5700
gtagatgaaa	ttatcaaaca	aagcaccaaa	actttgtcta	gagaacatga	agaaatcacc	5760
acaagcccca	aaggtggcaa	t				5781

<210> 49

<211> 1143

<212> DNA

<213> Helicobacter pylori

<400> 49

gtgaaatggt	ttttaagcat	attttctttc	ttgacttttt	gtggtttgtc	tctgaatggc	60
acagaagtag	taataacgct	tgaacccgcc	ttaaaagcca	ttcaggcgga	cgcacaagcc	120
aaacaaaaaa	ccgctcaagc	tgaattaaaa	gccatagaag	ctcagtctag	tgccaaagaa	180
aaagccattc	aagcgcaa	at	agaggagaa	ttgaggactc	agcttgcaac	240
atgttaaaag	gggcta	atgg	cggtattaat	gggtgtcaatg	gcatgacagg	300
gcaggttcag	acatcttgct	tggcgtcatg	gaagggtatt	caagcgcgct	tagtgcattg	360
ggggggaatg	ttaaaatgat	cgtggaaaaa	caaaaaatta	acacccaaac	agaaatccaa	420
aacatgcaaa	tcgcgtcca	aaaaaataac	gaaataatca	agctcaaaat	gaaccagcaa	480
aacgctctct	tagaagcggt	aaaaaataagc	tttgaaccga	gcgttactct	aaaaacacaa	540

Hp 04-04-03.ST251

```

atggaaatgc tttctcaagc tctaggaagt tcttctgaca acgctcaata catcgcttac      600
aatacgattg gtatcaaggc gtttgaagaa accttaaaag gttttgaaac atggttgaaa      660
gtggctatgc aaaaagcgac ccttattgat tataattccc taacgggtca ggctttgttt      720
caaagtgcc tctatgcgcc tgctcttagt ttttttcaa gcatgggtgc accatttga      780
atcattgaaa cattcactct agcgcccaca aaatgccctt atcttgatgg gctaaaaatt      840
tcagcatgcc ttatggaaca ggttattcag aattacagaa tgattgtagc ccttattcaa      900
aataaactga gtgatgcaga ttttcaaaat atcgcttatt tgaatgggat caatggagaa      960
atcaaaacct taaaaggatc agtagatttg aacgcgctca tagaagttgc tatcttaaac     1020
gcagaaaatc atttaaacta tatagagaat cttgaaaaaa aagccgacct ttgggaagaa     1080
caactgaaat tagaaagaga aacgacagca agaaacattg ctagctctaa agttattgtc     1140
aaa                                                                    1143

```

<210> 50

<211> 1110

<212> DNA

<213> Helicobacter pylori

<220>

<221> misc_feature

<222> (735)..(735)

<223> "n" can be any base

```

<400> 50
atggcaggta cacaagctat atatgaatca tcttctgcag gattcttattc ggaaatttcc      60
tcaatcatct caagcacaag tggtgttgca gggccatttg caggaatagt agcgggtgct      120
atgtcagcag cgattatttc tattgtttgtg ggatttacta atccgcaaatt gaccgctatc      180
atgaccaat acaatcagag catcgctgaa gccgtaagca tgcctatgaa agctgctaac      240
caacaataca accaattgta tcaaggtttt aacgatcaaa gcatggctgt ggggaacaat      300
atcttaaata tcagcaaatt aacaggggaa tttaacgtgc aaggcaacac gcaaggcgcg      360
caaattagtg ccgttaatag tcagattgca agcatttttag cgagtaacac caccctaaa      420
aatcctagcg ctattgaagc ttatgcgaca aatcaaatcg ctgttcctag tgtgccaaca      480
acggttgaaa tgatgagcgg tatcttaggc aatattacaa gcgcggcacc aaaatacgcc      540
ctagctctac aagagcaatt gcgtttctca gcaagcaaca gctcaatgaa tgatacagcc      600
gattcccttg atagctgtac cgcttttaggt gcacttggtg gctcatcaaa agtgtttttt      660
agttgcatgc aaatttctat gacgcccattg agtgtttcta tgcccactgt ttatgcaaaa      720

```

Hp 04-04-03.ST251

taccaagcgt tascnactaa tgccctaact tcaggcacta atcctatgac cactcctgca	780
tgccctattg gggacaaagt tcttgccgtt tattgctatg ctgaaaaagt agcagaaatt	840
ttgagggaat actatataga atttgtgaaa aacaatacca atttgttgca aaacgcttct	900
caaatgatac ttaatcaatc aggattagct actagcacct atgacactca agcgatttct	960
aacataagct cgctatataa ttacaatata gtagcgaata aatctttttt gaaatcgcat	1020
ttgacttacc ttgattacat caaaaacaag cttaaggggc aaaaagatag ctacttaaca	1080
gaaaggggtgc aaactaaaat aatcgtgaag	1110

<210> 51

<211> 426

<212> DNA

<213> Helicobacter pylori

<400> 51	
atgaaaaacga atttttataa aattaaatta ctatttgctt ggtgtcttat cattggcatg	60
tttaacgctc cgcttaatgc tgaccaaaac acggatataa aagatattag tcctgaagat	120
atggcactaa atagcgtggg gcttgtttct agagatcaac taaaaataga gatccctaaa	180
gaaaccctag aacaaaaagt ggccgtactc aatgactata atgataagaa tgtaaatatc	240
aagtttgaca acataagttt agggagtttt caacctaata ataatctagg tatcaatgcg	300
atgtggggca ttcaaaatct tctcatgagc caaatgatgg gcgattacgg tccaaacaat	360
cctttcatgt atggttatgc accaacatac tcagattcat catttttacc accgatctta	420
gggtat	426

<210> 52

<211> 2949

<212> DNA

<213> Helicobacter pylori

<400> 52	
gtgtttgtgg caagcaaaca agctgacgaa caaaaaaagc tagtcataga gcaagagggtt	60
caaaagcgcc aatttaaaaa aatagaagaa cttaaagcag acatgcaaaa ggggtgtcaat	120
ccctttttta aagtcttggt tgatgggggg aatagggtgt ttggtttccc tgaaactttc	180
atttattcct ctatatttat attgtttgta acaattgtac tatctgttat tctttttcaa	240
gcctatgaac ctgttttgat tgtagcgatt gttattgtgc ttgtagctct tggattcaag	300
aaagattata ggctttatca aagaatggag cgagcgatga aatttaaaaa accttttttg	360
tttaagggcg tgaaaaacaa agcgttcatg agcatttttt ccatgaagcc tagtaaagaa	420

atggctaatag acatccactt aaatccaaac agagaagaca ggcttgtagag cgctgcaaac	480
tcctatctag cgaataacta tgaatgtttt ttagatgatg gggatgacct tactaacaac	540
tattctcttt taggcacaat caaattgggg ggcattgatt ttttaaccac ttccaaaaaa	600
gatctcatag agttacacgc ttctatttat agcgttttta ggaattttgt taccctgaa	660
ttcaaattct attttcacac tgtaaaaaag aaaatcgta ttgatgaaac caatagggac	720
tatagtctta ttttttctaa tgatttcag cgagcctata atgagaagca aaagagagaa	780
agtttttatg atattagttt ttatctcacc atagagcaag atttattaga cactctcaat	840
gaacccgtta tgaataaaaa gcattttgca gacaataatt ttgaagagtt tcaaaggatt	900
attagagcca agcttgaaaa cttcaaggat aggatagagc tcatagaaga gctattgagt	960
aaataccacc ccattagatt aaaagaatac actaaagatg gcgttattta ctccaaacaa	1020
tgcgagtttt ataatttctt tgtgggaatg aatgaagccc cttttatttg caacagaaaa	1080
gacttgatc tcaaggaaaa aatgcatggt ggggtgaaag aagtttattt tgccaataag	1140
catggaaaaa tcttaaatga cgatttgagt gaaaaatatt ttagcgctat tgagattagt	1200
gaatacgccc ctaaatcaca aagcgatttg ttgataaaa tcaacgccct agacagcgaa	1260
tttattttca tgcattgcta ttgcctaaa aactcacagg ttttaaagga caaactagct	1320
ttcacctcta gaagaattat tattagtga ggctctaaag agcagggcat gactttaggt	1380
tgcttgagcg aattagtggg taatgggtgat attacgctag gcagttatgg taattcttta	1440
gtgttggttg ctgatagctt tgaaaaaatg aaacaaagcg ttaaggaatg cgtctctagt	1500
cttaacgcta aagggttttt agccaacgca gcgactttct ctatggaaaa ttactttttc	1560
gccaaacatt gctcttttat cacgcttcct tttatttttg atgtaacttc taataatttt	1620
gctgatttca tcgctatgag ggctatgagt ttgatggca atcaggagaa taacgcttgg	1680
ggcaatagt tgatgacgct aaaaagcgag atcaattcgc ctttttatct gaacttcac	1740
atgcctactg attttggttc agcttcagca ggacacactt tgatacttgg ctcaaccggt	1800
tcaggtgaaga cagtgtttat gtcaatgacc ttgaacgcta tggggcaatt tgttcacaat	1860
tttcctgcta atgtcagcaa agacaagcaa aagctcacta tggtttatat ggataaagat	1920
tatggcgctt atgggaatat tgtcgcaatg ggtggggagt atgtcaagat tgagctaggg	1980
acagatacag gattaaatcc ttttgcttgg gcggcttggt tgcaaaaaac aaatgcaaca	2040
atggagcaaa aacaaacagc tttttctggt gtcaaagagc ttgtgaaaaa cttagcaacc	2100
aaaagcgatg aaaaagatga gaatggcaac agcatctctt ttagcctagc agattcta	2160
acgcttgtag cggcagtaac caaccttacc acaggagata tgaacctaga ttatcccatc	2220
actcaactta ttaatgcttt cgggaaagac cacaatgatc ctaatgggct tgtcgcgcga	2280
ttagcacctt ttgcaaatc aaccaatggt gaatttcaat ggctttttga taataaagca	2340
acggatcgct tagatttttc aaaaacgatt attggcggtt atgggtcaag tttcttagac	2400
aataatgatg tttcgccctt tatttgtttt taccttttcg ctcgtatcca agaggcaatg	2460

Hp 04-04-03.ST251

gatgggcgta gatttgtctt agatattgat gaagcttgga aatatttagg cgatccaaag	2520
gtcgcttatt ttgtaagaga catgctaaaa actgcaagga aaagaaacgc tattgtcaga	2580
cttgcgactc aaagcatcac tgatcttttg gcttgcccta ttgctgatac gattagagaa	2640
caatgcccta caaagatttt ttgagaaaac gatgggggca atctttctga ttaccaaaga	2700
ttggctaattg ttacagaaaa agaatttgaa atcatcacta agggactaga taggaaaatt	2760
ctctacaaac aggatggaag ccctagcggt atcgctagtt ttaatttgag gggcattcct	2820
aaagaatatt tgaaaatttt atccacagat actgtatttg tcaaagaaat tgacaagatt	2880
atccaaaacc atagtatcat agataaatat caggccttga ggcaaagtga tcaacaaata	2940
aaggagtat	2949

<210> 53

<211> 621

<212> DNA

<213> Helicobacter pylori

<400> 53	
ttgatcaata ataatagtaa taaaaaactg agaggctttt ttgtgaaagt tctcttaagt	60
ctcgttgttt tcagttcgtg tgggttagca aatgacgata aagaagccaa aaaagaagtg	120
ctagaaaaag aaaaaaacac tccaatggg cttgtttata cgaatttaga tttgatagt	180
ttcaaggcga ctatcaaaaa ttgaaagac aagaaagtaa ctttcaaaga agtcaatccc	240
gatattatca aagatgaagt ttttgacttc gtgattgtca atagagtcct taaaaaata	300
aaggatttga agcattacga tccagttatt gaaaaaatct ttgatgaaaa gggtaaagaa	360
atgggattga atgtggaatt gcagatcaat cctgaagtga aagacttttt tacttttaaa	420
agcatcagca cgaccaacaa acaacgctgc tttctatcgt tgcgcgggga aacaagagaa	480
attttatgcg atgataagct gtataatggt ttattggccg tattcaattc ttatgaccct	540
aatgatcttt tgaaacatat tagcaccgta gagtctctca aaaaaatctt ttatacgatt	600
acatgtgaag cggtatatct a	621

<210> 54

<211> 3558

<212> DNA

<213> Helicobacter pylori

<400> 54	
atgactaacg aaactattga tcaaacaaga acaccagatc aaacacaaag ccaaacagct	60
tttgatccgc aacaatttat caataatctt caagtggcct ttattaaagt tgataatggt	120

Hp 04-04-03.ST251

gtcgttcat ttgatcctga tcaaaaacca atcgttgata agaacgatag ggataacagg	180
caagcttttg atggaatctc gcaattaagg gaagaatact ccaataaagc gatcaaaaat	240
cctaccaaaa agaatcagta tttttcagac tttatcgata agagcaatga tttaatcaac	300
aaagacaatc tcattgatgt agaatcttcc acaaagagct ttcagaaatt tggggatcag	360
cgttaccaa ttttcacaag ttgggtgtcc catcaaaaag atccgtctaa aatcaacacc	420
cgatcgatcc gaaattttat ggaaaatatc atacaacccc ctatccctga tgataaagaa	480
aaagcagagt ttttgaaatc tgccaaacaa tcttttgcag gaatcattat agggaaatcaa	540
atccgaacgg atcaaaagtt catgggcgtg tttgatgaat ccttgaaaga aaggcaagaa	600
gcagaaaaaa atggagggcc tactggtggg gattggttgg atatttttct ctcatttata	660
tttaacaaaa aacaatcttc cgatgtcaaa gaagcaatca atcaagaacc agttcccat	720
gtccaaccag atatagccac tactaccacc gacatacaag gcttaccgcc tgaagctagg	780
gatttacttg atgaaagggg taatttttct aaattcactc ttggcgatat ggaaatgtta	840
gatgttgagg gagtcgctga cattgatcct aattacaagt tcaatcaatt attgattcac	900
aataacgctc tgtcttctgt gttaatgggg agtcataatg gcatagaacc tgaaaaagtt	960
tcattattgt atgcgggcaa tgggtggttt ggagacaaac acgattggaa cgccaccgtt	1020
ggttataaag accaacaagg taacaatgtg gctacactca ttaatgtgca tatgaaaaac	1080
ggcagtggct tagtcatagc aggtggtgag aaagggatta ataaccctag tttttatctc	1140
tacaaagaag accaactcac aggtcacaa cgagcattga gtcaagaaga gatccgaaac	1200
aaagtagatt tcatggaatt tcttgcacaa aataatacta aattagacaa cttgagcgag	1260
aaagagaaag aaaaattcca aaatgagatt gaagattttc aaaaagactc taaggcttat	1320
ttagacgcc tagggaatga tctgattgct tttgtttcta aaaaagacac aaaacattca	1380
gctttaatta ctgagtttaa taatggggat ttgagctaca ctctcaaaga ttatgggaaa	1440
aaagcagata aagctttaga tagggagaaa aatgttactc ttcaaggtag cctaaaacat	1500
gatggcgtga tgtttgttga ttatttcta ttcaaataca ccaacgcctc caagaatccc	1560
aataaggggtg taggcgtac gaatggcgtt tcccatttag aagcaggctt taacaaggta	1620
gctgtcttta atttgcctga tttaaataat ctcgctatca ctagtttcgt aaggcggaat	1680
ttagagaata aactaaccgc taaaggattg tccctacaag aagctaataa gctcatcaaa	1740
gactttttga gcagcaacaa agaattggct ggaaaagctt taaacttcaa taaagctgta	1800
gctgaagcta aaagcacagg caactatgac gaggtgaaaa aagctcagaa agatcttgaa	1860
aatccctaa ggaaacgaga gcatttggag aaagaagtag agaaaaaatt ggagagcaaa	1920
agcggcaaca aaaataaaat ggaagcaaaa gctcaagcta acagccaaaa agatgagatt	1980
tttgcgttga tcaataaaga ggctaatagg gatgcaagag caatcgctta cactcaaaat	2040
cttaaaggca tcaaaagggg attgtctgat aaacttgaaa aaatcagcaa ggatttgaaa	2100
gacttttagta aatcttttga tgaattcaaa aatggcaaaa ataaggattt cagcaaggca	2160

Hp 04-04-03.ST251

gaagaaacgc taaaagccct taaaggctcg gtgaaagatt taggtatcaa tccagaatgg	2220
atttcaaaag ttgaaaacct taatgcagct ttgaatgaat tcaaaaatgg caaaaataag	2280
gatttcagca aggtaacgca agcaaaaagc gaccttgaaa attccgttaa agatgtgatc	2340
atcaatcaaa aggtaacgga taaagttgac aatctcaatc aagcggatc agtggctaaa	2400
gcaatgggcg atttcagtag ggtagagcaa gtgttagccg atctcaaaaa cttctcaaag	2460
gagcaattgg ctcaacaagc tcaaaaaaat gaagatttca atactggaaa aaattctgaa	2520
ctataccaat ccgttaagaa tagtgtaaataaaaaccctag tccgtaaatgg gttatctgga	2580
atagaggcca cagctctcgc caaaaatttt tccgatatca agaaagaatt gaatgagaaa	2640
tttaaaaatt tcaataacaa taataatgga ctcaaaaaca gcacagaacc catttatgct	2700
aaagttaata aaaagaaaac aggacaagta gctagccctg aagaacccat ttatactcaa	2760
gttgctaaaa aggtaaatgc aaaaattgac cgactcaatc aaatagcaag tggtttgggt	2820
gggttagggc aagcagcggg cttccctttg aaaaggcatg ataaagttga tgatctcagt	2880
aaggtagggc tttcagctag ccctgaaccc atttacgcta cgattgatga tctcggcgga	2940
cctttccctt tgaaaaggca tgataaagtt gatgatctca gtaaggtagg gcgatcaagg	3000
aatcaagaat tggctcagaa aattgacaat ctcaatcaag cggtatcaga agctaaagca	3060
ggtttttttg gcaacctaga gcaaacgata gacaagctca aagattctac aaaaaagaat	3120
gttatgaatc tatatgttga aagtgcacaaa aaagtgcctg ctagtttgtc agcgaaattg	3180
gacaattatg ctattaacag ccacacacgc attaatagca atatccaaaa tggagcaatc	3240
aatgaaaaag cgaccggtat gctaacgcaa aaaaaccctg agtggcttaa gctcgtgaat	3300
gataagatag ttgcgcataa tgtgggaagc gtttctttgt cagagtatga taaaattggc	3360
ttcaaccaga agaatatgaa agattattct gattcgttca agttttccac caagttgaac	3420
aatgctgtaa aagacattaa gtctggcttt acgcactttt tagccaatgc attttctaca	3480
ggatattact gcttggcgag ggaaaatgcg gagcatggaa tcaaaaatgt taatacaaaa	3540
ggtggtttcc aaaaatct	3558

<210> 55

<211> 1248

<212> DNA

<213> *Helicobacter pylori*

<400> 55

gtggcaataa acaccttttt aaaacattct tttttagtct gtttgtttagc ggttaattct	60
tacgctttttg attggaacat ttttaaatac aatctgggtt tcaatatgtt catcatggac	120
catgaaggct caacgcctta ttgggtcaat actaacacca atcttaaaac ccgtttgact	180
ccaaattttg ggatccaatt ttatacaaga ggtgtggagc aaagcttgac tgtgggggcg	240

Hp 04-04-03.ST251

tat	ttttttttc	aaaactttcca	taactacagc	actaattttc	cctaccgttg	ggggcctact	300
atg	tattata	aggctagagg	gaagcgtttt	actttttatg	gagggatttt	ccctaggaaa	360
aac	ctcttag	gaaggtatgg	tttgaatatt	tttgccccctt	attattgggt	tatagatcca	420
aac	gctagag	ggttttttatt	gcaatttcaa	aaccattatt	cgccttcaaa	accctattat	480
ggg	catgcgg	agttcatgct	agattgggtt	ggaggcaatt	gttacaacac	ttgtaagttt	540
ggg	agaaacc	cttatgggaa	cgcaatggac	aggtttcaaa	tgaacggctc	tgtcgtttat	600
aatt	tcttta	aggattttatt	gggtattgga	gggtattttg	tcttgttcca	taacgaagac	660
aaata	accttt	taaatggggc	tgatggcatg	cagtttaatg	aaaaaaaaagc	gattgataac	720
agt	gcgattt	atttactgga	tcgcctttat	tataatgctt	acattagcac	aagcctttta	780
gac	atcgccc	cctttatgga	aaaactcagc	gctaaatttg	gcatggtttc	tgaagcgagc	840
cgatt	gagaa	acagagagaa	agaagtggcc	tttatcaata	gcgtgggcgg	gcaatttgat	900
gtg	gagatcc	aatacaaaagg	ctttggcatc	cacaatttat	ttttcttcgc	caagacccca	960
gag	atgcctt	tttataacca	ataccagtat	gttgaaatgt	attgcacgcc	ttcgtattgc	1020
ccc	acgccta	tttatcgtgg	cgtgccattc	tttcaagcga	acatgtataa	ccgttttgat	1080
ttct	tattaca	actggaaaaa	cgacttcgca	tcggtccgca	tcaatttcgt	gcttaatgcg	1140
atg	cgtgggg	gctttgatag	gagcttgcct	tggtcagaat	cttaccaagt	gtatatgacg	1200
gtt	gcctttg	atccttataa	ccttattaac	aaaattgcca	gaaaaaag		1248

<210> 56

<211> 1020

<212> DNA

<213> *Helicobacter pylori*

<400> 56

atg	atgattt	tcattgatgc	atgttttaga	aaggaaacgc	cttacacgcc	catttgatg	60
atg	aggcaag	cggggcgtta	ccttagcgaa	taccaagaga	gccgtaaaaa	agcggggagt	120
ttc	ttggaat	tgtgtaaaaa	tagcgaatca	gccacagaag	ttaccttaca	gccggtagag	180
at	tttaggcg	tgatgcggc	tattttgttt	agcgatattt	tagtagtgcc	tttggaatg	240
gg	cttgaatt	tgagttttat	ccccaaaaag	gggccgcatt	ttttagagac	gattacggat	300
tt	aaaaagcg	tggaagcct	aaaagtaggg	gcttataaac	aactaaacta	tgtctatgat	360
acg	attttctc	aaacgcgcca	aaagctttct	agagagaaag	cgtaaatcgg	tttttgcgga	420
tcg	ccttgga	ctttagcgac	ttacatgata	gaaggcgagg	ggagcaaatac	gtatgccaaa	480
ag	caagaaaa	tgctttatag	cgagcctgaa	gttttaaaag	cgctttttaga	aaaattaagc	540
ctt	gaattga	tagagtattt	gagccttcaa	atccaagcag	gggtcaatgc	agtgatgac	600
ttt	gactcat	gggctagcgc	tttagaaaaa	gaagcgtatt	tgaatttcag	ttgggattat	660

Hp 04-04-03.ST251

ttgaaaaaaa tctctaaaga gcttaaaaaa cgctatgcgc atatcccagt tacccttttc	720
cctaaagggg ttggcgctta tttggatagc atagatgggg aatttgatgt gtttggcgtg	780
gattggggca cgcctttaac tgcggcaaaa aagatttttag gcggtaagta tgttttgcaa	840
gggaatttag aaccaccccg cctttatgat aaaaacgctt tagaagaagg ggttgaaacg	900
attctaaaag tcatgggcaa tcaagggcat atttttaatt tagggcatgg gatgttgccg	960
gatttaccga gagaaaacgc caaatattta gtgcaattag tgcattgctaa aaccagacga	1020

<210> 57

<211> 3084

<212> DNA

<213> Helicobacter pylori

<400> 57

atgtataaaa cagcgattaa tcgtcctatt acgaccttaa tgtttgcttt ggcgattgtc	60
ttttttggga ctatgggggt taaaaaattg agcgtggcgc ttttcctaa aattgatttg	120
cctacggtgg tggttactac gacttatcct ggggctagcg ctgaaatcat agagagtaag	180
gtaaccgata agattgaaga agcggatgat gggattgatg ggatcaaaaa ggttacttcc	240
acgagttcta aaaatgtgag tatcgtcgtc attgaatttg agttagaaaa acctaatgaa	300
gaagccttaa acgatgtggt gaataaaatt tcttcggtgc gttttgatga ctctaactt	360
aaaaaacctt ctatcaataa atttgatacc gacagccaag ccattatttc attgtttgtg	420
agcagttcaa gcgtgccggc tacaaccctt aatgactacg ctaaaaacac catcaaacc	480
atgctccaaa aaatcaatgg ggtagggggc gtgcagctca acggcttttag ggagcgccag	540
attaggattt atgcaaatcc cactttgatg aataaataca acctgactta tgcggatctt	600
ttcagcacgc ttaaagcgga gaatgtggaa attgatgggg ggcgcattgt caatagccaa	660
agggaatttt ctattttaat caatgcgaat agttatagcg ttgcggatgt ggaaaagatt	720
caagtgggta atcatgtgcg tcttgccgat attgcaaaaa ttgaaatcgg tttggaagaa	780
gacaacactt ttgcgagctt taaagacaaa cccggtgtga ttttagaaat ccaaaagatt	840
gccggagcga atgaaattga aatcgtagat aggggtgatg aagctttaaa gcgcattcaa	900
gccattagcc ctaactatga aatcagaccc ttttagaca ccacgggcta tatccgcacc	960
tctattgaag acgtgaaatt tgatctagtt ttaggggcga ttttagcggg tttagtgggtg	1020
tttgcgttct tgcgtaacgg cacgatcacc ctctgttcag cgatctctat ccctatttct	1080
atcatgggga cttttgcgct catccaatgg atgggctttt cattaaacat gctcaccatg	1140
gtggctttta cgttggcgat agggattatc attgatgatg cgatcgtggg gattgaaaac	1200
atccataaaa agctagaaat gggcatgagt aaacgaaaag cgagctatga gggggtgaga	1260
gaaattggct ttgctctagt ggcgatttca gcgatgctgc tctctgtttt tgtgcctata	1320

Hp 04-04-03.ST251

gggaacatga aaggcattat tgggcgtttt tttaaagtt ttgggacac ggtggcttta 1380
 gcgatcgctc tatcgatgt ggtggtcgtt acgattatcc ccatggtaag ctcatcggtg 1440
 gtcaatccca ggcattctcg tttttatgtg tggagtggagc ctttttttaa ggcttttagag 1500
 tctcggtata ccaagttgct ccaatgggta ttaaaccaca agatcattat ctctatagcg 1560
 gtggttttgg tgtttgtggg atcgcttttt gtggcttcta agattggtat ggagttcatg 1620
 ctgaaagaag atagggggag gtttttgggtg tggcttaagg ctaaaccggg cgtgagcata 1680
 gattacatga cacaaaagag taagatcttt caaaaagcga ttgaaaaaca tgctgaagtg 1740
 gaattcacca ccttgcaagt gggttatggc accacacaaa acccttttaa ggctaagatt 1800
 tttgtgcaac tcaagccttt aaaagagcgt aaaaaagagc atcaattggg gcaatttgag 1860
 ttgatgagcg ttttaaggaa agagttgaga agcttgcttg aagctaaagg tttagatact 1920
 attaacttt ctgaagttac tcttataggg ggcggtgggg atagttcgcc cttccaaacc 1980
 tttgtgtttt cccattctca agaagcgggtg gataaaagcg tggagaattt gaaaaaattc 2040
 ttattagaaa gccctgaatt aaaaggcaag gttgaaagct atcatacaag cacgagcgaa 2100
 tcgcaaccgc aattgcaact caaaatctta agacaaaacg ctaacaaata cggcgtgagc 2160
 gctcaaacca ttggatcagt ggtgagctct gctttttctg ggacttctca agcgagcggtg 2220
 ttcaaagaag atggcaaaga atacgacatg atcattagag tgcctgatga caagcgcggtt 2280
 tctgtagaag acatcaaacg cttgcaagtg cgtaacaaat acgataaatt gatgttttta 2340
 gacgcttttag tggaaatcac agaaactaaa agcccgtcca gtatttctcg ctataaccgc 2400
 caacgcagcg ttacggtgct tgctgagcct aataggaatg cgggcgtttc tttaggcgag 2460
 attttaacgc aagttagcaa aaacactaaa gaatggttgg ttgaaggggc gaattacaga 2520
 tttaccggag aagcggataa cgccaaagag agcaacgggg agtttttagt cgcttttagc 2580
 acagcgtttg tgctgattta tatgatttta gcggcggttg atgagtccat tttagagcct 2640
 tttatcatca tggttaccat gcctttaagt ttttcagggg cgttttttgc tctaggttta 2700
 gtccatcagc ctttgagcat gttctctatg ataggcttga ttttgctcat tggatggtg 2760
 ggtaaaaacg ccacgctttt aattgatgtg gcgaatgaag agcgtaaaaa aggtttgaat 2820
 atccaagagg ccattttatt tgccggcaaa acccgctctaa gaccgatttt aatgacgacc 2880
 attgcgatgg tttgcgggat gctgccttta gcgttggcga gtgggggatgg agcggcgatg 2940
 aaatccccta tagggattgc gatgagtggg ggcttgatga tttctatggt gttaagctta 3000
 ctcatgtgc cgggtgttta tcgtttgctc gctcccatag acgacaaaat caagcggttt 3060
 tatcaaaacc aaaaaacttt agaa 3084

<210> 58

<211> 582

<212> DNA

<213> Helicobacter pylori

Hp 04-04-03.ST251

<400> 58

atgaaaaaag tactcatcat taacggggcc aaagcgttcg ggagctctgg agggaaactc	60
aatgaaacct tgactgacca tgcaaaaaag actctagagt ctttggggct agaagtggat	120
actacgatcg tggataaagg ctatgaacat gctcaagaag tggagaaagt ctttagcgct	180
gatgcgacga tttggcaaat gcctggctgg tggatgggag agccttggat tgtgaaaaaa	240
tacattgatg aagtctttag cgtagggcat ggaaagcttt atgctagcga tggcagaagc	300
tcgcaaaacc ccactaaaaa ctacgggaaa gggggcttga tgcaaggcaa aaaatacatg	360
ttgagcttga cttggaacgc tcccattgaa gcctttaatg atcctagtga attttttgaa	420
ggggtgggtg tggatgttgt gtatttgc attgcataaag cgttccaatt tttagggtt	480
tcagcgttgc ccacttttat ttgcaacgat gtggtgaaaa acccccaagt ggagcagtat	540
cttaactctc tcaccacgca tttgcgcaa gcttttgga ag	582

<210> 59

<211> 1536

<212> DNA

<213> Helicobacter pylori

<400> 59

ttggtttttg tttttctttt taaatgcgtt aatgaagaaa caagcctgaa ttttacgccc	60
cttttagagc gaatggcatg caatttgcaa gcgcgttttt atagcgttta taaggataat	120
accacttctt tctacctcca agcgagcgct gaaaccactt tagagttcgc gcaaaaactc	180
agcgaaattc tgcccttttc ttttagatttt agctttttgt ctttaaagga aatcacagag	240
ccttttagatg aaaatctttt ccaaacagca agcctttcaa agcccctttt tatgaacgct	300
aaagagcatc aagatttttt agacaaaaat tcatctttgt atgccgatac tctgggcttg	360
attaaaaaca ccgcttttta gggggatata atccatagcc cttaaagagct tatagattgc	420
ttaaccaat taaaaggcat gctcaaaacg caagatttta tccctatttt cacttctaga	480
gaggcgttat ccctttcttt aaaaaatccc tctccaagcg ttatttttag cgatctttct	540
agcgttttga gctgcactaa attgccttta gaggacgcta aatatttggc cagtttgga	600
aaaccctcca tcaaagcccc attaaaaagc gtgtttaaag acactttcaa aaacgatgaa	660
atcatcgcgc agctacccta tgaccccata ttgaatttat tgtgccatat ttacaagat	720
gaggggatag aatttgtttt tatgcatgaa agccgttctt gtgaagcgct tttgtattat	780
gaagcgcttt ttaaaacccc taaacgcttg atcacacca ctaaaaaatt cgtgctagaa	840
aataattttt ctacctttcc ctttaaagat gaattagagt ttttaagcgc aaccccaat	900
tctatcgttt tgtatctcag tttcaagcgc cctacaaggt tgttattgca tgctaattgg	960

Hp 04-04-03.ST251

tctttaaaaa	cgcttttaag	cgtcagtttt	gattttaaca	aatgtttta	cgcgctcaaa	1020
caagatgaaa	aagcctccag	aatgctacaa	aactacgcca	ctaaattccc	tgatttttac	1080
gcgcgcattg	tagagctttc	taaatacgat	ctagggggcg	cgaatttatt	ggattttttt	1140
tgcatttttag	ggtttgtttt	gggctatagc	gaggattttt	gcacacagag	cgttattcct	1200
ttggctaaaag	aatgcttacg	ccctaaaggc	cctaggattg	attataaaat	ccttaaagac	1260
aattctttga	aatgggcttt	aaacttttca	aagatcatgc	acagtgcgat	gagtttcagg	1320
ctcgcaggcg	tggaaaatga	aattttgagt	ttggggattt	tggattcttt	agcggagttt	1380
ttagggaatt	tcatttgga	taacgcgcaa	aatttttagcg	ttcaagaagt	aacgatcgct	1440
ggggatttct	ttggcgaaaa	agtgtttttg	gatttgtttg	tgcggtattt	ccctaaaacc	1500
ctagccctta	aaacgcatgc	atttttggat	tatgaa			1536

<210> 60

<211> 2748

<212> DNA

<213> Helicobacter pylori

<400> 60	attaaaaaat	taattctatc	ctctcttggt	ttcgcgatgta	tcaataccag	cggtgaagct	60
	ttagaaaatg	acggctctaa	accaaacgat	ttgacttctc	caaaagaagc	ctctcaagaa	120
	tctcaaaaaa	atgaagctcc	aaaaaatgaa	gttcaaagaa	atgaagctca	aaaagaaacc	180
	ccccaatcca	atcaaacgcc	taaagaaatg	aaagtcaagt	ccatttctta	tgtcgggctt	240
	tcttacatgt	ctgacatgct	cgctaatagaa	attgtaaaga	ttcgtgtggg	cgatattgtg	300
	gattctaaaa	aaatagacac	cgctgttttg	gctttgttca	atcaagggtta	ttttaagac	360
	gtttatgcc	cttttgaagg	cggcatatta	gagtttcatt	ttgatgaaaa	agccaggatt	420
	gccggggtag	aatcaagg	ttatgggact	gaaaaggaaa	aagacggctt	aaaatcccaa	480
	atggggatca	aaaaggcg	cacctttgat	gagcaaaaat	tagagcatgc	taaaacggct	540
	ttaaaaaccg	ctttagagg	gcagggctat	tatgggagcg	tgggtggagg	gcgcacagaa	600
	aaggtcagt	agggtgcatt	attgatcgtg	tttgatgtga	atagggggga	tagcatttat	660
	atcaaacaat	ccatttatga	gggaagcg	aaattaaaac	gccgcatgat	tgaatctttg	720
	agtgcgaaca	agcaacgaga	tttcatgggc	tggatgtggg	gcttgaatga	cgggaaattg	780
	cgtttagatc	aactagaata	cgattctatg	cgtatccaag	atgtgtatat	gcgtaggggt	840
	tacttagacg	ctcatatttc	ttcgctttt	ttgaaaacgg	atttttctac	ccatgacgct	900
	aagcttcatt	ataaagtcaa	agaggggatc	caatacagga	tttcagacat	tttaatagag	960
	attgacaacc	cggtagtccc	cttaaaaacc	ttagaaaaag	cgcttaaagt	gaaaaggaaa	1020
	gatgtcttta	atattgagca	tttaagagcg	gatgcgcaaa	ttttaaaaac	cgaaatcgcc	1080

Hp 04-04-03.ST251

gataaggggtt atgcgtttgc ggtggtgaag ccagacttgg ataaagatga aaaaaacggg	1140
cttgtgaaag tcatttatcg tattgaagtg ggcgatatgg tgtatatcaa tgatgtcatc	1200
atttcagggga accagcgcac gagcgatagg atcattagaa gggagttatt gttagggcct	1260
aaggataaat acaacttgac caaactgaga aattccgaaa attctttaag gcgttttagga	1320
ttctttctcta aagtcaaaat tgaagaaaaa agggttaata gctcactcat ggattttatta	1380
gtgagcgtag aagaggggag tactgggcag ttgcaatttg ggtaggcta tggctcttat	1440
ggagggctta tgcttaatgg gagcgtgagc gaaagaaacc tttttggcac agggcaaagc	1500
atgagcttgt atgctaacat cgctacaggg gggggttagat cttatccggg catgccaaaa	1560
ggagcggggc gtatgtttgc cgggaatttg agcttgacta atccaaggat ttttgacagc	1620
tggtatagct ctacgatcaa cctttatgag gattacagga taagctacca atacatccaa	1680
caaggcgggg gctttggggg gaatgtcggg cgcagtctgg gtaatagaac ccatgtgagc	1740
ttaggggtata acttgaatgt taccaaactc cttgggttca gcagcccttt atacaaccgc	1800
tactattcct ctgttaatga agtggtttct ccaaggcaat gttctacccc cgcagtgggtg	1860
attatcaatc gcttatcagg cggtaaaacc cccttacaac ctgaaagctg ttctagtcct	1920
ggagcgatca ccacttcacc agaaataaga ggtatttggg atagggatta ccatacgctt	1980
atcaccagct ctttcaccct tgatgtgagc tatgacaaca ccgatgatta ttacttcctt	2040
agaaatgggg ttatcttttag ttcctatgag acgatgtctg gcttgccaag ctctggcacg	2100
ctcaattctt ggaacggggt aggcgggaat gtccgtaaca ccaaagttta tggtaaattc	2160
gccgcttacc accatttgca aaaatatatta ttgatagatt tgatcgctcg ctttaaaacg	2220
caaggagggt atatcttttag gtataacacc gatgattact tgcccttaaa ctccaccttc	2280
tacatggggg gcgtaaccac ggtgagaggc tttaggaacg gatcggttac tcctaaagat	2340
gagtttggct tgtggcttgg aggcgatggg atttttaccg cttctactga attgagctat	2400
ggggtgctaa aggcgggcta aatgcgctta gcgtgggttt ttgactttgg tttcttaacc	2460
tttaaaaccc caactagagg gagttttttc tataacgctc ctgttacgac agcgaatttt	2520
aaagattatg gcgttatagg ggctgggttt gaaagagcga cttggagggc ttccacaggc	2580
ttgcagattg aatggatttc gcccatgggg cctttggtgt tgattttccc tatagcgttt	2640
ttcaaccaat ggggcgatgg caatggcaag aaatgtaaag ggctatgctt caaccctaac	2700
atggacgatt acacgcaaca ctttgaattt tctatgggaa caaggttt	2748

<210> 61

<211> 1242

<212> DNA

<213> Helicobacter pylori

Hp 04-04-03.ST251

<400> 61
atgaggaaaa ttttttctta tgttttgaag gctttgttgt ttattgggat tgtttatgca 60
gagccggaat ctaaagtga agccttagaa gggaggaagc aagagtcttc ttgggataaa 120
aaaatccgcc aagaattgaa gaataaggat ttgaaaaata aagaattgaa aaataaaaaa 180
gaagaaaaga aaaacaccga agaaaagaaa gaaacaaaag ccaagagaaa gcccgaggca 240
gaagtccatc atggggatac caaaaatccc actcaaaaaa taacgcctcc taaaatcaaa 300
gagaacgcta aaggagttca aaatcaaggc gttcaaagca acgcgccaaa acttgaagaa 360
aaagacacaa cctctcaaac tcttgaaaaa aaggagcaaa gccctagctc tcaattcaat 420
tccatttttg gtaatcctaa tgacgctgct aacaataccc ttgaagataa ggtcgtaggg 480
ggcattttctt tgcttgtaa tggttcgct atcacgctgt atcaaatcca agaagagcaa 540
gaaaaatcta agtgagcaa agctcaagca agggatcggt tgatcgctga acgcattaaa 600
aaccaagaaa ttgagcgctt aaaaatccat gtagatgacg acaagctaga ccaagaaatg 660
gcgatgatgg cgcaacaaca aggcattgat ttggatcatt tcaaacaat gcttatggct 720
gagggacatt ataaactcta tagggatcag cttaaggagc atttggaaat gcaagaattg 780
ttgcgtaata tcttactcac gaatgtgat accagctctg aaactaaaat gcgcgaatat 840
tacaacaac acaaggagca attcagtatc cccactgaaa tagaaaccgt gcgctacact 900
tccaccaatc aagaggattt agaaagggcg atggcggatc ctaatttgga aattccaggg 960
gtgagtaagg ctaatgaaaa aatagagatg aaaaccttaa accctcaaat cgctcaagtc 1020
tttatttcgc atgagcaagg ctcttttacg cccgttatga atgggggtgg ggggcagttc 1080
atcacctttt atatcaagga aaaaaagggt aaaaacgaag tgagcttcag tcaggccaag 1140
caattcatcg cccaaaaatt agtggagaa tctaaagata agattttaga agagcatttt 1200
gaaaaattgc gcgttaagtc taggattgtg atgattagag ag 1242

<210> 62

<211> 1299

<212> DNA

<213> *Helicobacter pylori*

<400> 62
atgctttctg tcatcatact ggccgctggt aaaggcactc gcatgcgttc tagcctgcct 60
aaaactttac acaccatttg tggggagcct atgttgtttt acattttaga aacggctttt 120
tcaatcagcg atgatgtgca tcttatctta caccaccaac aagaacgcat taaagaagcg 180
gtgttgagc gttttaaggc cgctattttt cacactcaaa ttgtggaaaa atattcaggg 240
acaggtgggg ctatcatgca aaaagataaa acgcctatct ctacgaaaca tgagcggggt 300
ttgattttga atgcggacat gcctttaatc actaaagacg ctctcgcccc cttattagaa 360
agcaagaata acgctatagg cttactccat ttagctgacc ctaaagggtta tgggcgcggt 420

Hp 04-04-03.ST251

gttttagaaa accatcaggt taaaaagatt gtagaagaaa aggacgctaa tgatgaagaa	480
aaagaaatta aaagcgtgaa tgctggcgtg tatggggttg aaagggattt tttagaaaaa	540
tacttaccca agctccatga ccaaaacgcc caaaaagaat actacctcac ggatttaatc	600
gctctagggg tcaatgaaaa cgaaacaatt gacgctattt tcttaaaaga agagtgtttt	660
ttaggggtga atagccaaac agaaagggcg aaagctgaag aaatcatgct agaaagactg	720
cgcaaaaacg ccatggactt gggggtagtg atgcaattgc ctaatagcat ttatttagaa	780
aaaggcgtga gttttaaggg ggagtgcgtt ttagagcaag ggggtgcgtt gattgggaat	840
tgtttgatag aaaacgcgca tattaaggct tatagcgtga tagaagagag ccagattgtt	900
aatagcagtg tggggccggt tgcccatgcg cgccctaaaa gcgtgatttg taatagccat	960
gtggggaatt ttgtagagac taaaaacgct aaacttcaag gcactaaagc agggcatttg	1020
agctatttag gggattgtga gatagggaaa aacacaaatg taggggctgg cgtgatcact	1080
tgcaattacg atggtaaaaa gaaacaccaa acaatcatcg gtgaaaatgt ctttataggg	1140
agcgatagcc agctagtcgc ccccataaat atcggctcta atgtcttaat cggcagcggc	1200
accactatca ctaaagacat tcctagcggg tcgttgagcc tttcacgcgc ccctcaaacc	1260
aacattgaaa acgggtattt taagtttttt aagaaacct	1299

<210> 63

<211> 1926

<212> DNA

<213> *Helicobacter pylori*

<400> 63	
atgaaagaaa tcactatcgc ctttgtgggc cagcctaattg tggggaaatc gtccttaatc	60
aacgctttga gcaacgcca tttgaaagtg ggggaattttg ccgggggttac cgtggataaa	120
atggaagtgg gtttgatcca caaagagcat caaatcacta tcattgattt acctggcact	180
tacgcgctca atgacttcac cactgaagaa aagggttacta aagatttttt agaaaaaggg	240
caatacgatc tcattcttaa tgtggtggat tccaccaatt tagagcgtaa tttagcctta	300
agcgcgcagc tattagacac gaataaaaaa atgctactcg cactcaacat gtgggatgag	360
gcacaaaaag agggcattaa aatcaataga gaaaagcttt ctaaagaatt aggggttggtg	420
tgcgtgccaa caagtgaag atccaaagaa gatcgcttga ataccgagct tttattagac	480
gaaattgtca ggctttattc tcaaaatact acaaataatg aaaacataaa agtcccgtct	540
caaagcttta aggagtcttt aaaatacagc cagagcgctc aaagaatcgc tcaattagt	600
atcagtgaag accaacaaaa cgcgagtttt gaacacactt ataagattga taagatttta	660
atgcacaagc gttatgggat tttcatTTTT ttaggggttta tgtttatcat tttttccttg	720
agctttttta tagggggggg agtgcaaaaa gcgcttgaaa cagggtttta atttttaagc	780

Hp 04-04-03.ST251

gatggcatca aagaaaatgt ggctaataa gatttagcgt ctttggtggg cgatggcatt	840
attgggggag tgggagcgac ggtttcattc ttgcctttaa ttgtggtggt gtattttggg	900
atttctttac tagagacgac aggctatatg agtagggtag cgtttttggt agatgggatc	960
ttgcataaat ttggcttaca tgggaagagt tttatccctt taatcaccgg ttttggtgc	1020
tcagtggcgc cttacatggc gacaagaacc ttacaaaact ataacgaacg actgatcacg	1080
ctttttgtga tcgggtttat gagctgctcg gcaaggctgc ctatttatgt gctgtttgta	1140
ggctcgtttt tcccttcttc aagtgctggg tttgtgctgt tttgcattta tattttgggg	1200
gcggttgtgg cgtagtgat ggccaaatta ctcaaatta gcgtgtttaa aggacaaacc	1260
gaatctttta tcatggaaat gcccaaatac cgctttccca gttggagaat ggtctatttc	1320
agtatctaca ccaaatcgct ttcttacctt aaaaaggctg ggacttacat tttagtggga	1380
gcgattttta tctggtttat gtctcaatac ctaaaaagcg atgcggccat gaaagcttat	1440
aaacaagaaa gcttgtagt gaataaggat accactcttt caagcgaagc taaagaagaa	1500
aaattaaaag aattaaaaac agaattggat aaaaagaatt taaaaatag cattgtagga	1560
agaggcgggg cgtattttaga aaaagtcttt agccctatgg attttgattg gcgtttgagt	1620
gtgtcgcttg taaccggatt tatggctaaa gaggtggtgg tttctacttt gggcgtgttg	1680
ttttcttttag gggatcaaaa tgaaaaatct gacgctttta gagggatttt aagaaaagaa	1740
gtcagcgtgc ctagcggaat cgcttttctc gtgtttgtga tgttttatat cccttgtttt	1800
gcagcgacca ttacttttgg tagggaagcg ggagggataa agtttgtagc gtatttattc	1860
atcttcacaa ccgttgtagc gtatgcgttt tccttgatag ctttttatgc gactcaaatt	1920
ttggtt	1926

<210> 64

<211> 2295

<212> DNA

<213> Helicobacter pylori

<400> 64	
atggcaaatt tattgaaaaa cggcaaaact ttaaaacaag ctagagatga aatcctagcc	60
aggacagaaa aaacagggca ttataatggt ctcaaaaaac tagagttaa agaaagagat	120
ccgattgggt atgagaagat gttctctaaa ttaagaggcg gtatcgtgca tgccagagaa	180
acggctaaaa ggattgcggc aagccctatt gttgagcaag agggagaatt gtgcttcacg	240
ctttataacg ctgtgggcga tagcgtgctg acttctacag gtatcattat ccatgtaggg	300
actatgggat cagctatcaa atacatggta gagaataatt gggaagataa cccaggcatc	360
aatgacaagg atattttcac caataacgac tgcgcgattg ggaatgtgca cccatgcgat	420
attatgactc ttgtgcctat tttccacgat gaaaaattga ttgggtgggt aggcggcggt	480

Hp 04-04-03.ST251

acgcatgtga ttgataccgg ttcggttact ccaggatcga tgagcactgg acaggttcaa	540
agatttgagg atggatacat gatcacttgc cgtaagacag gagcgaatga tgaaagcttt	600
aaagattggt tgcatagaat tcaaagatcg gttcgcacgc ctaaataattg gattctagat	660
gaaaggacta ggattgcagg atgccatatg attagggatt tagtgatgga agtcattaaa	720
gaagacggca ttgattctta catgcgattt attgatgagg tgattgaaga ggggagaaga	780
ggccttatct ctaggattaa atccatgacc ataccaggca agtatagaaa ggtagcgttt	840
gtggatgtgc cttatgcgca taaggatatt ggcgtgtgct ctgagtttgc taagctagac	900
acgatcatgc actctcctgt ggaaatcact atcaataaag acgctacatg gaaattggat	960
tttgatggcg cgtctagggtg gggatggcac tctttcaatt gcaaccaagt gtcttttact	1020
agcgggtattt gggatgatgat gactcaaacg ctgataccca cttctcgcac caacgatggc	1080
gcttattttt cgactcaatt cagactcaaa aaagggactt ggatgaatcc agatgacagg	1140
cgcaccgggc atgcttatgc gtggcacttc ttggtatcag gctggagcgc tttgtggaga	1200
ggcttgtctc aagcgtatta cagccgaggg tatttagaag aggtcaattc cgggaacgct	1260
aacacttcca attggctgca aggtggcggg atcaaccaag atggagaaat ccatgcggtg	1320
aatagctttg agacgagttc ttgtgggact ggagcttgtg cgataaaaaga cggcttaa	1380
cacgcagcgg ctatttggaa cccagagggc gatatgggcg atgttgaaat ttgggaaatg	1440
gcagagcctc ttctttatatt aggcaggaat gtcaaagcca ataccggtgg gtatgggaaa	1500
tatcgaggcg gtaacgggtt tgaaacctta agaattggtgt ggggtgcgca tgattggacc	1560
atgttcttta tgggtaattg ctatatgaat agcgattggg gtatgatggg aggctatcca	1620
gcggctagtg gttatagggt tgaagcgcac aacaccgatt tgaaaaacag gattaaaaat	1680
aacgccagct tgcctttggg gggcgatttt aacccaactg atcgcgatta tgaaaagcac	1740
atttctcatg cgtctcaagt caaaagggat aagcaatgca tcaccactga aaactgcttt	1800
gacaattacg acttgtattt gaattacatc aaaggcggtc ctggatttgg cgatccgatt	1860
gaaagggatt tgaatgcgat tttagaagat ctcaacagca aacagctatt gccagaatac	1920
gcttacaagg tttatggcg agtggtgagt caaaataaag acggcgtgtg ggtcggcgat	1980
gaagccaaaa cgaaagccag aagaaaagaa attcttgaaa acagaaaggc tagatccata	2040
ccggtaaaac aatggatgga gcaagaaaga aacgctatcc ttgaaaaaga ggcttccaaa	2100
cagggttaagc acatgtatgc gactagcttt gatctctcgc ctaagttttt gaatgatttt	2160
aaaacattct ggaacttgcc aaagaattgg agcgtgaaag aagatgagct tggcgtattc	2220
acctatggat ctaaatacag gatggatttg agcaaattgc ctgatgtgcg cacagttctg	2280
ttggttgatg agaaa	2295

<210> 65

<211> 2481

<212> DNA

<213> *Helicobacter pylori*

<400> 65
 atgcaagata attcagtcaa tgaaacaaaa aatattgtag aagtggggat tgattcttct 60
 attgaagaga gctatttagc ttattccatg agcgtgatca tagggcgcg tttaccggac 120
 gctagagatg gcttaaagcc cgtgcatagg cgtattttgt atgcatgca tgaattaggc 180
 cttacttcaa aagtcgctta caaaaaaagc gctaggatcg tgggtgatgt gattggtaaa 240
 taccaccccc atggcgataa tgcggtttat gatgcgctag tgagaatggc gcaagatttt 300
 tccatgcgtt tggaattagt ggatggggcag ggcaactttg gctctattga tggcgataac 360
 gccgcagcga tgcgttacac tgaagccaga atgactaagg cgagtgaaga aattttaagg 420
 gatattgata aagacaccat tgattttgtg cctaattatg acgatacctt aaaagagcca 480
 gatattttac caagccgtct gcctaacctt ttagtcaatg gggctaattg gatcgctgtg 540
 gggatggcga cttctatccc ccctcacagg atggatgaaa tcatagacgc tttagtgcac 600
 gtcttagaaa accctaacgc tggattagat gaaatcttag aatttgtaa agggcctgat 660
 tttcccactg gtgggatcat ttatggcaag gcgggtatta ttgaagccta taaaacgggg 720
 cgaggacgcg tgaaagtgcg ggccaaagtg catgtggaaa aaacaaaaaa taaagaaatc 780
 atcgtttttag atgaaatgcc ttttcaaacc aataaagcca aattagtggg acaaatcagc 840
 gatttagcgc gagaaaagca aattgaaggc attagtgaag tgcgcgatga gagcgataga 900
 gagggcatta gagtgggtgat tgaattaaaa agagacgcga tgagtgaat tgtcttaaac 960
 cacctctaca aactcaccac tatggaaacc acttttagca tcattttact cgctatttac 1020
 aataaagagc ctaagatttt cacgctttta gagttgttgc accttttctt aaaccacaga 1080
 aaaaccatta ttataagacg cacgattttt gaattagaaa aggctaaggc cagagcgcat 1140
 attttagagg gctatttgat cgcactagac aatattgatg aaatcgtgcg actcattaaa 1200
 acaagccaaa gccagaagc ggctaaaaac gccttaattg agcgtttcac tttgagcgag 1260
 attcaaagca aggccatttt agaaatgcgt ttgcaacgct taacaggcct tgaaagggat 1320
 aagatcaaag aagaatacca aaacttggtg gagcttattg atgatctcaa tggcatttta 1380
 aagagcgaag atcgcttgaa tggagtcgtc aaaacagagc ttttagaagt caaagagcaa 1440
 ttttcttctc caaggcgcac tgaaattcaa gaatcttatg aaaatattga catagaagat 1500
 ttgatcgcta atgagcctat ggtagtgagc atgagttata aaggctatgt gaaaagagtg 1560
 gatttaaaag cttatgaaaa gcaaaatcgt ggtggtaaag gcaagctttc aggcagcact 1620
 tatgaagacg atttcattga aaactttttt gtggctaaca cgcgatgat tttgctcttt 1680
 atcaccaata aggggcaatt gtatcatttg aaagtctata aaatcccaga agcgagccgg 1740
 atcgctatgg gtaaagccat tgtaaattta atctcgctcg ctccggatga aaagatcatg 1800
 gcgactctaa gcaccaaaga ctttagcgat gaacgctctt tggccttctt cacgaaaaat 1860

Hp 04-04-03.ST251

ggcgtggtga agcgcaccaa tttgagcgaa tttgaaagca acaggagttg tggatcaga	1920
gcgattgttt tagatgaagg cgatgaatta gtgagcgcaa aagttgtgga taaaaacgct	1980
aagcatttgc tcatcgcatc gcatttgggc attttcatta aattcccttt agaagaggtg	2040
cgcgagatcg gaagaactac tcgtgggggt ataggcatca agctgaatga aaacgatttt	2100
gttgctcgtg cggtcgttat tagcgatgat ggcaacaagc ttttgagcgt gagtgaaaac	2160
gggcttggca agcaaacttt agccgaagcg tatagagggc aatctcgtgg aggtaagggg	2220
gtcattggca tgaagctcac tcaaaaaacc ggcaatctag tgggcgttat cagcgtggat	2280
gatgaaaatt tggatttgat gatccttact gcaagcgcaa aaatgatcag agtttctatt	2340
aaagatatta gagaaaccgg aagaaacgct agtggggtaa agctcataaa caccgccgat	2400
aaagtcatgt atgtcaattc ttgccctaaa gaagaagagc cagaaaattt agaaacctct	2460
tcggcacaaa atttgtttga g	2481

<210> 66

<211> 819

<212> DNA

<213> *Helicobacter pylori*

<400> 66

atggaattta tgaaaaagtt ttagacttta gggcttctat ccgcagtttt aagctcttcg	60
ttgttagccg aaggatgatg tgtttatata gggactaatt atcagcttgg acaagcccgt	120
ttgaatagta atatttataa tacaggggat tgcacagga gtgtttagg ttgccccca	180
ggctttaccg ctaataagca taatccagga ggcaccaata tcaattggca tgctaaatac	240
gctaattggg ctttgaatgg tcttgggttg aatgtgggtt ataagaagtt cttccagttc	300
aagtcttttg atatgacaag caagtgggtt ggttttagag tgtatgggct ttttgattat	360
gggcatgcc a ttttaggcaa gcaagtttat gcacctata aaatccagtt ggatatggtc	420
tcttgggggtg tggggagcga tttgttagct gatattattg ataacgataa cgcttctttt	480
ggtatttttg gtggggtcgc tatcggcggg aacacttgga aaagctcagc ggcaaactat	540
tggaaagagc aaatcattga agctaagggt cctgatgttt gtaccctac ttattgtaac	600
cctaacgctc cttatagcac caaaacttca accgtcgctt ttcaggtatg gttgaatttt	660
ggggtagag ccaatattta caagcataat ggcgtagagt ttggcgtgag agtgccgcta	720
ctcatcaaca agtttttgag tgcgggtcct aacgctacta atctttatta ccatttgaaa	780
cgggattatt cgctttattt aggggtataac tacactttt	819

<210> 67

<211> 1242

<212> DNA

<213> Helicobacter pylori

<400> 67
 atggcgatct tacgcgcaaa ccttagccct aaaaacaaat taaacgccac tttaaaaggg 60
 tggctcccca ttttacaag cgagcttgaa gatttagaag aagtgttgaa acaaaacgct 120
 ttagataacc ccttaatcaa aattgaaaac aaacgcacaa aaaatttttag cgatcgcttt 180
 agcgctaaaa agagtagcga tcatttagaa aatttcgcaa ccgcatctaa aagccttttt 240
 gaaaccttag aagctcaaat cattccccct ctctttccta ctgaaacctc tcaaaaaatc 300
 gctatggata ttatcagcgg gttgaataat gaggggtatt ttgaagaaaa tattgaagaa 360
 agggctagaa ttttaggggt agagagcgaa gtttatgaaa aagtgcgcaa gcgttttagt 420
 taccttaatc ccgctggcat tgggtgctaaa gatgtgaaag agagcttttt attccagtta 480
 gagagtaggg aatttagacga taatgagctt tatgaagaaa cgcgaaaaat cattttaaat 540
 ttagaaaaac accatgaatt ttctaaagat ttttattatg aaaaggcttt aaagatttta 600
 aaatccttta aaaaccccc agccattgag tttttagaaa aagaaataga agtcattcct 660
 gaacttttta ttgtagaagt ggataatgga atcatcgtgc gtttgaatga tgagagctac 720
 ccgacaatca gtttggaaga aaatcgcttt aaggatagcg gctattttaa agaaaaatta 780
 aaagaggcta aagatttgat tgatgcgcta aatttgagaa aagccacgat ttataaaatc 840
 ggtctgatgc ttttagagta tcaatacgat ttttttaagg gtaaggaatt acgcccttta 900
 aagctattag atttagccaa tgagtttaac cactctgtaa gcacgatttc aagggccatt 960
 tctaataaat atttggcatg cgaaaggggg gttttcccca ttaagcattt ctttagcatc 1020
 gccttagaca atagcgagac ttcaaacgct gtgattaaag actatctttt agaattgatc 1080
 aaaaacgaag acaaaaaaga gcctttgagc gacgctaaga ttttagaact cattgaagaa 1140
 aaattccatt tgaaaatggg aagaagaacg atcaccaaat accgccaact gctcaacatc 1200
 gcctcttcaa gcgaaaggaa aaggctctat ttgatgcgcg ct 1242

<210> 68

<211> 1734

<212> DNA

<213> Helicobacter pylori

<400> 68
 atgcaagttt tagcgtaaaa ataccgcccc aaacatttta gcgagctagt cgggtcaagag 60
 agcgtggcta aaacgctttc ttttagcccta gacaaccagc gtttggctaa cgcttattta 120
 ttcagcgggt taagaggctc agggaaaacc agctcttcta ggatttttgc tagggcttta 180
 atgtgtgaag aaggggccaa ggctgtgcct tgcgatactt gcatccaatg ccagagcgct 240

Hp 04-04-03.ST251

ttaaacaacc accacataga tattatagaa atggatgggg cgtctaatag ggggattgat	300
gatgtccgta atctcataga gcaaacgcgc tacaaaccaa gctttgggcg ctataaaatc	360
tttatcattg atgaagtgc tatgttcacc accgaagcgt ttaacgcgct tttaaagact	420
ttagaagagc ctccatagcca tgtgaaattc cttttagcga caacagacgc cttgaaactg	480
cccgtacca tactcagccg caccagcat ttcaggttta aaaaaatccc tgaaaattcc	540
gttatttctc atttaaaaac cattttagaa aaagaacaag tgagttatga aacaagcgcg	600
ttagaaaaac tggctcacag cgggcaaggg agcctaaggg atacgatcac tcttttagaa	660
caagccatca attattgcga taacgctatc acagaaagca aggtggctga aatgttagga	720
gcgattgaca gaagcgtttt agaagatttt ttccaaagcc taatcaacca agatgaagcg	780
cgattaaaag agcgttatgc cattttagaa aattatgaaa ccgagagcgt tttagaagaa	840
atgatgcttt ttttgaaagc gaaattattg agccctgatt tttattctat ccttttgata	900
gagcgctttt ttaaaatcat tatgagcagt ttgagccttt taaaagaagg ggcaaatgcc	960
agttttgtgc tgttggtatt gaaaatgaaa ttcaaagaag ctttgaaatt caaagcccta	1020
gacgatgcga ttttggaatt agagcaaac cctttcaatc aaaaccctag cataagctat	1080
aacgccccta aacaagaatc taaaaatata gaaaaaagag aaaaaataga acaaatagaa	1140
agaatagagg gaacagaaaa aagagaaaaa ctagaaaaaa aagagaacgc agaaacccg	1200
caaactccca tgctttcagc taaagatcgc atttttcaca accttttcaa acaagttcaa	1260
acattggttt atgagcgcaa ttatgagtta gggcggtgt ttgaaaaaaa tatccgtttc	1320
attgattttg acagccagac taaaaccttg acttgggagt ctttagccac tgataaggat	1380
aaggagcttt taagagaacg atttaaaatc gtgaaaagta tcgttgatgg ggtttttggc	1440
aagggcgaaa gtatcaaaat cgctttaaaa aatcattcag aaaataaaag cacttttagaa	1500
gtgggttaaag agcttaaatt cccttattca aagcccaaac caaccactga aacgacggct	1560
gaaacgaaag aaaaagaaac taaagaaaaa gagattcaag aaaacgacac taaagagatt	1620
caagaagtcc aaccaaaca agcccctaca gcgttgcaag aattcatggc taaccactct	1680
gagctgattg aagagattaa gagcgagttt gaaatcaaaa gcgtggaatt gtta	1734

<210> 69

<211> 1044

<212> DNA

<213> Helicobacter pylori

<400> 69

atgagaatat ttttgaaatt gttgattctt ttattttggt tgaaggggca gggtatggct	60
caaaatttac ccaccattgc ttactggcg acagggggga cgattgcagg gagggtgcg	120
agcgcgagtt tgggtagtta taagagtggg gagttgggca tcaaagagct tttgaaggct	180

atccctagtc ttaacagact cgctcgcat caaggggagc agatttctaa catcggctca	240
caagacatga atgaagaggt atggttcaag ctcgccaaac gtgcccaaga attgctagat	300
gatagccgta ttcaaggcgt ggtcatcacg catggcacgg acactttaga agagagcgcg	360
tattttttaa acttagtttt acgctccaca aaaccggctg tgctgggtggg agcgatgcgt	420
aatgctgctt ctttgagcgc ggatggggct ttgaatttat ataatgctgt gagcgtagcg	480
ctcaatgaaa aaagtgcgaa taaaggcgtg ttagtggtga tggacgataa tatttttagc	540
gctagagaag tgattaaaac gcacaccacc cacacttcca cttttaagc cttaaatagc	600
ggcgcgatag ggagcgtgta ttatggcaaa acgcgctatt acatgcagcc ttgagaaaa	660
cacaccacag agagcgaatt ttccctttca caactcaaaa cccccctgcc taaagtggat	720
attatttaca cgcattgctgg catgaccctt gatttattcc aagcgagcct aaactcgcatt	780
gcaaaaggcg ttgtgatagc cgggggtgggt aatgggaatg tgagcgctgg gtttttaaaa	840
gcgatgcaag aagcgagcca aatgggggtg gttattgttc gttctagcag ggtaaatagc	900
ggtgagatta cttcaggcga gattgatgac aaggccttca tcacaagcga caatttaaac	960
ccccaaaaag ctaggggtgct tttaacaact gctttaacta aaacaaataa taaagaaaaa	1020
atccaagaaa tgtttgaaga gtat	1044

<210> 70

<211> 984

<212> DNA

<213> Helicobacter pylori

<400> 70	
atggacttta aaaataaaaa atggcttttt ctagcccctt tagcaggcta tacggatttg	60
cctttcagga gcgtggtgaa aaaatttggc gtggatgtta ccacgagcga aatggtgagc	120
tcgcattcgt tgggtgatgc gtttgataaa acttctaaaa tgttggaaaa atccccttta	180
gaagatcatt tcatggcgca aatttcaggc tctaagaaaa gcgtagtcaa agaagcggtg	240
gagaaaaatca acgctttaga gcatgtgaat gggattgatt ttaattgcgg ttgtcccgt	300
cctaaagtgg ctaatcatgg taatggtagt gggttattga aggatttaaa ccacttagtg	360
aagcttttaa aaaccatcag agaaaacact agtaaaaaaa tcacaagcgt gaaagtgcgt	420
ttaggctttg aaaagaaaat ccctaaagaa atcgtcatg ccctaaatga cgcaccgggtg	480
gattatgtgg tgggtgcatgg gaggacacga agcgataaat accaaaaaga caaaatagat	540
tacgaaagca tcgctttaat gaaaaagatt ttaaaaaagc cggatgatagc caatggcgaa	600
attgacagcg tgaaaaaggc ttttgaagtt ttacaaatca ctcaagcggg tgggctaattg	660
atagggcgag cggccttaag agcccatggt atattttggc aaatcagaaa caacaccaca	720
aaattaccgc cagtcgtgaa aaaagacctg gttttagaac attttgataa aatgggtggag	780

Hp 04-04-03.ST251

ttttatgggg	atatgggggt	aatcatgttt	aggaaaaatt	tgcatgctta	cgctaagggc	840
gaaatgcaag	cgagcgcgtt	tcgtaactgc	gtcaataccc	ttacagaaat	aaagagcatg	900
cgagagagca	tagaggaatt	ttttaatcaa	gaaatgttgc	aaagtgaagt	gccgttatgg	960
gtagaattga	atcaaaaaag	cgtt				984

<210> 71

<211> 2022

<212> DNA

<213> Helicobacter pylori

<400> 71

atggcaatag	gttcattaag	ctcattaggg	cttggcagta	aggttttgaa	ttacgatgtg	60
attgacaagc	ttaaggacgc	tgatgaaaag	gcgttaatcg	cccccttaga	caagaaaatg	120
gagcaaaatg	ttgaaaaaca	aaaagccctt	gtagaaatta	aaacgctcct	ttcagctcta	180
aaaggccccg	ttaaaacgct	ttcagattat	tccacttata	tcagccgaaa	aagcaatgtt	240
acaggcgatg	cgttgagtgc	gagcgtgggg	gttggcgtgc	ctattcaaga	tattaaagtg	300
gatgtgcaaa	atttagcgca	aggcgatatt	aacgaattgg	gggcgaaatt	ttcttcaaga	360
gacgatattt	ttagccaagt	ggataccacg	ctcaagtttt	acacacaaaa	caaagactac	420
gccgttaata	ttaaagcagg	aatgacttta	ggcgatgtgg	ctcaaagcat	cacggacgct	480
accaatggcg	aagtgatggg	tattgtgatg	aaaacaggag	ggaatgaccc	ctaccaatta	540
atggtgaata	ccaaaaacac	cggcgaagac	aaccgagtct	attttggctc	acacctccaa	600
tccacgctca	ctaacaaaaa	cgccctttct	ttgggggttg	atgggagcgg	aaaaagtga	660
gtgagtttga	atttaaaggg	ggctgatggg	aacatgcatg	aagtcccat	catgctagaa	720
ctccctgaaa	gcgcttctat	caaacaaaaa	aacaccgcaa	tccaaaaagc	gatggagcag	780
gctttagaaa	atgaccctaa	ttttaaaaat	ttgatcgcta	atggggatat	ttccatagac	840
actcttcatg	gaggggaatc	tttaatcatt	aatgacaggc	gtgggggaaa	cattgaagtt	900
aaaggggagta	aggctaaaga	gcttgggttt	ttacaaacca	ccaccaaga	aagcgattta	960
ttaaaaagct	ctcgcacgat	aaaagagggt	aaattagaag	gggtggtcag	tttgaatggc	1020
caaaaactgg	atttgagtgc	tttaaccaa	gagagcaaca	ccagtgaaga	aaacacagac	1080
gctatcattc	aagcgatcaa	cgctaaggaa	ggcttgagtg	cgttcaaaaa	cgccgaaggc	1140
aagcttgtga	tcaattctaa	aaccggaatg	ctaacgatta	agggcgagga	cgcttttaggc	1200
aaggccagtt	tgaaagattt	gggtttaaat	gctggcatgg	tgcaatctta	tgaagcttca	1260
caaaacacgc	tttttatgtc	taaaaatttg	caaaaagcga	gcgattcagc	attcacttat	1320
aatgggggtga	gcatcacacg	cccactaat	gagggtcaatg	atgtgattag	tggggttaat	1380
atcactttgg	agcaaaccac	agagccta	aaacctgcca	ttatcagcgt	gagtagggac	1440

Hp 04-04-03.ST251

aatcaagcca ttatagacag ccttactgaa tttgtcaaag cctataatga gcttatccct	1500
aaactggatg aagacactcg ttatgacgct gacactaaaa tcgctgggat ttttaacggc	1560
gtgggcgata ttcgcgcgat tcgatcttct ctttaataatg tgttttctta tagcgtgcat	1620
acggataatg gggtagaaa cttgatgaaa tacgggctta gtttagacga taagggcgtg	1680
atgagtttgg atgaggctaa attgagtagt gcgctaaatt ctaaccctaa agcgactcaa	1740
gattttttct atgggagtga tagtaaggat atggggggca gagaaatcca ccaagagggc	1800
attttttcta aattcaatca agtcacgct aatctcatag atggagggaa cgctaaatta	1860
aagatttatg aagattccct agacagagac gctaaaagcc tgactaaaga caaagaaaac	1920
gctcaagagc ttttaaaaa cgcgtacaac attatggcgg acgttttgcc gcttatgata	1980
gccaaatctc taaagccaat caaaaattca attccgtgca aa	2022

<210> 72

<211> 1386

<212> DNA

<213> Helicobacter pylori

<400> 72	
atgcaaattg caacagcaat atggaaaaca agaatttggc aactccaaac ccattttgat	60
aaaaaagaag cgcatttgaa gcatttagaa gcacaacaca aagaatttgt aagagatgaa	120
aaacgctatt tagaaaagga aaaaaaagag cttgaaaaag aacgccaaat tttagaacaa	180
gaaaaagaaa attttaaaaa acagcgcgct gtttgtaaag aatctcaagc caaagcgcta	240
gacgcgatgc tcaattacat ggcttatact aaagatgaaa ttaaaagcat gattttagag	300
caattagaag aagaattaga agcccaaaaa agcgccttaa tcaggcgcta tgaaaaagaa	360
gccaaagaag agggcaagaa aaaatcgtat gccattttag cggaagcgac agcccgtttt	420
gcgggtaatt atgcggcaga gaatttaaca actcgtattg ctttgccttg ctcagattat	480
atcggtcgtg tgataggcaa agacgggaaa aatattgaag cgtttaaaaa ggtcagcggg	540
gtggatatag aatttagcga agatagcagc gaatttggtt tgtccagttt caatctttat	600
cggcgtgaag tagcgagcga gacgcttaaa attttaatag aagacggccg tatccagcct	660
aacaggattg aagaggttta tcatagagtc gcgcgcaacc tggaaaaaga attgctttct	720
gaaggggaga gcgtggtggt agaattagag cttggagcta tggaagatga gcttaaaatt	780
ttaataggca aaatgcgtta tcgctccagt tttgggcaaa acgccttaca gcattctaaa	840
gaagtcgctc ttttagccgg cttgattgca gagcagcttg ggggggataa aaaactcgct	900
agaagagccg gtattttgca tgatattggt aaagcgctca cccaagagct tgggagagat	960
catgtgaatt taggggttga ggtgtgcaag cgccataaag aagatccggt tgtgatcaat	1020
gcgatttatg cccaccatgg gcatgaagag attttgagcg tggagtgcgc gagcgtgtgc	1080

Hp 04-04-03.ST251

gcggctgatg cgctttcagc agggcgctcct ggggctagga gaaagagcga tgaagaatac	1140
gctaaacgca tgcaagcttt agaagagatc gcgctagaat ttgatggggt ggaaaaagcg	1200
tatgcgatgg agagtgggcg agaattaaga gtgattgtca aatccaacca agtcagggac	1260
aatcaagtgc ctattattgc cagaaagatc gctaaaaaga tagaagagag cgctcagtat	1320
gtgggcgaag tgggcgtgca agtggtgcga gaaagccgtt tcaaaacgac cgctacgctc	1380
aagcaa	1386

<210> 73

<211> 357

<212> DNA

<213> Helicobacter pylori

<400> 73	
atgcccattgc gtttgcacac tgcctttttt ggtattaatt cattgcttgt tgcctctctt	60
ttgataagcg gttgcagtct ctttaaaaag cgtaacacta acgcccagct aatccccctt	120
tcagctaattg gcttgcaagc ccccatthtatt cccccaacca atttcacccc tagaaagagc	180
attcagcctc tcccaagccc tcgccttgag aataacgatc agcccgtcat tagttctaac	240
cccactaacg ctatccctaa cccccccatt ctcacgccta ataatgtcat tgaattgaac	300
gcatgggcat gggcggtggct ccagaatcca ccatttcacc ctctcaagcc ctggctc	357

<210> 74

<211> 1581

<212> DNA

<213> Helicobacter pylori

<400> 74	
atggaaaaca acccaaaca taaccaagcg tcattagaac gcaacgaatt gcacaacacc	60
atttggaag tggctaacga attgagaggc tcagtggatg gctgggattt taagcaatac	120
gttttaggca ttctttttta ccgctacatt tcagaaaaca tgactcatt catcaataaa	180
gaagagcgaa agcgcgatcc gagttttgat tacgctaaat taagcgatga aaaggccgag	240
cgtggaagaa aacaccttat tgaacaaaaa ggcttttttca tcccgcgaag cgctttattt	300
tgtaatgcgc taaaaaacgc gtgccataac gaagatctca atgtaacctt acaaaatatt	360
tttaacgaaa tagaaaaatc tagccttggc actccatcag aagaaaatgt caaaggcttg	420
tttgcggtatt tagatgtcaa tagcaataaa ttagggagct ctcatcaaaa taggggtggaa	480
aaattgacta aaatccttga agccataggg ggcattgcaat taggcgatta tttaaaaagc	540
gggattgatg tttttggcga cgcttatgaa tatttaattg ccatgtatgc gagcaacgcc	600

Hp 04-04-03.ST251

ggcaaaagcg gaggggaatt tttcaccccc caagaagtga gcgaactgct cgctaaaatc	660
accctacacg gccaagagag cgtcaataaa gtttatgacc catgctgtgg gagtgggagc	720
ttactcttac aatttttctaa agtggttaggc gataaaaatg tctcaaaagg gtatttttggg	780
caagaaatca atttgaccac ttacaacctt tgccgtatca acatgttttt gcatgacatc	840
aattattcta aattccatat tgcgcacggg gacacgcttt tagacccaaa acatgaagac	900
gatgagcctt ttgatgcat cgtttccaac cctccttatt ccactaaatg ggtgggcat	960
agcaacccca ttttaataca cgatgagcgc tttagcccg ctggtgtgct agcgcccaaa	1020
aacgccgccg atctcgcat cactatgcac atgctttctt atttatccaa tagcggcacg	1080
gctgcgatcg tggaatttcc cgggggtgctt tataggggaa acgctgaagc aaaaatcaga	1140
gaatatttag tcaaagagaa tgtcattgac tgcgtgatcg ctttaccaga caacctcttt	1200
tttggaaacga gtatcgctac ttgcatttta gtgcttaaga aaaacaaaca agacgacacc	1260
acgcttttta ttgatgcat taaggaattt gtcaaagagg gcaagaaaaa caagctcaaa	1320
gagcgcaacc gagaaaagat ttgcaaacc tatattgaaa gaaaagagat taagcatttt	1380
tgcgccctag ctaatattga gaaaatcaaa gaaaacgatt acaatctctc cgtgaatcgc	1440
tatgtggagc aagaagacac caaagaagcc attgacatta aagcgcttaa tagtgagatt	1500
gctcaaatcg tagaaaagca aagcgcttta aggaaccgtc ttgaatccat catcaaagag	1560
ttagaagggg ggcaaaatgc a	1581

<210> 75

<211> 1599

<212> DNA

<213> Helicobacter pylori

<400> 75	
atgctacaaa ccatcaactt aacgcaacgc tatgcgacta aaaaattggt tgaaaacgtg	60
aatatcaagc tggataaaaa caaacgctac gggcttattg gggctaattg cgaggaaaag	120
tccacttttt taaagatttt aagcaagagc attgattgta gcagtgggga agtcatcatt	180
acaagcggca tgaaaatggg ggttttaggg caggatcaat acgcttttga agatttgagc	240
cttaaagatg cggttttgat aggcaacaag cgtttgatg acgctatcaa agaaaaagag	300
cgcttataca ccgaaggcga tttgagcgat gataaagtga atgccagatt aggggagtta	360
gaaaccattt gcgtggaaga agatcccatg tatgaatgcg aagtggcgat tgaaaaaatc	420
ctagaagatt taggcattcc tagctctaaa cacaacgatt tgatgaaaac cctgccaagc	480
agcgataaat ttaaaatcct tctcgctcaa gtcttggtcc ctaaaccgga tattttgctt	540
ttagatgagc cgaccaacaa cctggattta aacgccattg aatggctaga aaacaacctc	600
aaacgccatg aaggcacgat ggtcgtcatt agccatgaca ggcatttttt aaatgcggta	660

Hp 04-04-03.ST251

tgacgcata	ttttggattt	ggatttccac	agcgtgcgcg	aatttagcgg	gaattatgac	720
gattggtata	tcgcttccac	tctgatcgct	aaacagcaag	aggccgaacg	caataaaaaa	780
ctcaaagaaa	aagaagagct	agaaaaattc	atcgcgcgct	ttagcgctaa	cgcttctaaa	840
gccaagcaag	ccaccagccg	ccaaaaacaa	ctggataaat	tagacattca	aagtttagcg	900
gtatctagca	ggagggatcc	tagcattatt	tttaaaccac	aacgcaccat	tggtaatgaa	960
gccttagagt	gcgaaaacat	ctctaaaagt	tatgacgacc	aaatcgtttt	aatcaagtg	1020
agcttgaaa	tgatgcctaa	agacaagatc	gccctcatag	ggccaaacgg	cgtgggtaaa	1080
tccacgcttt	gtaaaattct	agtagaagaa	ttaaagccgg	ataaggcgct	ggtgaaatgg	1140
ggggcgacgg	tttcaaaagg	ctatttccct	caaaacgtga	gcgaagaaat	tagcggggaa	1200
gagaccttgt	atcaatggct	ctttaacttc	aataaaaaga	ttgaaagcgc	tgaggttagg	1260
aacgctttag	ggaggatgct	gtttaatggc	gaagagcaag	aaaaatgcgt	gaacgcttta	1320
agtggggcg	aaaaacaccg	aatggtttta	tccaagctca	tgctagaggg	ggggaatttt	1380
ttagtcttag	atgagccaac	caaccatttg	gatttagaag	cgattatcgc	tttaggcgaa	1440
gcgctcttta	aatttgatgg	ggcgctgatt	tgcgtaagcc	atgacagaga	gctcattgat	1500
gcgtatgcta	ataggatcat	tgaattagtc	ccaagcccta	aaggcgcttc	aatcattgat	1560
tttaaaggca	gttatgaaga	gtatttggcg	agcaaaaaa			1599

<210> 76

<211> 1626

<212> DNA

<213> *Helicobacter pylori*

<400> 76

atgaataaac	catttttaat	cttactcata	gccctaattg	tcttttagcgg	ctgtaacatg	60
agaaaatatt	tcaaaccgcg	taaacaccaa	attaaaggcg	aagcgtattt	ccctaaccat	120
ttgcaagaaa	gtatcgtttc	gtctaatcgt	tatggagcca	ttttgaaaaa	tgagcggtt	180
ataggcgata	aaggtttaac	gcagctaaga	atcggttaaga	acttcaatta	cgaaagcagt	240
tttttaaatg	agagtcaagg	gttttttatt	cttgcgcaag	attgtttgaa	caagattgat	300
aaaaaaacaa	acaaaagcaa	ggtgggctaag	actgaagaaa	cggaattgaa	attaaagggc	360
gttgaagcgg	aagtccaaga	taaagtctgt	catcaagtgg	aattgattag	caataaccct	420
aacgccagcc	aacaatctat	cgttattcct	ttggagactt	ttgccttgag	cgcaagcggt	480
aaagggaatc	tttttagcgg	ggtggttagcg	gacaattcag	cgaacttata	cgacatcact	540
tctcaaaaat	tgcttttttag	tgagaaagggt	tccccaagca	ccacgatcaa	ttctttaatg	600
gcgatgccta	tttttatgga	tacggctcgtg	gtgttcccca	tgctagatgg	gcgcttggtg	660
gtcgtggatt	atgtgcacgg	aaaccctacg	cctattagaa	acattgttat	cagcagcgat	720

Hp 04-04-03.ST251

aagtttttta acaatatcac ctaccttatc gtagatggca ataacatgat cgcttctaca 780
 gggaaaagga tactctcagt agtgagcggg caagagttca actatgatgg ggatattgtg 840
 gatttgcttt atgataaggg gactttatat gtgctcacgc tagacgggca gattttgcaa 900
 atggataaga gtttgagggg attaaacagc gtgaaactgc cttcgtcgct caacacgatt 960
 gtattaaacc ataataaatt gtattcttta gaaaaacgag ggtatgtgat agaggtggat 1020
 ttaaattgatt ttgattcgta taatgtctat aaaacgcca ctataggcag ttttaagttt 1080
 ttttcatcta atcgtttgga taaaggggtg ttttatgata aaaatcgggt gtattacgat 1140
 cgctactatt tagattataa cgatttttaa ccaaaacttt atcccgttgt ggaaaaatcg 1200
 gcatctaaaa aatctcaaaa aggcgaaaaa gggaacgctc ctatttattt gcaagaaagg 1260
 cataaagcta aagaaaataa acagccttta gaagaaaaca aagttaaacc aagaaatagc 1320
 gggtttgaag aagaagaggt taaaaccaga aggcctgagc ctattagggg tcaaaataac 1380
 gccaccaac aaggcgaaac aaaaaacaat gaaagtaaaa acgctcctgt cttaaaagaa 1440
 aacgccgcta aaaaagaagt gccaaaacca aatttctaag aagaaaaacg ccgcttgaaa 1500
 gaagaaaaga aaaaagccaa agccgaacaa agagcgagag aatttgaaca aagagcgaga 1560
 gagcatcaag aaagagatga aaaagagctt gaagaaagaa gaaaagcttt agaaatgaat 1620
 aagaag 1626

<210> 77

<211> 873

<212> DNA

<213> Helicobacter pylori

<400> 77
 atgaaacgaa gggattttat taaaacgact acttttaggcg ctacaggtgc tgttttagga 60
 gcacagattt tgcaggcaga agaaagtaaa gggagtgttg caaaatataa aatagaagct 120
 caatacagca ttgattttga ttctgcagaa cacacttcac ttttcattcc catgccgagt 180
 gttgtagcga gcaatgtgca tttacaaggc aatcatgcta gctataaaaag catgctcaat 240
 tttggagtgc cttatttgca agtggatttt ttaaaaagca ctcaaaaaaa gcaagtccat 300
 ttgtcttatg agatcgctag ctatcaattg aatgagcggt tgtttgaaac gagcgatttt 360
 gtagcaatgg ggcgttatga aagagacgat gcgagcgtgg ctaacattgc caaccagctt 420
 aagggaacaa cccctaaaga aagcgttcgc aatttttatg cgttcatcaa gcatgagatg 480
 cctaagagac agaaggcttt agagggtaaa gaaaatttac ctaagcgtga gagtttgccc 540
 tggtttgcaa ccatttcaaa agagagcatg tttgtgtcct tatgccatgc gtgcgggatt 600
 aaaagcgctg aagtgaagg cttgaaactg ggtcaaaaaca gcgtggtgaa aaacgctcct 660
 agagtggag tgtatttgaa agattcattt ctacggtttg attttcaaaa taatcacaag 720

Hp 04-04-03.ST251

gaagttttta tcccgttgaa tcgtcataaa gacatgcagt tagattctgc cttattggcg	780
acttttggcg atgcttttgc ccttgtggat ggtagggatt taggcaatta cgagagcaaa	840
ctttttgaaa aaagagtgtc ctatacgatt gtc	873

<210> 78

<211> 1515

<212> DNA

<213> *Helicobacter pylori*

<400> 78

atggttaata aagatgtgaa acaaaccact gcttttggcg ctcccgtttg ggatgacaac	60
aatgtgatta cggccggccc tagaggctct gttttattac aaagcacttg gtttttggaa	120
aagttagcgg cgtttgacag agaaagaatc cctgaaaggg tggatgcagc taaaggaagc	180
ggagcttatg gcactttcac tgtgactaaa gacatcacta aatacactaa agcgaaaatt	240
ttctctaaag tgggcaaaaa aaccgaatgc ttcttcagat tttctactgt ggctggtgaa	300
agaggcagtg cggatgcggt gagagaccct agaggttttg cgatgaagta ttacactgaa	360
gaaggtaact gggatttagt ggggaacaac acgcctgttt tctttatccg tgatgcgac	420
aaattcccgtg atttcatcca cactcaaaaa cgagatcctc aaaccaattt gcctaaccat	480
gacatggtat gggatttttg gagtaatggt cctgaaagct tataccaagt aacatggggt	540
atgagcgata ggggtattcc taaatctttc cgccacatgg atggtttttg cagccacact	600
ttcagtctta tcaacgcgaa aggcgaacgc ttttgggtga aattccactt tcacaccatg	660
caaggcggtta agcatttgac taacgaagaa gccgcagaag ttaggaagta tgatccggat	720
tccaatcaaa gggatttatt caatgcgac gctagagggg atttcccaaa atggaaatta	780
agcattcaag tgatgccaga agaagatgct aagaagtatc gattccatcc gtttgatgta	840
actaaaattt ggtatctcca agattatcca ttgatggaag tgggcattgt ggagttgaat	900
aaaaatcctg aaaactattt cgcagaagtg gaacaagcgg cattcagtcc ggctaattgtc	960
gttcctggaa ttggctatag ccctgatagg atgttacaag ggcgcttggt ctcttatgga	1020
gacacacacc gctaccgctt aggcgttaat tatcctcaaa taccggttaa taaaccaaga	1080
tgcccattcc actcttctag cagagatggt tacatgcaaa acggatacta cggctcttta	1140
caaaactata cgcctagctc attgcctggc tataaagaag ataagagcgc gagagatcct	1200
aagttcaact tagctcatat tgagaaagag tttgaagtgt ggaattggga ttacagagct	1260
gatgatagcg attactacac ccaaccaggt gattactacc gctcattgcc agctgatgaa	1320
aaagaaaggt tgcattgacac tattggagag tcttttagctc atgttaccga taaggaaatt	1380
gtggataaac aattggagca tttcaagaaa gctgacccca aatacgctga gggagttaaa	1440
aaagctcttg aaaaacacca aaaaatgatg aaagacatgc atggaaaaga catgcaccac	1500

acaaaaaaga aaaag

<210> 79

<211> 2373

<212> DNA

<213> *Helicobacter pylori*

<400> 79
 atgttttttaa gagtataccc aaagcttaga tacgctttat gtttccccct actcgtgag 60
 acttgctata gcgaagagcg gacttttaaat aaggttacca cccaagctaa aaggattttc 120
 acttacaaca atgagtttaa agtaacttct aaagaactag atcaacgcca aagcaatgaa 180
 gtcaaggact tgtttaggac taaccctgat gtgaatgtgg gcggagggag cgtgatgggg 240
 cagaaaatct atgtgagagg cggtgaagac aggcttttaa gggttacagt ggatggggct 300
 gcacaaaatg gcaatatcta ccaccaccaa ggcaacaccg tgattgaccc tggcatgctc 360
 aaaagcgtgg aagttaccaa aggcgcggcg aatgcgagcg cggggccagg agcgattgcg 420
 ggagtgatta aaatggagac taaaggagcg gctgatttta tccctagggg gaaaaattat 480
 gctgccagtg gggcggtgag tttttatacc aattttggcg atcgagagac tttcagatcg 540
 gcttatcaaa acgcgcattt tgatattatc gcttactaca cgcacaaaaa catcttctat 600
 tatagaagcg gcgctacagc gatgaaaaac cttttcaatc ccacacaagc cgataaagag 660
 ccaggaactc ctacgagca aaacaacgct ttgattaaaa tgaatggtta tttgagcgac 720
 agagacacgc tcactttcag ctggaacatg acacgagata acgctacacg ccctttaagg 780
 agtaacgcta tagggttagc ctatccttgt gaagccccct ttagtcctga tagttctcaa 840
 ggggtgtccta atgtgttaga tagtttcaca agatacatgt atcactctat taatagtgcc 900
 aacaatcttt cttacaata caaaagggaa gcgggaaatt cttttggcga cccacgatta 960
 gattttaccc tttatacaag catcaggaac gctcagtttg atccccatt tgatcctaatt 1020
 ggcgtttatg ctaaattccc cacttcttta gcgagcgcat gggaaaaaga aaattaccca 1080
 tgcgttgaag gcgcttattg caccccaagc ttttcagatg tggataaacc aagctcacag 1140
 cctaggaatt tgtttttaaa caacaccggc ttaaacttta aagtcgcgca tgtgattgat 1200
 gaagccacag acagcctttt tgaatacggg ttcaactacc aaaatttgag cgtttttgac 1260
 gctcgcattc ctaaatacaga attatacagg cctaatacag tttatactga tgataaagga 1320
 caaaaacaaa tcgcttgctc tcttgtgaat aataacccca atgacccccc tctgtgccaa 1380
 agagggaaag cgaacgggaa tatttatgga ggctacgtgc aagcgaatta ctcgcctcat 1440
 aaaatcatca cttttggagc cggggtaagg tgggacgctt acacgcttta tgataaagac 1500
 tggaaccacc gctacactca aggccttagc cctagcgcgg ctcttgtgct aagccccatt 1560
 gagcctttat ctttaaaaat cacttattct caagttacaa gaggggtgat gccaggagat 1620

Hp 04-04-03.ST251

ggcgtgtaca tgcgtcaaaa cgatttacga tacgccaaaa acatcaagcc tgaagtgggc	1680
tctaacgctg aatttaatat tgattattca agccagtatt ttagcgggag ggctgcggcg	1740
ttttatcagg ctttggataa tttcatctca caatacgcac aaaatttgat tgtaaccaat	1800
ttgagtcaag cgattcgtat ttatggctat gaagtgggtg ggactttcag atacaagggc	1860
gtgagtttga atgtaggggt ctgcgcacc tggcccacca ctagggggta tttaatggcg	1920
gatagctatg agcttgccgc aagcaccggt aatgttttta tcatcaaatt ggattacacc	1980
atccccaaaa cagggatcaa tcttgcattg cttagccgct ttgttaccgg tttagattat	2040
tgccgggtttg atatttactt gcctgattat gggacggctg agaaacccaa aacccttacc	2100
gatttagcca aatgcggatc tcaattaggg ttagtgcata tgcataaacc gggctatggc	2160
gtgagtaatt tttatatcaa ttggagtcct aaaacaaaaa gccgctggaa gggtttggtg	2220
ctttcagccg tgtttaataa tgttttcaac aaattctatg tggatcaaac aagcccttat	2280
gtcatgagcc cggatatgcc aggcactgac gctgttaaaa gagcgatcgc tgagcctggg	2340
tttaacgcgc gttttgaagt ggcttacaaa tgg	2373

<210> 80

<211> 3870

<212> DNA

<213> Helicobacter pylori

<400> 80	
atggaaatac aacaaacaca ccgcaaaatc aatcgccctt tggtttctct cgcttttagta	60
ggagcgtagg tcagcatcac accgcaacaa agtcatgccg cttttttcac aaccgtgatc	120
attccagcca ttgttggggg gattgctaca ggcgctgctg taggaacggt ctcagggctt	180
cttggctggg ggctaaaaca agccgaagaa gccataaaaa cccagataa acccgataaa	240
gtttggcgca ttcaagcagg aaaaggcttt aatgaattcc ctaacaagga atacgactta	300
tacagatccc tactatctag taagattgat ggaggctggg attgggggaa tgccgctacg	360
cattattggg tcaaaggcgg gcaatggaac aagcttgaag tggatatgaa agacgctgta	420
gggacttata atctctcagg gctaagaaac tttactgggtg gggattttaga tgtcaatatg	480
caaaaagcca ctttgcgctt gggccaattc aatggcaatt ctttcacaag ctataaggat	540
agcgtgatc gcaccacgag agtggatttc aacgctaaaa atatcttaat tgataatttt	600
ttagaaatca ataatcgtgt gggttctgga gccgggagga aagccagctc tacggtttta	660
actttgcaag cttcagaagg gattactagc agtaaaaatg cggaatttc tctttatgat	720
ggcgccacgc tcaatttggc ttcaaacagc gttaaattaa tgggtaatgt gtggatgggc	780
cgtttgcaat atgtgggagc gtatttggcc cttcataca gcacgataaa cacttcaaaa	840
gtgacagggg aagtgaattt taaccatctc actgtgggag atcacaacgc cgctcaagca	900

Hp 04-04-03.ST251

ggcattatcg ctagtaacaa gactcatatt ggcacactgg atttgtggca aagcgcggga 960
ctaaacatta tcgcccctcc agaaggcggg tataaggata aacctaagga taaacctagt 1020
aacaccacgc aaaataatgc taacaacaac caacaaaaca gcgctcaaaa caatagtaac 1080
actcagggtta ttaaccacc caatagcgcg caaaaaacag aaattcaacc cacgcaagtc 1140
attgatgggc cttttgctgg tggcaaagac acggttgta atattgatcg catcaacact 1200
aacgctgatg gcacgattaa agtgggaggg tataaagctt ctcttaccac caatgcggct 1260
catttgcata tcggcaaagg cggtatcaat ctgtccaatc aagcgagcgg gcgcaccctt 1320
ttagtggaaa atctaaccgg gaatatcacc gttgatgggc ctttaagagt gaataatcaa 1380
gtgggtgggt atgctttggc aggatcaagc gcgaattttg agtttaaggc tggtaggat 1440
acaaaaacg gcacagccac ttttaataac gatattagtt tgggaagatt tgtgaattta 1500
aaagtggatg ctcatacagc taattttaaa ggtattgata ctggtaatgg tggtttcaac 1560
accttagatt ttagtggcgt tacaggtaag gtcaatatca acaagctcat tacggcttcc 1620
actaatgtgg ccgttaaaaa cttcaacatt aatgaattgg ttgttaagac caatggggtg 1680
agtgtggggg aatacactca ttttagcgaa gatataggca gtcaatcgcg catcaatacc 1740
gtgcgtttgg aaactggcac taggtcaatc ttttctgggg gtgtcaaatt taaaagcggg 1800
gaaaaactgg ttatagatga gttttactat agcccttggg attattttga cgctaggaat 1860
attaaaaatg ttgaaatcac cagaaaattc gcttcttcaa cccagaaaa cccttggggc 1920
acatcaaagc ttatgtttaa taatctaacc ctgggtcaaa atgcggtcat ggactatagt 1980
caattttcaa atttaaccat tcagggggat ttcataca atcaaggcac tatcaattat 2040
ttggtccgag gcgggcaagt agccaccttg aatgtaggca atgcggcagc tatgttcttt 2100
agtaataatg tggatagcgc gactgggttt taccaaccgc tcatgaagat taacagcgct 2160
caagatctca ttaaaaaata agaacatgtc ttattgaaag cgaaaatcat cggttatggc 2220
aatgtttctt taggcactaa cagcattagt aatgttaatc taatagagca attcaaagag 2280
cgcctagccc tttaacaaca caataaccgc atggatattt gtgtggtgcg aaatactgat 2340
gacattaaag catgcgggac ggctatcggc aatcaaagca tggngaataa ccccgacaat 2400
tacaagtatc ttatcggtaa agcatggaag aacataggga tcagcaaaac agctaattggc 2460
tctaaaattt cgggtgtatta tttaggcaat tctacgccta ctgagaaagg tggcaatacc 2520
acaaatttac ctacaacac cactagcaat gtgcgttctg ccaacaacgc cttgcgcaa 2580
aacgctcctt tcgctcaacc tagcgccact cctaatttag tcgctatcaa tcagcatgat 2640
tttggcacca ttgaaagcgt gtttgaattg gctaaccgct cttaaagatat tgacacgctt 2700
tatgctaact caggcgcgca aggcagggat ctcttcaaaa ccttattgat tgatagccat 2760
gatgcgggtt atgccagaca aatgattgat aacacaagca ccggtgaaat caccaagcaa 2820
ttgaatgcgg ccactaccac tttaaacaac atagccagtt tagagcataa gacaagcagc 2880
ttacaaactt tgagcttgag taatgcgatg atcttaaat ctcgtttagt caatctctcc 2940

Hp 04-04-03.ST251

agaaggcaca ccaataatat tgactcattc gcccaacgct tacaagcttt aaaagaccaa	3000
aaattcgctt ctttagaaaag cgcgggcgaa gtgttgatc aatttgcccc taaatatgaa	3060
aaacctacca atgtttgggc taacgctatt gggggaacga gcttgaataa tggcggcaac	3120
gcttcattgt atggcacaag tgcgggcgta gatgcctacc ttaatgggga agtggaagcc	3180
attgtgggcg gttttggaag ctatggttat agctctttta ataatacaagc gaactctctt	3240
aactctggag ccaataacac taattttggc gtgtatagcc gtatctttgc taaccagcat	3300
gaatttgatt ttgaagctca aggggcgcta gggagtgatc aatcaagctt gaatttcaaa	3360
agcgctctat tgcgagattt gaatcaaagc tataattact tagcctatag cgctgcaaca	3420
agagcgagct atgggttatga ctttgcattt tttaggaacg ctttggtgtt aaaaccaagc	3480
gtgggcgcta gctataacca tttaggttca accaacttta aaagcaatag caatcaagtg	3540
gctttgaaaa atggctctag cagtcagcat ttattcaacg ctacgctaa tgtggaagcg	3600
cgctattatt atggggacac ttcatacttc tatatgaacg ctggagtttt acaagaattt	3660
gctaactttg gttctagcaa tgcggtatct ttaaacacct ttaaagtga tgcgcacac	3720
aatcctttaa gtacccatgc cagagtgatg atgggtgggg aattaaaatt agctaaagaa	3780
gtgtttttga atttgggctt tgtttatttg cacaatttga tttccaatat aggccatttc	3840
gcttccaatt taggaatgag gtatagtttc	3870

<210> 81

<211> 522

<212> DNA

<213> Helicobacter pylori

<400> 81

atgcctcaaa tacaatcatc gcattccaat ctttttgatt tcactataga cacggcggat	60
cgcactaaat tattgatgag ctatttagtc gtgcctacaa cggctaattt caacaatgtc	120
atgcatgggg ggggaattatt gaatttattg gataaagtgg cttatgtgtg ttcgactcgt	180
tattgcgcta aaggaacggt cactttaagc gtggatgggg ttacttttaa atacccatt	240
cctgtaggga atttgctcac ttttttagcc agcatcaatt atgtgggcaa cacctcgtgc	300
gaagtgggga ttaagggttt gagcgaagac attaaaactc gtgaaatcac gcacacgaac	360
tcattgttatt tcacatgggt ggctgtagaa aatggcaaac ccaccccat gcctaaatac	420
gagcctaaaa cagagggtga aatccgccgt tatgaagggg ctttaaagcg caaggaaatg	480
cgcacacgag ggtattttaa aagcgggaaa cacgaggggtg tt	522

<210> 82

<211> 1137

<212> DNA

<213> *Helicobacter pylori*

<400> 82
 ttgaataatt tagacattaa aacttttaggg caggttttca cccctaaaaa gatagtggat 60
 ttcattgctca ctctcaaaca caatcatggg agtgtttttag aaccgagtgc tggcgatggg 120
 agtttttttaa agcgcttaaa aaaggccgta aggattgaaa tcgattcctaa aatctgccct 180
 aaaaatgccc ttgcatgga cttttttgac tacccttttag aaaatcaatt tgacaccatt 240
 attggttaacc cgccctatgt caagcacaag gatattgcgc caagcaccaa agaaaaactc 300
 cattacagcc tttttgatga aaggagtaatt ctctacttgt ttttcataga aaaagcgatc 360
 aagcatttaa aacctaaagg cgaattgatt ttcattaccc caagggattt tttaaaatcc 420
 acttctagcg tgaaattaaa cgaatggatt tataaagaag gcacgataac gcattttttt 480
 gaactgggcg atcaaaaggt tttcccaaac gccatgccta attgcgtgat ttttcgtttt 540
 tgtaagggtta atttcagtag aatcaccaac gatgggtttgc aatttttgtg caaaaaaggc 600
 attttgtatt tcctcaacca atcttacacg caaaaattaa gcgaggtttt taagggttaa 660
 gtggggggcag tgagcgggtg cgataagatt tttaaaaatg aaaaatacgg gaatttagaa 720
 tttgtcacct caatcacgaa aagaaccaat gcttttagaaa aaatgggttt tgtcaatgag 780
 cctaatgatt atttactcca gcataaagac agcttaatgc aaagaaagat taaaaaatc 840
 aatgaaaata actggtttga gtggggggaga atgcatcaca tatcccctaa aaaacgcatt 900
 tatgtcaacg ccaaaacgca ccaaaaaaac ccctttttta tccaccaatg ccctaattat 960
 gacggctcta ttttagcgct attcccttat aaccaaacc tggacttaca aaatctctgc 1020
 gacaaactca acgctatcaa ctggcaagaa ttaggctttg tgtgcggcgg gcgttttttg 1080
 ttttcgcagc gctctttaga aaacgcgctt ttgcctaaag actttttaaa tctagga 1137

<210> 83

<211> 1587

<212> DNA

<213> *Helicobacter pylori*

<400> 83
 atgaaacaaa atttaaagcc attcaaaatg attaaggaaa atttaatgac acaatctcaa 60
 aaagtaagat tcttagcccc ttttagccta gcgttaagct tgagcttcaa tccagtgggc 120
 gctgaagaag atgggggctt tatgacctt gggtatgaat taggtcaggt ggtccaacaa 180
 gtgaaaaacc cgggtaaaat caaagccgaa gaattagccg gcttggttaa ctctaatacg 240
 acaaacacaa ccaataccaa tattgcaggc acaggaggca atgtcgccgg gactttgggc 300
 aacctcttta tgaaccaact aggcaatttg attgatttgt atcccatttt gaacactaaa 360

Hp 04-04-03.ST251

aatatccatc	aatgtggtac	tactaataat	ggtagtagta	gtgcgaccac	tgcagccgct	420
actactaaca	atggcctttg	tttccaaggt	aacctggatc	tttataacga	aatgggttggc	480
tctatcaaaa	ctttgagtca	aaacatcagc	aagaacatct	ttcaaggcaa	caacaacacc	540
acgagccaaa	acctctccaa	ccagctcagt	gagcttaaca	ccgctagcgt	ttattttgact	600
tacatgaact	ccttctttaa	cgctaacaac	caagcgggtg	ggattttttca	aaacaacact	660
aatcaagctt	atggaaatgg	tgttaccgct	caacaaatcg	cttatatcct	aaagcaagct	720
tcaatcacta	tggggccaag	cggtgatagc	ggggctgccg	cagcgttttt	ggacgccgct	780
ttagcgcaac	atgtttttcaa	ctccgctaac	gccgggaacg	atttgagcgc	taagggaattc	840
actagcttgg	tgcaaaacat	cgtcaataat	tctcaaaacg	ctttaacgct	agccaacaac	900
gctaacatca	gcaattcaac	cggtatcaa	gtgagctatg	gcgggcatat	tgatcaagcg	960
cgctctaccc	aactgttaaa	caacaccaca	aacactttgg	ctaaagttac	cgctctaaac	1020
aacgagctta	aagctaacc	atggcttggg	aatttcgctg	ccggtaacag	ctctcaagtg	1080
aatgcgttta	acgggtttat	cactaaaatc	ggttataagc	aattcttttg	ggaaaacaag	1140
aatgtgggct	tacgctacta	cggttcttc	agctataatg	gcgcgggcgt	gggtaatggc	1200
cccacttaca	atcaagtcaa	tctgctcact	tatgggggtg	ggactgatgt	gctttacaat	1260
gtgttttagcc	gctcttttgg	tagccgaagt	cttaatgcgg	gcttcttttg	ggggatccaa	1320
ctcgcagggg	atacttacat	cagcacgcta	agaaacagcc	ctcaacttgc	gaatagaccc	1380
acagcgacga	aattccaatt	cttgtttgat	gtgggggttac	gcatgaactt	tggtatcttg	1440
aaaaaagact	tgaaaagcca	taaccagcat	tctatagaaa	tcggtgtgca	aatccctacg	1500
atttacaaca	cttattataa	agctggcggc	gctgaagtga	aatacttccg	cccttatagc	1560
gtgtattggg	tctatggcta	cgccttc				1587

<210> 84

<211> 7587

<212> DNA

<213> *Helicobacter pylori*

<400> 84

atggcgctta	aaaaggccag	gttgatttcc	aagtttattt	caaagggatc	tttcaaattg	60
aataagatct	caaagaaaat	tttcacattg	aatcaaatct	taaaatgtga	aaagccctta	120
aaacgccata	aaaaagcttt	aaaacctatt	aaaaagctct	ctaatacgaa	caaatacttt	180
ttaaaagctt	cggttttatt	gataggagcg	ttaggggggt	tatcccacct	aagggttaac	240
gaatgccggt	attgggtcatg	gtcgtcttgg	agttaccaag	ataatattga	aagcgggtcct	300
aattcgccca	cgcacaactc	ttattgcctt	tttagtagca	ctcaaggctc	tgggacttat	360
tatttaaaca	ctcttaccac	ttatagcgct	gggtggggcta	gtttcacgca	aaaattcaat	420

Hp 04-04-03.ST251

aacggcacgc ttaatgtggg agagaatatc cgctttggag gcacaggtat taatgggggt	480
gatgtcggct atatcacagg aacttatgac gctcaaacga ttaattttaa ttctagccat	540
ttaacaaccg gaaactcata cgctgatggg ggtggggcca cgctcaattt taatgcggcc	600
aataatatca ctatcaatca agcgagtttt gacaatagcc atgcagggac gcaaaaatct	660
tacatgaatt ttaaaggctc taatatcaag gtcagtggct ctagttttac agatgatact	720
gatgggggct ttagtttcag cggtaatagt aataacagca ccatctcctt taatcaaacg	780
agcttcaatc aagggactta tcactttagt aatagcgcca ctttaagctt caatcatagc	840
gctttcaatc aagggactta taactttaat agcactcaat ctgcttttaa taacagcgct	900
ttcaatcaag ggacttatca tttcaatggc aacgccagct ttgataacga caccttcaat	960
caaggcactt atagctttaa taccagcaag gtgagtttct caggcatcaa cactttaaat	1020
tcaagttcgc cttttgctag ctttaaaggc agtgtgtctt ttgggttctga tgcgattttt	1080
aacctcaatc aaacccttaa taatcaaacc tatgatattc tctactacaaa cggggcgatc	1140
cagtatgggg tttatcaaag ctatttgtgg gatctaatac actataaggg cgataaagcc	1200
attagccatg ttgaagtggg caataacact tatgatgtaa cctttgatat taacgggcaa	1260
gatgaaacct tacaagaaac ctttaacaaa caatccatta ttaccaatt tttaggagat	1320
gatttacaac aacaagccca aaaaacctac caacaagact tgagcaactc ccaaagcgct	1380
ttaaataacg ctgctagtga taataagatc gcaaatagcg atacagacta caccaagaat	1440
aaaaacgcca ctatcaaaaa agacgctcaa ggtttagaaa acaccaacca acaaatcgct	1500
caagatgaac aagcggtaca aggagattta gacaagctca aacaattagc caactcccca	1560
acaggcttta gtgaacaagc tttcaatcaa gctcaaaaac aagaacaaca agatgaacaa	1620
accttacaaa acgaagaaaa gacttttaat agcgagcaag agggattgaa acaagcgata	1680
caacaagcac aagcccaaca acaaaaacaa caacaaaaac aagaacaaca acaagcccaa	1740
caaacctatc aagaggatct cactcattcc caaagcgctt tgaatgatgt ggctagcgac	1800
aacacgatcg caagcaatga tacaactac accaacaatc aaaacaccgc tatcaaagaa	1860
gacgctcaag gtttagaaaa caccaaccaa caaatcgctc aagatgaaca agcgttacia	1920
ggagatttag acaagctcaa acaattagcc aactcccaa caggctttag tgaacaagct	1980
ttcaatcaag ctcaaaaaca agaacaacaa gatgaacaaa cttacaaaa cgaagaaaag	2040
acttttaata gcgagcaaga gagattgaag caagcgatag ctaacgctaa gcctacaagc	2100
cccacaccaa gccatgcacc cactcctaca aaacacaccg cgccaaacac tcctccta	2160
aaagtccac ccacaccccc tactcaaaat ccacctgcag aaagcgtgtg gagtgggggt	2220
tattggcttc aaaacaaaac ctactcaaac aaaggcattt attatatga tcccaatctt	2280
tcaggacaga gcggtcaaag cggcaacacg ctacgactt atacagctaa tttgtttgga	2340
agaagtttta gcgttaatat ccaaaatggc actttgatca tagggaataa tacagagagc	2400
gtgaatagta atgggttgat ttggataggg catggagggt ttggctatat tacgggaact	2460

Hp 04-04-03.ST251

tttagtgcg	ctaacattta	cttgaccaat	aattttaaaa	ccggtgaagg	cgtttcaaat	2520
tcagatggtg	ggggagcgaa	cattaccttt	aaagcaagcg	ataatatcac	tatggatggc	2580
ttgaattata	atgacgctga	aaccgttact	aaaatgattc	aaacaggggc	tagccagcat	2640
tcctatgcc	cttttgacgc	tctaaataat	atcagcgtga	ctaattccag	ttttagcgat	2700
atgacttggg	gaaaattcag	ttttagcgct	aagaatattt	cgttttctaa	cgcttcgttc	2760
agcggcttta	caaaccctgg	aggatcaagc	gttatttagcg	ctaacgctac	taattcttta	2820
agctttatca	attctcgttt	gaatggggga	gcggtttata	atttgcaggc	taatagcctt	2880
attttcaata	acacgcaagc	ggtttttaat	gtcttgtatt	ctagggggac	aagcaatttt	2940
aacgccacca	cacagctttt	aggcaacacg	aattttacgc	tcagttctca	aagtttgttg	3000
aattttaatg	gcgatacaac	cttgcaaaac	aacgccaata	tcacgcttgg	caataaaaagt	3060
caagccgctt	ttaaaaattc	tttaacgctt	gataataatt	ctaatttgag	tttagacaat	3120
caaagcgttt	tgaatgcgaa	taacacaagc	gcttttaaca	atcaagcgag	tctcaatatt	3180
tataacggga	gtcaagcgac	ctttaatagc	ctctttttta	atggcgggac	actcagtctt	3240
aacgctagta	gcaagctcaa	cgcttctaac	gctagttttt	caaacaacac	cactatcaat	3300
ttagacgata	gcgttttatc	ggctagtaac	acaagctctt	taaacgctaa	tatcaatttt	3360
caaggcgcaa	gccaggctga	ttttggaggc	aacacgatta	ttgatacagc	gagctttaat	3420
tttgacagcg	caagttcatt	gaattttaac	aaccttacgg	ctaattggagc	gttaaatttt	3480
aatgggttata	cgccctcttt	gactaaggct	ttaatgagcg	ttagcgggca	gtttgtttta	3540
gggaataatg	gggatattaa	tttatctgac	atcaatattt	ttgataacat	cacaaaatct	3600
gtaacctaca	acatcctaaa	cgctcaaaaa	gggattactg	gcatcagtgg	ggctaattggc	3660
tatgaaaaaa	tcctttttta	tggcatgaaa	atccaaaacg	ctacctatag	cgacaacaat	3720
aacatccaaa	cttggtcggt	tataaaccct	ctcaattctt	ctcaaatacat	tcaagagagc	3780
attaaaaatg	gggatttaac	catagaagtt	ttaaataacc	ccaactcggc	ttccaacact	3840
attttcaata	tcgctcctga	gcttttataat	taccaagctt	ctaagcaaaa	tcctaccggc	3900
tatagctatg	attatagcga	caatcaagca	ggcacttatt	acttgacaag	caacattaaa	3960
ggtcttttca	cccctaaagg	ctctcaaact	cctcaagccc	caggcactta	tagcccgttt	4020
aaccagcctt	tgagtagttt	gaatatctac	aataaggggt	tttctagcga	gaattttaaaa	4080
acgcttttag	ggatcctttc	tcaaaattcc	gctaccttaa	aagaaatgat	tgaatccaac	4140
caactagaca	atatcactaa	cattaatgaa	gtgttgcaac	tcttagacaa	gattaaaaatc	4200
acccaagtgc	aaaagcaagc	actcctagaa	acgatcaacc	atttgactga	caacatcaat	4260
caaaccctta	ataatgggaa	tctaattata	ggcgctactc	aagataatgt	tacaaactct	4320
actagctcta	tatggtttgg	gggcaatggc	tatagcagtc	cttgacgct	agatagcgcc	4380
acttgttctt	cttttagaaa	cacttactta	gggcaattat	taggctcaac	ttccccctat	4440
ttaggctaca	ttaacgctga	ttttaaagct	aaaagcattt	atattaccgg	aacaattgga	4500

Hp 04-04-03.ST251

agtggttaacg cctttgaaag cggaggggagc gcggatgtaa cctttcaaag cgctaataac 4560
 ttagtggttga ataaagccaa catagaagct caagctacag acaatatctt taatcttttg 4620
 ggccaaaaag ggattgagaa aatctttaat caagggaatt tagcgaatgt tctcagtcaa 4680
 gtggctatgg aaaaaatcaa gcaagccggc ggtttaggaa actttataga aaacgctcta 4740
 agccctttga gtaaggaatt gcccgtagc ttgcaaatg aaaccttagg ccaacttata 4800
 ggtcaaaata acttagatga tttattgaat aatagcgggg tcatgaatgc aatccaaaat 4860
 attatcagta aaaaactaag cttttttggt aattttgtta ccccatccat catagaaaac 4920
 taccttgcta agcagtcttt aaaaagcatg ctagacgata aagggtcttt gaattttatc 4980
 ggtgggtata tgaacgcttc tgaattaagt tctattttta gcgtgggtttt aaaagatatt 5040
 actaatcccc ctacaagctt gcaaaaagac atcgggtgtg tagcgaacga cttgttgaac 5100
 gagtttttag gacaagatgt tatcaaaaag ctagaaagtc aaggcttagt gagtaatatc 5160
 attaataata tcatcttca aggcgggtta agcggcggtt ataatacagg tttagggagc 5220
 gtgttgccgc cctctttaca aaacgcgctc aaagaaaacg atttaggcac tcttttatcg 5280
 cctagaggct tgcattgatt ttggcaaaaa ggggtatttta actttttaag caatggctat 5340
 gtttttgta ataacagctc ttttagcaac gctacaggag gcagtttgaa tttgtcgcc 5400
 aacaagtcta ttatttttaa tggcgataat acgattgact ttagcaagta tcagggcgca 5460
 ttgatttttg cttctaata tgtttcta atcaatatca ccaccctaaa cgctactaat 5520
 ggcttaagcc ttaatgcggg tttgaataac gtgagcgctc aaaaagggga aatttggtgc 5580
 aatttagcca attgccccac aaccaaaaac agctcttcta caaactctag cgtaaccccc 5640
 actaatgaat ctttaagcgt gcgcgctaac aacttcactt tcttaggcgc aatcgcttct 5700
 aatggggcta ttgatttgct tcaagtga aaataatagc ttatagacac gctcaatctt 5760
 aatgaaaatg cggccttgca agccaataat ttaacgatca ctaacgctt taacaacgcc 5820
 tctaactcta cagctaacat taatggtaat ttcacctta accaacaagc gaccttaagc 5880
 actaacgcta gtggcttgaa tgtcatggg aattttaata gctatggcga tttggtgttt 5940
 aacctcagcc attcagttag ccatgccatt atcaacgctc aaggcagtg gacaatcatg 6000
 gctaataaca ataaccctt aatccaattc aacacttctt caaaagaagt tggcacttac 6060
 acgcttattg atagcgctaa agccatttat tacgggtata acaaccaa acacaggaggc 6120
 agtagcctag ataattacct taagctttac actcttattg atattaatgg caagcacatg 6180
 gtgatgactg acaacggctt aacctataac gggcaagccg tgagtgttaa agatggcggt 6240
 ttagttgtgg gcttttaaga ctctcaaaat caatatattt acacttccat tctttataat 6300
 aaagtga aaa tcgctgtttc taatgatcct atcaataacc tacaagcccc cactttaaaa 6360
 caatacatcg ctcaaattca gggcactcaa ggcgtggata gcattgatca agctggaggc 6420
 agccaagcga ttaattggct caataaaatc tttgaaacta agggaagtcc tttattcgct 6480
 ccctattatt tagaaagcca ttccacaaaa gatttaacca cgatcgctgg agatattgct 6540

Hp 04-04-03.ST251

aacacttttag aagtcacgc taaccctaata tttaaaaatg acgccaccaa tattttacag	6600
atcaacacct acacgcagca aatgagccgt ttagccaagc tctctgacac ttcaactttt	6660
gctagcgctg attttcacga gcgattagaa gcccttaaaa acaagcgatt cgctgatgcg	6720
atccctaacg ctatggatgt gatttttaaaa tactctcaaa gaaacagagt caaaaataat	6780
gtatgggcca caggagttgg aggggctagt ttcattaatg gaggcactgg gactttatat	6840
ggtatcaatg tagggatga ccgattttatt aagggcgatga ttgtgggggg ttatgccgct	6900
tatgggtata gcgggtttca tgcaaacatc actcaatcag gctctagcaa tgtcaatatg	6960
ggtgtttata gccgagcgtt tatcaaaaga agcgaattaa cgatgagctt gaatgagact	7020
tggggataca ataagacttt catcaactct tatgaccccc tactctcaat catcaatcag	7080
tcttacaat acgacacctg gacgactgac gctaaaatca attatggcta tgatttcag	7140
tttaaagata aaagcgttat ttttaaact caaataggct tagcctatta ttacattggt	7200
ttgtctggt taaggggcat tatggatgat cctattttaca atcagttcag agccaatgct	7260
gacctaata aaaaatccgt tctaacgatt aattttgctc tagaaagtcg gcactacttc	7320
aataaaaact cttattattt tgtgattgcg gatgtgggca gagattttatt tattaattct	7380
atgggggata aaatgggtgcg ttttattggt aataacaccc taagctatag agatggcggc	7440
agatacaaca cttttgctag cattatcaca ggcggggaga taaggttatt caaaaccttt	7500
tatgtgaatg cgggcattgg ggctagggtt gggcttgatt ataaagatat taatatcacc	7560
ggaaatattg gtatgcgcta tgctttt	7587

<210> 85

<211> 579

<212> DNA

<213> *Helicobacter pylori*

<400> 85

atgaatactt ataaaaacag cttgaatcac tttttaaatt tagtggattg tttagaaaaa	60
atccccaatg tgggtaaaaa gtccgccttt aaaatggcgt atcatttggg tttagaaaac	120
ccctatctgg cgctaaaaat cacgcacgct ttagagaacg ccctagaaaa cttaaaaca	180
tgttcatctt gtaacgcgct cagcgagagt gaggtttgtg agatttgctc tgatgaaagc	240
cgacaaaatt ctcagctttg catggtttta cacccaagag atgtgtttat tttagaagat	300
ttaaaggatt ttttagggcg ctattatgtg ttaaaactca tagaagaagt ggattttaac	360
gccctagaaa aacgcctgat tgaagaaaac attaaagaaa tcatttttgc tttccctccc	420
actttagcta atgattctct aatgctttat attgaagaca aattacagca tttccacctc	480
actttcacta aaatcgctca aggcgtgcct actggagtga attttgaaaa cattgactca	540
gtttcgctct caagggcggt taattcaagg atcaaaagca	579

<210> 86
 <211> 564
 <212> DNA
 <213> Helicobacter pylori

<400> 86
 ttgtttaaaa gaatggtttt aatcgctctt ttaggggtgt tttcaagcgt ttcattaagc 60
 gctaagagtc ttttaagaga tgatgggatt ttagtctctg atttaaaggg catgaaatca 120
 gaactatctg atgctcctgc ttgggttttt gaagacgcta aagcccccta cgaagaaatg 180
 ggcgtggcgt atatccctgt taataataaa tatitagga ttgagcaagc gaccttaaac 240
 gctaaattga gtctgatcgt ggtttttcat gaaatcatga tgaagtataa aaaacgcttc 300
 atggagcaat tccatgagtc cgagcagacg actacgaata tcagttacgc tatctataat 360
 tatctagcga ctaagatcca ggtatccaac acctacacga atttaaaatc ggaggtggcg 420
 gtggtgaaaa tcaagctagt gggttgtcag attgagcaaa tcaaaaggta tttaaaagcg 480
 agcgttgaaa accttaacga taatgaaatc gcttacatcg ctaaggctcg tcaaaaagaa 540
 tttggtagcg tttgtgcgtt aagg 564

<210> 87
 <211> 1059
 <212> DNA
 <213> Helicobacter pylori

<400> 87
 ttgaaacatt taacccact cactcacacc atctttaag ccttatggct aggcacagcc 60
 ttaagtgcatt ctttaagttt agccgcaaca gaaagcccca ctaaaacaga gcctaagccc 120
 gctaaagggg ttaaaaacaa gcccaaactc cccgttacta aagtcattgat gaccaattgc 180
 gacaatatta aagattttta cgctaagcaa aaagaagtct taaaagccgc ttatcaattc 240
 ggctctaaag aaaatttagg ctatgaaatg gcaggcattg catggaaaga gtcattgcgca 300
 ggggtttata aaatcaattt ttcggatccg agcgcgggcg tgtatcattc ttatatccca 360
 agcgttctaa aaagctatgg gcataatgat agcccctttt tgcgtaattg gatgggggaa 420
 ttgctcatta aagacgatgc gtttgcttct gaagtggctt taaaagagtt gctctattgg 480
 aaaacacgct accatgacaa tttaaaagac atgattaaat cttacaacaa gggcagtcgt 540
 tgggaaagga gcgaaaaatc taacgctgat gctgaaaaat attacgaaga gatacaagac 600
 agaatcaggc gtttgaaaga atctaaaatc tttgattcgc agtctagtaa tgaccaagaa 660
 ttgcaaaaaa gcgctaatag caacctggat ttagacccta tcggcaacgc catgccccaa 720

Hp 04-04-03.ST251

gccttaattg	ccaaagaaac	taaaatagaa	gaaaccaag	cagaaaaatc	ccaagaaatg	780
aaagagacaa	ctagcgagca	aacaaaaagt	aagccagaaa	aagcaaaaaga	taaacccatg	840
tatttggcgc	aatcaacag	cactgatttc	acaccggtta	aaaaaagccc	caaaaaaccg	900
gctaaagtga	gccaaaaaca	ctcctttaag	aataacatta	aaaataatgt	aaaaaacaac	960
gccaaaaccg	cttccaaaaa	acaagaaatg	tgcaaaaatt	gctctccagg	gcaaaggaat	1020
gcgattttag	ctaaccacat	cactctcatg	caagagctt			1059

<210> 88

<211> 1461

<212> DNA

<213> Helicobacter pylori

<400> 88

atgattgaat	ggatgcaaaa	tcatagaaaa	tatttagtgg	ttacaatatg	gataagcacg	60
atcgctttta	ttgccgctgg	gatgataggc	tgggggcaat	acagcttttc	tttagatagc	120
gatagcgctg	ccaaagtggg	acagattaag	atttctcaag	aagaattagc	ccaagaatac	180
cgccgcctta	aagacgcata	tgctgagtct	atccctgatt	ttaaagaact	caccaaagat	240
caaatcaaa	ccatgcattt	agaaaaaagc	gcttttagatt	cgctcatcaa	tcaagcctta	300
ttgagaaaatc	tcgcttttaga	tttagggctt	ggcgctacaa	agcaagaagt	ggcgaaagag	360
atcagaaaaa	cgagcgtttt	ccaaaaagat	ggcgtttttg	atgaagaatt	gtataaaaaat	420
atcttaaagc	aaagccatta	ccgccccaaa	cattttgaag	aaagcgttga	aaggctttta	480
atccttcaaa	aaatcagcac	tctattcccc	aaaaccacta	cccctttgga	gcaatccagc	540
ctatcgcttt	gggcaaaatt	gcaagacaaa	ttagacattc	ttatcctaaa	ccctagtgat	600
gttaaaatct	ctcttaatga	agaagagatg	aaaaaatatt	acgagtccca	taaaaaggat	660
tttaaaaagc	ccacgagctt	taaaacacgc	tctttatatt	ttgacgctag	tttggaaaaa	720
cctgatttga	aggagttaga	ggaatactac	cataaaaaaca	aggtgtctta	tttggaacaaa	780
gaggggaaat	tgcaggattt	taaaagcggt	caagagcaag	tcaagcatga	tttaagcatg	840
caaaaagcga	atgaaaaagc	cttaaggagc	tatatcgctc	taaaaaaagc	gaacgcgcaa	900
aactacacca	cacaagattt	tgaagagaac	aactccccct	atactgctga	aatcacgcaa	960
aaactcaccg	ctctcaaacc	ccttgaaatc	ctaaagccag	agccttttaa	agatgggttt	1020
attgtggtgc	aactcatctc	tcaaattaaa	gacgaattgc	aaaattttta	tgaagctaaa	1080
agcgctctta	aaacccgcct	aactcaagaa	aaaaccctta	tggcgttgca	aacttttagcc	1140
aaagaaaagc	ttaaggattt	taagggcaaa	agcgtgggct	atgtaagccc	taatttttga	1200
ggcactatta	gtgagcttaa	ccaagaagaa	agtgctaagt	ttatcaacgc	tctttttaac	1260
cgccaggaaa	aaaaggggtt	tatcgctatt	aataataaag	tggtgctcta	tcaaatcaca	1320

Hp 04-04-03.ST251

gaacaaaatt tcaaccactc atttagtgca gaagaaagcc agtatatgca gcgttttagtc 1380
aataacacta aaacggattt ttttgataaa gcgttgatag aagaattgaa aaaacgctat 1440
aagatagtca aatacattca a 1461

<210> 89

<211> 1329

<212> DNA

<213> Helicobacter pylori

<400> 89
gtgtccctc taaagacgat acggatctat tcttaccacg attctattaa ggactctatt 60
aaggcgggtg tgaatatctc cactgaaaag aagattaaaa acaattttat aggtggcgggt 120
gtgttttaatg accccttttt ccaacaattt tttggggatt tgggtggcat gattcctaaa 180
gaaagaatgg aaagggtctt aggcagcggc gtaatcattt ctaaagacgg ctatattgta 240
actaataacc atgtgattga tggcgcggat aagattaaag ttaccattcc agggagcaat 300
aaagaatatt ccgccactct agtaggcacc gattctgaaa gcgatttagc ggtgattcgc 360
atcactaaag acaatctgcc cacgatcaaa ttctctgatt ctaatgatat ttcagtgggc 420
gatttggttt ttgcgattgg taaccctttt ggcgtgggcg aaagcggtac gcaaggcatt 480
gtttcagcgc tcaataaaag cgggattggg atcaacagct atgagaattt cattcaaaca 540
gacgcttcca tcaatcctgg aaattccggc ggcgctttta ttgatagccg tggagggtta 600
gtggggatta ataccgctat tatctctaaa actgggggca accacggcat tggctttgcc 660
atcccttcta acatgggtta agatactgta acccaactca tcaaaaccgg taagattgaa 720
agaggttact tgggcgtggg cttgcaagat ttgagtggcg atttgcaaaa ttcttatgac 780
aacaagaag gggcggtagt cattagcgta gaaaaagact ctccggctaa aaaagcaggg 840
attttggtgt gggatttgat caccgaagtc aatgggaaaa aggttaaaaa cacgaatgag 900
ttaagaaatc taatcggctc catgctaccc aatcaaagag taaccttaaa agtcattaga 960
gacaaaaaag aacgcgcttt caccctcact ctagctgaaa ggaaaaacc taacaaaaaa 1020
gaaaccattt ctgctcaaaa cggcgcgcaa ggccaattga acgggcttca agtagaagat 1080
ttaactcaag aaaccaaaag gtctatgcgt ttgagcgatg atgttcaagg ggttttagtc 1140
tctcaagtga atgaaaattc ccagcagag caagccggat ttaggcaagg taacattatc 1200
acaaaaattg aagaggttga agttaaaagc gttgcggatt ttaaccatgc tttagaaaag 1260
tataaaggca aacccaaacg attcttagtt ttagacttga atcaagggtta taggatcatt 1320
ttggtgaaa 1329

<210> 90

<211> 864

<212> DNA

<213> *Helicobacter pylori*

<400> 90

```

atgagtaaga gtttatacca aacttttaaat gtgagcgaaa acgccagcca agatgaaatc      60
aaaaaatcct accgccgttt agcccgacaa taccacccgg atttgaataa aaccaaagaa      120
gccgaagaga aattcaaaga aatcaacgcc gcttatgaaa ttttgagcga tgaagaaaaa      180
cgccgccaat acgatcagtt tggcgataac atgtttggcg ggcagaattt cagcgatttt      240
gccagaagcc gtggtcctag tgaagattta gacgatattt taagctctat ttttgggaaa      300
ggaggctttt cgcaaagatt ttctcaaaac tcgcaaggct tttctggctt taatttttcc      360
aatctcgccc ctgaaaattt agacataacc gccgctttaa atgtctctgt tttagacacc      420
cttttaggca ataaaaaaca agtgagcatc aataatgaga cttttagcct taaaatccct      480
attggcgtag aagagggcga aaagattagg gttcgcaaca aggggaaaac ggggcgaacg      540
actaggggag atttgctctt agagatccat attgaagaag atgaaatgta taggcgcgag      600
aaagatgata ttacccaaat ctttgattta cccttaaaaa cggctctttt tggagggaaa      660
attgaaatcg ctacttgga taaaacctta accctaacca ttccccctaa caccaaagcg      720
atgcaaaaat tccgcattaa agaaaaaggg atcaaaaaca gaaaaacttc gcatgtgggg      780
gatttgatatt tgcaggctcg tttgattttg cctaaaactg aaacgctttc taatgagttg      840
aaagcgttat tagaaaaaga attg                                     864

```

<210> 91

<211> 885

<212> DNA

<213> *Helicobacter pylori*

<400> 91

```

atgaaacaaa caaccattaa cactctgtg gaattagtag ggataggctt gcacaagggc      60
gttcctgtga agcttgtttt agagccttta ggggaaaatc aaggcattgt tttttaccgc      120
tctgatttgg gcgtgaatct ccccttaaaa cctgaaaaca tcgtggatac caaatggca      180
accgtgttgg gtaaggataa tgctaggatt tctacgattg agcatttgct ttcagctgtc      240
catgcgtatg gcattgacaa tcttaagatc tctgtggata acgaagaaat ccctatcatg      300
gatgggagtg ctttgactta ttgcatgctt ttagatgaag cagggattaa agaactagac      360
gctcctaaaa aggtgatgga aatcaagcaa gccgttgaga ttagagagag cgataagttt      420
gttaaaattg agccagacag ccagctttct ttgaatttca cgattgatit taaccatccg      480
gttatcgcta agcaagccca tcattttgtc tttagtaaaa ccgcttaca agagcaagtc      540

```


Hp 04-04-03.ST251

gctaaagctc gcacctttgg gtttttgcaa gaagtgaatt acttgcgatc cattggtttg 600
gcgaaaggag ggagtttgaa taattgcatc gtgctggatg aaaacagcat tttgaataaa 660
gagggcttga ggtgcgaaaa ggagtttggtg tgccataaga ttttagacgc tatgggggat 720
ctaattggtt taggcatgcc tgtgatgggc aaatacactt ctttttcagg gagtcataag 780
ctcaattcca tgttggttaa agccattttg gcggacgcta aaaattacga agttttgatc 840
gctgcagatc cggctaaaga atttgcggtg caaaaggctt tcgct 885

<210> 92

<211> 2574

<212> DNA

<213> Helicobacter pylori

<400> 92
gtgcaaccga tgaaatctaa aaaactttat ttggctttaa tcataggggt tttattagcg 60
tttttaaccc tatcttcatg gctgggtaat agcggtttag tggggcgttt tgggggtgtgg 120
tttgccgcac tcaataaaaa atattttggg catctttcat tcattaattt accctattta 180
gcatgggttt tattcctttt atacaagact aaaaaccctt ttacagaaat cgtttttagaa 240
aaaacttttag ggcattctatt aggcatttta tctttgctct ttttacaatc tagcctatta 300
aatcaagggg aaatcggaac cagcgcgcggt ttgtttttac gcccttttat aggggatttt 360
gggctttatg cgctgataac gcttatggta gttatttctt atttgattct attcaaaacta 420
ccccctaaaa gcgtttttta tccttatatg aacaaaacac aaaacctttt aaaagagatt 480
tacaacaat gcttacaagc ctttagccct aatttttagcc caaaaaaaga gggttttgaa 540
aacaccccat cagatattca aaaaaagaa accaaaaacg acaaagaaaa agaaaaccgc 600
aaagaaaacc ctattaatga aaaccacaaa acccctaacg aagaaccgtt tttagcgatc 660
cctacccctc ataacacgac tttaaatgat tcagagccgc aagaaggctt agtccaaatt 720
tcctcccacc cccctaccca ttacaccatt taccctaaaa gaaaccgatt tgatgatttg 780
actaacccca ctaacccccc tttaaaagaa attaaacaag aaactaaaga aagagaaccc 840
acgcctacaa aagaaactct tacgcccacc acgcccacac ctatcatgcc cacacttgca 900
cccataatag aaaatgacaa caaaacagaa aaccaaaaaa cccccaacca ccctaaaaaa 960
gaagaaaacc cacaagaaaa cacgcaagaa gaaatgatag aaggaaggat agaagaaatg 1020
ataaaggaaa atctaaaaaa agaagaaaaa gaagtgcacaa acgctccaaa ctttagccca 1080
gtaaccccca caagcgctaa aaaacccgtt atgggttaaag aattgagcga aaataaagag 1140
atattagacg gattggatta tggcgaagtg caaaaaccca aagattatga gcttcccacc 1200
acgcaattat tgaatgcggt ttgtttgaaa gacacttctt tagacgaaaa cgagattgac 1260
caaaaaatcc aggatctatt gagcaaaactg gcacacttta aaattgatgg cgatattatc 1320

Hp 04-04-03.ST251

cgcaattatt caggccctat tgtaaccact tttgaattcc gcccagcccc taacgttaag	1380
gtgagtcgta ttttaggctt gagcgatgat ttagcgatga ctttatgcgc tgaatccatc	1440
cgcaattcaag cccctattaa gggtaaagat gtcgttggca ttgaaatccc taacagccaa	1500
agccaaatta tttattttaag agaaattcta gagagcgaat tgtttcaaaa atccagctcg	1560
cccttaactc tagcttttagg caaagacatt gtgggtaacc ctttcatcac ggatttaaaa	1620
aagctcccc atttgctcat cgctggcacg acaggaagcg gtaagagcgt gggcgtgaat	1680
gcgatgattt tacccttact ttataaaaac cctcccgatc aactcaaatt agtgatgatc	1740
gatcccaaaa tggtagaatt tagtatttat gcggatatcc ctcatctgct caccgccatt	1800
atcaccgacc ctaaaaaagc tattggggct ttgcaaagcg tggctaaaga aatggaacgc	1860
cggtattctt taatgagcga atacaagggt aaaaccattg attcttataa tgaacaagcc	1920
ccaagtaacg gcgttgaagc gttcccctat ttgattgtgg tgattgatga attagcggat	1980
ttaatgatga cagggggcaa agaagcggag tttcctatcg ctagaatcgc tcaaattggg	2040
cgcgcgagcg gcttacacct cattgtagcg acccaacgcc caagcgtgga tgtcgtaacc	2100
ggcttgatta aaaccaactt gccttcaagg gtgagtttta gggtaggcac taagattgat	2160
tctaaagtga ttttagacac tgatggggcg caaagcttgt taggaagagg cgatatgctc	2220
tttaccctcc caggagcgaa cgggttagtg cgcttgcattg cccctttgc cactgaagat	2280
gaaatcaaaa aaatcgtgga ttttattaaa gcccaaaaag aagtacaata cgataaagat	2340
ttcttgctag aagaatcacg catgccttta gacaccctta attatcaagg cgatgacatt	2400
ttagaaaggg ctaaaagcgt gatttttagaa aaaaagatca cttctacgag ttttttacia	2460
cgccaattaa aaatcggcta caaccaagcc gctaccatta ctgacgaatt agaagctcaa	2520
ggctttttat cccaagaaa cgctaaaggc aacagagaga ttttgcaaaa cttt	2574

<210> 93

<211> 870

<212> DNA

<213> Helicobacter pylori

<400> 93

atgttagaaa atgtcaaaaa gtcctttttt aggggtttgt gcttgggtgc gttgtgttta	60
ggggggctaa tggcagagca agaccctaaa gagcttgtgg gtttgggggc aaagagctac	120
aaagagaaaag atttcactca agcgaagaaa tattttgaga aagcgtgcga tttgaaagaa	180
aatagcgggt gttttaattt aggggtgctt tattatcaag ggcaaggggt ggaaaagaac	240
ttgaaaaaag ccgcctcctt ttacgctaaa gcttgcgatt tgaattacag caatgggtgt	300
catttgctag ggaatttata ttacagcggg caaggcgtgt cccaaaacac caataaagcc	360
ctacaatact actctaaagc gtgcgatttg aaatacgtg aagggtgcgc gagcttaggg	420

gggatttatc atgatggttaa agtggttaact agggatttta aaaaagcggg ggaatatttc 480
 actaaagcgt gcgatttaaa cgatggcgat gggtgcacga tattagggag cttgtatgat 540
 gcaggcagag gtacgcctaa agatttgaaa aaggcgctcg cttcgtatga taaagcttgc 600
 gacttaaaag acagcccagg gtgctttaac gcagggaata tgtatcatca tggcgaagg 660
 gcaacgaaga attttaaaga ggctctcgct cggtattcta aagcatgcga attggaaaat 720
 ggcggagggt gtttcaattt aggggctatg caatacaatg gcgaaggcgt aacaaggaat 780
 gaaaagcaag ccatagaaaa ctttaaaaaa ggctgtaaat tgggcgctaa aggggcgtgc 840
 gatattctca agcagcttaa gatcaaagtt 870

<210> 94

<211> 2871

<212> DNA

<213> Helicobacter pylori

<400> 94
 gtgaagttac ccaaagcctt aaacgaagcc accgcaggag cggccttaaa atatcacatt 60
 aaaagagcgc ttgagagaag ccaactcaata agcgatttta gtaagaattt agaactaagc 120
 acacaaaaat cccacttttag caacaacacg cttaaaatca ttgaagagct taacaacggc 180
 gtcaaacaag cgagcgaaga aatcaaagaa aaagcgcgcg atttttctaa tcaaaaactc 240
 actaacgagc aaatcaaaga tctattaaat aacgcagaaa tccctacaag cgggagagac 300
 gctatcactt ttggagttaa taacctaaac cctgagattg ttgaattcct gcacaaaaac 360
 aacaagaaaa tgattataga aaaagcctct aacaaagaat tagaactttt aaaagacgct 420
 aactttaaac accctgaaaa cataagggcg agtttagatc atgatgctat cgctcacata 480
 ctcaaaaggc atggcgttta ttctgttaat gttagaaatg gtgagatccc tattacgaac 540
 gaagatattg ctaattatag atatatcggt aataacgctg atgcaattct taggacttta 600
 gacaacgaga ataaagaact tataagcgcg tttaaacaaa tcaacggcta tgcggtagtc 660
 gtggagcaag cgatcaataa gaaaaatgaa ttagttttga aaacgatgta taagagtaaa 720
 ggagattata aggataataa cgcttataag aagttttcaa gcaccatac actcaatgct 780
 gatgcaaagg tgaaccatag gttgagttcc tatagcgggt ctacagagaa tactactcaa 840
 aaagatttaa tagatcaaga gaatttatta aaaacaagcg aaaattttaa cgaaagcaca 900
 ccaaaaccta ccaacttaag cccgctagaa caagccaacg ctgaaaagtt agcgaagtta 960
 gaaagcgaga agctagaaaag cgaaaaagag tttttgaaag ctaaagagca agaagccaca 1020
 cgcaaagccg cattaaaaaa gaaattagaa cacgagcgag gcaatgcggg caacattgaa 1080
 agccagacta aaatagaagt aggagaggat ataccacac aaacacaagc gcaattaccc 1140
 aaaagccgag tgaggctaaa cgaacgagag atttacgatc tagactatgc gatcgtcaaa 1200

Hp 04-04-03.ST251

gcgaaagatt taaaaccaag ctttaccaca ggcgggacgc aaaagagaac ggacatgaac	1260
gaagagcaga ttaaaagcat tgctgaaaat tttgatccta aaaagatatt tggtagcgga	1320
gggtttgaag atttaccgat cattctacat gacgggcaag tgatcgcagg aaaccacaga	1380
atccaaggca tgctaaactt cacgcctaaa agccgttttt cttacgagag agcgatcaag	1440
gaatactatc acatagactt aaaaccggac gagttgtag tgagagtgcc acacaagcgc	1500
ctaaacaaca ccgagatcaa caatttagcg gcttcatcca atcaaggacg cttcaatagc	1560
gaaagcgatc acgctatagc ggttttaagc cactatgaag ccaagttaaa agaattagac	1620
caaaaattag acgctgatag catctactca ttaaaaaaca ttgttgctaa aaatttgaat	1680
tttgataagg ctacgcatcc taatgtaacc gatagtaatt tagcgttgct gatgtttaac	1740
atgccacgaa ccaaaacgca agggatagaa ttactcaacc gctggaaaaa agaattttcc	1800
aacgacatta aaagctatga aaaagtaaaa aaaatgtttg tagataacgc gggcagtttt	1860
cacaatctca tccacgatct gaacttccct aagggtgagtt taaacgctta ttttagcgat	1920
attatggatc gcagttttgc gaattttaag aattaccaa gcacgagcga gagcctgaaa	1980
gatttgagcg aaaaattcta taaaacgagt tcgtagagaa tgtttgaaaa gagcgatcaa	2040
agcacgagcg atatttagcga gatttttagga ggagcgatcg cacgatttgc acgatttgat	2100
gatccgagca aagcgttatt tgaagcctta agaagcgata acattaaaaa aggcttgaaa	2160
gattacaaga tcgcagatgt tactaaggac atgtttaacg ctgatagtaa agagttaag	2220
gacattgata tttagcattt cacgcattac cttttaatgg taaatagaga gccgaatgaa	2280
aataacccta tcttaaagcg cttgatagaa gccgtgaaag acatgcaaaa agaaagcgag	2340
aaaggaataa aacaaaaact tgaaacgcct agcgaatggg gacacaatta tagcgagttt	2400
aaaggtgatg gtttaggagc gattaacaag ttattagaaa ctaaaaaagg tttttagcgc	2460
ggagcgtttc ataaggaagg tttaggggat attgatttag tttatggaaa ctctaaatac	2520
ggactagaac atatatttaa tcgtagggaa agcgatgcga tagacaaagg catgagtaaa	2580
gaagaagcta aaaaatacgc attaaaaata attaacaata tccctaacat aataagcaat	2640
ggaaaactat caaaagataa tttagggcgt ttaagtattg agtttgaaaa tcaaagagtg	2700
ggtttgaatg atagtggaa aggtgagact ttataataa ggtgggttat tacaagttat	2760
gaaatagata aatcaaggaa tgggctaatt gagtcgcctt tagcaccaaa ttacaagggg	2820
aaagatacta atcccctaaa cttgatagc cctaacccta ccacaaaaaa t	2871

<210> 95

<211> 768

<212> DNA

<213> *Helicobacter pylori*

Hp 04-04-03.ST251

<400> 95
atgggatacg caagcaaatt agccttgaag atttgtttgg caagtttatg tttatttagc 60
gctcttggtg cagaacacct tgaacaaaa aggaactata tttataaagg ggaggaagcc 120
tataataata aggaatatga gcgggcggct tctttttata agagcgcgat taaaaatggc 180
gagccgcttg cttatgttct tttagggatc atgtatgaaa atggtagggg tgtgcctaaa 240
gatgaaaaga aagcggctga atattttcaa aaagcggttg ataacgatat acctagaggg 300
tataacaatt taggcgtgat gtataaagag ggtagaggtg tgcctaaaga tgaaaagaaa 360
gccgtggagt attttagaat agctaccgag aagggtctata ctaacgccta tataaactta 420
ggcatcatgt atatggaggg taggggaggtt ccaagcaact atgtgaaagc gacagagtgc 480
tttagaaaag cgatgcataa gggtaatgta gaagcttata tccttttagg ggatatttat 540
tatagtggga atgatcaatt ggggtattgag ccagacaaaag ataaggcgat tgtctattat 600
aaaatggcgg ctgatatgag ctcttctaga gcttatgaag ggtagcaga gtcttatcag 660
tatgggttag gcgtggaaaa agataagaaa aaggctgaag aatacatgca aaaagcatgc 720
gattttgaca ttgataaaaa ttgtaagaaa aagaacactt caagccga 768

<210> 96

<211> 1818

<212> DNA

<213> Helicobacter pylori

<400> 96
atgggcggaa tcttatcttc actcaacact tcttacaccg gccttcaagc ccatcagagc 60
atggtggatg ttaccgggaa taatatttct aacgctagcg atgaatttta tagccgccag 120
cgcgatgattg caaagcccca agcggcctat atgtatggca ctaaaaacgt gaatatgggc 180
gtggatgttg aagccattga aagggtgcat gatgagtttg tttttgctcg ttacacgaaa 240
gctaattacg aaaacactta ttacgatata gaattttcgc atttaaaaga agcgagcgcg 300
tattttccgg acattgatga agcgagcctt tttacggatt tgcaagatta ttttaattca 360
tggaagaat tgtctaaaaa cgccaaagac tccgctcaaa aacaggctct cgctcaaaaa 420
acagaagctt taacgcacaa cattaaagac accagagaga ggtaaacgac cttacagcac 480
aaggcgagtg aagaattaaa aagcgtcatt aaagaagtca atagcttggg ttctcaaadc 540
gctgagatta acaaacgcat taaagaagtg gaaaacaaca agagtttaaa gcatgcgaac 600
gaattaaggg ataagcgaga tgaattggaa ttccatttgc gagagctttt aggggggaat 660
gtttttaaaa gcagcattaa gactcattcg ctaccgata aagactcagc ggattttgat 720
gagagctata accttaatat cgggcatggg ttcaatatca ttgatggctc tattttccat 780
ccttttagtg ttaaagaatc cgaaaataaa ggggggttga accaggttta tttcaaagc 840
gatgatttta aggttactaa tattactgac aagctcaatc agggaagagt gggggcgtaa 900

Hp 04-04-03.ST251

ttgaatgtgt ataatgacgg ctctaacggg acttttaaagg gcaaattaca agatttatatt	960
gattttgttg attctttttgc taagggtttg atagaatcca ctaatgcgat ttacgctcaa	1020
agcgcgagtc atttatattga gggcgagccg gtggagttaa atagcgatga agcctttaaa	1080
gacactaact acaatatcaa aaacggctcg tttgacttaa tcgcttaca caccgatggg	1140
aaagaaatcg ctagaaaaac cattgctatc acgcccatta caaccatgaa cgatattatc	1200
caagccatta acgctaacac tgatgacaat caggacaata acaccgaaaa cgattttgat	1260
gattattttca cagcgggctt taacaatgag actaaaaagt ttgttatcca gcctaaaaac	1320
gcttcgcaag ggttgtttgt ctctatgaaa gataacggca cgaattttat gggagcgtaa	1380
aaactcaacc ctttttttca aggcgatgac gcttctaata tcagcttgaa taaggaatac	1440
aaaaaagagc ctaccactat ccgcccattg cttgctccca ttaatgggaa ttttgatgtg	1500
gcgaacatga tgcagcaatt gcaatacgat agcgtggatt ttataacga taagtttgac	1560
attaaaccaa tgaaaatcag cgagttttat caatttttaa ccggtaaaat caacacggac	1620
gctgaaaaat ccgggcgtat tttggacact aaaaagagca tgtagaaac cattaaaaaa	1680
gagcaactct ctatttcgca agtgagcgtg gatgaagaaa tggatgaattt gatcaagttt	1740
caaagcggct atgcggctaa cgctaaagtc attaccgcta ttgatcggat gatagacact	1800
ttattgggga ttaaacaa	1818

<210> 97

<211> 1251

<212> DNA

<213> Helicobacter pylori

<400> 97

atgaggtatt tatggctttt ttaatacac actatagggc tttttgcaac agataaaaca	60
ctagatatta ttaaaacat tcaaaaactt cctaagattg aagtgcgcta ctctatagat	120
aacgatgcca attacgcttt aaaattgcat gaagtcttgg cgaatgattt aaagactagc	180
cagcattttg atgtttctca aaacaaggat caaggtgcta tcaattacgc agaactcaag	240
gataaaaaag tccatctcgt agcgtttgtg agcgtggcgg tagaaaacgg caataaaatt	300
tcacgattaa aactttatga tgtggataca ggaacgctca aaaagacttt tgactaccct	360
attgtaagtt tagatctata cccttttgca gcgcacaaca tggctattgt ggtgaatgac	420
tatttaaaag ccccttctat cgcttggatg aagcgcctta ttgttttttc taaatacatt	480
ggaccaggaa tcacaaatat cgactagcg gattatacga tgcgttatca aaaagaaatc	540
atcaaaaaca ataggctcaa tatcttcctt aaatgggcga acgctgagca aacggagttt	600
tattacacgc agtatggcga aagaacgccc atgattttta aatacaacat tcaaaaagcc	660
actcatgaga atatcgctag ctctcaagga atggctgtgg tctctagcgt gagttctgat	720

Hp 04-04-03.ST251

ggctctaaaa ttttaatgtc tttagcccct gatggccaac cggatgtgta tttgtatgac	780
acgcataaaa aaactaaaac taaaataacg cgctatccgg ggatagatgt ctcaggagtg	840
tttttagaag atgacaagtc tatggctttt gtttcggata gatccggtta tcctaacatc	900
tacatgaaga aattgggggtt aaaagagagc gcggagcaac tcctttatga agggagaagc	960
aatgaatcca ttgacgctta taaagatagt attgtgtatg tgagccggga aaaccttaat	1020
gaatttgga aaacggtgtt taatttgaat ttgatcacct taaatagcaa atatatccgc	1080
aggcttaccg tgaatggctc taaccagatg cctcgttttt ctacggatgg gagaaatatc	1140
atgtatatca aaaagacacc ccaagaatac gccatggggc ttattttgct agattataat	1200
cagagttttt tattcccttt aaagaatgtg aaaatacaag cctttgattg g	1251

<210> 98

<211> 1344

<212> DNA

<213> Helicobacter pylori

<400> 98	
atgtttcaag cgtaagcga tgggtttaa aacgcgctca ataaaatccg ctttcaagat	60
gatgaaaaag cgctagacag agcgtttagat gaattgaaaa aaacgctctt aaaaaacgat	120
gtgcatcata aagtggctag agaattgctc aaaaaagtgg aaagtcaaac taaacttaat	180
ggcattggta agcagcaatt tttagacgct ttagaaaaga gtttgtaga aattttaagc	240
gctaaaggga gcagtgggtt cactttcgct caaacgcccc caactgtggt tttaatggcc	300
ggtttgcaag ggagcggtta gacaaccacc accgctaaac tcgctcatta tttaaaaacc	360
aaaaataaaa aagtgccttt atgcgcatgc gatttgcaac gcctagcggc agtggagcaa	420
ttaaagggtt tgggcgaaca ggtgggcgtg gaagtttttt atgaagaaaa taaaagcgtg	480
aaagaaatcg ctagcaacgc tttaaaaagg gctaaagaag cgcaatttga tgttttgctc	540
gtggatagcg cggggcggtt agccattgat aaagagctta tgcaagaatt aaaagaagtt	600
aaagaaatct taaaccccca tgaagtgtg tatgtcgcag acgcattgag cgggcaagat	660
ggcgtcaaaa gcgcgaacac cttaaatgaa gaaataggcg tgagtggggg ggtgttaagc	720
aaatttgata gcgattctaa aggggggtatc gccttaggca tcacttacca attaggctta	780
cccttgcggtt ttattgggag cggggaaaaa atccctgatt tagacgtgtt tgtgcctgaa	840
agaattgtgg ggcgtttgat gggggctgga gatattgtct cgctcgctga aaaaaccgct	900
agcgttttaa accctaata agccaaagat ttaagcaaaa aactcaaaaa agggcaattc	960
actttcaatg actttttaaa ccagattgaa aaagtgaaaa aattaggctc tatgagttct	1020
ctaattctta tgattccagg tttagggaat atggcaagcg cgttaaaaga cacggattta	1080
gaaagctctt tagaagtgaa aaaaatcaag gctatgggtca attccatgac caaaaaagag	1140

Hp 04-04-03.ST251

caagaaaacc	ccgagatttt	aaacggcagc	cgaagaaaaa	ggatcgcttt	agggagcggt	1200
ttagaagtgt	ctgaaatcaa	tcgcatcatc	aaacgctttg	atcaagcgag	caaaatggcg	1260
aaacgcttaa	ccaataaaaa	gggtattagc	gatttgatga	atctaagag	tcaggctaaa	1320
aatcaaacgc	cccctaaaat	gcgc				1344

<210> 99

<211> 2622

<212> DNA

<213> *Helicobacter pylori*

<400> 99

atgataatga	aacaagaacc	caccacctac	caaccagaag	agatagaaaa	aaagattttat	60
gaaatttgct	ctcatagggg	gtattttgaa	attgatggca	atgaagcgat	ccaagaaaaa	120
aacaaacgat	tttgcttgat	gatgccccct	cctaattgtga	ccggtgtgtt	gcacataggg	180
catgccctga	ctttaagctt	gcaagatatt	ttagcgcgtt	acaaacgcat	ggatgggtat	240
aagactttgt	atcagccccg	gttggatcac	gctggcattg	caacgcaaaa	tgtcgtggaa	300
aagcagcttt	taagtcaagg	gattaaaaaa	gaagatttag	ggcgtgaaga	gttcattaaa	360
aaagtgtggg	aatggaaaga	aaagagcggg	ggagcgattt	tagagcaaat	gaagcgttta	420
ggcgtgagcg	cggccttttc	taggactcgt	ttcacgatgg	ataagggctt	gcaaagagcg	480
gtcaaattgg	cgtttttgaa	atggtatgaa	aaaggtctca	ttattcaaga	taattacatg	540
gtgaattggt	gcactaaaga	tggggcggtt	agcgatattg	aagtggagta	tgaagagcgt	600
aagggggcgt	tgtattatat	tagatattat	ttagaaaatc	aaaaagatta	tttagtggtg	660
gctaccacac	gccctgaaac	cttgtttggt	gatagcgcgc	ttatgggtcaa	tcctaacgat	720
gagagataca	agcatttggt	ggggcaaaaa	gcgatcttgc	ctttaatcca	tcgcacaatc	780
cctattatcg	ctgatgaaca	tgttgaaatg	gagtttgga	caggggtgtgt	gaaagtaacc	840
cctgggcatg	attttaacga	ttatgaagtg	ggcaaacgcc	accatttgga	aacgattaaa	900
atctttgatg	aaaaggggat	tttaaacgcg	cattgcgggg	agtttgaaaa	tttagaacga	960
ttagaagcta	gagataaggt	cgtagaaaga	ttaaaagaaa	acgccctatt	ggaaaaaata	1020
gaagaacaca	cgcatacagt	ggggcattgc	tatcgttggt	ataatgtggt	agaaccttat	1080
gtgtctaagc	aatggtttgt	caagcctgaa	atcgtcaaaa	gttctattga	aaaaatccaa	1140
caaggtttgg	cgcgattcta	cccttcta	tggatcaata	attacaacgc	ttggatgagg	1200
gaattacgcc	cttggtgtat	cagcaggcaa	ttgttttggg	ggcatcaa	accggtattc	1260
acttgcgaga	ataaccacca	gttcgtaagc	ttagacaccc	ccttaagttg	ccctacttgt	1320
aagagcgaaa	cactagagca	agataaggat	gtgctagaca	catggtttag	ttcagggcta	1380
tgggcgtttt	ccactctagg	gtgggggcaa	gaaaaaagcg	gtttgtttta	tgaaagcgat	1440

Hp 04-04-03.ST251

ttgaaagatt tctaccctaa cacaacgctc attactgggt ttgacatcct ctttttttgg 1500
 gtggctagga tgcttttttg cagcgaatcg ctttttaggcg aattgccctt taaagatatt 1560
 tacttgacg ccttagtgag agatgaaaag ggtgaaaaaa tgagcaaadc taagggtaat 1620
 gtgatcgatc ctttagagat gatagaaaaa tacggcgcggt atagcttgcg tttcacttta 1680
 gccaatgtgt gcgctacggg tagggacatt aagctttcca ctacgcattt agaaaataac 1740
 aagaatttcg ccaacaagct ttttaatgcg gcgagttact tgaagctcaa acaagaatct 1800
 ttcaaagata aagagcggtt gaatgaatac caaacgcctt tggggcggtt tgcgaaatcg 1860
 cgcttgaatt cagcgactaa agaggcgcggt aacgcttttag ataattatcg ttttaatgac 1920
 gccacgactt tggtataaccg ctttttggtg ggggaatttt gcgactgggt cattgaattt 1980
 tctaaagtgg aaaatgaagc gatagacgaa ttagggagcg tggtaaaaga ggctttaaaa 2040
 ctcttgacc ctttcatgcc ctttatcagc gagtctttat accacaagct cagcaatacg 2100
 gaactagaaa aactgaatc tatcatgggt atgccttacc cttaaagattt ggcgcaagat 2160
 gaaaaattag agcatgaatt tgaagtgaat aaagattgca ttgtgtcttt aaggcggtta 2220
 aaaatcatgc tagaaacccc accgattggt ctaaaagaag cgagcggtggg attaagagaa 2280
 gccatagaaa acacagagcg ttgcaaaact tacgcccata aattagcgag gttggaaaaa 2340
 gtcagcgatg ttagttctaa gcctttaaaa agcgtgagcg atgtggggga attttgccag 2400
 acttatgcga atttagaaaa tcttgattta agcccgcttg ttgcgcgttt gaaaaagcag 2460
 ttggaaaaat tggaaaaaga aaaattaaaa ctcaatttgc acaatgaaaa ttttgtcaaa 2520
 aacgcgccta aaagcggtgt agaaaaagct aaagagagtt taaaaacgct ttagaaaaa 2580
 gaaagtaaaa ttaagcaaga attggacttg ttagaacaac ca 2622

<210> 100

<211> 606

<212> DNA

<213> Helicobacter pylori

<400> 100
 atgaaaaaaa cttttttgat cgcttttagcg cttacggctt ctcttgtagg cgctgaaaat 60
 accaaatggg attataagaa taaagaaaat ggcccacacc gctgggacaa attgcacaaa 120
 gattttgaag tgtgcaaaaag cggtaaaagc caatcgccca tcaacattga gcattactac 180
 cacacgcaag ataaagccga ttgcaattc aaatacgccg cttctaaacc taaagcggtc 240
 tttttcacc accacacttt aaaggcttcg ttgagccga ctaaccacat caattataga 300
 gggcatgact atgtgttgga taatgtgcat ttccacgccc ctatggagtt tttaatcaat 360
 aataaaacca ggccttttag gcgcgatttc gtgcataaag acgctaaagg gcgtttgcta 420
 gtgttagcga ttggttttga agaagggaaa gaaaaccca accttgatcc tatttttagaa 480

Hp 04-04-03.ST251

ggcattcaaa agaaacaaaa ttttaaagag gtggcttttag acgctttctt gcctaaaagc	540
atcaattact accatttaac ggctctctca ccgctcctcc ttgcacagag ggggtggcat	600
ggtttg	606

<210> 101

<211> 8670

<212> DNA

<213> *Helicobacter pylori*

<400> 101

atgtcaaaaa aaattcccct aaaaaaccgc ttgagagctg attttacaaa aacccaaca	60
gatttagaag tccctaattt attattatta caacgagaca gctatgattc tttcttgtat	120
tctaaagagg gtaaagagag cgggattgaa aagggtttta aatccatttt ccctatccaa	180
gatgagcata accgcatcac tttagaatac gcgggttgcg aatttgcaa gtctaaatac	240
accgttagag aagcgatgga gaggggcatt acctactcta tccctctcaa aattaagggtg	300
cgcttgatct tgtgggaaaa agataccaag agtggcgaaa agaacggcat taaggatatt	360
aaagaacaaa gcattttcat tcgtgagatc ctttgatga cagaacgcac ttcattttatt	420
attaatgggg tggagcgcggt ggtggtcaat caactccaca gaagccccgg tgtgattttc	480
aaagaagaag agtctagcac ttctttaaac aagctcattt acacagggca aatcattcct	540
gataggggtt cgtggttgta ttttgaatac gattctaaag atgttttata cgctcgtatc	600
aataaacgcc gtaaagtgcc tgttaccatt ttattcaggg cgatggatta tcaaaaacaa	660
gacatcatca aaatgttcta cccgcttggt aaagtgcgtt atgaaaacga taaatatttg	720
atcccgtttg cttcattaga cgccaatcaa agaatggaat ttgacttgaa agatcctcaa	780
ggcaagggtta ttcttttagc gggtaaaaag ctacttcaa gaaagattaa agagcttaaa	840
gaaaaccatt tagaatgggt ggaataccct atggatattt tactcaatcg ccatttagct	900
gagcctgtta tggtagggaa agaagtctta ttggacatgc tcactcagct agataaaaac	960
aaattagaaa aaatccacga tttaggcgtg caagaatttg tgatcatcaa cgatctggcg	1020
ttagggcatg acgcttccat tatccaatct ttttcagccg attctgagtc tttgaaatta	1080
ctcaagcaaa ccgaaaaaat tgatgatgaa aacgctctag cggcgattcg tatccataag	1140
gttatgaaac caggcgatcc cgttacgact gaagtggcta agcagtttgt caaaaaactt	1200
ttctttgatc cagaacgcta tgatttgacc atggtggggc gcatgaaaat gaatcacaag	1260
ttaggcttgc atgtgcctga ttacattacg actttaacgc atgaagatat tatcaccacc	1320
gttaaatacc tcatgaagat caaaaacaat caaggcaaga ttgatgacag ggaccacttg	1380
ggcaatcgta ggattagggc ggtaggggaa ttgttgacca atgaattgca ttcaggttta	1440
gtgaaaatgc aaaagaccat taaagacaag ctactacca tgagcggggc ttttgattcg	1500

Hp 04-04-03.ST251

ctcatgcccc .atgacttggt caattctaaa atgatcacia gcaccatcat ggaatttttc 1560
atgggcggtc agctctcgca atttatggat caaacgaatc ccttgagtga ggttacgcac 1620
aagcgccgcc tttcagcgct cggcgaaggg gggttggtga aagacagagt ggggtttgaa 1680
gccagggatg tgcacccac gcattatggc cgaatttgct ccattgagac cccagaagg 1740
caaaatatcg gtctgatcaa caccctttcc actttcacia gagtgaatga tttaggcttt 1800
attgaagccc cttataaaaa ggttggtgat ggcaaggctg tgggtgagac gatttatttg 1860
accgctattc aagaagacag ccacatcatc gctcccgcaa gcaccccat tgatgaagag 1920
gggaatatatt tgggcgattt gattgaaacg cgcgtggaag gcgagatcgt tttaaacgaa 1980
aaaagcaaag taaccttaat ggatttaagc tctagcatgc tagtgggggt agccgcatcg 2040
ctcattcctt tcttagagca tgatgacgcc aaccgtgcct taatggggac taacatgcag 2100
cgccaagcgg tgcccttatt aagaagcgac gctccattg taggcacggg gattgaaaaa 2160
attattgcta gggattcttg gggagcgatc aaagccaatc gcgcaggcgt tgtagaaaaa 2220
attgattcta aaaatattta ttttttaggc gaaagcaaag aagaagccta tattgatgcg 2280
tattctttgc aaaaaaactt gcgcaccaac caaaacacca gtttcaatca agtccctatc 2340
gttaaagtgg gcgataaagt gggagccggg caaatcatcg ctgatggccc tagcatggat 2400
agaggcgagt tggcgttagg gaaaaatgtg cgcgtggcgt tcatgccttg gaatggctat 2460
aactttgaag acgcgatcgt ggtgagtga tgcactacta aagatgatat tttcacttcc 2520
accacattt atgaaaaaga agtggatgct agggagctta agcatggtgt ggaagaattt 2580
accgctgata ttcctgatgt gaaagaagaa gcgctcgctc atcttgatga aagcgggac 2640
gttaaagtcg gtacttatgt gagcgctggc atgatttttg tgggcaaaac ttctcctaaa 2700
ggcgagatta aaagcacgcc tgaagagcgg cttttaaggg ctattttttg ggataaagcc 2760
gggcatgtgg tcaataagag tttgtattgc cctcccagtt tggaaggcac ggtgattgat 2820
gtgaaagtct tactaaaaa aggctatgag aaagacgcgc gagttttgag cgcgtatgaa 2880
gaagaaaaag ccaagcttga tatggagcat tttgatcgct tgaccatgct caatagagaa 2940
gaattgttgc gcgttagctc gctcctttct caagcgattt tagaagagcc tttcagccat 3000
aacggcaagg attataaaga aggcgatcaa atccctaaag aagaaatcgc ttcaatcaac 3060
cgcttcactt tggctagttt ggtcaaaaag tattctaaag aagtgcacaa ccactatgaa 3120
atcactaaaa acaatttctt agagcaaaag aaagtttttg gcgaagagca tgaagaaaag 3180
ctttctattt tagaaaaaga tgatattttg cctaattggcg tgatcaaaaa agtcaagctc 3240
tatatcgcta caaacgaaa gcttaaagtg ggcgataaaa tggcaggaag gcatgggaat 3300
aaagggattg tgtctaatat cgtgccgggt gcggatatgc cttataccgc tgatggcgag 3360
cctgtagata ttgttttaaa ccttttaggc gtgccaagcc gcatgaatat cgggcagatt 3420
ttagaaatgc atttaggctt agtggggaaa gaatttggga agcaaatcgc tcgcatgcta 3480
gaggataaaa ccaaagattt tgccaaagaa ttgctgtgcta aaatgctaga aatcgctaac 3540

Hp 04-04-03.ST251

gctattaatg	aaaaagaccc	cttgacaatc	catgcgcttg	agaattgttc	tgatgaagag	3600
cttttggaa	acgcaaaaga	ttggagcaag	ggcgtaaga	tggctatccc	tgtgtttgaa	3660
ggcatctcgc	aagaaaaatt	ttataagcta	tttgaattag	ctaagatcgc	tatggatggc	3720
aaaatggatc	tgtatgacgg	acgcacaggc	gagaaaatga	gggagcgctg	gaatgtgggc	3780
tacatgtata	tgatcaaact	ccaccattta	gtggatgaaa	aagtccatgc	cagaagcaca	3840
ggcccttata	gcttagtaac	gcaccagccc	gtggggggta	aagcgctctt	tgggggtcaa	3900
aggtttgggg	aaatggaagt	gtgggccttg	gaagcttatg	gcgagcgca	cactctaaaa	3960
gaaatgctca	ccattaaatc	cgatgatatt	agaggcagag	agaacgctta	tagggctatc	4020
gctaaagggtg	agcaagtggg	cgagagtga	atccctgaga	ctttctatgt	tttgactaaa	4080
gaattgcaat	cgctcgcttt	ggatattaat	atttttgggg	acgatgtgga	tgaggatgga	4140
gcacctaaac	ccattgtcat	taaagaagat	gacaggccta	aagacttttag	ctctttccag	4200
ctcacactag	ctagccctga	aaaaatccat	tcttggagtt	atggggaagt	taaaaagcca	4260
gaaacgatca	attatcgcac	cctaaaacct	gaacgagacg	gcttggtttg	catgaaaatc	4320
tttggcccca	ctaaagatta	tgaatgcttg	tgcggaat	acaaaaagcc	tcgcttcaaa	4380
gacattggca	catgcgaaaa	atgcggcgtg	gcatcacgc	actccaaagt	caggcgcttt	4440
agaatggggc	atattgaatt	ggccactcct	gtagcgcata	tctggtatgt	taattccttg	4500
cctagccgta	tcggcacgct	tttaggcgtt	aagatgaaag	acttagagcg	cgtgttgat	4560
tatgaagctt	atatcgtaa	agaaccaggc	gaagccgctt	atgacaatga	aggcactaag	4620
cttgtgatga	aatacgatat	tttgaatgaa	gagcagtatc	aaaatatctc	acgaagatac	4680
gaagacaggg	gctttgtagc	gcaaatgggc	ggtgaagcga	tcaaggattt	gttagaagaa	4740
attgatttga	tcaccttatt	gcagagtttg	aaagaagaag	tgaaagacac	caattctgat	4800
gcgaaaaaga	aaaaactcat	taagcgtttg	aaagtggtag	aaagcttttt	aaattctggt	4860
aataggcctg	aatggatgat	gctcacggtt	ttaccggtat	tgccaccgga	tttaaggcct	4920
ttagtgcgc	tagatggcgg	gaagtttgca	gtcagcgatg	tgaatgaatt	gtatcgctgt	4980
gtcatcaatc	gtaaccaacg	cttgaaacgc	ttaatggagc	ttggagcgcc	agaaatcatt	5040
gtgcgcaatg	aaaaaaggat	gttgcaagaa	gccgtggatg	tgctttttga	taacggccgc	5100
agcactaatg	cggttaaagg	ggctaacaaa	cgccctttaa	aatcgctcag	tgaaatcatt	5160
aaaggcaagc	aggggctgtt	caggcaaaac	cttttaggta	agcgctgga	tttttcaggc	5220
agaagcgtga	ttgtggttgg	gcctaattctc	aaaatggatg	aatgcgggtt	gcctaaaaac	5280
atggcggttag	aactcttcaa	accgcatttg	ttatccaagc	ttgaagagag	aggctatgcc	5340
accacgctca	aacaggctaa	acgcatgatt	gagcaaaaaa	gcaatgaagt	atgggagtgc	5400
ttgcaagaaa	tcacagaggg	gtatccggtg	ctactcaacc	gcgctcctac	cttgacacaag	5460
caatccattc	aagcgttcca	tccaaagctg	attgacggca	aagcgatcca	attgcacccg	5520
ttagtgtgtt	cagcgttcaa	cgccgatttt	gacggggacc	aaatggcggt	gcatgtgcct	5580

ttaagccagg aagcgatcgc tgaatgcaag gtgctgatgc taagctctat gaatatcctt 5640
 ttgcctgcta gcggttaaggc cgtagccatt cctagccaag atatggtttt agggctttat 5700
 tatctttctt tagaaaagag cggggtcaag ggcgagcata agcttttttc tagcgtgaat 5760
 gaaatcatca ccgccattga cacgaaagaa ttagacatcc acgcaaagat taggggttta 5820
 gatcaagggg atattatcgc tacgagtgc gggcgcatga tcattaagtc cattttgcct 5880
 gattttatcc ctacggattt gtggaacaga cccatgaaga aaaaagatat tggcgtgctt 5940
 gtggattatg tgcataaagt tggcggatc ggtattactg caacctttt ggataattta 6000
 aaaacgcttg gctttaggta tgcgactaag gctggattt ctatctctat ggaggatatt 6060
 atcacgcaa aagacaagca aaaaatggtg gaaaaagcca aagtagagg taaaaaatc 6120
 cagcaacaat acgatcaagg gctgctcact gaccaagagc gttacaataa gatcattgac 6180
 acttggaactg aagtcaatga caaatgagt aaagaaatga tgaccgctat cgcgcaagat 6240
 aaagagggct ttaactctat ttatatgatg gcagatagcg gcgcaagggg tagcgcggcg 6300
 caaatccgtc agctttcagc gatgaggggt cttatgacaa agccggacgg cagtatcatt 6360
 gaaacgcca ttatttctaa ctttaaagag gggttgaatg tcttagaata cttcaattcc 6420
 acgcatggcg ctagaaaggg cttagcggat acagcgctaa aaacagccaa tgcgggggat 6480
 ttgaccagaa agctcattga tgtttcgcaa aatgtcaagg tgggtgtctga tgattgcggc 6540
 acgcatgaag ggattgaaat cacggatatt gcggtgggga gtgagctgat tgaaccttta 6600
 gaagagcgta ttttgggcg cgttttatta gaagatgtga tcgatcccat tacgaatgaa 6660
 atcttgcttt atgcggacac tttgattgat gaagaggggtg ctaaaaagggt ggttgaagcc 6720
 gggattaaat ccattacgat ccgcaccca gtaacttgta aagcgccaaa ggcgtgtgc 6780
 gcgaaatgct atggcttgaa tttgggcgaa ggcaagatga gttatccggg tgaagcgggtg 6840
 ggcgtggtag ccgcgcaatc tattggggag cctggaacgc agctcacttt aaggactttc 6900
 catgtgggcg ggacagcgag caggagtcag gatgagcgcg aaatcgtagc gagcaaagaa 6960
 ggttttgtgc gtttttaca ccttaggact tacacgaata aagagggtaa aaacattatc 7020
 gctaaccgcc gtaacgcttc tatttttagtg gtagagccta agattaaagc gccttttgat 7080
 ggggaattac gcattgaaac ggtttatgaa gaagtcgttg tgagcgtgaa aaatggcgat 7140
 caagaagcta aatttgtttt aaggagaagc gatattgtca agccaagcga attagccggc 7200
 gttggcggta agattgaggg gaaagtgtat ttgccttatg ctagtgggca taagggtgat 7260
 aaggggggaa gtatcgctga tattatccaa gagggctgga atgtgcctaa tcgcatccct 7320
 tatgcgagcg aattgctagt caaggataat gaccctattg cgcaagatgt gtatgcaaaa 7380
 gaaaaaggcg taatcaaata ctatgtttta gaggctaacc atttagagcg caccatggg 7440
 atcaaaaagg gcgatatggt gagtgaaaaa ggcttggttg cggatagatgc tgatgataat 7500
 ggtaggggag ccgctcgcca ttatatcgct aggggttctg agatcttgat tgatgataat 7560
 agtgaagtga gcactaatag cgtgatttct aaaccacga ctaacacttt caaaacgatt 7620

Hp 04-04-03.ST251

gccacatggg atccttacaa caccctatc attgcggaact ttaaaggtaa ggtggggtttt	7680
gtggatgtta tcgcaggggt tacggtcgct gaaaaagaag acgaaaatac cggtatcaca	7740
agcttagtg tgaatgatta cattccaagc ggatacaaac caagcttggt tttagagggg	7800
gctaattggcg aagagatgcg ttatttccta gagccaaaaa cctctatcgc cattagcgat	7860
ggctctagcg tggagcaagc tgaagtgtta gcgaaaatcc ctaaagcgac cgttaaactct	7920
agggatatta ccgggggtct cccaagggtt tcggaactct ttgaagcgag aaaacccaag	7980
cctaaagatg tggcgatcct ttctgaagtt gatgggattg tgagttttgg caaacccatt	8040
cgcaataaag aacacatcat cgtaacttct aaagatggcc gttccatgga ttattttgtg	8100
gataaaggca agcaaatttt agtgcattg gatgaatttg tgcatgcggg agaagcgatg	8160
acggacggag taatttcaag ccatgatatt ttaaggatca gtggcgaaaa agagctttat	8220
aaatacattg tgagcgaagt ccagcaagtg tatcgaggc agggggtgag cattgcggac	8280
aagcacattg aaatcattgt ttctcaaag ctaagacagg tgcgtatttt agacagcggg	8340
gatagcaagt ttattgaagg ggatttagtc agtaaaaaac ttttcaaaga agaaaacgct	8400
cgtgtgatcg ctttaaaagg cgagccagcg attgctgaac cgggtgctttt agggatcact	8460
agagcggcta ttgggagcga tagcatcatc tcagcggcct ctttccaaga aacgactaaa	8520
gttttaacag aagccagtat cgctatgaaa aaagactttt tagaggattt gaaagagaat	8580
gtggtgttgg ggaggatgat ccctgtggga acaggcatgt ataagaataa aaaaatcgtg	8640
ttaagagcgc ttgaggataa ctctaaattt	8670

<210> 102

<211> 1197

<212> DNA

<213> *Helicobacter pylori*

<400> 102

atggcaaaag aaaagttaa cagaactaag ccgcatgtta atattggaac cattgggcat	60
gtagaccatg gtaaaacgac tttagtgca gcgatttcag cgggtgctttc tttgaaaggt	120
cttgagaaa tgaaagacta tgataatatt gataacgccc ctgaagaaaa agaaagaggg	180
atcactatcg ctacttctca cattgaatat gagactgaaa acagacacta tgcgcatgtg	240
gattgcccag gacacgctga ctatgtaaaa aacatgatca ccggtgcggc gcaaatggac	300
ggagcgattt tggttgttc tgcagctgat ggccctatgc ctcaaactag ggagcatatc	360
ttattgtctc gtcaagtagg cgtgcctcac atcgttggtt tcttaacaa acaagacatg	420
gtagatgacc aagaattggt agaacttgta gaaatggaag tgcgcgaatt gttgagcgcg	480
tatgaatttc ctggcgatga cactcctatc gtagcgggtt cagctttaag agctttagaa	540
gaagcaaaagg ctggtaatgt gggatgaatgg ggtgaaaaag tgcttaaaact tatggctgaa	600

Hp 04-04-03.ST251

gtggatgcct atatccctac tccagaaaga gacactgaaa aaacttttctt gatgccggtt 660
gaagatgtgt tctctattgc gggtagaggg actgtgggta caggtaggat tgaaagaggc 720
gtggtgaaag taggcgatga agtggaatc gttgggtatca gacctacaca aaaaacgact 780
gtaaccggtg tagaaatgtt taggaaagag ttggaaaaag gtgaagccgg cgataatgtg 840
ggcgtgcttt tgagaggaac taaaaaagaa gaagtggaaac gcggtatggt tctatgcaaa 900
ccaggttcta tcaactccgca caagaaatct gagggagaaa tttatgtcct ttctaaagaa 960
gaaggcggga gacacactcc attcttcacc aattaccgcc cgcaattcta tgtgcgcaca 1020
actgatgtga ctggctctat cacccttcct gaaggcgtag aaatgggtat gcctggcgat 1080
aatgtgaaaa tcaactgtaga gttgattagc cctgttgctg tagagttggg aactaaatct 1140
gcgattcgtg aaggcggtag gaccgttggt gctgggtgtg tgagcaatat tattgaa 1197

<210> 103

<211> 1215

<212> DNA

<213> Helicobacter pylori

<400> 103
gtgtaaatcg ttcaaaaata cggcggcacg agcatgggca gcatagaaag gatccacaat 60
gtcgtcaaaa ggggttttaga aagcggttaca ttagggcatc aagtcgtggt ggtgggttca 120
gcatgagcgc gcgaaaccga caggctttta gaatttgga agaatttttag ccataaccct 180
aacaagcgag agatggacag gattgtaagc gtgggggaat tgggtttcaag tgcggctttg 240
agcatggcgt tagaaaggta tgggcataga gccatttcct tgagcgggaa agaagcgggc 300
attttaacca gtcgcatttt tcaaaacgcc gtgatccaat ccattgacac caaacgcac 360
acagagcttt tagaaaaaaa ctacattgtg gtgatcgctg gggtttcaagg cgctgatatt 420
caaggtgaaa caacgacttt agggcgtggg gggagcgatt tgagcgcggt tgctttggcc 480
ggggctttta aagcgcattt gtgcgaaatc tatacggatg tggatggcgt ttataccacc 540
gatccgcgca ttgaagaaaa ggctcaaaaa atcgcgcaaa tcagctatga tgaaatgctt 600
gaactggctt ctatgggggc taaagtttta ttaaaccgct cgggtggaatt agccaaaaag 660
ctcagcgtga agttagtga tcgcaattcg ttaaccata gcgaaggcac gctcattgtg 720
gctgaaaaag actttaaaagg agaacgcacg gaaacccta tagtgagtgg gatcgattg 780
gataaaaatc aggcctcgtg gagcatggag ggcgtggaag atcggccagg cattgccgct 840
gaaatctttg gcgcttttagc ggagtatcgc attaacgtgg atatgatcgt ccaaacgatc 900
ggcagagacg gcaaaaccga tttggatttt acgatcgtta aaacccaaat agaagaaacc 960
aagcaagcct taaagccttt tttagcgcaa atggattcca ttgattatga tgaaaatatc 1020
gctaaagtct ccatagtggg cgtgggcatg aagtcgcatt ctgggggtgg gagtatcgct 1080

Hp 04-04-03.ST251

tttaaagccc tagccaaaga caatatcaat atcatgatga tttctacaag cgagattaaa	1140
atttcggttt tgattgacat taaatacgct gaattagctg ttagaacttt gcatgcggtg	1200
tatcaattag atcaa	1215

<210> 104

<211> 2199

<212> DNA

<213> *Helicobacter pylori*

<400> 104

atgaaaaaac acatcctttc attagcttta ggctcgcttt tagtttccac tttgagcgct	60
gaagacgacg gcttttacac aagcgtaggc tatcagatcg gtgaagccgc tcaaatggta	120
acaaacacca aaggcatcca acagctttca gacaattatg aaaatttgaa caacctttta	180
acgagatata gcaccctaaa cacccttata aaattgtccg ctgatccgag cgcaattaat	240
gcggtgcggg aaaatctggg cgcgagcgcg aagaatttga tcggcgataa agccaactcc	300
cccgcctatc aagccgtgct tttagcgatc aacgcggcgg tagggttttg gaatgtcgtg	360
ggctatgtga cgcaatgtgg gggtaacgcc aatgggtcaag aaagcacctc ttcaaccacc	420
atcttcaaca acgagccagg gtatcgatcc acttccatca cttgttcttt gaacgggcat	480
aagcctggat actatggccc tatgagcatt gagaatttta aaaagcttaa cgaagcctat	540
cagatcctcc aaacggcttt aaaaaacggc ttaccgcgcg tcaaagaaaa caacgggaag	600
gtcagtgtaa cctataccta cacatgtcga gggcaaggga ataataactg ctcgccaagt	660
gtcaacggaa ccaaaaccac aaccctaac atagacggca aaagcgtaac caccacgatc	720
agttcaaaag tggttggtag catcgctagt ggcaacacat cacatgtcat caccaacaaa	780
ttagacggtg tgcctgatag cgctcaagcg ctcttagcgc aagcgagcac gctcatcaac	840
accatcaacg aagcatgccc gtatttccat gctactaata gtagtgaggc taacgccccca	900
aaattctcta ctactactgg gaaaatatgc ggcgcttttt cagaagaaat cagcgcgatc	960
caaaagatga tcacggacgc gcaagagcta gttaatcaaa cgagcgatcat taacagcaac	1020
gaacaatcaa ctccggtagg caataataat ggcaagcctt tcaacccttt caccgacgca	1080
agttttgcgc aaggcatgct cgctaacgct agcgcgcaag ctaaaatgct caatttagcc	1140
catcaggtgg ggcaagccat taaccagag aatcttagcg agaattttta aaattttggt	1200
acaggctttt tagccacatg caataacaaa tcaacagctg gacttggtgg cacacaaggt	1260
tcagctccag gcacagtgc cactcaaaact ttcgcttctg gttgcgcgta tgtggagcaa	1320
accctaacga acttaggcaa cagcatcgct cactttggca ctcaagagca gcagatacag	1380
caagccgaaa acatcgctga cactctagtg aatttcaaat ctagatacag cgaattaggc	1440
aacacctata acagcatcac caccgcgctc tccaaagtcc ctaacgcgca aagcttgcaa	1500

Hp 04-04-03.ST251

aacgtggtga gcaaaaagaa taacccttat agccctcaag gcatagagac caattactac	1560
ctcaatcaaa attcttataa ccaaattcaa accatcaacc aagaactagg gcgtaacccc	1620
tttaggaaag tgggcatcgt caattctcaa accaacaatg gtgccatgaa tgggatcggt	1680
attcaggtgg gctataagca attctttggc caaaaaagaa aatggggcgc taggtattac	1740
ggcttttttg attacaacca tgcgttcac aaatccagct tttcaactc ggcttctgac	1800
gtgtggactt atggttttgg agcggacgcg ctttataact tcatcaacga taaagccacc	1860
aatttcttag gcaaaaacaa caagctttct ttggggcttt ttggcgggat tgcgttagcg	1920
ggcacttcat ggctcaattc tgagtacgtg aatttagcca ccgtaataa cgtctataac	1980
gctaaaatga atgtggcgaa tttccaattc ttattcaata tgggagttag gatgaattta	2040
gccagatcca agaaaaaagg cagcgatcat gcagctcagc atgggattga gttagggctt	2100
aaaatcccca ccatcaacac gaactattat tcctttatgg gggctgaact caaatacaga	2160
aggctctata gcgtgtattt gaactatgtg ttcgcttac	2199

<210> 105

<211> 720

<212> DNA

<213> Helicobacter pylori

<400> 105	
ttggactctt ttcattcatt taatcagcat gcatttaatc ggcatgccaa aacttatcac	60
ctttttgctc atatccagca gcaaatcgct atctgtcttg ttcaattttt aaaacaaaaa	120
cattacgcta aagttttgga tcttggatca gggagtgggg ctgtttttta cgcttttagag	180
cggcaaaata ttttgattga agagttttatc gctttggata attccataaa catgctcaaa	240
ttacacccca cgcattctat taacattcaa aaaatctctt tagagcatgc ggattttgaa	300
gaacatgttt ttgcaactta tgatctgggt gtgtcttctt cttctttaca atgggcaagg	360
gatttaaaaa gcgttttaga aaaaatcgct ctttctagta aggaggtggc tttagctatc	420
catacggatt ttagtttgca tgaagtgcag gagtttttag gcacgccttc gcctttaagg	480
gatcttaaaa cgctcaaadc cttgattaaa aacgctttta aacattttca aatagaatta	540
gaaaacaagc gcttcgctct ttattttcaac cgcaaacaag attgcttgaa ttaccttaaa	600
aaatgcggtc ttttaggggg ttcaacgctg agtttcaagc aaaaaaaca tttttttcaa	660
aacatggcgt ttgaaaaatt gagctatgaa gtgttactct tttctgggat caagcgttct	720

<210> 106

<211> 984

<212> DNA

<213> *Helicobacter pylori*

<400> 106

```

ttgagcggct ttaacccctt aaattctccc ttagtcgcaa gctcttctct tagcttgaaa      60
gaagcctatt atttagaaaa attatctctt aaaaaagggt ttaaaatcca ttacaagatg      120
accaaagata gcttaaacct tttagaaaaa agcgatttgt gcgttttggt tgggggtttt      180
tcaaacgctt gtttgaatga aaacgaacga tggatttttag aaagcattag ccactcaaaa      240
cgcccctacg ccttggttaag acccttacaa gatacaagag acttgcaaga aaattgcctt      300
tttgcgctct atgaaatcca cacggaagcg gcgattttgg ccttgatttt aaggggcatt      360
ttggaacaaa cttcccaatt aaaagggcat gtttttagaaa aaatagatgt ggggtattta      420
agctctgaag cgaacatgag cgaagaggaa ttgcaagagc ttatcgcgct tattgttaaa      480
gcaaaaaaaaa gggcacttgt tttaaataga gaaatcacta agcatgctaa caacgctttt      540
ttatacacc ttttaagcga gttgcaaaat tacctagaaa ttttacacat cccttgctat      600
gattcaagtg caacgaccgc tttttatgat tttaaagatc aagaatggct gctagaaaca      660
gccttttaaag agggcatttt gcctttttaa tcgcaactcc aatcaaaaga tttagagctt      720
ttagagcgaa tcagtgaggc taacggctcg tttgtctatg tttcttacia gagccttgaa      780
acccccaaat tatctttttc caagcaattt aagatcgcta ataagattga gcattctaaa      840
gcgggggtttc aaatctccaa tcaaacgcta gaatgcgagt tagaagaaaa cccccatttg      900
aaggggttga ttgcgatttt agaaggggcg ttttttgacg cttaccctta tatccctatt      960
ttatcccact ctcaaggaat ttca                                          984

```

<210> 107

<211> 1500

<212> DNA

<213> *Helicobacter pylori*

<400> 107

```

atgatcagtc tcatagaaaa agccccttac attccctacc ccctagctct ttatgaaaaa      60
ttagagcaac cacacacctt gctttttgaa agcgctgaga ttgagagcaa agcacacacc      120
aaatcccttt taatggctaa agcctgtttg aagctcattt gcaaccacaa catcgtaact      180
atcactagcc tgacgcctaa tggcggggca tttttgcaaa aattgagcgc gtttttttaa      240
acgcccatac aagacaatgc cctaatttta acctacacca aaaataaaaa aacgcaagat      300
gagtttttaa aactctttga gcctagccct tttgacgctt taagggggct ttttaaagc      360
gttaaaacaa aacccaaaca cccctttacg cttttaagcg cgggtgtttt ttcttttgaa      420
atgctcaatt tttttgaaga tttgcctcac ttaaaagcga aagacaacac agtgcattgac      480
ttattttttt atctcgcgca aaatttgatc atcatagacc ataaagaaaa aagcgttgaa      540

```

Hp 04-04-03.ST251

atcttggggg	cgtgttttga	tgagcgcttt	aaaacagaga	tagcccaaga	attacaagac	600
ttaaaagagt	tggctaaaag	catcaaaagc	gactttgtcc	ctaaaaaatc	caagcaaagt	660
agagaagtta	gcgctaattg	tagcgatagc	gagtttgaaa	aaagagtgct	atccttacia	720
gaagaaatca	aaaaaggcga	gatttttcaa	gcggtgttgt	cgcgagctt	ttatatggag	780
tgcttggagg	gtttgagcgc	gtattaccat	ttaaagctaa	ctaatactag	cccctatatg	840
ttctatatca	aagacagcga	tttcattctt	tttggggcaa	gccctgagag	cgctttaaag	900
tacaacgctt	taaccaacac	ggctgaaatt	tatcccattg	ctggcacccg	tttaaggggt	960
aaggacaaac	aggggaatat	tgattacgat	ttggatagta	aaatggaatt	tgatttgcaa	1020
cacgactata	aagaaagggc	tgaacacatc	atgctagtgg	atttagccag	aaacgacatg	1080
gccagagttt	caaaaaaacg	ctattgcgac	aagcttttaa	aagtggataa	gtattccaat	1140
gtcatgcatt	tagtctcaag	ggttgtgggg	gaattgaaaa	aaggggtgcga	tagtttgcat	1200
gcctacagga	gctttatgaa	cgccggcacg	cttagcgggg	cgcttaaaat	ctctgcgac	1260
aggctcattt	accaattaga	aaaccaaagg	agaggctctt	atgggggggag	cgtggggtat	1320
ttaaatagcg	agggttctat	ggattcttgc	atcaccatcc	gttcatgttt	tgtcaaaaac	1380
aatagggccg	tgatccaagc	aggagccggg	attgtgctag	acagcgtgcc	acaaaacgaa	1440
gcgaatgaaa	caagagccaa	agcgcaagcc	cttattgatg	cgatcaggaa	aacaagctta	1500

<210> 108

<211> 3105

<212> DNA

<213> Helicobacter pylori

<400> 108	atgatagaaa	agatcattga	tttaagcggt	aaaaacaaac	tccttaccac	tttagtcact	60
	ctactcattt	ttttagcctc	tttgtgggcg	ataaaaagcg	ttcgtttaga	cgctttgccg	120
	gatttaagcc	ccgctcaagt	ggtcgtgcaa	atcacttacc	ccaatcaaag	ccctaaaatc	180
	gtgcaagagc	aggttactta	cccgttagtt	tctactttca	tgagcatcgc	taacattgac	240
	acggttaggg	ggatttctag	ctatgagagc	ggtttgattt	acatcatttt	taaagacggc	300
	gtcaatctgt	attgggctag	ggataggggt	ttagagcaat	taaaccgagt	gagtaacctc	360
	cctaaggacg	ctaaagtaga	aatagggagc	gattccactt	ctattgggtg	ggcgtatcaa	420
	tacgctctat	ctagcgatag	caagaattta	agcgatttga	aagtcttgca	agatttttat	480
	taccgctacg	ctcttttagg	ggttgatggg	gtgagtgagg	ttgcaagcgt	ggggggcttt	540
	gtaaaagatt	atgaagtaac	gcttcaaaac	gattctctga	tccgctataa	cttgagttta	600
	gagcaagtcg	ctaacgcgat	taaaaattcc	aataacgata	ccgggtggggg	cgttatttta	660
	gaaaacgggt	ttgaaaaaat	tataagatcg	catggctata	tccaatcttt	gaaggattta	720

Hp 04-04-03.ST251

gaagaaattg	tggttaaaaa	agaaggggct	atcccctttaa	aaatcaaaga	tatagccagc	780
gttaggctaa	cgcccaaacc	acgccgaggg	gcggccaacc	ttaatggcga	taaggaagtg	840
gtgggcggga	ttgttatgg	gcgctatcac	gctgacactt	ataaggtgct	taaagccatt	900
aaagaaaaaa	tcgccacctt	acaagcgagt	aaccctgatg	tgaaaatcac	cagcgtgtat	960
gacaggagcg	aattgattga	aaaaggcatt	gacaatttaa	tccacacgct	catagaagaa	1020
agcgtcattg	tgctagtcac	tattgctgatt	tttttactgc	atttcaggag	cgcttttagtg	1080
gtgattatca	ctttgccttt	aagcgtgtgc	atcagtttct	tgctcatgcg	ttatttcaat	1140
attgaagcga	gcattatgag	tttagggggc	attgctgatcg	ctataggggc	gatgggtggat	1200
gcggctattg	tgatggtaga	gaacgctcac	aagcacttgc	aacacattga	tgtaaaggac	1260
aacgctcaaa	gggttaaatg	cattatagaa	gggggttaagc	atgtgggggg	cgcgatattt	1320
tttgctttta	tgatcatcgt	ggtttctttc	ttgccaat	ttgcactcac	cgccaagaa	1380
gaaaagcttt	ttgccccctt	agcttacacc	aaaacctttg	ccatgctagt	aggagcgctg	1440
ctttctatca	ccatgggtccc	tattttaatg	gtatggctca	ttaaagggcg	gatttttagaa	1500
gagtctaaaa	acccgattaa	cgcttttttc	atgaaaattt	atggcgtag	cttgaatgtt	1560
gtgcttaaat	tcagatacgc	ttttttaata	gcaagcgctc	tgggttttagg	gggcttgtat	1620
gtagcgata	aaaaactcaa	ctgggaattt	atcccccaaa	tcaatgaagg	ggtagtgatg	1680
tatatgcctg	taaccattaa	tggcgtagc	attgataccg	ctttagaata	tttgaaaaaa	1740
agcaatagcg	ctatcaagcg	attggatttt	gtcaaacaag	tttttggtaa	agtggggcgc	1800
gctaacacca	gcaccgatgc	tgccggcttg	agcatgatag	aaacctacat	tgaattaaag	1860
ccgcaaaacg	aatggaaaga	aaagctcagt	tataaagaag	ttagggataa	attagaaaaa	1920
accttgcaat	taaaaggctt	gaccaattca	tggacttacc	ccattcgtgg	gagaacggac	1980
atgctcttaa	ccgggattag	aacgccccta	ggcatcaagc	tctatggcaa	tgacacggat	2040
aaattacaag	aattagcgat	ccttatggag	caacagctca	aaaccttaaa	agagagtttg	2100
tccgtctttg	ccgagcgatc	caataacggc	tactacatca	cgctggattt	gaacgatgaa	2160
aatctggctc	gttatggcat	caataaaaag	gccgtgttag	atgcgattaa	attcgctttg	2220
ggaggagcca	cgctcactac	catgattaag	ggtgtagaaa	actatcccat	ttctttacgc	2280
ttagaagaca	cagaaagaaa	caccattgaa	aaattaaaaa	acctctacat	caaaaccgct	2340
tacaattaca	tgcccttaag	ggagttagcc	cgcatctatt	acgacaactc	gccggcggtg	2400
ttaaagagcg	aaaagggctt	gaacgtgaat	tttatttata	ttgtgccgca	aaatggatatc	2460
agctctgatg	cttacagaca	actggctcaa	aaagcgctag	aaaaaatcca	attgcctaac	2520
gggtattatt	atgaatttag	cggcgaaagc	cagtatttag	aagaagcggt	taaaaccttg	2580
caatacatcg	tgccggtag	cgtgtttatc	atttttat	taattgtctt	tgctttaaag	2640
aatctcacca	attccttact	atgctttttc	actctgcctt	ttgcgttttt	gggggggtta	2700
atttttatga	atctcatggg	atttaacatg	agcgtggcgg	cgtagtggg	ctttttggcc	2760

Hp 04-04-03.ST251

cttttagggg tagcgagcga aacggctatt gtgatgatta tttattttaga ggatgcgttt	2820
caaaaattca tcaaaacccc tttaaaagag caaaacagca ccactttaaa agaggccatc	2880
atgcatgggg cggtgcttag ggtaaggccc aagcttatga ctttttttag catttttagct	2940
tcactcattc caatcatgta tagccatggc acaggttctg aaatcatgaa atccatcgcc	3000
gcgcccattg tagggggcat gataagcagc gttgttttaa cgctttttat tatccctacg	3060
gcgtattttg tgatcaagaa tgcgggaatt aaaagcaatc aaaca	3105

<210> 109

<211> 498

<212> DNA

<213> Helicobacter pylori

<400> 109	
atgtctgtat cgcattgttc tttaatctta aggaaattgt tttatcatag acaaggagtt	60
tttatgggag gtttttcagt gggaatgttg aaagattatg tggacatatt tgtttttgag	120
gtgcttgagg tggccagttt ttttagctttg tggtttgaga ttgaaagggt tattttttat	180
tctaaagtcg atttgaaagc ttatgacgat atagatgccc tgaatttgga tttaccaag	240
aatctaacca ttctctatgt gattttttct aacgcgcctt atgtgggctt attaggagag	300
gttttaggga ttatggtgat tttctatgac atgggagtg gaggcgggat ggacgctaaa	360
acgatcatgg taggtttgtc tttggcttta aaagcgaccg ctctaggagct tgctgtggag	420
attcccactt tgatcgctta taatagcttg ttgagaaaat ccgatgtttt gagcgaaaaa	480
ttcaggatca tgaaaaaa	498

<210> 110

<211> 855

<212> DNA

<213> Helicobacter pylori

<400> 110	
atgaaaattt ctccatctcc acgcaagctc agtaaagttt caacgagtgt tagcttttta	60
atctcttttg ccctatacgc tataagggttt ggctattttt tactgcgcga agacgcccc	120
gagccttttag cgcaagccgg gaccactaag gttaccatga gtttagccag catcaacact	180
aattccaata caaagactaa tgctgagtcg gctaaaccca aagaagagcc taaagaaaaa	240
cccaagaaag aagagccaaa aaaagaaga cccaaaaagg aggttacaaa gcctaaacct	300
aagcctaaac ccaagccaaa gccaaaacca aaacctaagc ctgaacccaa acctgaacca	360
aaacccgagc ctaagcctga gcctaaagtt gaagaggtta aaaaagaaga gcctaaagaa	420

Hp 04-04-03.ST251

gagcccaaaa aagaagaagc taaagaggaa gctaaagaaa aaagcgctcc taaacaagta	480
acaactaagg atatatgtcaa agaaaaagac aagcaagaag aatccaacaa aacctctgag	540
ggggccactt ctgaagctca agcttataac ccaggggtga gcaacgaatt tttaatgaag	600
atccaaaccg ctatttcttc taaaaaccgc taccctaaaa tggcgcagat taggggtatt	660
gagggcgaag tggttggtgag ctttacgac aatgctgatg ggagcggtac ggacattaaa	720
gtggtcaaaa gcaacaccac agatatttta aaccatgcgg ctttagaagc cattaaaagc	780
gcggcacatc tattccctaa accagaagaa accgtgcatc taaaaatccc tatcgcttat	840
agcttgaaag aagac	855

<210> 111

<211> 2073

<212> DNA

<213> Helicobacter pylori

<400> 111 atgaaaaaat ccctcttact ctctctttct ctcacgctt ccttatcaag agctgaagat	60
gacggatttt atacgagtgt gggctatcag atcgggtgaag cgggtccaaca agtgaaaaac	120
acaggagcat tgcaaaatct tgcagacaga tacgataact taaacaacct tttaaaccac	180
tacaattatt taaattcctt agtcaattta gccagcacgc cgagcgcgat caccggtgcg	240
attgataatt taagctcaag cgcgattaac ctactagcg ccaccaccac ttccccgcc	300
tatcaagctg tggcttttagc gctcaatgcc gctgtgggca tgtggcaagt catagccctt	360
tttattggct gtggccctgg ccctaccaat aatcaaagct atcaatcgtt tggtaacaca	420
ccagccctta atgggaccac caccacttgc aatcaagcat atgggacagg ccctaattggc	480
atcctatcta ttgatgaata ccaaaaactc aaccaagctt atcagatcat ccaaaccgct	540
ttaaaccaa atcaaggggg tgggatgcct gccttgaatg acaccaccaa aacaggggta	600
gtcaacatac aacaaaccaa ttataggacc accacacaaa acaatatcat agagcattat	660
tatacagaga atgggaaaga gatcccagtc tcttattcag gcggatcatc attctcgcct	720
acaatacaat tgacatacca taataacgct gaaaaccttt tgcaacaagc cgccactatc	780
atgcaagtcc ttattactca aaagccgcat gtgcaaacga gcaatggcgg taaagcgtgg	840
gggttgagtt ctacgcctgg gaatgtgatg gatatttttg gtccttcttt taacgctatt	900
aatgagatga ttaaaaacgc tcaaacagcc ctagcaaaaa cccaacagct taacgctaatt	960
gaaaacgccc aaatcacgca acccaacaat ttcaaccctt acacctctaa agacaaaggg	1020
ttcgctcaag aaatgctcaa tagagctgaa gctcaagcag agatttttaa tttagctaag	1080
caagtagcga acaatttcca cagcattcaa gggcctattc aaggggattt agaagaatgt	1140
aaagcaggat cggctggcgt gatcactaat aacacttggg gttcagggtt gcggtttgtg	1200

Hp 04-04-03.ST251

aaagaaactt taaactcttt agagcaacac accgcttatt acggcaacca ggtcaatcag 1260
gatagggtt tggctcaaac catcttgaat tttaaagaag cccttaacac cctgaataaa 1320
gactcaaaaag cgatcaatag cggtatctcc aacttgccta acgctaaatc tcttcaaaaac 1380
atgacgcatg ccaactcaaaa ccctaattcc ccagaaggtc tgctcactta ttctttggat 1440
tcaagcaaatt acaaccagct ccaaaccatc gcgcaagaat tgggcaaaaa ccctttcagg 1500
cgctttggcg tgattgactt tcaaaacaac aacggcgcaa tgaacgggat cggcgtgcaa 1560
gtgggttata aacaattctt tggtaaaaaa aggaattggg ggtaaggta ttatgggttc 1620
tttgattata accatgctta tatcaaatct aattttttca actccgcttc tgatgtgtgg 1680
acttatgggg tgggtatgga cgctctctat aacttcatca acgataaaaa caccaacttt 1740
ttaggcaaga acaacaagct ttcagtaggg ctttttgag gctttgcgtt agccgggact 1800
tcgtggctta attcccaaca agtgaatttg accatgatga atggcattta taacgctaatt 1860
gtcagcactt ctaacttcca atttttggtt gatttaggct tgagaatgaa cctcgtagg 1920
cctaagaaaa aagacagcga tcatgccgct cagcatggca ttgaactagg tttaagatc 1980
cccacgatca acaccaacta ttattctttc atgggcgcta aactagaata cagaaggatg 2040
tatagccttt ttctcaatta tgtgtttgct tac 2073

<210> 112

<211> 1206

<212> DNA

<213> Helicobacter pylori

<400> 112
atgtagcta aaatgtcgtt tatgcaaaat gttaaaaaca ttcaagaagt ggaagtgagc 60
cataaaaggg tgcttattag agtggatttt aatgtgcctt tagatgaaaa tttgaatatt 120
accgatgata cgcgcatag agagagcttg ccaccatcc aatattgtat tgacaacaag 180
gctaaagata ttatttttagt gagccacttg ggccgcccta aaggggttga agaaaaattg 240
agtttaaagc cttttttgaa acgccttgaa agactcttaa accatgaagt ggttttttct 300
caaaatattg tgcaactcaa gcaggcttta aacgaaaacg cgcccacaag gatttttctt 360
ttagaaaata tccgcttttt aagaggcgaa gaagaaaatg atgaaaatct ggctaaagat 420
ttagcgagct tgtgcgatgt gtttgatgaat gacgcttttg gcacgagcca cagaaagcat 480
gccagcactt atggcaccgc caaattcgcc cctattaaag tgagcggggtt tttactcaaa 540
aaagaaattg attcgtttta tcaagcgttt aaccaccctt tacgccctct attgttgatt 600
gtaggggggg ctaaggctcag ctccaaactc accctattaa aaaacatttt agatctcatt 660
gacaagctca tcattgccgg ggcgatgagc aacaccttct taaaagcttt aggctatgat 720
gtgcaagatt cttctgtaga agacgctcta atcaatgacg ccctagaatt attgcaaagc 780

Hp 04-04-03.ST251

gcgaaagaaa aaaaagtcaa agtctattta cccatagacg ctgtaaccac tgatgatatt	840
ctcaacccca aacacattaa aatttcaccc gtccaagaca ttgagcctaa gcacaagatc	900
gctgatatag ggcctgcgag cttgaaatta ttttctgaag tcatagagag tgcacccacc	960
attttatgga atggcccctt aggcgtgcat gaaaaacaag aattcgctag aggcacaacc	1020
tttttagccc acaaaatcgc tgacacttac gctttctcgc tcattgggtg gggcgatacc	1080
attgatgcga tcaatcgcg gggcgaaaag gataacatga gctttatctc taccgggtggg	1140
ggagcgagtt tggaattggt agagggcaaa attttacctt gttttgaggt tttggacaaa	1200
cgccat	1206

<210> 113

<211> 1377

<212> DNA

<213> *Helicobacter pylori*

<400> 113

gtgggtgttat taacaatgac aaaacgactt tttaaagggt tgttagcgggt ttctcttgct	60
gtgagtttgc atgggtggga agttaaggaa aaaaagccgg ttaagccgggt taaagaagat	120
ccgcaagaat tagcggctaa aagggtggaa gcgttcagtc gtttctctaa tgtggtttca	180
gaaattgaaa aaaaatatgt ggataaaatc agcatttctg agatcatgac taaagcgatt	240
gaaggcttgc tctctaattt ggacgcgcac tcagcgtatt tgaatgaaaa gaagttaaag	300
gaatttcaag cccaaaccga gggcggaattt ggggggcttg ggatcacgggt gggcatgcgc	360
gatggcggtt taaccgttat tgccccctta gaaggcactc cagcttaca ggctgggggt	420
aagtcaggcg ataacatttt aaaaatcaat aacgaaagca cgctgagcat gagcattgat	480
gatgcgatca acctcatgcg cggcaagcca aaaacccta ttcagatcac cgttgtaaga	540
aaaaacgagc caaaacctt agtgtttaac atcattagag acatcattaa actcccctct	600
gtctatgtga aaaagattaa agaaaccct tatctgtatg tgagagtga tggttttgac	660
aagaatgtta ccaaactcgt tttagaaggc ttaaaagcta accctaaggc taaggggatc	720
gtgttggtt taaggggcaa tcctggaggg ctattaaacc aagcgggtggg cttgtctaac	780
ctcttcatta aagaggggggt tttagtctct caaaaaggca aaaataaaga agaaaattta	840
gaatacaagg ctaacggcag agccccttat accaatttgc ctattgcgggt gttagtcaat	900
ggcggttcag cgagcgcgag cgagatcgtc gcaggggcac tgcaagatca caaacgggcc	960
gtgattatcg gtgaaaaaac ctttggtgaag ggaagcgtgc agatgctgct ccctgtcaat	1020
aaagacgaag ccattaaaat cacaaccgca cgctactatt tgccgagcgg gcgtaccatt	1080
caagctaagg ggatcacgcc tgatattgtg atttatccgg gttaaagtgcc agaaaatgaa	1140
aacaaattca gcttgaaaga agcggatcta aaacaccatt tagagcaaga gcttaaaaag	1200

Hp 04-04-03.ST251

attgatgata aaacccccaa ttccaaagag gcggataaag acaagaaaaa cgaagaggaa 1260
 aaagagatta ctcttaaaat gatcaacgat gatattcagc taaaaaccgc tattgacagc 1320
 ttgaaaacct ggtctatcgt tgatgagaaa atggatgaaa aagcgcctaa gaagaaa 1377

<210> 114

<211> 1338

<212> DNA

<213> Helicobacter pylori

<400> 114
 atgaacgaaa cgctttattg cagtttttgc aaaaaaccag aatcaagaga tccccaaaaa 60
 cgccgcatta tttttgagag caatctcaat aaagatgtgt gcgtgtgcga atattgtata 120
 gatgtgatgc atggggaatt gcacaaatac gacaattctt tattggcgct caaaagagac 180
 cgattgagaa gaatggaatc tagcgcttat gaagaagagt ttttactctc ttacattcca 240
 gcccctaaag agcttaaggc ggttttagac aattatgtga tagggcaaga gcaggctaaa 300
 aagggtttttt ccgtagccgt gtataaccat tacaaacgct tatcttttaa agaaaaactc 360
 aaaaaacaag acaaccaaga cagcaatgtg gagttagagc atttagaaga agtggagtgt 420
 agcaagtcta atatttttact aatcggccct acaggatcag gcaaaacttt aatggcgcaa 480
 actctggcca agcatttgga tattcctatc gccattagcg atgcgactag cttgactgaa 540
 gcgggctatg tgggcgaaga cgtggaaaat attctcacia gattgttgca agcgagcgac 600
 tggaatgtcc aaaaagccca aaaaggcatt gtgtttattg atgagattga taaaatcagc 660
 cgtttgtcag aaaaccgctc tatcactaga gatgtttctg gcgagggcgt tcagcaagcg 720
 ttgttgaaaa tcgttgaaagg ttcttttagtg aatatcccc ccaaaggcgg cagaaagcac 780
 cctgagggca atttcattca aattgacacg agcgatattt tattcatttg tgctggagcg 840
 tttgatgggt tagctgaaat cattaaaaaa cgcaccacgc agaattgtgtt gggtttctact 900
 caagaaaaga tgagcaaaaa agagcaagaa gcgatcttgc atttagtcca aacccatgac 960
 ctggttactt atgggcttat ccctgagctt attggccgtt tgccggtttt aagcacgcta 1020
 gatagcatca gtttagaagc gatggtggat attttacaaa aacctaaaaa cgctcttatc 1080
 aagcaatacc agcagctttt caaaatggat gaggtggatt tgatctttga agaagaagcc 1140
 attaaagaaa tcgctcaact cgcattagaa agaaaaaccg gggctagggg cttaagggcg 1200
 atcattgaag atttttgttt ggatattatg ttgatttac ccaagcttaa aggatcgga 1260
 gtgcgtatca ctaaagattg tgtttttaaaa caggctgaac ctttgatcat tgctaaaacg 1320
 cattctaaaa ttcttcct 1338

<210> 115

<211> 1572

<212> DNA

<213> Helicobacter pylori

<400> 115

```

atgcgagatt tcaataacgc tcaaatacaca cgcttaaaag tgcgtcaaaa cgctgttttt 60
gaaaaattgg atctggagtt taaagacggc ttgagcgcgga ttagtggggc tagcgggggtg 120
ggaaaaagcg ttcttattgc gagtctttta ggggcgtttg ggcttaaaaga gagcaacgct 180
tcaaacattg aagtgggaatt gattgcgctt tttttagaca ctgaagaata cggcattttt 240
agagaagatg aacatgaacc cttagtcata agcgtgatta aaaaagaaaa aacgcgctat 300
tttttaaacc aaacaagcct gtctaaaaac acgctcaaag cgttattaaa aggtttgatt 360
aaacgcttgt ctaacgatag attcagccag aatgaactca acgatatttt aatgctctcc 420
ttactggatg gctatatcca aaacgaaaat aaggcgttta gccccctttt aggcgcgctt 480
gaagaaaaat tcacccgatt agagaagcta gaaaaagaaa ggcgattggt agaggataaa 540
aagcgtttcc aaaaggattt agaagaacga ttgaattttg aaaaaatgaa attagagagg 600
ctggatttaa aagaagatga atacgaacgc ctttttagagc aaaaaaaatt gctttctagt 660
aaggaaaaac tgaacgataa aatcgctctg gcgttagagg tgctagaaaa taccataaaa 720
atcacgcatg ctttagagag cgtggggccat agcgcggagt ttttaaaaag cgctttatta 780
gaagcgagcg ctctattgga aaaagagcag gctaaattag aagagtgcga gcgtttggac 840
attgaaaaag ttctagaaag gcttggcatg ctaagtggga tcattaagga ttacgggagt 900
attatgcatg ctaaagaacg attagggcat gttaaaaacg aattgcacaa cctaaaagaa 960
attgatagtc attgcgaaac ttaccacaaa gaaatagagc gattaaaaac cgaatgcttg 1020
aaattgtgcg aagaaataag cggcttttaga aaagagtatt tagccggttt taacgctctt 1080
ttaagcgcta aagcgaaaga tttgctccta aaaagcccca gtttggtttt agaagacgcc 1140
cccatgagcg aaaaaggcgc tcaaaaactc gttttgaatt tgcaaaattc ccaattagaa 1200
accttaagct ctggagaata cagccgtttg agactggcgt tcatgctttt agaaatggaa 1260
tttttaaagg attttaaagg cgtgttggtg ttagatgaaa tggattccaa tttgagcggc 1320
gaagagagtt tggcgggtct taaagccctt gaaaccttaa gcagccattc gcaaattctt 1380
gccatttcgc accaagtcca tatcccagcg ctgcgtaaaa accatatttt agtcttcaaa 1440
gaaaaccaca aaagccttgc caaaaccctt aataacgaag aaagggtttt agaaatcgcg 1500
cgcatgatag gggggagcga gaatatagag agcgcgattt ctttcgctaa ggaaaaatta 1560
aaggcgcaag aa 1572

```

<210> 116

<211> 483

<212> DNA

<213> *Helicobacter pylori*

<400> 116
 atgccagacg agctaagggc agaaaaaagc tttccgtcta aaccctatga ctcttttaaaa 60
 aacaagagtg agtttgacag ggtttatcaa aaggggttta aaaaacataa cccttttttt 120
 tcgctctttg ttttggattt gtcacaagag ccgccaaaag aaaaagcggg ctttaaagat 180
 ccgctctttt gtaggcttaa agacaaaaaa acgctttatt tattaggctt gagcgtgtcc 240
 aaaaaagtcg gcaacgccgt gaaacgaaac cttatcaaac gccgtttgcg ttcgcttaca 300
 ttaaagcatg ccgctctttg tcaagggctt gctttggtgt ttgtgcctag aagcgattgt 360
 taccatttgg atttttgggc tttagaaaaa ctttttttag aaatgctaac ttccattaaa 420
 aactatatga acaaagcctt aaaagacttg aaaaaaggaa taactcatac ctatgcgaaa 480
 caa 483

<210> 117

<211> 2238

<212> DNA

<213> *Helicobacter pylori*

<400> 117
 atgttaaaac tcgctagcaa aacgatttgt ttgtccctaa tcgggtcatt caccgctgta 60
 gaagcctttc aaaaacacca aaaagacggc ttttttatag aagccgggtt tgaaaccggg 120
 ctattgcaag gcacacaaac taaagaacaa accatagcca caactcaaga aaaacctaaa 180
 cctaaaccaa agcccaaacc cattaccctt caaagcacct atgggaaata ctacatctcc 240
 caaagcaccg ttttaagaa tgcgactgag ttgtttgcag aggacaatat caccaactta 300
 accttttatt ctttaacccc tgtgtatgta accgcttaca accaagaaag cgctgaagaa 360
 gcaggctatg gcgatagcag cttaattatg atacaaaact tcttgcctta taatttaaac 420
 aatattgagc tgagttatac agacaatcaa ggcaatgtag tcagtttggg cgtgatagag 480
 actatcccta aacaatctca aatcattctg cccgcaagct tgtttaacga tccgcagctt 540
 aacgctgatg gcttccaaca gctccaaact gccaccacac gattttctga tgccagcacg 600
 cagaatctgt ttgataagct cagtaagggtt acaaccaatc ttcaaataac ttatatcaat 660
 tacaaccaat tttctagcgg taatggcagt ggttctaaac ccccatgccc tccatacgaa 720
 aaccaagaaa actgcacggc taaagtgccg cttttcacct ctcaagacgc caagaatttg 780
 accaatttaa tgctgaatat gatggcgggtg ttgatttcta aatcttggga agatgccgtt 840
 aaaaacgctc cttttcagtt tagcgacaac aacttgtcag cgccatgtta ttctaattat 900
 tccacatgcg tgaatcctta caacgatggg cttgttgatc cttaaattgat cgctaaaaat 960

Hp 04-04-03.ST251

aaaggagatg aatacaatat agaaaacggg caaacaggct cagtgatatt aacgccgcaa	1020
gatgttatct atagctatag ggttacgaat aatctttatg tgaatctctt accccaaga	1080
ggaggggatt tagggctagg gtctcaatat ggcggcccca atgggtccagg cgatgatggc	1140
accaattttg gcgctttagg gatattgtct ctttcttag accctgaaat actgtttggc	1200
aaagaattga ataaagtcgc catcatgcaa ttaagagaca ttatccatga atacgggcac	1260
actttaggct atacgcataa tgggaacatg acttatcaaa ggggtgcgcat gtgtgaagaa	1320
aacaatgggc cagaagagcg ctgtaagggc gggaaaatag agcaagtgga tgggcaagaa	1380
gtgcaagtat ttgacaacgg gcatgaagtg cgagacaccg atggctcttt ctatgatgtg	1440
tgttctcgtt ttggcggcc aaatcagccc gctttcccta gcagttaccc caattccatt	1500
tatactgatt gctctcaagt ccccgtggg cttataggcg ttactagcgc ggtttggcaa	1560
caactcattg atcaaaacgc cctaccggtg gattacacta atttgagcag ccaaaccaac	1620
tatttaaacg ctagtttgaa cacgcaagat tttgcgacca ctatgcttag cgcgatcagt	1680
caaagccttt catctactag atctagcgcc actacctatc gcacttcaaa aacctcacgg	1740
ccctttggag cccccctatt aggcgttaat cttaaaatgg gctatcaaaa atactttaat	1800
gattacttag gggtgtcttc ttatggcatc atcaaataca actacgctca agccaataac	1860
gaaaaaatcc aacaattaag ctatggcgtg ggaatggatg tgttgtttga ttttatcacc	1920
aattacacta acgaaaagaa ccctaaaaac aatctaacca agaaagtttt cacttcctct	1980
cttgggggtg ttgggggggtt aaggggctta tacaatagct attatttggt gaaccaatac	2040
aaaggagcg gtaatttaaa tgtgaccggt gggttgaatt accgctacaa gcattctaaa	2100
tattctgtag gcattagcgt tccttttagtc cagttgaaat ctagagtcgt ttctagcgat	2160
ggcgcaacta ccaattctat caccctgaat gaagggggca gccattttaa agtggttttt	2220
aattacgggt ggattttc	2238

<210> 118

<211> 909

<212> DNA

<213> Helicobacter pylori

<400> 118

atgaaaaaga ttattcttgc atgccttatg gcttttgtgg gtgccaattt aagcgcagag	60
cctaagtggg atagcaaggc ctacaacaaa acaaacaccc aaaaaggcta tctttatggg	120
agtggttcag ccacttctaa agaggcttct aaacaaaaag cgttagcggg tttagtggcg	180
tctattagcg tgggtggtaa ttcccaaatc catattcaaa aaagtcgtgt ggacaataag	240
ttaaaatcca gcgattcgca aacgattaac ttaaagaccg atgacttgga attgaataat	300
gtagaaattg tcaatcaaga agtgcaaaaa gggatctact acaccagagt aaggatcaat	360

Hp 04-04-03.ST251

caaaacttgt	ttttgcaggg	tttaagggat	aagtataacg	ctctttatgg	gcagttttcc	420
accttaatgc	ctaaggtttg	taaaggggtt	tttttacagc	aatccaagag	catgggggat	480
ttattggcta	aagcgatgcc	tatagaaagg	attttaaaag	cgtattctgt	tccggtgggt	540
tcgttagaaa	attatgaaaa	aatctattat	caaaacgctt	tcaaacctaa	agtgcaaadc	600
acttttgata	acaacggcga	tgcggaatc	aaaagcgctc	tcataagcgc	ttatgccaga	660
gtgctaacc	ctagtgatga	agaaaaactc	tatcaaatca	aaaatgaagt	ttcacagac	720
agtgctaata	gcatcacgcg	cattagagtg	gttgttagcg	cgagcgattg	tcaaggcacg	780
cctgtattga	atagaagcct	tgaagtggat	gaaaagaata	agaattttgc	tatcacgcgc	840
ttacaatctt	tgctttataa	agaactgaaa	gattatgcca	ataaagaagg	gcaaggcaat	900
acgggggtta						909

<210> 119

<211> 3633

<212> DNA

<213> Helicobacter pylori

<400> 119

atgaaagaga	ataaagcttt	tacgcatttg	cacttgcaca	cagaatattc	gcttttagac	60
ggggcgaaaca	agattaaaat	tctagccaaa	cgcgtaaag	aattgggcat	gaaaagcgtg	120
agcgtaactg	atcatgggaa	catgtttgga	gcgattgatt	tttatacgag	catgaaaaaa	180
gaaggcatta	agcctatcat	cggcatggaa	gcgtatatcc	ataatgatga	caacctttct	240
agcaaagaaa	ccaagcagcg	tttccattta	tgcttgttcg	ctaaaaacca	agagggctat	300
gaaaatttga	tgttcttaag	ctctatggcg	tatttagagg	ggttttatta	tttcccacgc	360
atcaataaaa	agcttctaaa	agagcattct	aaaggcatta	tcgcttctag	cgcatgcttg	420
caaggggaag	tcaattacca	tttgaatacc	aataatgaga	gaaaccgcaa	gtatggggct	480
aaaggctatg	atgaagctaa	aaaaatcgct	tgcgaaatac	aagagatttt	tgaagacgat	540
ttttatttag	agatcatgcg	ccatggcatt	ttagatcagc	gattcattga	tgagcaagtc	600
attaaaatgt	cttttagaaac	aggggttaaaa	atcattgcca	ccaacgacac	ccactacacc	660
atgcctaata	acgccaaggc	tcaagaagtg	gcgatgtgcg	tagcgatggg	taaaacccta	720
aacgataagg	ggcgcttgaa	acactccgtg	catgagtttt	acattaaatc	ccccgaagaa	780
atggcaaagc	tctttgcaga	tattccagaa	gcttttagaaa	acaccaaga	aatcgctgat	840
aatgcgttt	tagagattga	tttaaaagac	gataaaaaga	accccccaac	ccccccaagc	900
ttcaaattca	ctaaagctta	cgctcaaaat	gaggggctga	attttgaaga	tgacgcttct	960
tattttgcct	ataaggctag	agaaggcttg	aaagagcgct	tagttttagt	acaaaaagaa	1020
aagcatgatc	aatataaaga	gcgcctagaa	aaagaaattg	aagtcattac	gaacatgaaa	1080

Hp 04-04-03.ST251

ttcccagggg	atatgctgat	tgtgtgggat	tttatccgtt	atgctaagga	aatgggcatt	1140
cctgtagggc	ctggtagggg	gagtgcggcc	gggagcttgg	tggtttttgc	tttaaaaatc	1200
acggatattg	accctttgaa	atacgatttg	ctctttgaaa	ggttttttaa	ccccgaaaga	1260
atcagcatgc	ctgatattga	tacggatttt	tgccagcgcc	ggcgtaagga	aatcatagaa	1320
tacatgattg	aaaaatacgg	caaatacaat	gtggcacaag	tcatcacttt	taataagatg	1380
ttggctaaag	gcgtgatcag	agatgtcgca	agggtttttg	acatgcccta	taaagaagcc	1440
gatgattttg	ccaaactcat	acccaaccgc	ttaggcatca	cgcttaaggg	ctatgaaaaa	1500
aatggcgagt	ttatcgaggg	agcgtgggaa	ttagagccta	aaatcaagga	attagtagag	1560
agtaatgaat	tagccaaaca	agtgtgggag	tattcgctca	atttagagaa	tttaaaccgc	1620
aacgcaggcg	tgcatgccgc	agccttagtg	gtggatagcc	aaaaagagtt	gtggcacaaa	1680
acccctttgt	ttgcctctga	aaagaccggc	ggatatcgta	cgcaatatct	catgaagtat	1740
ttggagccgg	tggatttgat	caagtttgac	tttttggggc	ttaaaacctt	gaccgtgatt	1800
gatgatgcgc	ttaaaatcat	taaaacacaa	cacaaaatta	gcgtggattt	tttatcgttg	1860
gatatggacg	atccgaaagt	gtataaaacg	atccaaagcg	gggatacggg	ggggatcttc	1920
cagattgaat	ccgggatggt	tcaagggctt	aacaagcgct	taaggccttc	aagctttgaa	1980
gacattatcg	ccattatcgc	gctaggcaga	ccagggccta	tggaatcagg	catggtagat	2040
gattttgtga	acagaaagca	tggcgttgag	cctatcgctt	atgcgtttaa	agaattagag	2100
ccgattttta	agcccactta	cggcacgatc	gtctatcaag	agcaggtgat	gcaaactcgtg	2160
caaaactatcg	gcggtttcag	tttgggtgaa	gcggatctca	tccgccgcgc	tatggggaaa	2220
aaagacgctc	agatcatggc	ggacaataag	gctaagtttg	tagaaggcgc	taaaaattta	2280
gggcatgatg	gccaaaaggc	ggctaatttg	tgggatttga	tcgttaaatt	tgccggctat	2340
ggtttcaaca	aatcgcatct	ggccgcttat	gcgatgatca	ctttccaaac	ggcgtattta	2400
aagacttatt	acaagcatga	gttcatggca	gcgatgctca	ctagcgaatc	caataagatt	2460
gaatccgtgg	cgcgctatat	tgatgaggtc	agggcttttag	aaattgaagt	gatgcctccg	2520
catatcaatt	cttctatgca	agatttcagc	gtggcggagt	ttaaaaatca	aaagggcgag	2580
ttagaaaaga	aaatcgtggt	tggtttgga	gcgattaaag	gagttggggg	tgagccgatt	2640
aaaaacatca	ttgaagaaag	ggctaaaggg	gattataaga	gtttggaaga	ttttatttca	2700
cgggtggatt	tttctaaact	cactaaaaaa	tcttttagagc	cattagtga	atcagggagc	2760
ttggataatt	taggctacac	tagaaaaacc	atgctcgcta	acttgatct	gatctgtgat	2820
gccgggcgcg	ctaaagacaa	ggctaataga	atgatgcaag	ggggtaattc	tctttttgga	2880
gccatggagg	gcggaaccaa	agagcaggtt	gttttgga	tgattgattt	gggcgaacat	2940
gacgctaaaa	cgctttttaga	atgcgaatac	gaaacttttag	gcatccatgt	ttcaggcaac	3000
ccttttagacg	agttttaaaga	agaaattaag	ggtttttaaaa	atttagtcaa	aagcattgat	3060
attgaagagt	tagaaatcgg	ctcgcaagct	tatttgctcg	gtaaaatcat	ggaagttaaa	3120

Hp 04-04-03.ST251

aagaaaattg gcaaacgaag cggtaacct tatggcatag cggacatttt ggatcgatac	3180
ggcaagtttg aactcatgct ttttgaag caattaaacg ccttagaaga gttggacatt	3240
aataagcctt tagtggtcaa atgcaagatt gaagagcaag aagaagtggg gcgattgagg	3300
ctttttgaaa tcttggtatc agagagcgt agagagggtta aaatccctaa agcccgttat	3360
aaagaccctg aaaagcaaaa agaagagggtg cgcgaaatcc ccccatgga aatgcttgcc	3420
tctagttctt gctcttttagc gatcgtgtta gaaaacgatg tgaaaaaaga gtttttaaga	3480
caaatcaaag agagcgtttt aaaacaccag ggcaaacgcc cttgtattt gatcatcaa	3540
gataaggata agcaattcaa aatccaaagc gatttaatgg taaatgaaaa gattaaggac	3600
gattttaaag ggtagagtg gagggattta gct	3633

<210> 120

<211> 558

<212> DNA

<213> Helicobacter pylori

<400> 120	
atgacgcttt tagtaggttt aggcaaccct actttgcgtt acgctcacac cagacacaac	60
gctgggttttg atattttaga ttactcgtt agcgaattgg atctttcttt cactttttct	120
cccaaacaca acgctttttt atgcgtttat aaggatttta tcttcctaaa gccacaaact	180
tacatgaatt taagcggcga gagcgtttta agcgtctaaa atttttacaa aaccaaagag	240
cttttaattg tccatgacga cttggattta cttttgggcg ttgtgagggt taaaaatggt	300
gggggggaatg gagggcataa tggcttaaaa tccattgatt tggtgtgttc taattcttat	360
tatcgcttga ggggtgggat ttctaaagga ataggcgtaa ttgagcatgt gctttcaaaa	420
ttccacaaaa acgaagagcc tttaaaaaac gctgcgtttg aacatgccaa aaacgcctta	480
aaatttttta tagaaagcca tgattttaac gctatgcaaa atcgtttcac gcttaaaaaa	540
cctttaaaaa tagaaagt	558

<210> 121

<211> 1437

<212> DNA

<213> Helicobacter pylori

<400> 121	
atgaaaaaat ccctttgtct gtctttcttt ctgactttct ctaaccctct tcaagccctt	60
gtgatcgagc ttttagaaga aatcaaaact tcgccgata aaggcacttt taaggctaaa	120
gtccttgatt ctaaaaaacc aagacaagtt ttaggcgttt ataatatctc cccacacaaa	180

Hp 04-04-03.ST251

aaactcacgc	tcactatcac	ccacatatcc	actgcaatcg	tctatcaacc	ccttgatgaa	240
aaactttctt	tagaaacaac	cttaaaccct	aaccgcccta	ctatccctag	aaacacccag	300
attgtttttt	cttcaaaaaga	attgaaagag	tcgcacccgc	accaaattgcc	ttcttttaaac	360
gcgccccatgc	aaaaaccaca	aaacaaaccc	cattcatcgc	aacaaccttc	tcaaaaacttt	420
tcttaccag	agcccaaact	aggctctaaa	aactctaaaa	acagcctttt	acagccttta	480
gcaattccta	gcaaaaataag	tcccactaac	gaaactcaaa	cgccaacaaa	cgacactaaa	540
ccccctttta	agcattcttc	agaagatcaa	gaaagcaacc	tctttataac	gccacccact	600
gaaaaaacgc	tccctaacaa	cacctctaac	gctgatatta	gtgaaaacaa	tgaaagcaat	660
gagaataaag	ataatgtgga	aaaacaagcc	attagagatg	ctaattattaa	agaatttgca	720
tgcggaagt	gggtctatga	cgatgaaaat	ttacaagcct	accgcccaag	catttttaaaa	780
cgcggtgatg	aagacaaaaca	aactgcaaca	gatattaccc	cttgcgatta	cagcaccgct	840
gaaaataaaa	gcggtaaaat	cattaccccc	tataactaaa	tctccgttca	taaaacagag	900
ccttttagaag	agccacaaac	ttttgaagct	aaaaataatt	tcgccattct	tcaagccaga	960
agctctacag	aaaaatgcaa	aagggctaga	gcaagaaaag	acggcacgac	taggcaatgc	1020
tatctaatag	aagagccttt	aaaacaagca	tgggagagtg	agtatgaaat	caccacgcaa	1080
ttagtgaaaag	ccatttatga	gcgccccaaa	caagacgatc	aagtagagcc	gactttttat	1140
gaaaccagcg	aattggctta	ttcttccaca	cgaaaaagcg	aaataacgca	caatgaattg	1200
aatttgaaatg	aaaaattcat	ggaatttggt	gaagtgtatg	aggggcatta	tttaaactgat	1260
ataattaaag	agagcagtg	atataaagaa	tgggttaaaa	accatgtgcg	ctttaaagaa	1320
ggggtgtgca	tggctttaga	aatagaagaa	cagccacgag	ctaaaagcac	gccttttgagt	1380
attgaaaact	ctcgtgtggt	atgtgtcaaa	aaggggaatt	atttattcaa	cgaagtt	1437

<210> 122

<211> 813

<212> DNA

<213> Helicobacter pylori

<400> 122

atgaatgcat	tcaagcgtat	tattagtgtg	ggggtaattg	ctttagggtt	gtttaacctt	60
ttagacgcca	aacaccacaa	agagaaaaaa	gaaaaccaca	aatcactcg	tgagcttaaa	120
gtggcgcta	accccggtcc	gcatgcgcaa	atcttgcaat	cagtcgtgga	cgatttgaaa	180
gagaaaggg	tcaaattagt	gatcgtatct	tttacggatt	atgtgttgcc	taatttagcg	240
ctcaatgacg	gctctttgga	tgcggaattac	ttccagcacc	gcccttattt	ggatcggttt	300
aatttgagca	ggaaaatgca	ccttggtggt	ttggccaata	tccatgtgga	gcctttaaga	360
ttttattctc	aaaaaatcac	agatattaaa	aatcttaaaa	agggttcagt	gattgctgtg	420

Hp 04-04-03.ST251

ccaaatgatc cggccaatca aggtagggcg ttgattttac tccataaaca aggccttatac	480
gccctcaaag acccaagcaa tctatacgct acggagtttg atattgtcaa aaatccttac	540
aatatcaaaa tcaagccttt agaagccgcg ttattgccta aggttttagg ggatgtggat	600
ggggctatca taacagggaa ttatgccttg caagcaaac tcaccggagc tttattttca	660
gaagataagg actcgcctta tgccaatcta atagccgctc gtgaggataa cgcgcaagat	720
gaagccataa aaacattgat tgaagcctta caaagtgaag agaccaggaa attcattttg	780
gataacctata agggggcgat tatcccggct ttt	813

<210> 123

<211> 1764

<212> DNA

<213> Helicobacter pylori

<400> 123	
atgaaaaatc ttcgctataa gcttttgctc tttgttttta tagggttttg ggggttacta	60
gccttaaatt tattttatttt aagcgttaaa aatcaagaat actatgaaaa attggctgaa	120
cgaacatga ctaaaaagga atttctagtc cctacaaggg gaaatattac agacagaaat	180
gatgagtttt tggccactaa tgaattgggtg tttggcgtgt ttttgcccag cggactgaaa	240
caaaaagatc ttttagaaaa aattgaaatc atccaaaagt ttttccctaa cttttctaaa	300
gaaacgcttt taaacaatta ccaaaaagaa aattcgcttt ataaccataa cctcattaaa	360
gtggttggct tcattcctta tgccaccatg caacctcttt atgccaaact catccaaact	420
caaggcattt ttgcgcttcc cttagacaag cgttactacc ctaataacgc tttagcttcg	480
catgttttag gctatgtggg ggtggcaagc ttgcaagatt taaaagacga tgaggagaat	540
caatacagcc agattgtagg caaaaccggc attgaaaaag aatacaaaa gcttttataa	600
ggcaagggtg gttataaaat catgcgtgtc aatgcgctca atcaagaatt agccacctta	660
gaagtagtgc tgccaagcac caacaaccac ttgcaattga gtttagacaa acgcttgcaa	720
aaagaagcgg acaagctctt tgaaaataaa aggggggcta ttttagtgat ggatgcagaa	780
aatgggggaat tgctcgttgc aggaagttac cctgaatata atttgaacga tttttagggc	840
gggatcagtc aagacaaatg gcaaaaactt caagatgata tttataaccc cttattaaac	900
cgcttcgcta acgccttgta tccgccggga tctgtggtta aaatgggcgt gggcttgagc	960
tttttagaaa accttcatat cacagaaaac accaccatac ccaccccgcc ttttattgaa	1020
gtgggcaagc acaaattcag agactggaaa aaaacagggc atggcaattc taatttgtat	1080
aaagccatta gggagtccgt ggatgtgtat ttttataagt ttgggcttga aatctctata	1140
gaaaaactct ctaaaacctt aaggggaagtg ggctttgggg aaaaaacggg cgttgatttg	1200
ccgaatgaat ttgtggggat tgtgccggat aatttgtgga aactcaaacg cttcaatcaa	1260

Hp 04-04-03.ST251

gactggcgcg ttggggacac gctcattacc gctattgggc aaggctcttt tttagccacg	1320
cccttgacagg ttctagccta cacgggactc attgctacgg gcaaactggc aacgcctcat	1380
ttcgctatca acaacaaaca accgcttaaa gatcccctaa atagctttca aaaaaagaag	1440
ctccaagcct tgagagtggg catgtatgaa gtgtgtaacc ataaagacgg caccgcttat	1500
cattccacaa ggggttctaa gattacttta gcgtgtaaaa ccggcaccgc acaagtcgtg	1560
gaaatcgctc aaaacatcgt caatcgcatg aaagaaaagg atatggaata tttccatcga	1620
tcccatgcgt ggattaccgc atttttgcct tatgaaaaac ccaaatacgc tatcactatt	1680
ttagtagaac atggggaagg ggggtcaaaa ctagggggcc tgtagtgaa gatgagtaat	1740
aaactctatg agcttggcta tctt	1764

<210> 124

<211> 618

<212> DNA

<213> Helicobacter pylori

<400> 124	
atgttcagcg gtctaattcca tcaaataagct aaagtgaaaa gtttccacaa caatatttta	60
aacatagaga gtgatctcaa tccaagctt ggcgatagca ttgcgattaa tggggcatgt	120
ttgaccgcca tagaaagttc aaaaacgcat tttagcgtgg aattgagcca aaaaacccaa	180
aacagcgtag cgttagaaaa ttacaaggat ttagtccata ttgagccagc cctaaaagct	240
gatgcgagtt tggatgggca ttttgtgcaa gggcatattg acgctatagg ggtcattgaa	300
aaaatcattc acaacgctaa tcaagtggat tttttcatca gcgcttctga agaaacgctt	360
ttattgtgcg ttgagcaagg ctctattgca gttgatgggg tgagtttgac tttaagcaag	420
gtagaagaaa aggggttttg gctaacgatt atcccttaca ctttagaaaa cacccttttt	480
aaggcttata aactcaaacg gcgcgtgaat attgaaacgg acatgttagt ccgcagcgtt	540
gcgtctattt tgaaaaaaac aaaagggttt gaaaaaaatt tctcttgga tgaggctgac	600
gctttgactt taggggtat	618

<210> 125

<211> 120

<212> DNA

<213> Helicobacter pylori

<400> 125	
aaaaagagcg aacgctttta aattgaactt aagccattta aaaaaaggcc aaatcgtggg	60
gcgcatagac gagcgttatt tcaggcctac cgaagtggat ttgcttttag gcgatcccac	120

<210> 126

<211> 51

<212> DNA

<213> Helicobacter pylori

<400> 126
tggttcgcca aaaaagattt tagcgcttgg agcgcaacaa aaagggcatt t

51

<210> 127

<211> 204

<212> DNA

<213> Helicobacter pylori

<400> 127
aacctgcaaa cccaccttaa aaggctcaaa agaagtgagt ttgtgggcca aaaaggaatt 60
agagggcatg gggaggtttt ctttaaaaga aattttaatg ctcagcctta ccttattggc 120
tttactgggt tggatttttg gcaaaccctt aggcttgcag gcgagtgcga cggctttgat 180
tgtcatgggt ttaatggcgt ttgt 204

<210> 128

<211> 87

<212> DNA

<213> Helicobacter pylori

<400> 128
acacaagcca ttattttgaa aaaaaaccag gcttggggga gaggggtggat tatgcggggc 60
gttgcttcta taataaattc cagagag 87

<210> 129

<211> 144

<212> DNA

<213> Helicobacter pylori

<400> 129
gccatgtgga tattactaaa aacaagcaag actcgcaact caaaaaagat tgtttggaa 60
ttatccaaag gtttaatgtc ccaaagccca ttatcattac cgctctttat aaccttaggg 120
gcattaagcc cactaaaaaa gaag 144

<210> 130
 <211> 69
 <212> DNA
 <213> Helicobacter pylori

<400> 130
 aaaaagaaga aaagcaaaaa ttccaaaaat tcgccctggg ctgggaaatg tctttcaatg 60
 tgtggcggt 69

<210> 131
 <211> 93
 <212> DNA
 <213> Helicobacter pylori

<400> 131
 aaaaagctta taaaaagcct agcattaaag aaagacaccg ccatcgttat gaaatcaacc 60
 ccaaataccg ccaagagtgg gaaaataagg gct 93

<210> 132
 <211> 72
 <212> DNA
 <213> Helicobacter pylori

<400> 132
 aggggcgcta cccccccacg caaaaaaaca ttatttttga aaaaaccgag cgttttatca 60
 cgcccaaact cc 72

<210> 133
 <211> 54
 <212> DNA
 <213> Helicobacter pylori

<400> 133
 tcggctcaac caccatcgct aaaacggagc ttaggggggt tgaaagccat ggca 54

<210> 134
 <211> 42

<212> DNA

<213> Helicobacter pylori

<400> 134
 aaacatgatc acggcttttg ggtgcggcat tcaagagagt tt

42

<210> 135

<211> 60

<212> DNA

<213> Helicobacter pylori

<400> 135
 gccaaaaata cggcttttaa atcccttgct ttgggcatac gggcgatggc aatgtgcatg

60

<210> 136

<211> 189

<212> DNA

<213> Helicobacter pylori

<400> 136
 cgctttgaaa gacaaaacct atctctacgc tatggatcta ttggattaca acaactatatt
 atccatagaa aaccccata tcaaaacaag agcaatggga acttatgcgg atttgattat
 catcacaggc tcattagagc aagtcaatgg gtattacaac attctaaaag cgctcaacaa
 acgcaacgc

60

120

180

189

<210> 137

<211> 147

<212> DNA

<213> Helicobacter pylori

<400> 137
 tcgtcagttt catcaaaaaa gccagccaaa aattccctaa ctcgcttttt atcatcacag
 gggatcattt tgacaggagc tatgaatagc ctaaaaacga tttgtatatc attaaatccg
 tgccgcttat tttatatgcc cctactt

60

120

147

<210> 138

<211> 102

<212> DNA

<213> *Helicobacter pylori*

<400> 138
aagtggaaca tttctacccc aaaaccccca cccaagaatg gcgcgatagg gtgggggatt 60
atttcacttt tgagcaagac tatcttaata attttgggaa tc 102

<210> 139

<211> 81

<212> DNA

<213> *Helicobacter pylori*

<400> 139
aaaacgcgat ggataccaac agagaagtgg cgcaattcca ctatggaggc ggcacgccga 60
cctttttttc gccattcaa t 81

<210> 140

<211> 228

<212> DNA

<213> *Helicobacter pylori*

<400> 140
aaaaactttc gtgctcatga cttttttgag cgcagggatt gtcaatattt ttattccgtc 60
tggcggaggg caatgggcga ttcaagctcc tatcatgctt ccggctgggc aaagcttagg 120
gggtggatccg ggagtgggtt ctatggctat cgcttgggga gatgcttgga cgaatatgat 180
acagcctttt tgggctttgc ccgcttttagc cattgcgggt ttgggcgc 228

<210> 141

<211> 72

<212> DNA

<213> *Helicobacter pylori*

<400> 141
aaggcccggg taaaacgctt tcagattatt ccacttatat cagccgaaaa agcaatgtta 60
caggcgaatgc gt 72

<210> 142

<211> 51

<212> DNA

<213> Helicobacter pylori

<400> 142
cgggcacccat ttagacggga gccttgagg ttgggggggt gctgtaattt a 51

<210> 143

<211> 69

<212> DNA

<213> Helicobacter pylori

<400> 143
tttacaaggc ataaacaaac aagccgctca aaaagaagca aaagccttag cgtaaaaat 60
ggggttaga 69

<210> 144

<211> 78

<212> DNA

<213> Helicobacter pylori

<400> 144
ttcttcagtt acattcaata tgaaaggcgc tctagtggct atcaccgagc ttggcccttc 60
tttagggagc gttttgac 78

<210> 145

<211> 63

<212> DNA

<213> Helicobacter pylori

<400> 145
agggatttac ttgcaatacc gcagcgTTTT gcgcgaaaac aggcttttaa aaaaccatct 60
ctc 63

<210> 146

<211> 33

<212> DNA

<213> Helicobacter pylori

<400> 146
aaatcgccca aaaaggcaac aaaaaagagg ttt 33

Hp 04-04-03.ST251

<210> 147
 <211> 39
 <212> DNA
 <213> Helicobacter pylori

<400> 147
 gcgcttgagc agcgtgatga aagatttacc cgtgggggt 39

<210> 148
 <211> 303
 <212> DNA
 <213> Helicobacter pylori

<400> 148
 cccatatctt gcaaagcccc taaattcgtg gtgagtttgt gcaattctgg catgccgtta 60
 gacttaggcc cttggaaagg caagaccgcc acaaagtccc tttctaattc tttattttta 120
 aagcgttcta aaaactcgct ttgggtttta aaaacaatcg ctctagcctt aactttccta 180
 tgctcatctt taatggctga gattttaatc acggccctcc cttaaattacc ctttaaaatt 240
 ttaagcccc cattagcggc aaaaggatca ctaacagggc gtaaaatata cgtattcagg 300
 cta 303

<210> 149
 <211> 45
 <212> DNA
 <213> Helicobacter pylori

<400> 149
 aagagcatca catcacgcca agctataaaa ccgatattga gagcg 45

<210> 150
 <211> 114
 <212> DNA
 <213> Helicobacter pylori

<400> 150
 tttaaaaccc ttgttgagct ttttaaaagc caaataccag gtgccttttag aaaacattcg 60
 catccaagac actcaaattt tagcggtttt aaaaaatccg gaaaaagtgg gggt 114

<210> 151

<211> 93

<212> DNA

<213> Helicobacter pylori

<400> 151
aacgctatta tgaagccaaa gaaaccgcaa tatttaaaaa attccctaaa ttcattccaac 60
tttatgataa cgccacttct aaaatccaag cct 93

<210> 152

<211> 48

<212> DNA

<213> Helicobacter pylori

<400> 152
ataaaagccc taaaaccaag cttgttttgag cgtctaaatt ctctaaac 48

<210> 153

<211> 186

<212> DNA

<213> Helicobacter pylori

<400> 153
gcatgctgt ttttagatt cggtacggtt tctcccatat acgcgcagcc ggctcccca 60
gtgttagaag taaccgtgcc agatggcgtg ccacggagat tgccgtcgct acccttttca 120
tggcatactc cttaaagagtc ttccacgaac gctgcaggga ttctttcaaa gtccttcacc 180
actgct 186

<210> 154

<211> 105

<212> DNA

<213> Helicobacter pylori

<400> 154
gggctttttc aaaatctaac gcccactca aagacaccgc gctcacttcg ccgagcgaat 60
gccctaaagc aaaaacgggt ttaaccccc catttacttg cttgt 105

<210> 155

<211> 111

<212> DNA

<213> Helicobacter pylori

<400> 155

tttggttgac cccaagaggt gccaccgatc gcaacgccc agaaaaaccc aaaatgcaag 60

ttctcacgat tgaaaatagc cgggttaaac aacacatctg tgccagcccc a 111

<210> 156

<211> 291

<212> DNA

<213> Helicobacter pylori

<400> 156

ataagagcgt ttttcaaagg tgtaaattctt gccaatctca ttgactatgg gcgtgatagc 60

cgcatttttg ggagcgatga tttcataagc ggtgttagtg gtagtggtga atttgcattgc 120

aaaaaacgc ccgtcttcgg ttatttcgcc attgacttga aaatcccctt cgctaattggc 180

tgtttggtgg ttttgagtat ccaacctttc aaaaggcctt cgcataaat agccgtccgt 240

aaaaccctg tttttaagcg tgttcaattc gctggcataa aaactcggct t 291

<210> 157

<211> 123

<212> DNA

<213> Helicobacter pylori

<400> 157

aagttcttta gcaatcactt gagaagaaag gtcgttttta tagatataag tttgcatgtc 60

aatgcttttt tggctcattc taataagtcc cactctatgc aacagagcgt caaagccatc 120

ttc 123

<210> 158

<211> 42

<212> DNA

<213> Helicobacter pylori

<400> 158

tccgtagggg tgaaaaaatc gcctccaaac tccacttccg ca 42

<210> 159
 <211> 198
 <212> DNA
 <213> Helicobacter pylori

<400> 159
 accctaactt gcaaaaaagt cgcttctaaa agggctttga tttgcgcatt gatttcgctc 60
 acgctcaata catccaccag ctcccccttt tatagcaaac gagtgagatc attgaaaagc 120
 cctaaaaaca tgataaaaac caaaaacccc acccccgcga gccacaacgc attttgtatg 180
 ggtggttgga aagtgata 198

<210> 160
 <211> 189
 <212> DNA
 <213> Helicobacter pylori

<400> 160
 gcgtcaatga gtttgtctaa tcctgtgccg ctaggcacgc ccgcgggtac gcctacgatt 60
 ttttcatctt ttttagctaa ttctaaaagg gtgttagaat acgcttcagt gggcgataag 120
 attgcgcttt tggatttttt agacaagccg gtatccaaat caaaaggccc caccatgc 180
 catttttca 189

<210> 161
 <211> 255
 <212> DNA
 <213> Helicobacter pylori

<400> 161
 atctttttga gcaacacctc tctttgcatg gggcggacaa attgcaacac aaaaagcaat 60
 gaaaacgcgc tcgcttcttt aaactcaacc tctaaaaaat ccatgcattc aaaacgggca 120
 ttgttaaaat cttttaattt ttcttgcgct tttttgagca tgggcatgga attatcaatc 180
 cctacaagct caatctcttg ttggatttgt cggttaagcg cgataaaaaa gttcccggta 240
 gaacagccca aatca 255

<210> 162
 <211> 249

<212> DNA

<213> Helicobacter pylori

<400> 162
 agggattttc aagtccttaa acatcgcttg caccctttct ttttcatttt tacgcaacaa 60
 gccatgatcc acaaaaacag cgatcaaatt atccttaatg gctctgtgca acagcgtagc 120
 gaccaccgta gaatccacgc cccactcac cgcgcacaaa accttagcgt tagcgatttt 180
 ttctttcaat cgtgcgattt ctctttgagc gaaatgctgc atccccaag ttttttcaca 240
 gccgcaaac 249

<210> 163

<211> 117

<212> DNA

<213> Helicobacter pylori

<400> 163
 attatccaca tgaggggcga ccactctcat cacatgccct ctttttttca gcgcttcaaa 60
 aaaacgaaac gctgtcatag aagtgcatt actggtgtct ttaaaactat ccacgac 117

<210> 164

<211> 132

<212> DNA

<213> Helicobacter pylori

<400> 164
 atcattatcc cggctgtgct cgccaatgac catgcccaca taaaccttcg tttgggggtt 60
 gataaaaagc gtgcctcttt cttggatatt gaaaaggga aaagcggtcg cttcgccatt 120
 ttccatgctg at 132

<210> 165

<211> 75

<212> DNA

<213> Helicobacter pylori

<400> 165
 aaaaaccgcc cttctaataa cccgctcgcg caaaacgccg tagtgagcgc gttagctccg 60
 ggcaaaacat cgtat 75

<210> 166

<211> 66

<212> DNA

<213> Helicobacter pylori

<400> 166
 aaaccctcta gcgtttggat ctataaacca ataataaggg gcaaaaatat tcaaaccata 60
 ccttcc 66

<210> 167

<211> 147

<212> DNA

<213> Helicobacter pylori

<400> 167
 tcgtcagttt catcaaaaaa gccagccaaa aattccctaa ctcgcttttt atcatcacag 60
 gggatcattt tgacaggagc tatgaatacg ctaaaaacga tttgtatatc attaaatccg 120
 tgccgcttat tttatatgcc cctactt 147

<210> 168

<211> 129

<212> DNA

<213> Helicobacter pylori

<400> 168
 cgcgctcgtc cgcgctctct tttaggattt tttcttttga aagcgagttg caaaacaccg 60
 cataagagcc taaattttca tctttccaat tcaaaacagg gtaagtggcg cataaaatct 120
 ttttgga 129

<210> 169

<211> 261

<212> DNA

<213> Helicobacter pylori

<400> 169
 gtttcagaaa tcttatccac gctcgttagc ccatcaaaac tccctgagga accaaaggct 60
 aaattgatgc gttggggggc atcagcgcca ttttaggggt caaattgcaa aagaggcggg 120
 ttcatgcctg caagcgatcc gtcgttatta aaatgcaaac ggcctccttc aaacacatta 180

Hp 04-04-03.ST251

ggcctagccg ctgaccccc tactaattcc ccaggctcag gcacgatcac cctaaaattc 240
cattccgctc ccccaactcct a 261

<210> 170

<211> 108

<212> DNA

<213> Helicobacter pylori

<400> 170
ctgcctaacc ttaacaaaat cagttcatca tctttcacta aatacacaag caaaacatca 60
ggcttaatgt ggcattccct aaaaggtttc cactttccct ttaaggca 108

<210> 171

<211> 78

<212> DNA

<213> Helicobacter pylori

<400> 171
tcaagggttta gggagcgtgt tgccgccctc ttacaaaaac gcgctcaaag aaaacgattt 60
aggcactctt ttatcgcc 78

<210> 172

<211> 123

<212> DNA

<213> Helicobacter pylori

<400> 172
aatattcatt ggccacacgc accaaatcgc tcacttttaa atccaaaaat tgtcgttggt 60
aatccgtcaa gccttgaata tcgttttgca ctaaatagtc cgcaaaaagc cccgcaacat 120
cgc 123

<210> 173

<211> 303

<212> DNA

<213> Helicobacter pylori

<400> 173
cccatactctt gcaaagcccc taaattcgtg gtgagtttgt gcaattctgg catgccgtta 60

Hp 04-04-03.ST251

gacttaggcc cttggaaagg caagaccgcc acaaagtccc tttctaattc tttattttta 120
aagcgttcta aaaactcgtt ttgggtttta aaaacaatcg ctctagcctt aactttccta 180
tgctcatctt taatggctga gattttaatc acggccctcc ctaaattacc ctttaaaatt 240
ttaagccccc cattagcggc aaaaggatca ctaacagggc gtaaaatata cgtattcagg 300
cta 303

<210> 174

<211> 81

<212> DNA

<213> Helicobacter pylori

<400> 174 60
gaatcttttag tcctaaaacc tatttttaggc aaacggcgtt gtaagggttg ttgccctcct 81
tcaaagcctc ttttagcctt a

<210> 175

<211> 84

<212> DNA

<213> Helicobacter pylori

<400> 175 60
ggttcaaagt agcgatcgca taaggagcga ttaagtattc aaacccatag aattgcttca 84
agagattttg atatttgctc tctt

<210> 176

<211> 276

<212> DNA

<213> Helicobacter pylori

<400> 176 60
ctagggggca ataaatcttt cagctatac tcccaccaca catcacagcc ttttttctca 120
aaaagattgg ccacatgctc taaaacttcg ctttcaaaac aaggcttatt cgtgcgtttg 180
tctatgaaaa aggccagtgg cagcggccat tttctttgcc ggctcaagca ccaatcaggg 240
cggtttttcta tcatggtttt taggcggttt ttccgctgc ttggcacaaa ttccaccttt 276
tcaatcgcat ctaaagccac ttctcttaag gttttt

<210> 177

<211> 99

<212> DNA

<213> Helicobacter pylori

<400> 177

gcgttcgtgc ttaagccttg taaaaaagcc tgctcttgga gttttaagtt ttccttggt 60
aattccacgc tagaaagcaa gcttttgtat tctttcaaa 99

<210> 178

<211> 186

<212> DNA

<213> Helicobacter pylori

<400> 178

gagagcatct cttctctgat cctgtcaaaa ataatgatcg tatkattaat ggaataccca 60
atcaagggtga gcaaggccgc aatcacttcc aaattcatat caatcttaaa aacaatcacc 120
gagcttgcca ctaaaatcac atcatgcaca agcgcaatga cgctcgctaa agcaaaacgc 180
cattca 186

<210> 179

<211> 634

<212> PRT

<213> Helicobacter pylori

<400> 179

Met Val Lys Asn Thr Gly Glu Leu Lys Lys Leu Ser Asp Thr Tyr Glu
1 5 10 15
Asn Leu Ser Asn Leu Leu Thr Asn Phe Asn Asn Leu Asn Gln Ala Val
20 25 30
Thr Asn Ala Ser Ser Pro Ser Glu Ile Asn Ala Thr Ile Asp Asn Leu
35 40 45
Lys Ala Asn Thr Gln Gly Leu Ile Gly Glu Lys Thr Asn Ser Pro Ala
50 55 60
Tyr Gln Ala Val Tyr Leu Ala Leu Asn Ala Ala Val Gly Leu Trp Asn
65 70 75 80
Val Ile Ala Tyr Asn Val Gln Cys Gly Pro Gly Lys Ser Gly Asp Gln
85 90 95

Ser Val Ile Phe Asp Gly Gln Pro Gly His Asp Ser Arg Ser Ile Asn
100 105 110

Cys Asn Leu Thr Gly Tyr Asn Asn Gly Val Ser Gly Pro Leu Ser Ile
115 120 125

Asp Asn Phe Lys Thr Leu Asn Gln Ala Tyr Gln Thr Ile Gln Gln Ala
130 135 140

Leu Lys Gln Asp Ser Gly Phe Pro Val Leu Asp Ser Lys Gly Lys Gln
145 150 155 160

Val Thr Ile Lys Ile Thr Thr Gln Thr Asn Gly Ala Asn Lys Ser Glu
165 170 175

Thr Thr Thr Thr Thr Thr Thr Thr Asn Asp Ala Gln Thr Leu Leu Gln
180 185 190

Glu Ala Ser Lys Met Ile Ser Val Leu Thr Thr Asn Cys Pro Trp Val
195 200 205

Asn Thr Ala His Asn Ser Asn Gly Gly Ala Pro Trp Asn Leu Asn Thr
210 215 220

Thr Gly Asn Val Cys Gln Val Phe Ala Thr Glu Phe Ser Ala Val Thr
225 230 235 240

Ser Met Ile Lys Asn Ala Gln Glu Ile Val Thr Gln Ala Gln Ser Leu
245 250 255

Asn Asn Pro Gln Ser Asn Gln Asn Ala Pro Lys Asp Phe Asn Pro Tyr
260 265 270

Thr Ser Ala Asp Arg Ala Phe Ala Gln Asn Met Leu Asn His Ala Gln
275 280 285

Ala Gln Ala Lys Met Leu Glu Leu Ala Asp Gln Met Lys Lys Asp Leu
290 295 300

Asn Thr Ile Pro Lys Gln Phe Ile Thr Asn Tyr Leu Ala Ala Cys Arg
305 310 315 320

Asn Gly Gly Gly Thr Leu Pro Asp Ala Gly Val Thr Ser Asn Thr Trp
325 330 335

Gly Ala Gly Cys Ala Tyr Val Glu Glu Thr Ile Thr Ala Leu Asn Asn
340 345 350

Ser Leu Ala His Phe Gly Thr Gln Ala Asp Gln Ile Lys Gln Ser Glu
355 360 365

Hp 04-04-03.ST251

Leu Leu Ala Arg Thr Ile Leu Asp Phe Arg Gly Ser Leu Lys Asp Leu
 370 375 380
 Asn Asn Thr Tyr Asn Ser Ile Thr Thr Thr Ala Ser Asn Thr Pro Asn
 385 390 395 400
 Ser Pro Phe Leu Lys Asn Leu Ile Ser Gln Ser Thr Asn Pro Asn Asn
 405 410 415
 Pro Gly Gly Leu Gln Ala Val Tyr Gln Val Asn Gln Ser Ala Tyr Ser
 420 425 430
 Gln Leu Leu Ser Ala Thr Gln Glu Leu Gly His Asn Pro Phe Arg Arg
 435 440 445
 Val Gly Leu Ile Ser Ser Gln Thr Asn Asn Gly Ala Met Asn Gly Ile
 450 455 460
 Gly Val Gln Ile Gly Tyr Lys Gln Phe Phe Gly Glu Lys Arg Arg Trp
 465 470 475 480
 Gly Leu Arg Tyr Tyr Gly Phe Phe Asp Tyr Asn His Ala Tyr Ile Lys
 485 490 495
 Ser Ser Phe Phe Asn Ser Ala Ser Asp Val Phe Thr Tyr Gly Val Gly
 500 505 510
 Thr Asp Val Leu Tyr Asn Phe Ile Asn Asp Lys Ala Thr Lys Asn Asn
 515 520 525
 Lys Ile Ser Phe Gly Val Phe Gly Gly Ile Ala Leu Ala Gly Thr Ser
 530 535 540
 Trp Leu Asn Ser Gln Tyr Val Asn Leu Ala Thr Phe Asn Asn Phe Tyr
 545 550 555 560
 Ser Ala Lys Met Asn Val Ala Asn Phe Gln Phe Leu Phe Asn Leu Gly
 565 570 575
 I eu Arg Met Asn Leu Ala Lys Asn Lys Lys Lys Ala Ser Asp His Val
 580 585 590
 Ala Gln His Gly Val Glu Leu Gly Val Lys Ile Pro Thr Ile Asn Thr
 595 600 605
 Asn Tyr Tyr Ser Leu Leu Gly Thr Gln Leu Gln Tyr Arg Arg Leu Tyr
 610 615 620
 Ser Val Tyr Leu Asn Tyr Val Phe Ala Tyr
 625 630

<210> 180

<211> 546

<212> PRT

<213> Helicobacter pylori

<400> 180

Met Ala Lys Glu Ile Lys Phe Ser Asp Ser Ala Arg Asn Leu Leu Phe
1 5 10 15

Glu Gly Val Arg Gln Leu His Asp Ala Val Lys Val Thr Met Gly Pro
20 25 30

Arg Gly Arg Asn Val Leu Ile Gln Lys Ser Tyr Gly Ala Pro Ser Ile
35 40 45

Thr Lys Asp Gly Val Ser Val Ala Lys Glu Ile Glu Leu Ser Cys Pro
50 55 60

Val Ala Asn Met Gly Ala Gln Leu Val Lys Glu Val Ala Ser Lys Thr
65 70 75 80

Ala Asp Ala Ala Gly Asp Gly Thr Thr Thr Ala Thr Val Leu Ala Tyr
85 90 95

Ser Ile Phe Lys Glu Gly Leu Arg Asn Ile Thr Ala Gly Ala Asn Pro
100 105 110

Ile Glu Val Lys Arg Gly Met Asp Lys Ala Ala Glu Ala Ile Ile Asn
115 120 125

Glu Leu Lys Lys Ala Ser Lys Lys Val Gly Gly Lys Glu Glu Ile Thr
130 135 140

Gln Val Ala Thr Ile Ser Ala Asn Ser Asp His Asn Ile Gly Lys Leu
145 150 155 160

Ile Ala Asp Ala Met Glu Lys Val Gly Lys Asp Gly Val Ile Thr Val
165 170 175

Glu Glu Ala Lys Gly Ile Glu Asp Glu Leu Asp Val Val Glu Gly Met
180 185 190

Gln Phe Asp Arg Gly Tyr Leu Ser Pro Tyr Phe Val Thr Asn Ala Glu
195 200 205

Lys Met Thr Ala Gln Leu Asp Asn Ala Tyr Ile Leu Leu Thr Asp Lys
210 215 220

Lys Ile Ser Ser Met Lys Asp Ile Leu Pro Leu Leu Glu Lys Thr Met
225 230 235 240

Lys Glu Gly Lys Pro Leu Leu Ile Ile Ala Glu Asp Ile Glu Gly Glu
245 250 255

Ala Leu Thr Thr Leu Val Val Asn Lys Leu Arg Gly Val Leu Asn Ile
260 265 270

Ala Ala Val Lys Ala Pro Gly Phe Gly Asp Arg Arg Lys Glu Met Leu
275 280 285

Lys Asp Ile Ala Ile Leu Thr Gly Gly Gln Val Ile Ser Glu Glu Leu
290 295 300

Gly Leu Ser Leu Glu Asn Ala Glu Val Glu Phe Leu Gly Lys Ala Gly
305 310 315 320

Arg Ile Val Ile Asp Lys Asp Asn Thr Thr Ile Val Asp Gly Lys Gly
325 330 335

His Ser His Asp Val Lys Asp Arg Val Ala Gln Ile Lys Thr Gln Ile
340 345 350

Ala Ser Thr Thr Ser Asp Tyr Asp Lys Glu Lys Leu Gln Glu Arg Leu
355 360 365

Ala Lys Leu Ser Gly Gly Val Ala Val Ile Lys Val Gly Ala Ala Ser
370 375 380

Glu Val Glu Met Lys Glu Lys Lys Asp Arg Val Asp Asp Ala Leu Ser
385 390 395 400

Ala Thr Lys Ala Ala Val Glu Glu Gly Ile Val Ile Gly Gly Gly Ala
405 410 415

Ala Leu Ile Arg Ala Ala Gln Lys Val His Leu Asn Leu His Asp Asp
420 425 430

Glu Lys Val Gly Tyr Glu Ile Ile Met Arg Ala Ile Lys Ala Pro Leu
435 440 445

Ala Gln Ile Ala Ile Asn Ala Gly Tyr Asp Gly Gly Val Val Val Asn
450 455 460

Glu Val Glu Lys His Glu Gly His Phe Gly Phe Asn Ala Ser Asn Gly
465 470 475 480

Lys Tyr Val Asp Met Phe Lys Glu Gly Ile Ile Asp Pro Leu Lys Val
485 490 495

Glu Arg Ile Ala Leu Gln Asn Ala Val Ser Val Ser Ser Leu Leu Leu
500 505 510

Thr Thr Glu Ala Thr Val His Glu Ile Lys Glu Glu Lys Ala Ala Pro
515 520 525

Ala Met Pro Asp Met Gly Gly Met Gly Gly Met Gly Gly Met Gly Gly
530 535 540

Met Met
545

<210> 181

<211> 470

<212> PRT

<213> Helicobacter pylori

<400> 181

Met Lys Ile Lys Asn Ile Leu Leu Ser Gly Gly Ser Gly Lys Arg Leu
1 5 10 15

Trp Pro Leu Ser Arg Ser Leu Tyr Pro Lys Gln Phe Leu Lys Leu Phe
20 25 30

Asp His Lys Ser Leu Phe Glu Leu Ser Phe Lys Arg Asn Ala Ser Leu
35 40 45

Val Asp Glu Thr Leu Ile Val Cys Asn Glu Lys His Tyr Phe Leu Ala
50 55 60

Leu Glu Glu Ile Lys Asn Glu Ile Lys Asn Lys Ser Val Gly Phe Leu
65 70 75 80

Leu Glu Ser Leu Ser Lys Asn Thr Ala Asn Ala Ile Ala Leu Ser Ala
85 90 95

Leu Met Ser Asp Lys Glu Asp Leu Leu Ile Val Thr Pro Ser Asp His
100 105 110

Leu Ile Lys Asp Leu Gln Ala Tyr Glu Asn Ala Ile Lys Lys Ala Ile
115 120 125

Asp Leu Ala Gln Lys Gly Phe Leu Val Thr Phe Gly Val Ser Ile Asp
130 135 140

Lys Pro Asn Thr Glu Phe Gly Tyr Ile Glu Ser Pro Asn Gly Leu Asp
145 150 155 160

Val Lys Arg Phe Ile Glu Lys Pro Ser Leu Asp Lys Ala Ile Glu Phe
 165 170 175
 Gln Lys Ser Gly Gly Phe Tyr Phe Asn Ser Gly Met Phe Val Phe Gln
 180 185 190
 Ala Gly Val Phe Leu Asp Glu Leu Lys Lys His Ala Pro Thr Ile Leu
 195 200 205
 Lys Gly Cys Glu Arg Ala Phe Glu Ser Leu Glu Asn Ala Tyr Phe Phe
 210 215 220
 Glu Lys Lys Ile Ala Arg Leu Ser Glu Lys Ser Met Gln Asp Leu Glu
 225 230 235 240
 Asp Met Ser Ile Asp Ile Ala Leu Met Gln Gln Ser His Lys Ile Lys
 245 250 255
 Met Val Glu Leu Asn Ala Lys Trp Ser Asp Leu Gly Asn Phe Asn Ala
 260 265 270
 Leu Phe Glu Glu Ala Ala Asn Glu Pro Lys Glu Asn Val Ser Leu Asn
 275 280 285
 Gln Thr Pro Val Phe Ala Lys Glu Ser Glu Asn Asn Leu Val Phe Ser
 290 295 300
 His Lys Val Ser Ala Leu Leu Gly Val Glu Asn Leu Ala Val Ile Asp
 305 310 315 320
 Thr Lys Asp Ala Leu Leu Ile Ala His Lys Asp Lys Ala Lys Asp Leu
 325 330 335
 Lys Ala Leu Val Asn Glu Val Glu Thr Asn Asn Gln Glu Leu Leu Gln
 340 345 350
 Thr His Thr Lys Val Tyr Arg Pro Trp Gly Ser Tyr Glu Val Leu His
 355 360 365
 Glu Ser Gly Cys Tyr Lys Val Lys Ile Leu Glu Val Lys Pro Asn Ala
 370 375 380
 Arg Leu Ser Leu Gln Lys His Phe His Arg Ser Glu His Trp Val Val
 385 390 395 400
 Ile Ser Gly Met Ala Ser Val Glu Leu Asp His Gln Leu Phe Glu Leu
 405 410 415
 Gln Ala Asn Glu Ser Thr Tyr Ile Pro Lys Asn Thr Leu His Arg Leu
 420 425 430

Ala Asn Tyr Gly Lys Ile Pro Leu Ile Ile Ile Glu Val Gln Val Gly
435 440 445

Glu Tyr Val Gly Glu Asp Asp Ile Val Arg Ile Asp Asp Asp Phe Asn
450 455 460

Arg Gln Asn Gln Asn Ala
465 470

<210> 182

<211> 496

<212> PRT

<213> Helicobacter pylori

<400> 182

Met Ala Glu Trp Lys Thr Asp Thr Glu Glu Val Lys Glu Val Val Lys
1 5 10 15

Lys Cys Arg Glu Phe Lys Arg Ser Leu Gln Glu Glu Lys Cys Ser Pro
20 25 30

Phe Ile Lys Asp Leu Asp Ser Tyr Ala Leu Lys Ile Ile Val Glu Arg
35 40 45

Arg Lys Ile Glu His Gln Leu Gln Glu Ala Ile Glu Lys Leu Arg Arg
50 55 60

Ala Lys Lys Lys Arg Ser Ser Phe Trp Gly Ser Phe Val Glu Gly Ala
65 70 75 80

Arg Asp Leu Leu Asp Met Val Arg Glu Ile Ile Pro Pro Ala Lys Leu
85 90 95

Gly Ala Glu Ala Cys Asp Lys Val Leu Asn Leu Met Glu Asp Asn Ile
100 105 110

Glu Lys Trp Glu His Asn Val Arg Leu Leu Glu Arg Met Leu Glu Ile
115 120 125

Tyr Ala Thr Gln Ala Lys Ala Ser Ala Glu Leu Val Glu Gly Ala Trp
130 135 140

Lys Ser Val Lys Lys Ser Leu Asp Phe Tyr Thr Asp Lys His Gln Glu
145 150 155 160

Phe Ile Lys Arg Leu Asn Tyr Ala Ser Glu Ala Ile Asp Asn Glu Tyr
165 170 175

Hp 04-04-03.ST251

Asn Ile Ala Pro₁₈₀ Pro Glu Ile Leu Asn₁₈₅ Glu Ser Asp Phe Glu₁₉₀ Ser Pro
 Thr Ile Val₁₉₅ Tyr Asn Pro Lys Lys₂₀₀ Ser Val Tyr Asp Glu₂₀₅ His Leu Lys
 Asp Leu₂₁₀ Arg Glu Asp Phe Ser₂₁₅ Phe Ser Leu Tyr Ala₂₂₀ Asp Leu Lys Asn
 Arg Ile Asn Ala Ser Ser₂₃₀ Lys Leu Asp Arg Thr₂₃₅ Thr Thr Ser Lys Glu₂₄₀
 Gln Glu Phe Glu Lys₂₄₅ Asn Leu Glu Asp Leu₂₅₀ Met Pro Gly Phe Arg₂₅₅ Gly
 Gly Thr Asp Thr₂₆₀ Leu Ser Gly Asp Glu₂₆₅ Leu Glu His Met Ala₂₇₀ Ser Phe
 Arg Gly Gln₂₇₅ Glu Phe Glu Lys Asn₂₈₀ Leu Glu Asp Leu Met₂₈₅ Pro Ser Ser
 Leu Gly₂₉₀ Val His Ser Tyr Asp₂₉₅ Glu Ser Leu Asn Leu₃₀₀ Ala Lys Lys Asn
 Cys Val₃₀₅ Lys Asn Cys Lys₃₁₀ Lys Ala Leu Gly Asp₃₁₅ Phe Thr Glu Lys Ile₃₂₀
 Lys Glu Ser Pro Asn₃₂₅ Asp Leu Asn Ala Ile₃₃₀ Asn Glu Ala Phe Asn₃₃₅ His
 Leu Glu Thr Glu₃₄₀ Leu Glu Arg Ala Thr₃₄₅ Glu Asn Leu Ser Gln₃₅₀ Lys Ile
 Ala Pro Ile₃₅₅ Leu Glu Arg Tyr Glu₃₆₀ Asn Asp Lys Arg Gln₃₆₅ Lys Leu Gly
 Tyr Gly₃₇₀ Glu Phe Leu Glu Lys₃₇₅ Glu Lys Glu Gly Phe₃₈₀ Met Val Asp Glu
 Gln Asn Pro Tyr Pro Glu₃₉₀ Glu Val Arg Phe Asn₃₉₅ Glu Leu Arg Leu Ala₄₀₀
 Glu Phe Glu Ser Val₄₀₅ Phe Ser Ala Ile Val₄₁₀ Pro Leu Glu Asp Leu₄₁₅ Asp
 Lys Pro Ala Cys₄₂₀ Ala His His Ala Leu₄₂₅ Lys Ala Leu Glu Ala₄₃₀ Thr Leu
 Lys Asn Arg₄₃₅ Asp Leu Gly Phe Asp₄₄₀ Ala Thr Glu Leu Glu₄₄₅ Gln Ile Ala

Lys Gly Phe Ile Pro Lys Gly Tyr Leu Trp His Phe Asp Ala Asn Val
450 455 460

Leu Gly Asn Val Ala Leu Val Arg Glu Glu Leu Leu Leu Gly Val Lys
465 470 475 480

His Thr Lys Gly Tyr Leu Leu Trp Lys Gln Phe Leu Gln Thr Gln Asn
485 490 495

<210> 183

<211> 265

<212> PRT

<213> Helicobacter pylori

<400> 183

Met Asn Thr Tyr Ala Gln Glu Ser Lys Leu Arg Leu Lys Thr Lys Ile
1 5 10 15

Gly Ala Asp Gly Arg Cys Val Ile Glu Asp Asn Phe Phe Thr Pro Pro
20 25 30

Phe Lys Leu Met Ala Pro Phe Tyr Pro Lys Asp Asp Leu Ala Glu Ile
35 40 45

Met Leu Leu Ala Val Ser Pro Gly Met Met Arg Gly Asp Ala Gln Asp
50 55 60

Val Gln Leu Asn Ile Gly Pro Asn Cys Lys Leu Arg Ile Thr Ser Gln
65 70 75 80

Ser Phe Glu Lys Ile His Asn Thr Glu Asp Gly Phe Ala Ser Arg Asp
85 90 95

Met His Ile Val Val Gly Glu Asn Ala Phe Leu Asp Phe Ala Pro Phe
100 105 110

Pro Leu Ile Pro Phe Glu Asn Ala His Phe Lys Gly Asn Thr Thr Ile
115 120 125

Ser Leu Arg Ser Ser Ser Gln Leu Leu Tyr Ser Glu Ile Ile Val Ala
130 135 140

Gly Arg Val Ala Arg Asn Glu Leu Phe Lys Phe Asn Arg Leu His Thr
145 150 155 160

Lys Ile Ser Ile Leu Gln Asp Glu Lys Pro Ile Tyr Tyr Asp Asn Thr
165 170 175

Ile Leu Asp Pro Lys Thr Thr Asp Leu Asn Asn Met Cys Met Phe Asp
180 185 190

Gly Tyr Thr His Tyr Leu Asn Leu Val Leu Val Asn Cys Pro Ile Glu
195 200 205

Leu Ser Gly Val Arg Glu Cys Ile Glu Glu Ser Glu Gly Val Asp Gly
210 215 220

Ala Val Ser Glu Thr Ala Ser Ser His Leu Cys Val Lys Ala Leu Ala
225 230 235 240

Lys Gly Ser Glu Pro Leu Leu His Leu Arg Glu Lys Ile Ala Arg Leu
245 250 255

Val Thr Gln Thr Thr Thr Gln Lys Val
260 265

<210> 184

<211> 569

<212> PRT

<213> Helicobacter pylori

<400> 184

Met Lys Lys Ile Ser Arg Lys Glu Tyr Val Ser Met Tyr Gly Pro Thr
1 5 10 15

Thr Gly Asp Lys Val Arg Leu Gly Asp Thr Asp Leu Ile Ala Glu Val
20 25 30

Glu His Asp Tyr Thr Ile Tyr Gly Glu Glu Leu Lys Phe Gly Gly Gly
35 40 45

Lys Thr Leu Arg Glu Gly Met Ser Gln Ser Asn Asn Pro Ser Lys Glu
50 55 60

Glu Leu Asp Leu Ile Ile Thr Asn Ala Leu Ile Val Asp Tyr Thr Gly
65 70 75 80

Ile Tyr Lys Ala Asp Ile Gly Ile Lys Asp Gly Lys Ile Ala Gly Ile
85 90 95

Gly Lys Gly Gly Asn Lys Asp Met Gln Asp Gly Val Lys Asn Asn Leu
100 105 110

Ser Val Gly Pro Ala Thr Glu Ala Leu Ala Gly Glu Gly Leu Ile Val
115 120 125

Thr Ala Gly Gly Ile Asp Thr His Ile His Phe Ile Ser Pro Gln Gln
130 135 140

Ile Pro Thr Ala Phe Ala Ser Gly Val Thr Thr Met Ile Gly Gly Gly
145 150 155 160

Thr Gly Pro Ala Asp Gly Thr Asn Ala Thr Thr Ile Thr Pro Gly Arg
165 170 175

Arg Asn Leu Lys Trp Met Leu Arg Ala Ala Glu Glu Tyr Ser Met Asn
180 185 190

Leu Gly Phe Leu Ala Lys Gly Asn Ala Ser Asn Asp Ala Ser Leu Ala
195 200 205

Asp Gln Ile Glu Ala Gly Ala Ile Gly Phe Lys Ile His Glu Asp Trp
210 215 220

Gly Thr Thr Pro Ser Ala Ile Asn His Ala Leu Asp Val Ala Asp Lys
225 230 235 240

Tyr Asp Val Gln Val Ala Ile His Thr Asp Thr Leu Asn Glu Ala Gly
245 250 255

Cys Val Glu Asp Thr Met Ala Ala Ile Ala Gly Arg Thr Met His Thr
260 265 270

Phe His Thr Glu Gly Ala Gly Gly Gly His Ala Pro Asp Ile Ile Lys
275 280 285

Val Ala Gly Glu His Asn Ile Leu Pro Ala Ser Thr Asn Pro Thr Ile
290 295 300

Pro Phe Thr Val Asn Thr Glu Ala Glu His Met Asp Met Leu Met Val
305 310 315 320

Cys His His Leu Asp Lys Ser Ile Lys Glu Asp Val Gln Phe Ala Asp
325 330 335

Ser Arg Ile Arg Pro Gln Thr Ile Ala Ala Glu Asp Thr Leu His Asp
340 345 350

Met Gly Ile Phe Ser Ile Thr Ser Ser Asp Ser Gln Ala Met Gly Arg
355 360 365

Val Gly Glu Val Ile Thr Arg Thr Trp Gln Thr Ala Asp Lys Asn Lys
370 375 380

Lys Glu Phe Gly Arg Leu Lys Glu Glu Lys Gly Asp Asn Asp Asn Phe
385 390 395 400

Arg Ile Lys Arg Tyr Leu Ser Lys Tyr Thr Ile Asn Pro Ala Ile Ala
405 410 415

His Gly Ile Ser Glu Tyr Val Gly Ser Val Glu Val Gly Lys Val Ala
420 425 430

Asp Leu Val Leu Trp Ser Pro Ala Phe Phe Gly Val Lys Pro Asn Met
435 440 445

Ile Ile Lys Gly Gly Phe Ile Ala Leu Ser Gln Met Gly Asp Ala Asn
450 455 460

Ala Ser Ile Pro Thr Pro Gln Pro Val Tyr Tyr Arg Glu Met Phe Ala
465 470 475 480

His His Gly Lys Ala Lys Tyr Asp Ala Asn Ile Thr Phe Val Ser Gln
485 490 495

Ala Ala Tyr Asp Lys Gly Ile Lys Glu Glu Leu Gly Leu Glu Arg Gln
500 505 510

Val Leu Pro Val Lys Asn Cys Arg Asn Ile Thr Lys Lys Asp Met Gln
515 520 525

Phe Asn Asp Thr Thr Ala His Ile Glu Val Asn Pro Glu Thr Tyr His
530 535 540

Val Phe Val Asp Gly Lys Glu Val Thr Ser Lys Pro Ala Asn Lys Val
545 550 555 560

Ser Leu Ala Gln Leu Phe Ser Ile Phe
565

<210> 185

<211> 450

<212> PRT

<213> Helicobacter pylori

<400> 185

Met Ser Met Glu Phe Asp Ala Val Ile Ile Gly Gly Gly Val Ser Gly
1 5 10 15

Cys Ala Thr Phe Tyr Thr Leu Ser Glu Tyr Ser Ser Leu Lys Arg Val
20 25 30

Ala Ile Val Glu Lys Cys Ser Lys Leu Ala Gln Ile Ser Ser Ser Ala
35 40 45

Lys Ala Asn Ser Gln Thr Ile His Asp Gly Ser Ile Glu Thr Asn Tyr
50 55 60

Thr Pro Glu Lys Ala Lys Lys Val Arg Leu Ser Ala Tyr Lys Thr Arg
65 70 75 80

Gln Tyr Ala Leu Asn Lys Gly Leu Gln Asn Glu Val Ile Phe Glu Thr
85 90 95

Gln Lys Met Ala Ile Gly Val Gly Asp Glu Glu Cys Glu Phe Met Lys
100 105 110

Lys Arg Tyr Glu Ser Phe Lys Glu Ile Phe Val Gly Leu Glu Glu Phe
115 120 125

Asp Lys Gln Lys Ile Lys Glu Leu Glu Pro Asn Val Ile Leu Gly Ala
130 135 140

Asn Gly Ile Asp Arg His Glu Asn Ile Ile Gly His Gly Tyr Arg Lys
145 150 155 160

Asp Trp Ser Thr Met Asn Phe Ala Lys Leu Ser Glu Asn Phe Val Glu
165 170 175

Glu Ala Leu Lys Leu Lys Pro Asn Asn Gln Val Phe Leu Asn Phe Lys
180 185 190

Val Lys Lys Ile Glu Lys Arg Asn Asp Thr Tyr Ala Val Ile Ser Glu
195 200 205

Asp Ala Glu Glu Val Tyr Ala Lys Phe Val Leu Val Asn Ala Gly Ser
210 215 220

Tyr Ala Leu Pro Leu Ala Gln Ser Met Gly Tyr Gly Leu Asp Leu Gly
225 230 235 240

Cys Leu Pro Val Ala Gly Ser Phe Tyr Phe Val Pro Asp Leu Leu Arg
245 250 255

Gly Lys Val Tyr Thr Val Gln Asn Pro Lys Leu Pro Phe Ala Ala Val
260 265 270

His Gly Asp Pro Asp Ala Val Ile Lys Gly Lys Thr Arg Ile Gly Pro
275 280 285

Thr Ala Leu Thr Met Pro Lys Leu Glu Arg Asn Lys Cys Trp Leu Lys
290 295 300

Gly Ile Ser Leu Glu Leu Leu Lys Met Asp Leu Asn Lys Asp Val Phe
305 310 315 320

Lys Ile Ala Phe Asp Leu Met Ser Asp Lys Glu Ile Arg Asn Tyr Val
325 330 335

Phe Lys Asn Met Val Phe Glu Leu Pro Ile Ile Gly Lys Arg Lys Phe
340 345 350

Leu Lys Asp Ala Gln Lys Ile Ile Pro Ser Leu Ser Leu Glu Asp Leu
355 360 365

Glu Tyr Ala His Gly Phe Gly Glu Val Arg Pro Gln Val Leu Asp Arg
370 375 380

Thr Lys Arg Lys Leu Glu Leu Gly Glu Lys Lys Ile Cys Thr His Lys
385 390 395 400

Gly Ile Thr Phe Asn Met Thr Pro Ser Pro Gly Ala Thr Ser Cys Leu
405 410 415

Gln Asn Ala Leu Val Asp Ser Gln Glu Ile Ala Ala Tyr Leu Gly Glu
420 425 430

Ser Phe Glu Leu Glu Arg Phe Tyr Lys Asp Leu Ser Pro Glu Glu Leu
435 440 445

Glu Asn
450

<210> 186

<211> 457

<212> PRT

<213> Helicobacter pylori

<400> 186

Met Arg Tyr Phe Leu Val Val Phe Leu Phe Leu Phe Val Gly Cys Thr
1 5 10 15

Lys Lys Asp Phe Thr Leu Lys Asp Leu Ser Leu Pro Gln Glu Ala Ser
20 25 30

Ser Tyr Leu Ala Ser Ser Gln Asn Gly Ser Asn Asn Asn Gln Ser Ile
35 40 45

Asp Pro Gln Ala Leu Arg Glu Asn Leu Lys Glu Ser Tyr Leu Lys Ala
50 55 60

Trp Tyr Ser Pro Trp Leu Asp Met Lys Val Lys Ser Asn Lys Lys Glu
65 70 75 80

Val Phe Trp Ile Leu Lys Glu Met Asn Lys Ser Thr Gly Tyr Gly Glu
85 90 95

Asp Leu Lys Pro Asn Ala Lys Ala Phe Asn Asp Ala Leu Ile Lys Ser
100 105 110

Met Asp Ile Glu His Tyr Pro Ser Val Lys Ile Arg Ala Val Val Ala
115 120 125

Arg Asp Ser Asp Val Arg Ala Val Pro Thr Asn Lys Pro Tyr Tyr Leu
130 135 140

Ser Gln Lys Gly Tyr Pro Phe Asp Arg Tyr Gln Asn Ser Leu Ile Phe
145 150 155 160

Gln Gly Thr Pro Val Leu Ile Thr His Phe Asn Leu Asp Lys Thr Tyr
165 170 175

Ala His Ile Gln Ser Ser Phe Val Tyr Gly Trp Ile Lys Val Ser Asp
180 185 190

Leu Val Tyr Met His Asp Lys Asp Ile Glu Leu Leu Thr His Leu Lys
195 200 205

Asp Tyr Val Met Pro Ile Lys Asp Lys Ile Pro Leu Tyr Thr Asp Tyr
210 215 220

Gly Asp Phe Tyr Thr Asn Ala Arg Val Gly Glu Leu Phe Ala Leu Ile
225 230 235 240

Pro Gln Ser Gln Lys Thr Pro Gln Lys Pro Gln Lys Lys Glu Leu Lys
245 250 255

Ala Tyr Gly Phe Leu Arg Asp Ala Lys Gly Tyr Ala Ala Leu Gln Ser
260 265 270

Val Ile Leu Glu Glu Lys Asp Phe Phe Val Phe Pro Lys Ala Phe Asn
275 280 285

Ser Glu Asn Met Ala Tyr Phe Ile Asp Thr Met Leu Gly Gln Lys Tyr
290 295 300

Gly Trp Gly Gly Leu Leu Gly Asn Arg Asp Cys Ser Ala Phe Thr Arg
305 310 315 320

Asp Ser Phe Ala Asn Phe Gly Ile Leu Leu Pro Arg Asn Ser Tyr Ala
325 330 335

Gln Ser Arg Tyr Ala Asn Asn Tyr Val Asp Leu Ser Ser Met Lys Ala
340 345 350

Lys Glu Lys Glu Asp Tyr Ile Leu Lys Asn Ala Thr Pro Phe Gly Thr
355 360 365

Leu Ile Tyr Leu Lys Gly His Ile Met Leu Tyr Leu Gly Ala His Asn
370 375 380

His Gln Ala Ile Val Ala His Ser Ile Trp Ser Val Gln Thr Gln Lys
385 390 395 400

His Phe Lys Thr Leu Ser His Lys Ile Gly Gly Val Val Ile Thr Ser
405 410 415

Leu Trp Leu Ala Glu Glu His Asn Gly Ala Phe Ser Lys Lys Lys Leu
420 425 430

Leu Ile Asp Arg Val Leu Gly Met Ser Asp Leu Lys Asp Phe Val Asn
435 440 445

Lys Thr Ser Ser Pro Leu Asn Ala Asn
450 455

<210> 187

<211> 671

<212> PRT

<213> Helicobacter pylori

<400> 187

Met Lys Lys Lys Ala Asn Glu Glu Lys Ala Gln Lys Arg Ala Lys Thr
1 5 10 15

Glu Ala Lys Ala Glu Ala Thr Gln Glu Asn Lys Thr Lys Glu Asn Asn
20 25 30

Lys Ala Lys Glu Ser Lys Ile Lys Glu Ser Lys Ile Lys Glu Ala Lys
35 40 45

Ala Lys Glu Pro Ile Pro Val Lys Lys Leu Ser Phe Asn Glu Ala Leu
50 55 60

Glu Glu Leu Phe Ala Asn Ser Leu Ser Asp Cys Val Ser Tyr Glu Ser
65 70 75 80

Ile Ile Gln Ile Ser Ala Lys Val Pro Thr Leu Ala Gln Ile Lys Lys
85 90 95

Ile Lys Glu Leu Cys Gln Lys Tyr Gln Lys Lys Leu Val Ser Ser Ser
100 105 110

Glu Tyr Ala Lys Lys Leu Asn Ala Ile Asp Lys Ile Lys Lys Thr Glu
115 120 125

Glu Lys Gln Lys Val Leu Asp Glu Glu Leu Glu Asp Gly Tyr Asp Phe
130 135 140

Leu Lys Glu Lys Asp Phe Leu Glu Trp Ser Arg Ser Asp Ser Pro Val
145 150 155 160

Arg Met Tyr Leu Arg Glu Met Gly Asp Ile Lys Leu Leu Ser Lys Asp
165 170 175

Glu Glu Ile Glu Leu Ser Lys Gln Ile Arg Leu Gly Glu Asp Ile Ile
180 185 190

Leu Asp Ala Ile Cys Ser Val Pro Tyr Leu Ile Asp Phe Ile Tyr Ala
195 200 205

Tyr Lys Asp Ala Leu Ile Asn Arg Glu Arg Arg Val Lys Glu Leu Phe
210 215 220

Arg Ser Phe Asp Asp Asp Glu Asn Ser Val Ser Asp Ser Lys Lys
225 230 235 240

Asp Glu Asp Asn Glu Glu Asp Glu Glu Asn Glu Glu Arg Lys Lys Val
245 250 255

Val Ser Glu Lys Asp Lys Lys Arg Val Glu Lys Val Gln Glu Ser Phe
260 265 270

Lys Ala Leu Asp Lys Ala Lys Lys Glu Trp Leu Lys Ala Leu Glu Ala
275 280 285

Pro Ile Asp Glu Arg Glu Asp Glu Leu Val Arg Ser Leu Thr Leu Ala
290 295 300

Tyr Lys Arg Gln Thr Leu Lys Asp Arg Leu Tyr Asp Leu Glu Pro Thr
305 310 315 320

Ser Lys Leu Ile Asn Glu Leu Val Lys Thr Met Glu Thr Thr Leu Lys
325 330 335

Ser Gly Asp Gly Phe Glu Lys Glu Leu Lys Arg Leu Glu Tyr Lys Leu
340 345 350

Pro Leu Phe Asn Asp Thr Leu Ile Ala Asn His Lys Lys Ile Leu Ala
355 360 365

Asn Ile Thr Asn Met Thr Lys Glu Asp Ile Ile Ala Gln Val Pro Glu
370 375 380

Ala Thr Met Val Ser Val Tyr Met Asp Leu Lys Lys Leu Phe Leu Thr
385 390 395 400

Lys Glu Ala Ser Glu Glu Gly Phe Asp Leu Ala Pro Asn Lys Leu Lys
405 410 415

Glu Ile Leu Glu Gln Ile Lys Arg Gly Lys Leu Ile Ser Asp Arg Ala
420 425 430

Lys Asn Lys Met Ala Lys Ser Asn Leu Arg Leu Val Val Ser Ile Ala
435 440 445

Lys Arg Phe Thr Ser Arg Gly Leu Pro Phe Leu Asp Leu Ile Gln Glu
450 455 460

Gly Asn Ile Gly Leu Met Lys Ala Val Asp Lys Phe Glu His Glu Lys
465 470 475 480

Gly Phe Lys Phe Ser Thr Tyr Ala Thr Trp Trp Ile Lys Gln Ala Ile
485 490 495

Ser Arg Ala Ile Ala Asp Gln Ala Arg Thr Ile Arg Ile Pro Ile His
500 505 510

Met Ile Asp Thr Ile Asn Arg Ile Asn Lys Val Met Arg Lys His Ile
515 520 525

Gln Glu Asn Gly Lys Glu Pro Asp Leu Glu Val Val Ala Glu Glu Val
530 535 540

Gly Leu Ser Leu Asp Lys Val Lys Asn Val Ile Lys Val Thr Lys Glu
545 550 555 560

Pro Ile Ser Leu Glu Thr Pro Val Gly Asn Asp Asp Asp Gly Lys Phe
565 570 575

Gly Asp Phe Val Glu Asp Lys Asn Ile Val Ser Ser Ile Asp His Ile
580 585 590

Met Arg Glu Asp Leu Lys Ala Gln Ile Glu Ser Val Leu Asp Gln Leu
595 600 605

Asn Glu Arg Glu Lys Ala Val Ile Arg Met Arg Phe Gly Leu Leu Asp
610 615 620

Asp Glu Ser Asp Arg Thr Leu Glu Glu Ile Gly Lys Glu Leu Asn Val
625 630 635 640

Thr Arg Glu Arg Val Arg Gln Ile Glu Ser Ser Ala Ile Lys Lys Leu
645 650 655

Arg Ser Pro Gln Tyr Gly Arg Ile Leu Arg Asn Tyr Leu Arg Ile
660 665 670

<210> 188

<211> 231

<212> PRT

<213> Helicobacter pylori

<400> 188

Met Val Gln Lys Ile Gly Ile Leu Gly Ala Met Arg Glu Glu Ile Thr
1 5 10 15

Pro Ile Leu Glu Leu Phe Gly Val Asp Phe Glu Glu Ile Pro Leu Gly
20 25 30

Gly Asn Val Phe His Lys Gly Val Tyr His Asn Lys Glu Ile Ile Val
35 40 45

Ala Tyr Ser Lys Ile Gly Lys Val His Ser Thr Leu Thr Thr Thr Ser
50 55 60

Met Ile Leu Ala Phe Gly Val Gln Lys Val Leu Phe Ser Gly Val Ala
65 70 75 80

Gly Ser Leu Val Lys Asp Leu Lys Ile Asn Asp Leu Leu Val Ala Ile
85 90 95

Gln Leu Val Gln His Asp Val Asp Leu Ser Ala Phe Asp His Pro Leu
100 105 110

Gly Phe Ile Pro Glu Ser Ala Ile Phe Ile Glu Thr Ser Glu Ser Leu
115 120 125

Asn Ala Leu Ala Lys Glu Val Ala Asn Glu Gln His Ile Val Leu Lys
130 135 140

Glu Gly Val Ile Ala Ser Gly Asp Gln Phe Val His Ser Lys Glu Arg
145 150 155 160

Lys Glu Phe Leu Val Ser Glu Phe Lys Ala Ser Ala Val Glu Met Glu
165 170 175

Gly Ala Ser Val Ala Phe Val Cys Gln Lys Phe Gly Val Pro Cys Cys
180 185 190

Val Leu Arg Ser Ile Ser Asp Asn Ala Asp Glu Glu Ala Asn Met Ser
195 200 205

Phe Asp Ala Phe Leu Glu Lys Ser Ala Gln Thr Ser Ala Lys Phe Leu
210 215 220

Lys Ser Met Val Asp Glu Leu
225 230

<210> 189

<211> 514

<212> PRT

<213> Helicobacter pylori

<400> 189

Met Ser Phe Arg Ile Asn Thr Asn Ile Ala Ala Leu Thr Ser His Ala
1 5 10 15

Val Gly Val Gln Asn Asn Arg Asp Leu Ser Ser Ser Leu Glu Lys Leu
20 25 30

Ser Ser Gly Leu Arg Ile Asn Lys Ala Ala Asp Asp Ser Ser Gly Met
35 40 45

Ala Ile Ala Asp Ser Leu Arg Ser Gln Ser Ala Asn Leu Gly Gln Ala
50 55 60

Ile Arg Asn Ala Asn Asp Ala Ile Gly Met Val Gln Thr Ala Asp Lys
65 70 75 80

Ala Met Asp Glu Gln Ile Lys Ile Leu Asp Thr Ile Lys Thr Lys Ala
85 90 95

Val Gln Ala Ala Gln Asp Gly Gln Thr Leu Glu Ser Arg Arg Ala Leu
100 105 110

Gln Ser Asp Ile Gln Arg Leu Leu Glu Glu Leu Asp Asn Ile Ala Asn
115 120 125

Thr Thr Ser Phe Asn Gly Gln Gln Met Leu Ser Gly Ser Phe Ser Asn
130 135 140

Lys Glu Phe Gln Ile Gly Ala Tyr Ser Asn Ala Thr Val Lys Ala Ser
145 150 155 160

Ile Gly Ser Thr Ser Ser Asp Lys Ile Gly His Val Arg Met Glu Thr
165 170 175

Ser Ser Phe Ser Gly Ala Gly Met Leu Ala Ser Ala Ala Ala Gln Asn
180 185 190

Leu Thr Glu Val Gly Leu Asn Phe Lys Gln Val Asn Gly Val Asn Asp
195 200 205

Tyr Lys Ile Glu Thr Val Arg Ile Ser Thr Ser Ala Gly Thr Gly Ile
210 215 220

Gly Ala Leu Ser Glu Ile Ile Asn Arg Phe Ser Asn Thr Leu Gly Val
225 230 235 240

Arg Ala Ser Tyr Asn Val Met Ala Thr Gly Gly Thr Pro Val Gln Ser
245 250 255

Gly Thr Val Arg Glu Leu Thr Ile Asn Gly Val Glu Ile Gly Thr Val
260 265 270

Asn Asp Val His Lys Asn Asp Ala Asp Gly Arg Leu Thr Asn Ala Ile
275 280 285

Asn Ser Val Lys Asp Arg Thr Gly Val Glu Ala Ser Leu Asp Ile Gln
290 295 300

Gly Arg Ile Asn Leu His Ser Ile Asp Gly Arg Ala Ile Ser Val His
305 310 315 320

Ala Ala Ser Ala Ser Gly Gln Val Phe Gly Gly Gly Asn Phe Ala Gly
325 330 335

Ile Ser Gly Thr Gln His Ala Val Ile Gly Arg Leu Thr Leu Thr Arg
340 345 350

Thr Asp Ala Arg Asp Ile Ile Val Ser Gly Val Asn Phe Ser His Val
355 360 365

Gly Phe His Ser Ala Gln Gly Val Ala Glu Tyr Thr Val Asn Leu Arg
370 375 380

Ala Val Arg Gly Ile Phe Asp Ala Asn Val Ala Ser Ala Ala Gly Ala
385 390 395 400

Asn Ala Asn Gly Ala Gln Ala Glu Thr Asn Ser Gln Gly Ile Gly Ala
405 410 415

Gly Val Thr Ser Leu Lys Gly Ala Met Ile Val Met Asp Met Ala Asp
420 425 430

Ser Ala Arg Thr Gln Leu Asp Lys Ile Arg Ser Asp Met Gly Ser Val
435 440 445

Gln Met Glu Leu Val Thr Thr Ile Asn Asn Ile Ser Val Thr Gln Val
450 455 460

Asn Val Lys Ala Ala Glu Ser Gln Ile Arg Asp Val Asp Phe Ala Glu
465 470 475 480

Glu Ser Ala Asn Phe Ser Lys Tyr Asn Ile Leu Ala Gln Ser Gly Ser
485 490 495

Phe Ala Met Ala Gln Ala Asn Ala Val Gln Gln Asn Val Leu Arg Leu
500 505 510

Leu Gln

<210> 190

<211> 299

<212> PRT

<213> Helicobacter pylori

<400> 190

Met Lys Lys Asn Ile Leu Asn Leu Ala Leu Val Gly Ala Leu Ser Thr
1 5 10 15

Ser Phe Leu Met Ala Lys Pro Ala His Asn Ala Asn Asn Ala Thr His
20 25 30

Asn Thr Lys Lys Thr Thr Asp Ser Ser Ala Gly Val Leu Ala Thr Val
35 40 45

Asp Gly Arg Pro Ile Thr Lys Ser Asp Phe Asp Met Ile Lys Gln Arg
50 55 60

Asn Pro Asn Phe Asp Phe Asp Lys Leu Lys Glu Lys Glu Lys Glu Ala
65 70 75 80

Leu Ile Asp Gln Ala Ile Arg Thr Ala Leu Val Glu Asn Glu Ala Lys
85 90 95

Thr Glu Lys Leu Asp Ser Thr Pro Glu Phe Lys Ala Met Met Glu Ala
100 105 110

Val Lys Lys Gln Ala Leu Val Glu Phe Trp Ala Lys Lys Gln Ala Glu
115 120 125

Glu Val Lys Lys Val Gln Ile Pro Glu Lys Glu Met Gln Asp Phe Tyr
130 135 140

Asn Ala Asn Lys Asp Gln Leu Phe Val Lys Gln Glu Ala His Ala Arg
145 150 155 160

His Ile Leu Val Lys Thr Glu Asp Glu Ala Lys Arg Ile Ile Ser Glu
165 170 175

Ile Asp Lys Gln Pro Lys Ala Lys Lys Glu Ala Lys Phe Ile Glu Leu
180 185 190

Ala Asn Arg Asp Thr Ile Asp Pro Asn Ser Lys Asn Ala Gln Asn Gly
195 200 205

Gly Asp Leu Gly Lys Phe Gln Lys Asn Gln Met Ala Pro Asp Phe Ser
210 215 220

Lys Ala Ala Phe Ala Leu Thr Pro Gly Asp Tyr Thr Lys Thr Pro Val
225 230 235 240

Lys Thr Glu Phe Gly Tyr His Ile Ile Tyr Leu Ile Ser Lys Asp Ser
245 250 255

Pro Val Thr Tyr Thr Tyr Glu Gln Ala Lys Pro Thr Ile Lys Gly Met
260 265 270

Leu Gln Glu Lys Leu Phe Gln Glu Arg Met Asn Gln Arg Ile Glu Glu
275 280 285

Leu Arg Lys His Ala Lys Ile Val Ile Asn Lys
290 295

<210> 191

<211> 812

<212> PRT

<213> Helicobacter pylori

<400> 191

Val Arg Tyr Ile Lys Phe Phe Lys Glu Leu Asn Asn Lys Asn Val Asn
1 5 10 15

Leu Val Gly Gly Lys Asn Ala Ser Ile Gly Glu Met Phe Gln Glu Leu
20 25 30

Val Pro Ile Gly Ile Lys Val Pro Asp Gly Phe Ala Ile Thr Ser Glu
35 40 45

Ala Tyr Trp Tyr Leu Leu Glu Gln Gly Gly Ala Lys Gln Lys Ile Ile
50 55 60

Glu Leu Leu Glu Asn Val Asp Ala Thr Glu Ile Asp Val Leu Lys Ile
65 70 75 80

Arg Ser Lys Gln Ile Arg Glu Leu Ile Phe Gly Thr Pro Phe Pro Ser
85 90 95

Asp Leu Arg Asp Glu Ile Phe Gln Ala Tyr Glu Ile Leu Ser Gln Gln
100 105 110

Tyr His Met Lys Glu Ala Asp Val Ala Val Arg Ser Ser Ala Thr Ala
115 120 125

Glu Asp Leu Pro Asp Ala Ser Phe Ala Gly Gln Gln Asp Thr Tyr Leu
130 135 140

Asn Ile Lys Gly Lys Thr Glu Leu Ile His Tyr Ile Lys Ser Cys Leu
145 150 155 160

Ala Ser Leu Phe Thr Asp Arg Ala Ile Ser Tyr Arg Ala Ser Arg Gly
165 170 175

Phe Asp His Leu Lys Val Ala Leu Ser Val Gly Val Gln Lys Met Val
180 185 190

Arg Ala Asp Lys Gly Ser Ala Gly Val Met Phe Ser Ile Asp Thr Glu
195 200 205

Thr Gly Phe Lys Asp Ala Val Phe Ile Thr Ser Ala Trp Gly Leu Gly
210 215 220

Glu Asn Val Val Gly Gly Thr Ile Asn Pro Asp Glu Phe Tyr Val Phe
225 230 235 240

Lys Pro Thr Leu Glu Gln Asn Lys Arg Pro Ile Ile Lys Arg Gln Leu
245 250 255

Gly Asn Lys Thr Gln Lys Met Val Tyr Ala Pro Arg Gly Ser Glu His
260 265 270

Pro Thr Arg Asn Ile Lys Thr Thr Lys Lys Glu Trp Gln Ser Phe Ser
275 280 285

Leu Ser Asp Glu Asp Val Leu Ile Leu Ala Lys Tyr Ala Ile Glu Ile
290 295 300

Glu Lys His Tyr Ser Lys Glu Ala Lys Gln Tyr Arg Pro Met Asp Ile
305 310 315 320

Glu Trp Ala Lys Asp Gly Glu Ser Gly Glu Ile Phe Ile Val Gln Ala
325 330 335

Arg Pro Glu Thr Val Gln Ser Gln Lys Ser Lys Glu Glu Ser Gln Val
340 345 350

Phe Glu Lys Phe Lys Phe Lys Asn Pro Asn Glu Lys Lys Glu Ile Ile
355 360 365

Leu Gln Gly Arg Ala Ile Gly Ser Lys Ile Gly Ser Gly Lys Val Arg
370 375 380

Ile Ile Asn Asp Leu Glu His Met Asn Ser Phe Lys Glu Gly Glu Ile
385 390 395 400

Leu Val Thr Asp Asn Thr Asp Pro Asp Trp Glu Pro Cys Met Lys Lys
405 410 415

Ala Ser Ala Val Ile Thr Asn Arg Gly Gly Arg Thr Cys His Ala Ala
420 425 430

Ile Val Ala Arg Glu Ile Gly Val Pro Ala Ile Val Gly Val Ser Gly
435 440 445

Ala Thr Asp Ser Leu Tyr Thr Gly Met Glu Ile Thr Val Ser Cys Ala
450 455 460

Glu Gly Glu Glu Gly Tyr Val Tyr Ala Gly Ile Tyr Glu His Glu Ile
465 470 475 480

Glu Arg Val Glu Leu Ser Asn Met Gln Glu Thr Gln Thr Lys Ile Tyr
485 490 495

Ile Asn Ile Gly Asn Pro Glu Lys Ala Phe Gly Phe Ser Gln Leu Pro
500 505 510

Asn His Gly Val Gly Leu Ala Arg Met Glu Met Ile Ile Leu Asn Gln
515 520 525

Ile Lys Ala His Pro Leu Ala Leu Val Asp Leu His His Lys Lys Ser
530 535 540

Val Lys Glu Lys Asn Glu Ile Glu Asn Leu Met Ala Gly Tyr Ala Asn
545 550 555 560

Pro Lys Asp Phe Phe Val Lys Lys Ile Ala Glu Gly Ile Gly Met Ile
565 570 575

Ser Ala Ala Phe Tyr Pro Lys Pro Val Ile Val Arg Thr Ser Asp Phe
580 585 590

Lys Ser Asn Glu Tyr Met Arg Met Leu Gly Gly Ser Ser Tyr Glu Pro
595 600 605

Asn Glu Glu Asn Pro Met Leu Gly Tyr Arg Gly Ala Ser Arg Tyr Tyr
610 615 620

Ser Glu Ser Tyr Asn Glu Ala Phe Ser Trp Glu Cys Glu Ala Leu Ala
625 630 635 640

Leu Val Arg Glu Glu Met Gly Leu Thr Asn Met Lys Val Met Ile Pro
645 650 655

Phe Leu Arg Thr Ile Glu Glu Gly Lys Lys Val Leu Glu Ile Leu Arg
660 665 670

Lys Asn Asn Leu Glu Ser Gly Lys Asn Gly Leu Glu Ile Tyr Ile Met
675 680 685

Cys Glu Leu Pro Val Asn Val Ile Leu Ala Asp Asp Phe Leu Ser Leu
690 695 700

Phe Asp Gly Phe Ser Ile Gly Ser Asn Asp Leu Thr Gln Leu Thr Leu
705 710 715 720

Gly Val Asp Arg Asp Ser Glu Leu Val Ser His Val Phe Asp Glu Arg
725 730 735

Asn Glu Ala Met Leu Lys Met Phe Lys Lys Ala Ile Glu Ala Cys Lys
740 745 750

Arg His Asn Lys Tyr Cys Gly Ile Cys Gly Gln Ala Pro Ser Asp Tyr
755 760 765

Pro Glu Val Thr Glu Phe Leu Val Lys Glu Gly Ile Thr Ser Ile Ser
770 775 780

Leu Asn Pro Asp Ser Val Ile Pro Thr Trp Asn Ala Val Ala Lys Leu
785 790 795 800

Glu Lys Glu Leu Lys Glu His Gly Leu Thr Glu His
805 810

<210> 192

<211> 612

<212> PRT

<213> Helicobacter pylori

<400> 192

Met Ser Ala Glu Leu Ile Ala Val Tyr Lys Asp Glu Gln Ile Ile Asp
1 5 10 15

Leu Glu Ser Ala Lys Val Leu Gly Leu Ser Asp Gly Ile Lys Ala Leu
20 25 30

Asn Gly Thr Glu Pro Ile Tyr Phe Asp Asp Ser Pro Leu Ala Leu Glu
35 40 45

Val Ile Arg His Ser Cys Ala His Leu Leu Ala Gln Ser Leu Lys Ala
50 55 60

Leu Tyr Pro Asp Ala Lys Phe Phe Val Gly Pro Val Val Glu Glu Gly
65 70 75 80

Phe Tyr Tyr Asp Phe Lys Thr Ser Ser Lys Ile Ser Glu Glu Asp Leu
85 90 95

Pro Lys Ile Glu Ala Lys Met Lys Glu Phe Ala Lys Leu Lys Leu Ala
100 105 110

Ile Thr Lys Glu Thr Leu Thr Arg Glu Gln Ala Leu Glu Arg Phe Lys
115 120 125

Gly Asp Glu Leu Lys His Ala Val Met Ser Lys Ile Gly Gly Asp Ala
130 135 140

Phe Gly Val Tyr Gln Gln Gly Glu Phe Glu Asp Leu Cys Lys Gly Pro
145 150 155 160

His Leu Pro Asn Thr Arg Phe Leu Asn His Phe Lys Leu Thr Lys Leu
165 170 175

Ala Gly Ala Tyr Leu Gly Gly Asp Glu Asn Asn Glu Met Leu Ile Arg
180 185 190

Ile Tyr Gly Ile Ala Phe Ala Thr Lys Glu Gly Leu Lys Asp Tyr Leu
195 200 205

Phe Gln Ile Glu Glu Ala Lys Lys Arg Asp His Arg Lys Leu Gly Val
210 215 220

Glu Leu Gly Leu Phe Ser Phe Asp Asp Glu Ile Gly Ala Gly Leu Pro
225 230 235 240

Ile Trp Leu Pro Lys Gly Ala Arg Leu Arg Lys Arg Ile Glu Asp Leu
245 250 255

Leu Ser Gln Ala Leu Leu Leu Arg Gly Tyr Glu Pro Val Lys Gly Pro
260 265 270

Glu Ile Leu Lys Ser Asp Val Trp Lys Ile Ser Gly His Tyr Asp Asn
275 280 285

Tyr Lys Glu Asn Met Tyr Phe Thr Thr Ile Asp Glu Gln Glu Tyr Gly
290 295 300

Ile Lys Pro Met Asn Cys Val Gly His Ile Lys Val Tyr Gln Ser Ala
305 310 315 320

Leu His Ser Tyr Arg Asp Leu Pro Leu Arg Phe Tyr Glu Tyr Gly Val
325 330 335

Val His Arg His Glu Lys Ser Gly Val Leu His Gly Leu Leu Arg Val
340 345 350

Arg Glu Phe Thr Gln Asp Asp Ala His Ile Phe Cys Ser Phe Glu Gln
355 360 365

Ile Gln Ser Glu Val Ser Ala Ile Leu Asp Phe Thr His Lys Ile Met
370 375 380

Gln Ala Phe Asp Phe Ser Tyr Glu Met Glu Leu Ser Thr Arg Pro Ala
385 390 395 400

Lys Ser Ile Gly Asp Asp Lys Val Trp Glu Lys Ala Thr Asn Ala Leu
405 410 415

Lys Glu Ala Leu Lys Glu His Arg Ile Asp Tyr Lys Ile Asp Glu Gly
420 425 430

Gly Gly Ala Phe Tyr Gly Pro Lys Ile Asp Ile Lys Ile Thr Asp Ala
435 440 445

Leu Lys Arg Lys Trp Gln Cys Gly Thr Ile Gln Val Asp Met Asn Leu
450 455 460

Pro Glu Arg Phe Lys Leu Ala Phe Thr Asn Glu Tyr Asn His Ala Glu
465 470 475 480

Gln Pro Val Met Ile His Arg Ala Ile Leu Gly Ser Phe Glu Arg Phe
485 490 495

Ile Ala Ile Leu Ser Glu His Phe Gly Gly Asn Phe Pro Phe Phe Val
500 505 510

Ala Pro Thr Gln Ile Ala Leu Ile Pro Ile Asn Glu Glu His His Val
515 520 525

Phe Ala Leu Lys Leu Lys Glu Ala Leu Lys Lys Arg Asp Ile Phe Val
530 535 540

Glu Val Leu Asp Lys Asn Asp Ser Leu Asn Lys Lys Val Arg Leu Ala
545 550 555 560

Glu Lys Gln Lys Ile Pro Met Ile Leu Val Leu Gly Asn Glu Glu Val
565 570 575

Glu Thr Glu Ile Leu Ser Ile Arg Asp Arg Glu Lys Gln Asp Gln Tyr
580 585 590

Lys Met Pro Leu Lys Glu Phe Leu Asn Met Val Glu Ser Lys Met Gln
595 600 605

Glu Val Ser Phe
610

<210> 193

<211> 286

<212> PRT

<213> Helicobacter pylori

<400> 193

Val Lys Arg Ile Leu Phe Phe Leu Val Ala Thr Thr Phe Leu Leu Arg
1 5 10 15

Ala Glu Thr Asp Ser Ala Thr Ile Asn Thr Thr Val Asp Pro Asn Val
20 25 30

Met Phe Ser Glu Ser Ser Thr Gly Asn Val Lys Lys Asp Arg Lys Arg
35 40 45

Val Leu Lys Ser Met Val Asn Leu Glu Lys Glu Arg Val Lys Asn Phe
50 55 60

Asn Arg Tyr Ser Glu Thr Lys Met Ser Lys Gly Asp Leu Ser Ala Phe
65 70 75 80

Gly Ala Phe Phe Lys Gly Ser Leu Glu Ser Cys Val Asp Gln Lys Ile
85 90 95

Cys Tyr Tyr Glu His Lys Asp Gly Lys Val Ser Phe Val Val Asn Asp
100 105 110

Arg Glu Lys Phe Tyr Lys His Val Leu Lys Asp Leu Gly Thr Glu Leu
115 120 125

Ser Leu Pro Leu Phe Asn Trp Leu Tyr Lys Gly Ser Asp Phe Gly Ala
130 135 140

Leu His Glu Gln Phe Gly Asp Met Tyr Asp Gly Tyr Ile Lys Tyr Leu
145 150 155 160

Ile Ser Met Val Arg Ile Ser Gln Lys Glu Lys Ala Arg Lys Val Asp
165 170 175

Hp 04-04-03.ST251

Ala Ile Val Leu Lys Lys Met Glu Glu Gln Ala Glu Lys Asp Thr Lys
180 185 190

Ala Ala Phe Gln Lys Arg Ser Ser Gly Glu Leu Glu Ser His Thr Asp
195 200 205

Ser Pro Glu Phe Ile Ser Ser Ser Lys Arg Thr Gln Asn Ala Ser Asn
210 215 220

Ser Asp Leu Asn Ser Met Thr Asn Ala Asn Ala Leu Lys Glu Thr Ala
225 230 235 240

Ser Lys Glu Pro Glu Ala Ser Ser Lys Lys Glu Lys Lys Ser Lys Lys
245 250 255

Lys Arg Arg Leu Ser Lys Lys Glu Lys Gln Gln Gln Ala Leu Gln Gln
260 265 270

Glu Phe Glu Lys Gln Ile Ser Asp Ser Ser Lys Ser Glu Lys
275 280 285

<210> 194

<211> 196

<212> PRT

<213> Helicobacter pylori

<400> 194

Met Lys Glu Lys Asn Phe Trp Pro Leu Gly Ile Met Ser Val Leu Ile
1 5 10 15

Leu Gly Leu Gly Ile Val Val Phe Leu Val Val Phe Ala Leu Lys Asn
20 25 30

Ser Pro Lys Asn Asp Leu Val Tyr Phe Lys Gly His Asn Glu Val Asp
35 40 45

Leu Asn Phe Asn Ala Met Leu Lys Thr Tyr Glu Asn Phe Lys Ser Asn
50 55 60

Tyr Arg Phe Leu Val Gly Leu Lys Pro Leu Ile Lys Ser Pro Lys Thr
65 70 75 80

Pro Ile Leu Pro Tyr Phe Ser Lys Gly Thr His Gly Asp Lys Lys Leu
85 90 95

Gln Glu Asn Leu Leu Asn Asn Ala Leu Ile Leu Glu Lys Ser Asn Thr
100 105 110

Leu Tyr Ala Gln Leu Gln Pro Leu Lys Pro Ala Leu Asp Ser Pro Asn
115 120 125

Ile Gln Val Tyr Leu Ala Phe Tyr Pro Ser Pro Ser Gln Pro Arg Trp
130 135 140

Leu Gly Thr Leu Asp Cys Lys Asn Ala Cys Glu Pro Leu Lys Phe Asp
145 150 155 160

Leu Leu Glu Ser Asp Lys Met Gly Arg Tyr Lys Ile Leu Phe Lys Phe
165 170 175

Val Phe Lys Asn Lys Glu Glu Leu Ile Leu Glu Gln Leu Ala Phe Phe
180 185 190

Lys Gln Arg Ile
195

<210> 195

<211> 416

<212> PRT

<213> Helicobacter pylori

<400> 195

Met Ala Tyr Phe Leu Glu Gln Thr Asp Ser Glu Ile Phe Glu Leu Ile
1 5 10 15

Phe Glu Glu Tyr Lys Arg Gln Asn Glu His Leu Glu Met Ile Ala Ser
20 25 30

Glu Asn Tyr Thr Phe Ala Ser Val Met Glu Ala Met Gly Ser Val Leu
35 40 45

Thr Asn Lys Tyr Ala Glu Gly Tyr Pro Asn Lys Arg Tyr Tyr Gly Gly
50 55 60

Cys Glu Val Val Asp Lys Ile Glu Ser Leu Ala Ile Glu Arg Ala Lys
65 70 75 80

Lys Leu Phe Asn Cys Gln Phe Ala Asn Val Gln Ala His Ser Gly Ser
85 90 95

Gln Ala Asn Asn Ala Val Tyr His Ala Leu Leu Lys Pro Tyr Asp Lys
100 105 110

Ile Leu Gly Met Asp Leu Ser Cys Gly Gly His Leu Thr His Gly Ala
115 120 125

Lys Val Ser Leu Thr Gly Lys His Tyr Gln Ser Phe Ser Tyr Gly Val
 130 135 140
 Asn Leu Asp Gly Tyr Ile Asp Tyr Glu Glu Ala Leu Lys Ile Ala Gln
 145 150 155 160
 Ser Val Lys Pro Glu Ile Ile Val Cys Gly Phe Ser Ala Tyr Pro Arg
 165 170 175
 Glu Ile Asp Phe Lys Lys Phe Arg Glu Ile Ala Asp Glu Val Gly Ala
 180 185 190
 Leu Leu Leu Gly Asp Ile Ala His Val Ala Gly Leu Val Val Thr Gly
 195 200 205
 Glu His Ala His Pro Phe Pro His Cys His Val Val Ser Ser Thr Thr
 210 215 220
 His Lys Thr Leu Arg Gly Pro Arg Gly Gly Ile Ile Leu Thr Asn Asp
 225 230 235 240
 Glu Glu Ile Ala Ala Lys Ile Asp Lys Ala Ile Phe Pro Gly Thr Gln
 245 250 255
 Gly Gly Pro Leu Met His Val Ile Ala Ala Lys Ala Val Gly Phe Lys
 260 265 270
 Glu Asn Leu Lys Pro Glu Phe Lys Ala Tyr Ala Gln Leu Val Lys Ser
 275 280 285
 Asn Met Gln Val Leu Ala Lys Ala Leu Lys Glu Lys Asn His Lys Leu
 290 295 300
 Val Ser Gly Gly Thr Ser Asn His Leu Leu Leu Met Asp Phe Leu Asp
 305 310 315 320
 Lys Pro Tyr Ser Gly Lys Asp Ala Asp Ile Ala Leu Gly Asn Ala Gly
 325 330 335
 Ile Thr Val Asn Lys Asn Thr Ile Pro Gly Glu Thr Arg Ser Pro Phe
 340 345 350
 Val Thr Ser Gly Ile Arg Ile Gly Ser Ala Ala Leu Ser Ala Arg Gly
 355 360 365
 Met Gly Ala Lys Glu Phe Glu Ile Ile Gly Asn Lys Ile Ser Asp Ile
 370 375 380
 Leu Asn Asp Ile Asn Asn Val Ser Leu Gln Leu His Val Lys Glu Glu
 385 390 395 400

Leu Lys Ala Met Val Asn Gln Phe Pro Val Tyr His Gln Pro Ile Phe
405 410 415

<210> 196

<211> 714

<212> PRT

<213> Helicobacter pylori

<400> 196

Met Lys Ile Thr Tyr Cys Asp Ala Leu Ile Ile Gly Gly Gly Leu Ala
1 5 10 15

Gly Leu Arg Ala Ser Ile Ala Cys Lys Gln Lys Gly Leu Asn Thr Ile
20 25 30

Val Leu Ser Leu Val Pro Val Arg Arg Ser His Ser Ala Ala Ala Gln
35 40 45

Gly Gly Met Gln Ala Ser Leu Ala Asn Ala Lys Lys Ser Glu Gly Asp
50 55 60

Asn Glu Asp Leu His Phe Leu Asp Thr Val Lys Gly Ser Asp Trp Gly
65 70 75 80

Cys Asp Gln Gln Val Ala Arg Met Phe Val Thr Thr Ala Pro Lys Ala
85 90 95

Ile Arg Glu Leu Ala Ser Trp Gly Val Pro Trp Thr Arg Ile Lys Lys
100 105 110

Gly Asp Arg Pro Ala Val Val Asn Gly Glu His Val Thr Ile Thr Glu
115 120 125

Arg Asp Asp Arg His Gly Tyr Ile Leu Ser Arg Asp Phe Gly Gly Thr
130 135 140

Lys Lys Trp Arg Thr Cys Phe Thr Ala Asp Ala Thr Gly His Thr Met
145 150 155 160

Leu Tyr Ala Val Ala Asn Glu Ala Leu His His Lys Val Asp Ile Gln
165 170 175

Asp Arg Lys Asp Met Leu Ala Phe Ile His His Asp Asn Lys Cys Tyr
180 185 190

Gly Ala Val Val Arg Asp Leu Ile Thr Gly Glu Ile Ser Ala Tyr Val
195 200 205

Ser Lys Gly Thr Leu Leu Ala Thr Gly Gly Tyr Gly Arg Val Tyr Lys
210 215 220

His Thr Thr Asn Ala Val Ile Cys Asp Gly Ala Gly Ala Ala Ser Ala
225 230 235 240

Leu Glu Thr Gly Val Ala Lys Leu Gly Asn Met Glu Ala Val Gln Phe
245 250 255

His Pro Thr Ala Leu Val Pro Ser Gly Ile Leu Met Thr Glu Gly Cys
260 265 270

Arg Gly Asp Gly Gly Val Leu Arg Asp Lys Phe Gly Arg Arg Phe Met
275 280 285

Pro Ala Tyr Glu Pro Glu Lys Lys Glu Leu Ala Ser Arg Asp Val Val
290 295 300

Ser Arg Arg Ile Leu Glu His Ile Gln Lys Gly Tyr Gly Ala Lys Ser
305 310 315 320

Pro Tyr Gly Asp His Val Trp Leu Asp Ile Ala Ile Leu Gly Arg Asn
325 330 335

His Val Glu Lys Asn Leu Arg Asp Val Arg Asp Ile Ala Met Thr Phe
340 345 350

Ala Gly Ile Asp Pro Ala Asp Ser Lys Glu Gln Thr Lys Asp Asn Met
355 360 365

Gln Gly Val Pro Ala Asn Glu Pro Glu Tyr Gly Gln Ala Met Ala Lys
370 375 380

Gln Lys Gly Trp Ile Pro Ile Lys Pro Met Gln His Tyr Ser Met Gly
385 390 395 400

Gly Val Arg Thr Asn Pro Lys Gly Glu Thr His Leu Lys Gly Leu Phe
405 410 415

Cys Ala Gly Glu Ala Ala Cys Trp Asp Leu His Gly Phe Asn Arg Leu
420 425 430

Gly Gly Asn Ser Val Ser Glu Ala Val Val Ala Gly Met Ile Ile Gly
435 440 445

Asp Tyr Phe Ala Ser His Cys Leu Glu Ala Gln Ile Glu Ile Asn Thr
450 455 460

Gln Lys Val Glu Ala Phe Ile Lys Glu Ser Gln Asp Tyr Met His Phe
465 470 475 480

Leu Leu His Asn Glu Gly Lys Glu Asp Val Tyr Glu Ile Arg Glu Arg
485 490 495

Met Lys Glu Val Met Asp Glu Lys Val Gly Val Phe Arg Glu Gly Lys
500 505 510

Arg Leu Glu Glu Ala Leu Lys Glu Leu Gln Glu Leu Tyr Ala Arg Ser
515 520 525

Lys Asn Ile Cys Val Lys Asn Lys Val Leu His Asn Asn Pro Glu Leu
530 535 540

Glu Asp Ala Tyr Arg Thr Lys Lys Met Leu Lys Leu Ala Leu Cys Ile
545 550 555 560

Thr Gln Gly Ala Leu Leu Arg Thr Glu Ser Arg Gly Ala His Thr Arg
565 570 575

Ile Asp Tyr Pro Lys Arg Asp Asp Glu Lys Trp Leu Asn Arg Thr Leu
580 585 590

Ala Ser Trp Pro Ser Ala Glu Gln Asp Met Pro Thr Ile Glu Tyr Glu
595 600 605

Glu Leu Asp Val Met Lys Met Glu Ile Ser Pro Asp Phe Arg Gly Tyr
610 615 620

Gly Lys Lys Gly Asn Phe Ile Pro His Pro Lys Lys Glu Glu Arg Asp
625 630 635 640

Ala Glu Ile Leu Lys Thr Ile Leu Glu Leu Glu Lys Leu Gly Lys Asp
645 650 655

Arg Ile Glu Val Gln His Ala Leu Met Pro Phe Glu Leu Gln Glu Lys
660 665 670

Tyr Lys Ala Arg Asn Met Arg Leu Glu Asp Glu Glu Val Arg Ala Arg
675 680 685

Gly Glu His Leu Tyr Ser Phe Asn Val His Glu Leu Leu Asp Gln His
690 695 700

Asn Ala Asn Leu Lys Gly Glu His His Glu
705 710

<210> 197

<211> 385

<212> PRT

<213> Helicobacter pylori

<400> 197

Met Lys Asp Ser Phe Leu Phe Thr Ser Glu Ser Val Thr Glu Gly His
 1 5 10 15

Pro Asp Lys Met Ala Asp Gln Ile Ser Asp Ala Val Leu Asp Tyr Ile
 20 25 30

Ile Glu Arg Asp Gln Lys Ala Lys Val Ala Cys Glu Thr Leu Val Ser
 35 40 45

Asn Gly Phe Cys Met Ile Thr Gly Glu Leu Lys Thr Ser Val Tyr Ala
 50 55 60

Pro Met Gln Glu Ile Ala Arg Glu Val Val Lys Lys Ile Gly Tyr Thr
 65 70 75 80

Asp Ala Leu Tyr Gly Phe Asp Tyr Arg Ser Ala Ala Val Leu Asn Gly
 85 90 95

Val Gly Glu Gln Ser Pro Asp Ile Asn Gln Gly Val Asp Arg Glu Asp
 100 105 110

Gly Glu Ile Gly Ala Gly Asp Gln Gly Leu Met Phe Gly Tyr Ala Cys
 115 120 125

Lys Glu Thr Glu Thr Leu Met Pro Leu Pro Ile His Leu Ala His Gln
 130 135 140

Leu Thr Phe Ala Leu Ala Gln Lys Arg Lys Asp Asn Thr Leu Pro Phe
 145 150 155 160

Leu Arg Pro Asp Gly Lys Ser Gln Val Ser Val Arg Tyr Glu Asn Asn
 165 170 175

Lys Pro Val Ser Ile Asp Thr Ile Val Ile Ser Thr Gln His Ser Pro
 180 185 190

Glu Val Ser Gln Lys His Leu Lys Glu Ala Val Ile Glu Glu Ile Val
 195 200 205

Tyr Lys Val Leu Ser Lys Glu Tyr Leu His Asp Asn Ile Lys Phe Phe
 210 215 220

Val Asn Pro Thr Gly Lys Phe Val Ile Gly Gly Pro Gln Gly Asp Ala
 225 230 235 240

Gly Leu Thr Gly Arg Lys Ile Ile Val Asp Thr Tyr Gly Gly Ser Cys
 245 250 255

Pro His Gly Gly Gly Ala Phe Ser Gly Lys Asp Pro Ser Lys Val Asp
260 265 270

Arg Ser Ala Ala Tyr Ala Ala Arg Tyr Val Ala Lys Asn Leu Val Ala
275 280 285

Ser Gly Val Cys Asp Lys Ala Thr Val Gln Leu Ala Tyr Ala Ile Gly
290 295 300

Val Ile Glu Pro Val Ser Ile Tyr Val Asn Thr His Asn Thr Ser Lys
305 310 315 320

Tyr Ser Ser Ala Glu Leu Glu Lys Cys Val Lys Ser Val Phe Lys Leu
325 330 335

Thr Pro Lys Gly Ile Ile Glu Ser Leu Asp Leu Leu Arg Pro Ile Tyr
340 345 350

Ser Leu Thr Ser Ala Tyr Gly His Phe Gly Arg Glu Leu Glu Glu Phe
355 360 365

Thr Trp Glu Lys Thr Asn Lys Ala Glu Glu Ile Lys Ala Phe Phe Lys
370 375 380

Arg
385

<210> 198

<211> 338

<212> PRT

<213> Helicobacter pylori

<400> 198

Met Met Lys Ile Val Ile Asp Leu Met Gly Ala Asp His Gly Val Leu
1 5 10 15

Pro Val Ile Glu Gly Val Ser Arg Ala Leu Glu Asn Lys Ser Phe Ser
20 25 30

Thr Val Leu Val Gly Asp Lys Asp Lys Ala Thr Pro Phe Ile Ser Lys
35 40 45

Glu Leu Ala Ser Lys Val Glu Met Ile His Thr Gln Asp Tyr Ile Lys
50 55 60

Met Glu Glu Ala Ala Thr Glu Ala Ile Lys Arg Lys Glu Ser Ser Ile
65 70 75 80

Hp 04-04-03.ST251

Tyr Leu Gly Met Asp Ile Leu Lys Asn Gly Ala Asp Ala Leu Ile Ser
85 90 95

Ala Gly His Ser Gly Ala Thr Met Gly Leu Ala Thr Leu Arg Leu Gly
100 105 110

Arg Ile Lys Gly Val Glu Arg Pro Ala Ile Cys Thr Leu Met Pro Ser
115 120 125

Val Gly Lys Arg Pro Ser Val Leu Leu Asp Ala Gly Ala Asn Thr Asp
130 135 140

Cys Lys Pro Glu Tyr Leu Ile Asp Phe Ala Leu Met Gly Tyr Glu Tyr
145 150 155 160

Ala Lys Ser Val Leu His Tyr Asp Ser Pro Lys Val Gly Leu Leu Ser
165 170 175

Asn Gly Glu Glu Asp Ile Lys Gly Asn Met Leu Val Lys Glu Thr His
180 185 190

Lys Met Leu Lys Ala Tyr Asp Phe Phe Tyr Gly Asn Val Glu Gly Ser
195 200 205

Asp Ile Phe Lys Gly Val Val Asp Val Val Val Cys Asp Gly Phe Met
210 215 220

Gly Asn Val Val Leu Lys Thr Thr Glu Gly Val Ala Ser Ala Ile Gly
225 230 235 240

Ser Ile Phe Lys Asp Glu Ile Lys Ser Ser Phe Lys Ser Lys Met Gly
245 250 255

Ala Leu Met Leu Lys Asn Ala Phe Asp Ile Leu Lys Gln Lys Thr Asp
260 265 270

Tyr Ala Glu Tyr Gly Gly Ala Pro Leu Leu Gly Val Asn Lys Ser Val
275 280 285

Ile Ile Ser His Gly Lys Ser Asn Ala Arg Ala Ile Glu Cys Ala Ile
290 295 300

Tyr Gln Ala Ile Ser Ala Val Glu Ser Gln Val Cys Leu Arg Ile Thr
305 310 315 320

Gln Ala Phe Glu Ser Leu Lys Pro Ser Val Ser Gln Ser Asp Gln Gln
325 330 335

Asp Ala

<210> 199

<211> 331

<212> PRT

<213> Helicobacter pylori

<400> 199

Met Glu Phe Tyr Ala Ser Leu Lys Ser Ile Ala Met His Val Pro Ser
1 5 10 15

Glu Arg Val Lys Asn Ala Glu Phe Gln Gln Phe Leu Asp Thr Ser Asp
20 25 30

Glu Trp Ile Glu Lys Arg Thr Gly Ile Lys Glu Arg Arg Phe Ala Asn
35 40 45

Asp Glu Glu Lys Ser Ser Asp Leu Gly Val Ile Ala Ala Lys Gln Ala
50 55 60

Ile Glu Arg Ala His Leu Thr Pro Lys Asp Ile Asp Leu Val Val Val
65 70 75 80

Ala Thr Leu Ser Pro Asp Phe Leu Ala Met Pro Ser Thr Ala Cys Val
85 90 95

Leu Ser Ala Lys Leu Gly Ile Glu Asn Lys Pro Ala Phe Asp Ile Ser
100 105 110

Ala Ala Cys Thr Gly Phe Ile Tyr Leu Leu Ser Val Ala Lys Ala Tyr
115 120 125

Val Glu Ser Gly Met Tyr Glu Asn Val Leu Ile Val Gly Ala Glu Lys
130 135 140

Thr Ser Ser Val Leu Asp Phe Lys Asp Arg Gly Thr Cys Ile Leu Phe
145 150 155 160

Gly Asp Gly Ala Gly Ala Cys Val Ile Gly Arg Thr Lys Arg Leu Lys
165 170 175

Glu Ser Ile Leu Asp Val Gln Ile Ser Ala Asn Gly Asn Phe Ser Asn
180 185 190

Tyr Leu Tyr Thr Pro Arg Thr Leu Lys Pro Thr Pro Phe Asn Ala Lys
195 200 205

Glu Glu Ala Ser Glu Pro Phe Leu Cys Met Lys Gly Asn Glu Val Phe
210 215 220

Lys Leu Ala Val Lys Thr Leu Leu Lys Asp Val Glu Met Ile Leu Glu
225 230 235 240

Lys Asn Ala Leu Lys Pro Glu Asp Val Arg Leu Phe Ile Pro His Gln
245 250 255

Ala Asn Phe Arg Ile Ile Gln Ala Val Arg Glu His Leu Asp Phe Lys
260 265 270

Asp Glu Gln Val Val Leu Thr Val His Lys Tyr Gly Asn Thr Ser Ala
275 280 285

Ala Ser Ile Pro Met Ala Met Gly Glu Ala Tyr Glu Glu Gly Arg Leu
290 295 300

Lys Lys Gly Asp Leu Met Leu Leu Asp Ala Phe Gly Gly Gly Leu Thr
305 310 315 320

Trp Gly Ser Ala Leu Val Tyr Phe Gly Gly Ser
325 330

<210> 200

<211> 621

<212> PRT

<213> Helicobacter pylori

<400> 200

Met Ser Asn Gln Glu Tyr Thr Phe Gln Thr Glu Ile Asn Gln Leu Leu
1 5 10 15

Asp Leu Met Ile His Ser Leu Tyr Ser Asn Lys Glu Ile Phe Leu Arg
20 25 30

Glu Leu Val Ser Asn Ala Ser Asp Ala Leu Asp Lys Leu Asn Tyr Leu
35 40 45

Met Leu Thr Asp Glu Lys Leu Lys Gly Leu Asn Thr Thr Pro Ser Ile
50 55 60

His Leu Ser Phe Asp Ser Gln Lys Lys Thr Leu Thr Ile Lys Asp Asn
65 70 75 80

Gly Ile Gly Met Asp Lys Asn Asp Leu Ile Glu His Leu Gly Thr Ile
85 90 95

Ala Lys Ser Gly Thr Lys Asn Phe Leu Ser Ala Leu Ser Gly Asp Lys
100 105 110

Lys Lys Asp Ser Ala Leu Ile Gly Gln Phe Gly Val Gly Phe Tyr Ser
115 120 125

Ala Phe Met Val Ala Ser Lys Ile Val Val Gln Thr Lys Lys Val Asn
130 135 140

Ser Asp Gln Ala Tyr Ala Trp Val Ser Asp Gly Lys Gly Lys Phe Glu
145 150 155 160

Ile Ser Glu Cys Val Lys Asp Glu Gln Gly Thr Glu Ile Thr Leu Phe
165 170 175

Leu Lys Asp Glu Asp Ser His Phe Ala Ser Arg Trp Glu Ile Asp Ser
180 185 190

Val Val Lys Lys Tyr Ser Glu His Ile Pro Phe Pro Ile Phe Leu Thr
195 200 205

Tyr Thr Asp Thr Lys His Glu Gly Glu Gly Asp Asn Gln Lys Glu Ile
210 215 220

Lys Glu Glu Lys Cys Glu Gln Ile Asn Gln Ala Ser Ala Leu Trp Lys
225 230 235 240

Met Asn Lys Ser Glu Leu Lys Asp Lys Asp Tyr Lys Glu Phe Tyr Gln
245 250 255

Ser Phe Ala His Asp Asn Ser Glu Pro Leu Ser Tyr Ile His Asn Lys
260 265 270

Val Glu Gly Ser Leu Glu Tyr Thr Thr Leu Phe Tyr Ile Pro Ser Thr
275 280 285

Ala Pro Phe Asp Met Phe Arg Val Asp Tyr Lys Ser Gly Val Lys Leu
290 295 300

Tyr Val Lys Arg Val Phe Ile Thr Asp Asp Asp Lys Glu Leu Leu Pro
305 310 315 320

Ser Tyr Leu Arg Phe Val Lys Gly Val Ile Asp Ser Glu Asp Leu Pro
325 330 335

Leu Asn Val Ser Arg Glu Ile Leu Gln Gln Asn Lys Ile Leu Ala Asn
340 345 350

Ile Arg Ser Ala Ser Val Lys Lys Ile Leu Ser Glu Ile Glu Arg Leu
355 360 365

Ser Lys Asp Glu Lys Asn Tyr His Lys Phe Tyr Glu Pro Phe Gly Lys
370 375 380

Hp 04-04-03.ST251

Val Leu Lys Glu Gly Leu Tyr Gly Asp Phe Glu Asn Lys Glu Lys Leu
385 390 395 400

Leu Glu Leu Leu Arg Phe Tyr Ser Lys Asp Lys Glu Lys Leu Ile Ser
405 410 415

Leu Lys Glu Tyr Lys Glu Asn Leu Lys Glu Asn Gln Lys Ser Ile Tyr
420 425 430

Tyr Leu Leu Gly Glu Asn Leu Asp Leu Leu Lys Ala Ser Pro Leu Leu
435 440 445

Glu Lys Tyr Ala Gln Lys Gly Tyr Asp Val Leu Leu Leu Ser Asp Glu
450 455 460

Ile Asp Ala Phe Val Met Pro Gly Val Asn Glu Tyr Asp Lys Thr Pro
465 470 475 480

Phe Lys Asp Ala Ser His Ser Glu Ser Leu Lys Glu Leu Gly Leu Glu
485 490 495

Glu Ile His Asp Glu Val Lys Asp Gln Phe Lys Asp Leu Met Lys Ala
500 505 510

Phe Glu Glu Asn Leu Lys Asp Glu Ile Lys Gly Val Glu Leu Ser Ser
515 520 525

His Leu Thr Ser Ala Val Ala Leu Ile Gly Asp Glu Gln Asn Ala Met
530 535 540

Met Ala Asn Trp Met Arg Gln Met Gly Gln Ser Val Pro Glu Ser Lys
545 550 555 560

Lys Thr Leu Glu Leu Asn Pro Asn His Ala Ile Leu Gln Lys Leu Leu
565 570 575

Lys Cys Glu Asp Lys Glu Gln Leu Ser Ala Phe Ile Trp Leu Leu Tyr
580 585 590

Asp Gly Ala Lys Leu Leu Glu Lys Gly Ala Leu Lys Asp Ala Lys Ser
595 600 605

Phe Asn Glu Arg Leu Asn Ser Val Leu Leu Lys Ala Leu
610 615 620

<210> 201

<211> 250

<212> PRT

<213> Helicobacter pylori

<400> 201

Met Leu Gly Asn Val Lys Lys Thr Leu Phe Gly Val Leu Cys Leu Gly
1 5 10 15Thr Leu Cys Leu Arg Gly Leu Met Ala Glu Pro Asp Ala Lys Glu Leu
20 25 30Val Asn Leu Gly Ile Glu Ser Ala Lys Lys Gln Asp Phe Ala Gln Ala
35 40 45Lys Thr His Phe Glu Lys Ala Cys Glu Leu Lys Asn Gly Phe Gly Cys
50 55 60Val Phe Leu Gly Ala Phe Tyr Glu Glu Gly Lys Gly Val Gly Lys Asp
65 70 75 80Leu Lys Lys Ala Ile Gln Phe Tyr Thr Lys Gly Cys Glu Leu Asn Asp
85 90 95Gly Tyr Gly Cys Asn Leu Leu Gly Asn Leu Tyr Tyr Asn Gly Gln Gly
100 105 110Val Ser Lys Asp Ala Lys Lys Ala Ser Gln Tyr Tyr Ser Lys Ala Cys
115 120 125Asp Leu Asn His Ala Glu Gly Cys Met Val Leu Gly Ser Leu His His
130 135 140Tyr Gly Val Gly Thr Pro Lys Asp Leu Arg Lys Ala Leu Asp Leu Tyr
145 150 155 160Glu Lys Ala Cys Asp Leu Lys Asp Ser Pro Gly Cys Ile Asn Ala Gly
165 170 175Tyr Ile Tyr Ser Val Thr Lys Asn Phe Lys Glu Ala Ile Val Arg Tyr
180 185 190Ser Lys Ala Cys Glu Leu Lys Asp Gly Arg Gly Cys Tyr Asn Leu Gly
195 200 205Val Met Gln Tyr Asn Ala Gln Gly Thr Ala Lys Asp Glu Lys Gln Ala
210 215 220Val Glu Asn Phe Lys Lys Gly Cys Lys Ser Ser Val Lys Glu Ala Cys
225 230 235 240Asp Ala Leu Lys Glu Leu Lys Ile Glu Leu
245 250

<210> 202

<211> 390

<212> PRT

<213> Helicobacter pylori

<400> 202

Met Arg Lys Lys Gly Met Phe Glu Lys Ile Gln Lys Glu Trp Leu Ser
1 5 10 15

Asn Ile Gln Lys Asp Leu Leu Ser Gly Phe Val Val Gly Leu Ser Val
20 25 30

Ile Pro Glu Thr Ala Gly Phe Ala Ile Met Val Gly Leu Asp Val Gly
35 40 45

Val Ala Phe Tyr Thr Thr Phe Tyr Met Ala Phe Val Leu Ser Leu Phe
50 55 60

Gly Ala Arg Lys Ala Met Ile Ser Ala Ala Ala Gly Ser Val Ala Leu
65 70 75 80

Ile Leu Val Gly Val Val Lys Asn Tyr Gly Leu Glu Tyr Ala Gly Val
85 90 95

Ala Thr Leu Met Ala Gly Val Leu Gln Ile Leu Leu Gly Tyr Leu Lys
100 105 110

Ile Gly Asn Leu Leu Arg Phe Ile Pro Gln Ser Val Met Tyr Gly Phe
115 120 125

Val Asn Ala Leu Gly Ile Leu Leu Leu Met Glu Gln Phe Lys Phe Leu
130 135 140

Gln Asn Gln Asn Leu Gly Val Phe Val Leu Leu Ala Ile Gly Ile Leu
145 150 155 160

Ile Ile Tyr Leu Phe Pro Leu Ile Thr Lys Lys Ile Pro Ser Asn Leu
165 170 175

Ile Cys Ile Leu Ile Val Ser Ala Ile Ala Leu Ile Phe Asp Met His
180 185 190

Ala Pro Asn Leu Gly Ser Ile Glu Gln Gly Val Ser Gly Phe His Phe
195 200 205

Ile Ile Ile Pro Lys Asn Leu Asp Phe Lys Ile Met Ile Glu Leu Leu
210 215 220

Pro Tyr Ala Leu Ser Leu Ala Leu Val Gly Thr Ile Glu Ser Leu Leu
225 230 235 240

Thr Ala Lys Thr Leu Asp Val Ile Leu Lys Asp Gly Val Ser Asp Lys
245 250 255

Asn Lys Glu Thr Lys Ala Gln Gly Leu Gly Asn Ile Ile Ser Gly Leu
260 265 270

Leu Gly Gly Met Thr Gly Cys Ala Leu Val Gly Gln Ser Ile Ile Asn
275 280 285

Ala Lys Ser Gly Ala Lys Thr Arg Leu Ser Thr Phe Phe Ala Gly Phe
290 295 300

Ser Leu Met Val Leu Ile Leu Val Phe Asn Glu Tyr Val Val Lys Ile
305 310 315 320

Pro Ile Val Ala Val Val Ala Val Met Val Met Ile Ser Phe Thr Thr
325 330 335

Phe Asn Phe Gln Ser Ile Ile Asn Ile Lys Lys Ile Lys Leu Tyr Asp
340 345 350

Thr Leu Asn Met Leu Leu Val Val Ala Val Val Leu Tyr Thr His Asn
355 360 365

Leu Ala Ile Gly Val Val Val Gly Val Leu Val Asn Ala Leu Trp Ile
370 375 380

Lys Ser Lys Gly Ile Ala
385 390

<210> 203

<211> 483

<212> PRT

<213> Helicobacter pylori

<400> 203

Met Lys Lys Thr Ile Leu Leu Ser Leu Met Val Ser Ser Leu Leu Ala
1 5 10 15

Glu Asn Asp Gly Val Phe Met Ser Val Gly Tyr Gln Ile Gly Glu Ala
20 25 30

Val Gln Gln Val Lys Asn Thr Gly Glu Ile Gln Lys Val Ser Asn Ala
35 40 45

Tyr Glu Asn Leu Asn Asn Leu Leu Thr Arg Tyr Asn Glu Leu Lys Gln
 50 55 60
 Thr Ala Ser Asn Thr Asn Ser Ser Thr Ala Gln Ala Ile Asp Asn Leu
 65 70 75 80
 Lys Glu Ser Ala Ser Arg Leu Lys Thr Thr Pro Asn Ser Ala Asn Gln
 85 90 95
 Ala Val Ser Ser Ala Leu Ser Ser Ala Val Ala Met Trp Gln Val Ile
 100 105 110
 Val Ser Asn Leu Ala Asn Asn Ser Leu Pro Thr Ser Glu Tyr Asn Lys
 115 120 125
 Ile Asn Ala Ile Ser Gln Ser Leu Gln Asn Thr Leu Glu Asn Lys Asn
 130 135 140
 Asn Asp Leu Lys Ile Glu Asn Asp Tyr Asp His Leu Leu Thr Gln Ala
 145 150 155 160
 Ser Thr Ile Ile Asn Thr Leu Gln Ser Gln Cys Pro Gly Ile Asp Gly
 165 170 175
 Gly Asn Gly Lys Pro Trp Gly Ile Asn Ala Ser Gly Asn Ala Cys Asn
 180 185 190
 Ile Phe Gly Asn Thr Phe Asn Ala Ile Thr Ser Met Ile Asp Ser Ala
 195 200 205
 Lys Lys Ala Ala Ala Asp Ala Arg Arg Thr Ala Pro Glu Ser Pro Asn
 210 215 220
 Gln Pro Ser Ala Phe Asn Asn Ala Asp Phe Asn Lys Asn Leu Asn Gln
 225 230 235 240
 Val Ser Ser Val Ile Asn Asp Thr Ile Ser Tyr Leu Lys Gly Asp Asn
 245 250 255
 Leu Ala Thr Ile Tyr Asn Thr Leu Gln Lys Thr Pro Asp Ser Lys Gly
 260 265 270
 Phe Gln Ser Leu Val Ser Arg Ser Ser Tyr Ser Tyr Ser Leu Asn Glu
 275 280 285
 Thr Gln Tyr Ser Glu Phe Gln Thr Thr Thr Lys Glu Phe Gly His Asn
 290 295 300
 Pro Phe Arg Ser Val Gly Leu Ile Asn Ser Gln Ser Asn Asn Gly Ala
 305 310 315 320

Met Asn Gly Val Gly val Gln Leu Gly Tyr Lys Gln Phe Phe Gly Lys
325 330 335

Asn Lys Phe Phe Gly Ile Arg Tyr Tyr Ala Phe Phe Asp Tyr Asn His
340 345 350

Ala Tyr Ile Lys Ser Asn Phe Phe Asn Ser Ala Ser Asn Val Phe Thr
355 360 365

Tyr Gly Ala Gly Ser Asp Leu Leu Leu Asn Phe Ile Asn Gly Gly Ser
370 375 380

Asp Lys Asn Arg Lys Val Ser Phe Gly Ile Phe Gly Gly Ile Ala Leu
385 390 395 400

Ala Gly Thr Thr Trp Leu Asn Ser Gln Phe Met Asn Leu Lys Thr Thr
405 410 415

Asn Ser Ala Tyr Ser Ala Lys Ile Asn Asn Thr Asn Phe Gln Phe Leu
420 425 430

Phe Asn Thr Gly Leu Arg Leu Gln Gly Ile His His Gly Val Glu Leu
435 440 445

Gly Val Lys Ile Pro Thr Ile Asn Thr Asn Tyr Tyr Ser Phe Met Gly
450 455 460

Ala Lys Leu Ala Tyr Arg Arg Leu Tyr Ser Val Tyr Phe Asn Tyr Val
465 470 475 480

Leu Ala Tyr

<210> 204

<211> 355

<212> PRT

<213> Helicobacter pylori

<400> 204

Met Gly Val Lys Phe Leu Lys Ile Leu Val Cys Gly Leu Phe Phe Trp
1 5 10 15

Ser Leu Asn Ala His Leu Trp Gly Lys Gln Asp Asn Ser Phe Leu Gly
20 25 30

Val Ala Glu Lys Ala Tyr Lys Ser Gly Asn Tyr Ser Lys Ala Thr Ser
35 40 45

Tyr Phe Lys Lys Ala Cys Asn Asp Gly Val Ser Glu Gly Cys Thr Gln
50 55 60

Leu Gly Ile Ile Tyr Glu Asn Gly Gln Gly Thr Arg Ile Asp Tyr Lys
65 70 75 80

Lys Ala Leu Glu Tyr Tyr Lys Thr Ala Cys Gln Ala Asp Asp Arg Glu
85 90 95

Gly Cys Phe Gly Leu Gly Gly Leu Tyr Asp Glu Gly Leu Gly Thr Thr
100 105 110

Gln Asn Tyr Gln Glu Ala Ile Asp Ala Tyr Ala Lys Ala Cys Val Leu
115 120 125

Lys His Pro Glu Ser Cys Tyr Asn Leu Gly Ile Ile Tyr Asp Arg Lys
130 135 140

Ile Lys Gly Asn Ala Asp Gln Ala Val Thr Tyr Tyr Gln Lys Ser Cys
145 150 155 160

Asn Phe Asp Met Ala Lys Gly Cys Tyr Val Leu Gly Val Ala Tyr Glu
165 170 175

Lys Gly Phe Leu Glu Val Lys Gln Ser Asn His Lys Ala Val Ile Tyr
180 185 190

Tyr Leu Lys Ala Cys Arg Leu Asp Asp Gly Gln Ala Cys Arg Ala Leu
195 200 205

Gly Ser Leu Phe Glu Asn Gly Asp Ala Gly Leu Asp Glu Asp Phe Glu
210 215 220

Val Ala Phe Asp Tyr Leu Gln Lys Ala Cys Gly Leu Asn Asn Ser Gly
225 230 235 240

Gly Cys Ala Ser Leu Gly Ser Met Tyr Met Leu Gly Arg Tyr Val Lys
245 250 255

Lys Asp Pro Gln Lys Ala Phe Asn Phe Phe Lys Gln Ala Cys Asp Met
260 265 270

Gly Ser Ala Val Ser Cys Ser Arg Met Gly Phe Met Tyr Ser Gln Gly
275 280 285

Asp Ala Val Pro Lys Asp Leu Arg Lys Ala Leu Asp Asn Tyr Glu Arg
290 295 300

Gly Cys Asp Met Gly Asp Glu Val Gly Cys Phe Ala Leu Ala Gly Met
305 310 315 320

Tyr Tyr Asn Met Lys Asp Lys Glu Asn Ala Ile Met Ile Tyr Asp Lys
325 330 335

Gly Cys Lys Leu Gly Met Lys Gln Ala Cys Glu Asn Leu Thr Lys Leu
340 345 350

Arg Gly Tyr
355

<210> 205

<211> 449

<212> PRT

<213> Helicobacter pylori

<400> 205

Met Glu Leu Glu Thr His Leu Ser Lys Tyr Phe Thr Leu Ala Phe Thr
1 5 10 15

His Lys Ser Met Ser Leu Glu Met Arg Glu Lys Leu Ala Ile Asn Ser
20 25 30

Asn Ala Thr Leu Lys Glu Phe Leu Gln Thr Ile Lys Asn His Cys Pro
35 40 45

Asn Ile Lys Glu Cys Met Val Leu Ser Thr Cys Asn Arg Phe Glu Ile
50 55 60

Tyr Ala Ser Leu Lys His Gly Ala Asn Thr Asn Glu Gln Lys Asn Ala
65 70 75 80

Leu Leu Lys Ile Leu Ala Gln Asn Lys Lys Met Ser Val Ser Asp Leu
85 90 95

Glu Lys Cys Val Leu Met Asn Thr Asp Glu Ser Ala Val His His Val
100 105 110

Phe Ser Val Cys Ser Ser Leu Asp Ser Leu Val Val Gly Glu Thr Gln
115 120 125

Ile Thr Gly Gln Met Lys Asn Ala Tyr Lys Phe Ala Phe Glu Glu Lys
130 135 140

Phe Cys Ser Lys Asp Leu Thr Arg Leu Leu His Phe Ala Phe Lys Cys
145 150 155 160

Ala Ala Lys Val Arg Asn Leu Thr Gly Ile Ser Lys Gln Gly Val Ser
165 170 175

Ile Ser Ser Val Ala Val Lys Glu Ala Leu Asn Ile Phe Glu Lys Glu
180 185 190

Arg Ile Lys Asp Lys Lys Ala Leu Val Ile Gly Leu Gly Glu Met Ala
195 200 205

Gln Leu Val Ile Lys His Leu Leu Asn Lys Gln Phe Glu Ala Leu Ile
210 215 220

Leu Gly Arg Asn Ala Ala Lys Phe Glu Asp Phe Ile Lys Glu Leu Glu
225 230 235 240

Glu Pro Lys Lys Val Ser Phe Gln Asn Ile Glu Asn Leu Asn Ala Tyr
245 250 255

Ile Asn Glu Tyr Glu Leu Leu Phe Cys Ala Thr Ser Ser Pro His Phe
260 265 270

Ile Val Gln Asn Arg Met Leu Lys Glu Thr Ile Phe Arg Arg Phe Trp
275 280 285

Phe Asp Leu Ala Val Pro Arg Asn Ile Glu Lys Pro Val Leu Asp Asn
290 295 300

Ile Phe Leu Tyr Ser Val Asp Asp Leu Glu Pro Met Val Arg Glu Asn
305 310 315 320

Val Glu Asn Arg Gln Glu Ser Arg Met Arg Ala Tyr Glu Ile Val Gly
325 330 335

Leu Ala Thr Met Glu Phe Tyr Gln Trp Ile Gln Ser Leu Glu Val Glu
340 345 350

Pro Val Ile Lys Asp Leu Arg Glu Leu Ala Arg Ile Ser Ala Gln Lys
355 360 365

Glu Leu Gln Lys Ala Leu Lys Lys Arg Tyr Val Pro Lys Glu Tyr Glu
370 375 380

Asn Asn Ile Glu Lys Ile Leu His Asn Ala Phe Asn Thr Phe Leu His
385 390 395 400

Asn Pro Thr Ile Ala Leu Lys Lys Asn Ala Gln Lys Glu Glu Ser Asp
405 410 415

Val Leu Val Gly Ala Ile Lys Asn Leu Phe Asn Leu Asp Lys Ser Asn
420 425 430

Ala Asn His Ala Gln Asn Leu Asn Leu Tyr Lys Cys Glu Tyr Tyr Glu
435 440 445

Glu

<210> 206

<211> 348

<212> PRT

<213> Helicobacter pylori

<400> 206

Met Phe Ile Val Ala Val Leu Met Leu Ala Phe Leu Ile Phe Val His
1 5 10 15

Glu Leu Gly His Phe Thr Ile Ala Arg Ile Cys Gly Val Lys Val Glu
20 25 30

Val Phe Ser Ile Gly Phe Gly Lys Lys Leu Cys Phe Phe Lys Leu Phe
35 40 45

Gly Thr Gln Phe Ala Leu Ser Leu Ile Pro Leu Gly Gly Tyr Val Lys
50 55 60

Leu Lys Gly Met Asp Lys Glu Glu Asn Gly Met Asn Glu Thr Thr Asp
65 70 75 80

Asp Ser Tyr Ala Gln Lys Ser Pro Phe Gln Lys Leu Trp Ile Leu Phe
85 90 95

Gly Gly Ala Phe Phe Asn Phe Leu Phe Ala Ile Leu Val Tyr Phe Phe
100 105 110

Leu Ala Leu Gly Gly Glu Lys Val Leu Leu Pro Val Ile Gly Asp Leu
115 120 125

Asp Lys Asn Ala Leu Glu Ala Gly Leu Leu Lys Gly Asp Lys Ile Leu
130 135 140

Ser Ile Asn His Lys Lys Ile Ala Ser Phe Arg Glu Ile Arg Ser Val
145 150 155 160

Val Ala Arg Ala Arg Gly Glu Leu Val Leu Glu Ile Glu Arg Asn His
165 170 175

Gln Val Leu Glu Lys Arg Leu Thr Pro Lys Ile Val Ala Val Ile Ser
180 185 190

Asp Ser Asn Asp Pro Asn Glu Met Ile Arg Tyr Lys Ala Ile Gly Ile
195 200 205

Lys Pro Asp Met Gln Lys Met Gly Val Val Ser Tyr Ser Leu Phe Gln
 210 215 220
 Ala Phe Glu Lys Ala Leu Ser Arg Phe Lys Glu Gly Val Val Leu Ile
 225 230 235 240
 Val Asp Ser Leu Arg Arg Leu Ile Met Gly Ser Ser Ser Val Lys Glu
 245 250 255
 Leu Ser Gly Val Val Gly Ile Val Gly Ala Leu Ser His Ala Asn Ser
 260 265 270
 Leu Ser Met Leu Leu Leu Phe Gly Ala Phe Leu Ser Ile Asn Leu Gly
 275 280 285
 Ile Leu Asn Leu Leu Pro Ile Pro Ala Leu Asp Gly Ala Gln Met Leu
 290 295 300
 Gly Val Val Phe Lys Asn Ile Phe His Ile Thr Leu Pro Thr Pro Ile
 305 310 315 320
 Gln Asn Ala Leu Trp Leu Ala Gly Val Gly Phe Leu Val Phe Ile Met
 325 330 335
 Phe Leu Gly Leu Phe Asn Asp Leu Thr Arg Leu Leu
 340 345

<210> 207

<211> 378

<212> PRT

<213> Helicobacter pylori

<400> 207

Met Leu Leu Lys Asn Ala Ser Phe Tyr Asp Asp Glu Val Leu Lys Arg
 1 5 10 15
 Ala Asp Ile Arg Leu Lys Asp Ser Leu Ile Thr Glu Ile Lys Glu Asn
 20 25 30
 Leu Ser Pro Ile Asn Asn Glu Glu Val Ile Glu Cys Arg Asp Leu Phe
 35 40 45
 Val Leu Pro Ser Phe Ile Asp Leu Ser Val Thr Gly Leu Glu Gly Tyr
 50 55 60
 Glu Asn Leu Lys Gln Lys Ala Phe Lys Gly Gly Val Gly Leu Leu Asn
 65 70 75 80

Val Phe Asn Cys Asp Gln Ser Gly Ile Lys Asn Ile Met Ala Ile Lys
85 90 95

Asn Asn Gln Leu Ala Asp Ile Ala Thr Leu Lys Asn Lys Gly Gly Glu
100 105 110

Ile Leu Ile Ala Pro Ser Asp Ala Phe Leu Glu Leu Ile Ser His Tyr
115 120 125

Ala Lys Ser Tyr Asn Leu Pro Leu Leu Ile Ser Leu Glu Asn Ser Phe
130 135 140

Glu Ala Leu Asn Ser Gly Glu Leu Ala Tyr Glu Leu Gly Gln Asn Phe
145 150 155 160

Val Glu Asn Ala Phe Glu Asn Thr Arg Leu Val Arg Phe Met Glu Val
165 170 175

Ser Arg Ala Leu Gln Ile Pro Val Leu Leu Asp Lys Val Asn Ser Ile
180 185 190

Thr Thr Leu Lys Leu Ile Lys Ala Phe Asn Asp Leu Gly Ala Lys Leu
195 200 205

Gln Ala Gln Thr Pro Leu Ser His Leu Val Leu Asp Glu Ser Val Tyr
210 215 220

Glu Asp Tyr Glu Pro Arg Phe Lys Ile Ala Pro Pro Leu Arg Asp Lys
225 230 235 240

Glu Ser Gln Asn Ala Leu Lys Glu Ala Leu Lys Asn Asn Glu Ile Ala
245 250 255

Met Leu Thr Ser Leu His Ala Ser Lys Asn Ser Asn Ala Gln Leu Phe
260 265 270

Glu Glu Ser Ala Phe Gly Cys Glu Ser Ile Glu Asp Ala Phe Ser Val
275 280 285

Ala Tyr Thr Phe Leu Val Gln Lys Lys Val Ile Ser Phe Gln Gln Leu
290 295 300

Ile Lys Val Met Ala Ile Asn Gln Ala Lys Phe Leu Lys Leu Asn Ala
305 310 315 320

Gly Glu Val Lys Glu Asn Gln Leu Ala Asn Leu Met Ile Val Asp Leu
325 330 335

Asn Ala Gln Thr Arg Val Ser Asn Gln Asn Ser Pro Phe Tyr Gly Leu
340 345 350

Glu Leu Tyr Gly Glu Val Gln Arg Met Ile Leu Lys Gly Gln Thr Thr
355 360 365

Phe Ile Lys Glu Asn Ala Cys Lys Lys Ser
370 375

<210> 208

<211> 340

<212> PRT

<213> Helicobacter pylori

<400> 208

Leu Lys Ile Ala Ile Val Arg Leu Ser Ala Leu Gly Asp Ile Ile Val
1 5 10 15

Ser Ala Val Phe Leu Ala Val Ile Lys Glu Cys Leu Pro Asn Ala Gln
20 25 30

Ile Glu Trp Phe Val Asp Glu Arg Phe Ser Ala Ile Leu Glu His Ser
35 40 45

Pro Tyr Ile Asp Lys Leu His Pro Ile Ala Leu Lys Ser Ala Leu Lys
50 55 60

Thr Leu Asn Pro Leu Lys Ile Phe Lys Leu Phe Lys Ser Leu Arg Ala
65 70 75 80

Tyr Glu Tyr Asp Ile Ile Ile Asp Met Gln Gly Leu Val Lys Ser Ala
85 90 95

Leu Ile Thr Gln Met Leu Lys Ala Pro Lys Lys Val Gly Phe Asp Tyr
100 105 110

Ala Ser Ala Arg Glu Gly Leu Ser Met Phe Phe Tyr Ser Gln Lys Val
115 120 125

Ser Ile Ala Tyr Asp Glu Pro Val Leu Lys Arg Asn Phe Thr Leu Leu
130 135 140

Ser His Ala Leu Asn Leu Pro Gln Lys Glu Ile Ser Lys Glu Ile Ser
145 150 155 160

Glu Ser Leu Ser Ser Arg Ala Lys Ala Phe Ser Tyr Gln Pro Ser Pro
165 170 175

Lys Ile Asp Ala Leu Asn Leu Asn Lys Asn Lys Pro Lys Ile Leu Phe
180 185 190

Ile Leu Glu Thr Ser Lys Ile Asn Lys Thr Tyr Pro Ile Glu Arg Phe
195 200 205

Lys Glu Leu Ala Leu Ile Leu Glu Asn Phe Gln Ile Cys Leu Leu Trp
210 215 220

His Ala Asp Glu Tyr Lys Ala Thr Thr Leu Tyr His Ala Leu Lys His
225 230 235 240

Gln Arg Asp Val Leu Leu Leu Pro Lys Leu Thr Leu Asn Glu Val Lys
245 250 255

Ala Leu Leu Phe Lys Met Asp Leu Ile Ile Gly Gly Asp Thr Gly Ile
260 265 270

Thr His Leu Ala Trp Ala Leu Gln Lys Pro Ser Ile Thr Leu Tyr Gly
275 280 285

Asn Thr Pro Met Glu Arg Phe Lys Leu Glu Ser Pro Ile Asn Val Ser
290 295 300

Leu Thr Gly Asn Ser Asn Ala Asn Tyr His Lys Lys Asp Phe Ser Ile
305 310 315 320

Gln Asn Ile Glu Pro Lys Lys Ile Lys Glu Cys Val Leu Asn Ile Leu
325 330 335

Lys Glu Lys Glu
340

<210> 209

<211> 2893

<212> PRT

<213> Helicobacter pylori

<400> 209

Met Lys Lys Phe Lys Lys Lys Pro Lys Ser Ile Lys Arg Ser His Gln
1 5 10 15

Asn Gln Lys Thr Ile Leu Lys Arg Pro Leu Trp Leu Met Pro Leu Leu
20 25 30

Ile Ser Gly Phe Ala Ser Gly Val Tyr Ala Asn Asn Leu Trp Asp Leu
35 40 45

Leu Asn Pro Lys Val Gly Gly Glu Tyr Val His Trp Val Lys Gly Ser
50 55 60

Gln Tyr Cys Ala Trp Trp Glu Phe Ala Gly Cys Leu Lys Asn Val Trp
65 70 75 80

Gly Ala Asn His Lys Gly Tyr Asp Ala Gly Asn Ala Ala Asn Tyr Leu
85 90 95

Ser Ser Gln Asn Tyr Gln Ala Ile Ser Val Gly Ser Gly Asn Glu Thr
100 105 110

Gly Thr Tyr Ser Leu Ser Gly Phe Thr Asn Tyr Val Gly Gly Asn Leu
115 120 125

Thr Ile Asn Leu Gly Asn Ser Val Val Leu Asp Leu Ser Gly Ser Asn
130 135 140

Ser Phe Thr Ser Tyr Gln Gly Tyr Asn Gln Gly Lys Asp Asp Val Thr
145 150 155 160

Phe Thr Val Gly Ala Ile Asn Leu Asn Gly Thr Leu Glu Val Gly Asn
165 170 175

Arg Val Gly Ser Gly Ala Gly Thr His Thr Gly Thr Ala Thr Leu Asn
180 185 190

Leu Asn Ala Asn Lys Val Asn Ile Asn Ser Asn Ile Asn Ala Tyr Lys
195 200 205

Thr Ser Gln Val Asn Ile Gly Asn Ala Asn Ser Val Ile Thr Ile Gly
210 215 220

Ser Val Ser Leu Ser Gly Asp Val Cys Ser Ser Leu Ala Ser Val Gly
225 230 235 240

Ile Gly Ala Asn Cys Ser Thr Ser Gly Pro Ser Tyr Ser Phe Lys Gly
245 250 255

Thr Thr Asn Ala Thr Asn Thr Ala Phe Ser Asn Ala Ser Gly Ser Phe
260 265 270

Thr Phe Glu Glu Asn Ala Thr Phe Ser Gly Ala Lys Trp Asn Gly Gly
275 280 285

Thr Tyr Thr Phe Asn Lys Glu Phe Ser Ala Thr Asn Asn Thr Ala Phe
290 295 300

Ser Ser Gly Ser Phe Asn Phe Lys Gly Val Ser Ser Phe Asn Gly Thr
305 310 315 320

Ser Phe Ser Asn Ala Ser Tyr Thr Phe Asp Asn Gln Ala Thr Phe Gln
325 330 335

Asn Ser Ser Phe Asn Gly Gly Thr Phe Thr Phe Asn Asn Gln Thr Asn
 340 345 350
 Pro Thr Asn Asn Ala Gln His Pro Gln Ile Gln Asn Ser Ser Phe Ser
 355 365
 Gly Asn Ala Thr Thr Leu Lys Gly Phe Val Asn Phe Gln Gln Ala Phe
 370 375 380
 Asn Asn Ser Asn His Gln Leu Thr Ile Gln Asn Ala Ser Phe Asn Asn
 385 390 395 400
 Ala Thr Phe Asn Asn Thr Gly Lys Ile Thr Ile Glu Lys Asp Ala Ser
 405 410 415
 Phe Asn Asn Thr Thr Phe Asn Thr Ser Val Asp Thr Asn Asn Met Ser
 420 425 430
 Val Thr Gly Gly Val Thr Leu Ser Gly Lys Asn Asp Leu Lys Asn Gly
 435 440 445
 Ser Thr Leu Asp Phe Gly Ser Ser Lys Ile Thr Leu Ala Gln Gly Thr
 450 455 460
 Thr Phe Asn Leu Thr Ser Leu Gly Ser Glu Lys Ser Val Thr Ile Leu
 465 470 475 480
 Asn Ser Ser Gly Gly Ile Thr Tyr Ser Asn Leu Leu Asn His Ala Ile
 485 490 495
 Asn Gly Leu Thr Ser Ala Leu Lys Thr Asn Glu Ser Leu Ser Asn Pro
 500 505 510
 Gln Ser Phe Ala Gln Gly Leu Trp Asp Ile Ile Thr Tyr Asn Gly Val
 515 520 525
 Thr Gly Gln Leu Leu Asn Glu Asn Ala Ala Thr Ser Lys Pro Thr Asp
 530 535 540
 Ser Ser Pro Ser Lys Ser Ser Thr Asn Ser Thr Gln Val Tyr Gln Val
 545 550 555 560
 Gly Tyr Lys Ile Gly Asp Thr Ile Tyr Lys Leu Gln Glu Thr Phe Ser
 565 570 575
 His Asn Ser Ile Ile Ile Gln Ala Leu Glu Ser Gly Thr Tyr Thr Pro
 580 585 590
 Pro Pro Val Ile Asn Gly Ser Lys Phe Asp Leu Ser Ala Ser Asn Tyr
 595 600 605

Ile Asn Ala Asp Met Pro Trp Tyr Asp His Lys Tyr Tyr Ile Pro Lys
610 615 620

Ser Gln Asn Phe Thr Glu Ser Gly Thr Tyr Tyr Leu Pro Ser Val Gln
625 630 635 640

Ile Trp Gly Ser Tyr Thr Asn Ser Phe Lys Gln Thr Phe Ser Ala Asn
645 650 655

Gly Ser Asn Leu Val Ile Gly Tyr Asn Ser Thr Trp Thr Asp His Asn
660 665 670

Val Ser Ser Ser Gly Thr Val Ser Phe Gly Asp Thr Ser Gly Ser Ala
675 680 685

Leu Asn Gly His Cys Gly Pro Trp Pro Tyr Tyr Gln Cys Thr Gly Thr
690 695 700

Thr Asn Gly Thr Tyr Ser Ala Tyr His Val Tyr Ile Thr Ala Asn Leu
705 710 715 720

Arg Ser Gly Asn Arg Ile Gly Thr Gly Gly Ala Ala Asn Leu Ile Phe
725 730 735

Asn Gly Val Asp Ser Ile Asn Ile Ala Asn Ala Thr Ile Thr Gln His
740 745 750

Asn Ala Gly Ile Tyr Ser Ser Ser Met Thr Phe Ser Thr Gln Ser Met
755 760 765

Asp Asn Ser Gln Asn Leu Asn Gly Leu Asn Ser Asn Gly Lys Leu Ser
770 775 780

Val Tyr Gly Thr Thr Phe Thr Asn Glu Ala Lys Asp Gly Lys Phe Ile
785 790 795 800

Phe Asn Ala Gly Gln Ala Val Phe Glu Asn Thr Asn Phe Asn Gly Gly
805 810 815

Ser Tyr Gln Phe Ser Gly Asp Ser Leu Asn Phe Ser Asn Asn Asn Gln
820 825 830

Phe Asn Ser Gly Ser Phe Glu Ile Ser Ala Lys Asn Ala Ser Phe Asn
835 840 845

Asn Ala Asn Phe Asn Asn Ser Ala Ser Phe Asn Phe Asn Asn Ser Asn
850 855 860

Ala Thr Thr Ser Phe Val Gly Asp Phe Thr Asn Ala Asn Ser Asn Leu
865 870 875 880

Gln Ile Ala Gly Asn Ala Val Phe Gly Asn Ser Thr Asn Gly Ser Gln
885 890 895

Asn Thr Ala Asn Phe Asn Asn Thr Gly Ser Val Asn Ile Ser Gly Asn
900 905 910

Ala Thr Phe Asp Asn Val Val Phe Asn Gly Pro Thr Asn Thr Ser Val
915 920 925

Lys Gly Gln Val Thr Leu Asn Asn Ile Thr Leu Lys Asn Leu Asn Ala
930 935 940

Pro Leu Ser Phe Gly Asp Gly Thr Ile Thr Phe Asn Ala His Ser Val
945 950 955 960

Ile Asn Ile Ala Glu Ser Ile Thr Asn Gly Asn Pro Ile Thr Leu Val
965 970 975

Ser Ser Ser Lys Glu Ile Glu Tyr Asn Asn Ala Phe Ser Lys Asn Leu
980 985 990

Trp Gln Leu Ile Asn Tyr Gln Gly His Gly Ala Ser Ser Glu Lys Leu
995 1000 1005

Val Ser Ser Ala Gly Asn Gly Val Tyr Asp Val Val Tyr Ser Phe
1010 1015 1020

Asn Asn Gln Thr Tyr Asn Phe Gln Glu Val Phe Ser Gln Asn Ser
1025 1030 1035

Ile Ser Ile Arg Arg Leu Gly Val Asn Met Val Phe Asp Tyr Val
1040 1045 1050

Asp Met Glu Lys Ser Asp His Leu Tyr Tyr Gln Asn Ala Leu Gly
1055 1060 1065

Phe Met Thr Tyr Met Pro Asn Ser Tyr Asn Asn Asn Leu Gly Asn
1070 1075 1080

Ala Asn Asn Thr Ile Tyr Tyr Tyr Asp Lys Ser Ile Asp Phe Tyr
1085 1090 1095

Ala Ser Gly Lys Thr Leu Phe Thr Lys Ala Glu Phe Ser Gln Thr
1100 1105 1110

Phe Thr Gly Gln Asn Ser Ala Ile Val Phe Gly Ala Lys Ser Ile
1115 1120 1125

Trp Thr Ser Leu Ser Asp Ala Pro Gln Ser Asn Thr Ile Ile Arg
1130 1135 1140

Phe Gly Asp Asn Lys Gly Ala Gly Ser Asn Asp Ala Ser Gly His
 1145 1150 1155
 Cys Trp Asn Leu Gln Cys Ile Gly Phe Ile Thr Gly His Tyr Glu
 1160 1165 1170
 Ala Gln Lys Ile Tyr Ile Thr Gly Ser Ile Glu Ser Gly Asn Arg
 1175 1180 1185
 Ile Ser Ser Gly Gly Gly Ala Ser Leu Asn Phe Asn Gly Leu Gln
 1190 1195 1200
 Gly Ile Leu Leu Thr Asn Ala Thr Leu Tyr Asn Arg Ala Ala Gly
 1205 1210 1215
 Thr Gln Ser Ser Ser Met Asn Phe Ile Ser Asn Ser Ala Asn Ile
 1220 1225 1230
 Gln Ala Gln Asn Ser Tyr Phe Ile Asp Asp Thr Ala Gln Asn Gly
 1235 1240 1245
 Gly Asn Pro Asn Phe Ser Phe Asn Ala Leu Asn Leu Asp Phe Ser
 1250 1255 1260
 Asn Ser Ser Phe Arg Gly Tyr Val Gly Lys Thr Gln Ser Val Phe
 1265 1270 1275
 Lys Phe Asn Ala Lys Asn Ala Ile Ser Phe Thr Asn Ser Thr Asn
 1280 1285 1290
 Leu Ser Ser Gly Leu Tyr Gln Met Gln Ala Lys Ser Val Leu Phe
 1295 1300 1305
 Asp Asn Ser Asn Leu Ser Val Ser Val Gly Thr Ser Ser Ile Lys
 1310 1315 1320
 Ala Asn Ala Ile Asn Leu Ser Gln Asn Ala Ser Ile Asn Ala Ser
 1325 1330 1335
 Asn His Ser Thr Leu Glu Leu Gln Gly Asp Leu Asn Val Asn Asp
 1340 1345 1350
 Thr Ser Ser Leu Asn Leu Asn Gln Ser Thr Ile Asn Val Ser Asn
 1355 1360 1365
 Asn Ala Thr Ile Asn Asp Tyr Ala Ser Leu Ile Ala Ser Asn Gly
 1370 1375 1380
 Ser His Leu Asn Phe Asn Gly Ala Val Asn Phe Asn Ser Ala Asn
 1385 1390 1395

Ile Thr Thr Ser Leu Asn Asn Ser Ser Ile Val Phe Lys Gly Ala
1400 1405 1410

Val Ser Leu Gly Gly Gln Phe Asn Leu Ser Asn Asn Ser Ser Leu
1415 1420 1425

Asp Phe Gln Gly Ser Ser Ala Ile Thr Ser Asn Thr Ala Phe Asn
1430 1435 1440

Phe Tyr Asp Asn Ala Phe Ser Gln Ser Pro Ile Thr Phe His Gln
1445 1450 1455

Ala Leu Asp Ile Lys Ala Pro Leu Ser Leu Gly Gly Asn Leu Leu
1460 1465 1470

Asn Pro Asn Asn Ser Ser Val Leu Asp Leu Lys Asn Ser Gln Leu
1475 1480 1485

Val Phe Gly Asp Gln Gly Ser Leu Asn Ile Ala Asn Ile Asp Leu
1490 1495 1500

Leu Ser Asp Leu Asn Asp Asn Lys Asn Arg Val Tyr Asn Ile Ile
1505 1510 1515

Gln Ala Asp Met Asn Ser Asn Trp Tyr Glu Arg Ile Ser Phe Phe
1520 1525 1530

Gly Met His Ile Asn Asp Gly Ile Tyr Asp Ala Lys Asn Gln Thr
1535 1540 1545

Tyr Ser Phe Thr Asn Pro Leu Asn Asn Ala Leu Lys Ile Thr Glu
1550 1555 1560

Ser Phe Lys Asp Asn Gln Leu Ser Val Thr Leu Ser Gln Ile Pro
1565 1570 1575

Gly Ile Lys Asn Thr Leu Tyr Asn Ile Gly Ser Glu Ile Phe Asn
1580 1585 1590

Tyr Gln Lys Val Tyr Asn Asn Ala Asn Gly Val Tyr Ser Tyr Ser
1595 1600 1605

Asp Asp Ala Gln Gly Val Phe Tyr Leu Thr Ser Asn Val Lys Gly
1610 1615 1620

Tyr Tyr Asn Pro Asn Gln Ser Tyr Gln Ala Ser Gly Ser Asn Asn
1625 1630 1635

Thr Thr Lys Asn Asn Asn Leu Thr Ser Glu Ser Ser Ile Ile Ser
1640 1645 1650

Gln Thr Tyr Asn Ala Gln Gly Asn Pro Ile Ser Ala Leu His Ile
1655 1660 1665

Tyr Asn Lys Gly Tyr Asn Phe Asn Asn Ile Lys Ala Leu Gly Gln
1670 1675 1680

Met Ala Leu Lys Leu Tyr Pro Glu Ile Lys Lys Val Leu Gly Asn
1685 1690 1695

Asp Phe Ser Pro Ser Ser Leu Asn Ala Leu Asn Ser Asn Ala Leu
1700 1705 1710

Asn Gln Leu Thr Lys Leu Ile Thr Pro Asn Asp Trp Lys Asn Ile
1715 1720 1725

Asn Glu Leu Ile Asp Asn Ala Asn Asn Ser Val Val Gln Asn Phe
1730 1735 1740

Asn Asn Gly Thr Leu Ile Val Gly Ala Thr Gln Ile Gly Gln Thr
1745 1750 1755

Asp Thr Asn Ser Ala Val Val Phe Gly Gly Leu Gly Tyr Gln Thr
1760 1765 1770

Pro Cys Asp Tyr Thr Asp Ile Val Cys Gln Lys Phe Arg Gly Thr
1775 1780 1785

Tyr Leu Gly Gln Leu Leu Glu Ser Ser Ser Ala Asp Leu Gly Tyr
1790 1795 1800

Ile Asp Thr Thr Phe Asn Ala Lys Glu Ile Tyr Leu Thr Gly Thr
1805 1810 1815

Leu Gly Ser Gly Asn Ala Trp Gly Thr Gly Gly Ser Ala Ser Val
1820 1825 1830

Thr Phe Asn Ser Gln Thr Ser Leu Ile Leu Asn Gln Ala Asn Ile
1835 1840 1845

Val Ser Ser Gln Thr Asp Gly Ile Phe Ser Met Leu Gly Gln Glu
1850 1855 1860

Gly Ile Asn Lys Val Phe Asn Gln Ala Gly Leu Ala Asn Ile Leu
1865 1870 1875

Gly Glu Val Ala Val Gln Ser Ile Asn Lys Ala Gly Gly Leu Gly
1880 1885 1890

Asn Leu Ile Val Asn Thr Leu Gly Ser Asn Ser Val Ile Gly Gly
1895 1900 1905

Tyr Leu Thr Pro Glu Gln Lys Asn Gln Thr Leu Ser Gln Leu Leu
 1910 1915 1920
 Gly Gln Asn Asn Phe Asp Asn Leu Met Asn Asp Ser Gly Leu Asn
 1925 1930 1935
 Thr Ala Ile Lys Asp Leu Ile Arg Gln Lys Leu Gly Phe Trp Thr
 1940 1945 1950
 Gly Leu Val Gly Gly Leu Ala Gly Leu Gly Gly Ile Asp Leu Gln
 1955 1960 1965
 Asn Pro Glu Lys Leu Ile Gly Ser Met Ser Ile Asn Asp Leu Leu
 1970 1975 1980
 Ser Lys Lys Gly Leu Phe Asn Gln Ile Thr Gly Phe Ile Ser Ala
 1985 1990 1995
 Asn Asp Ile Gly Gln Val Ile Ser Val Met Leu Gln Asp Ile Val
 2000 2005 2010
 Lys Pro Ser Asn Ala Leu Lys Asn Asp Val Ala Ala Leu Gly Lys
 2015 2020 2025
 Gln Met Ile Gly Glu Phe Leu Gly Gln Asp Thr Leu Asn Ser Leu
 2030 2035 2040
 Glu Ser Leu Leu Gln Asn Gln Gln Ile Lys Ser Val Leu Asp Lys
 2045 2050 2055
 Val Leu Ala Ala Lys Gly Leu Gly Pro Ile Tyr Glu Gln Gly Leu
 2060 2065 2070
 Gly Asp Leu Ile Pro Asn Leu Gly Lys Lys Gly Leu Phe Ala Pro
 2075 2080 2085
 Tyr Gly Leu Ser Gln Val Trp Gln Lys Gly Asp Phe Ser Phe Asn
 2090 2095 2100
 Ala Gln Gly Asn Val Phe Val Gln Asn Ser Thr Phe Ser Asn Ala
 2105 2110 2115
 Asn Gly Gly Thr Leu Ser Phe Asn Ala Gly Asn Ser Leu Ile Phe
 2120 2125 2130
 Ala Gly Asn Asn His Ile Ala Phe Thr Asn His Ala Gly Thr Leu
 2135 2140 2145
 Gln Leu Leu Ser Asp Gln Val Ser Asn Ile Asn Ile Thr Thr Leu
 2150 2155 2160

Hp 04-04-03.ST251

Asn	Ala	Ser	Asn	Gly	Leu	Lys	Ile	Asn	Ala	Ala	Asn	Asn	Asn	Val
	2165					2170					2175			
Ser	Val	Ser	Gln	Gly	Asn	Leu	Phe	Val	Ser	Ala	Ser	Cys	Ala	Gln
	2180					2185					2190			
Gln	Ser	Asp	Pro	Thr	Thr	Ala	Asn	Ile	Ala	Asn	Pro	Cys	Ala	Leu
	2195					2200					2205			
Ser	Ala	Gln	Ser	Thr	Asn	Gly	Ala	Ser	Ser	Asn	Asn	Ala	Ser	Asn
	2210					2215					2220			
Asn	Ala	Pro	Ile	Ala	Leu	Ser	Asn	Asn	Asp	Glu	Ser	Leu	Met	Val
	2225					2230					2235			
Ala	Ala	Asn	Asp	Phe	Asn	Phe	Ser	Gly	Asn	Ile	Tyr	Ala	Asn	Gly
	2240					2245					2250			
Val	Val	Asp	Phe	Ser	Lys	Ile	Lys	Gly	Ser	Ala	Asn	Ile	Lys	Asn
	2255					2260					2265			
Leu	Tyr	Leu	Tyr	Asn	Asn	Ala	Gln	Phe	Gln	Ala	Asn	Asn	Leu	Thr
	2270					2275					2280			
Ile	Ser	Asn	Gln	Ala	Val	Leu	Glu	Lys	Asn	Ala	Ser	Phe	Val	Thr
	2285					2290					2295			
Asn	Asn	Leu	Asn	Ile	Gln	Gly	Ala	Phe	Asn	Asn	Asn	Ala	Thr	Gln
	2300					2305					2310			
Lys	Ile	Glu	Val	Leu	Gln	Asn	Leu	Val	Ile	Ala	Ser	Asn	Ala	Ser
	2315					2320					2325			
Leu	Ser	Thr	Gly	Ile	Tyr	Gly	Leu	Glu	Val	Gly	Gly	Ala	Leu	Asn
	2330					2335					2340			
Asn	Ser	Gly	Ala	Ile	His	Phe	Asn	Leu	Glu	Asn	Thr	Gln	Thr	Pro
	2345					2350					2355			
Thr	Pro	Leu	Ile	Gln	Ala	Glu	Gly	Ile	Ile	Asn	Leu	Asn	Thr	Thr
	2360					2365					2370			
Gln	Thr	Pro	Phe	Met	Asn	Val	Asn	Asn	Ser	Met	Ala	Asn	Asn	Thr
	2375					2380					2385			
Thr	Tyr	Thr	Leu	Leu	Lys	Ser	Ser	Arg	Tyr	Ile	Asp	Tyr	Asn	Ile
	2390					2395					2400			
Asn	Pro	Asn	Ser	Leu	Gln	Ser	Tyr	Leu	Asn	Leu	Tyr	Thr	Leu	Ile
	2405					2410					2415			

Asn Ile 2420 Asn Gly Asn His Ile 2425 Glu Glu Lys Asn Gly 2430 Ala Leu Thr
 Tyr Leu 2435 Gly Gln Arg Val Leu 2440 Leu Gln Asp Lys Gly 2445 Leu Leu Leu
 Ser Val 2450 Ala Leu Pro Asn Ser 2455 Asn Asn Ala Ser Gln 2460 Asn Asn Ile
 Leu Ser 2465 Leu Ser Val Leu Tyr 2470 Asn Gln Val Lys Met 2475 Ser Cys Gly
 Asp Lys 2480 Ala Met Asp Phe Thr 2485 Pro Pro Thr Leu Gln 2490 Asp Tyr Ile
 Val Gly 2495 Ile Gln Gly Gln Ser 2500 Ala Leu Asn Gln Ile 2505 Glu Ala Val
 Gly Gly 2510 Asn Ala Ile Lys Trp 2515 Leu Ser Thr Leu Met 2520 Met Glu Thr
 Lys Glu 2525 Asn Pro Phe Phe Ala 2530 Pro Ile Tyr Leu Lys 2535 Asn His Ser
 Leu Asn 2540 Glu Ile Leu Gly Val 2545 Thr Lys Asp Leu Gln 2550 Asn Thr Ala
 Ser Leu 2555 Ile Ser Asn Pro Asn 2560 Phe Arg Asp Asn Ala 2565 Thr Asn Leu
 Leu Glu 2570 Leu Ala Ser Tyr Thr 2575 Gln Gln Thr Ser Arg 2580 Leu Thr Lys
 Leu Ser 2585 Asp Phe Arg Ser Arg 2590 Glu Gly Glu Ser Asp 2595 Phe Ser Leu
 Leu Glu 2600 Leu Lys Asn Lys Arg 2605 Phe Ser Asp Pro Asn 2610 Pro Glu Val
 Phe Val 2615 Lys Tyr Ser Gln Leu 2620 Ser Lys His Pro Asn 2625 Asn Leu Trp
 Val Gln 2630 Gly Val Gly Gly Ala 2635 Ser Phe Ile Ser Gly 2640 Gly Asn Gly
 Thr Leu 2645 Tyr Gly Leu Asn Ala 2650 Gly Tyr Asp Arg Leu 2655 Val Lys Asn
 Val Ile 2660 Leu Gly Gly Tyr Val 2665 Ala Tyr Gly Tyr Ser 2670 Asp Phe Asn

Hp 04-04-03.ST251

Gly Asn Ile Met His Ser Leu Gly Asn Asn Val Asp Val Gly Met
 2675 2680 2685

Tyr Ala Arg Ala Phe Leu Lys Arg Asn Glu Phe Thr Leu Ser Ala
 2690 2695 2700

Asn Glu Thr Tyr Gly Gly Asn Ala Thr Ser Ile Asn Ser Ser Asn
 2705 2710 2715

Ser Leu Leu Ser Val Leu Asn Gln Arg Tyr Asn Tyr Asn Thr Trp
 2720 2725 2730

Thr Thr Ser Val Asn Gly Asn Tyr Gly Tyr Asp Phe Met Phe Lys
 2735 2740 2745

Gln Lys Ser Val Val Leu Lys Pro Gln Val Gly Leu Ser Tyr His
 2750 2755 2760

Phe Ile Gly Leu Ser Gly Met Lys Gly Asn Asp Ala Ala Tyr Lys
 2765 2770 2775

Gln Phe Leu Met His Ser Asn Pro Ser Asn Glu Ser Val Leu Thr
 2780 2785 2790

Leu Asn Met Gly Leu Glu Ser Arg Lys Tyr Phe Gly Lys Asn Ser
 2795 2800 2805

Tyr Tyr Phe Val Thr Ala Arg Leu Gly Arg Asp Leu Leu Ile Lys
 2810 2815 2820

Ser Lys Gly Ser Asn Thr Val Arg Phe Val Gly Glu Asn Thr Leu
 2825 2830 2835

Leu Tyr Arg Lys Gly Glu Val Phe Asn Thr Phe Ala Ser Val Ile
 2840 2845 2850

Thr Gly Gly Glu Met His Leu Trp Arg Leu Val Tyr Val Asn Ala
 2855 2860 2865

Gly Val Gly Leu Lys Met Gly Leu Gln Tyr Gln Asp Ile Asn Ile
 2870 2875 2880

Thr Gly Asn Val Gly Met Arg Val Ala Phe
 2885 2890

<210> 210

<211> 290

<212> PRT

<213> Helicobacter pylori

<400> 210

Met Phe Glu Lys Ile Thr Leu Ala His Lys Asp Leu Phe Ser Arg Phe
1 5 10 15Leu Ser Ala Gln Lys Ile Val Leu Ser Asp Val Ser Phe Thr Asn Cys
20 25 30Phe Leu Trp Gln His Ala Arg Leu Ile Gln Val Ala Val Ile Arg Asp
35 40 45Cys Leu Val Ile Gln Thr Thr Tyr Glu Asn Gln Lys Pro Phe Tyr Phe
50 55 60Tyr Pro Ile Gly Lys Asn Ala Phe Glu Cys Val Lys Glu Leu Leu Lys
65 70 75 80Leu Glu Lys Asn Leu Arg Phe His Ser Leu Thr Leu Glu Gln Lys Asp
85 90 95Asp Leu Lys Asp Asn Phe Val Gly Val Phe Asp Phe Thr Tyr Asn Arg
100 105 110Asp Arg Ser Asp Tyr Val Tyr Ser Ile Glu Glu Leu Ile Ala Leu Lys
115 120 125Gly Lys Lys Tyr His Lys Lys Lys Asn His Leu Asn Gln Phe Leu Thr
130 135 140Asn His Ala Asn Phe Val Tyr Glu Lys Ile Ser Pro Gln Asn Lys Lys
145 150 155 160Glu Val Leu Glu Ala Ser Gln Ala Trp Phe Leu Glu Ser Gln Thr Asp
165 170 175Asp Ile Gly Leu Ile Asn Glu Asn Lys Gly Ile Gln Ser Val Leu Glu
180 185 190Asn Tyr Glu Ser Leu Asp Val Lys Gly Gly Leu Ile Arg Val Asn Gly
195 200 205Glu Ile Ala Ser Phe Ser Phe Gly Glu Val Leu Asn Glu Glu Ser Ala
210 215 220Leu Ile His Ile Glu Lys Ala Arg Thr Asp Ile Ala Gly Ala Tyr Gln
225 230 235 240Ile Ile Asn Gln Gln Leu Leu Leu Asn Glu Phe Ser His Leu Thr Tyr
245 250 255

Ala Asn Arg Glu Glu Asp Leu Gly Leu Glu Gly Leu Arg Arg Ser Lys
260 265 270

Met Ser Tyr Asn Pro Val Phe Leu Ile Asp Lys Tyr Glu Ala Val Ala
275 280 285

Lys Asn
290

<210> 211

<211> 828

<212> PRT

<213> Helicobacter pylori

<400> 211

Met Arg Val Thr Phe Gly Ser Lys Tyr Asn Gln Met Asn Asn Tyr Gln
1 5 10 15

Asn Ala Leu Gln Asn Lys Ile Asn Asp Ala Asn Thr Gln Ile Ala Ser
20 25 30

Gly Leu Lys Ile Arg Tyr Gly Tyr Gln Asn Ser Asp Ile Asn Asn Gln
35 40 45

Asn Leu Lys Phe Gln Tyr Glu Glu Asn Thr Leu Asp Gln Gly Ile Asp
50 55 60

Val Ala Gln Asn Ala Tyr Thr Ser Thr Leu Asn Thr Asp Lys Ala Leu
65 70 75 80

Gln Glu Phe Ser Lys Thr Met Glu Ala Phe Lys Thr Lys Leu Ile Gln
85 90 95

Ser Ala Asn Asp Val His Ser Glu Thr Ser Arg Ala Ala Ile Ala Asn
100 105 110

Asp Leu Glu Arg Leu Lys Glu His Met Ile Asn Val Ala Asn Thr Ser
115 120 125

Ile Gly Gly Glu Phe Leu Phe Gly Gly Ser Lys Val Asp Arg Pro Pro
130 135 140

Ile Asp Ser Asn Gly Lys Tyr His Gly Asn Gly Glu Asp Leu Asn Val
145 150 155 160

Leu Ile Ser Ser Asp Asn Leu Val Pro Tyr Asn Ile Ser Gly Gln Asp
165 170 175

Leu Phe Leu Gly Thr Asp Lys Asp Lys His Lys Leu Ile Thr Thr Asn
180 185 190

Ile Lys Leu Phe Asn Gln Asn Lys Leu His Pro Asp Val Met Asp Ala
195 200 205

Leu Glu His Ser Ser Leu Pro Glu Glu Val Phe Ile Lys Pro Ser Asp
210 215 220

Thr Leu Arg Glu Leu Ile Gly Asp Asn Asp Lys Asp Pro Thr Asn Asp
225 230 235 240

Pro Lys Glu Phe Phe Tyr Leu Gln Gly Val Arg Pro Asp Gly Ser Ser
245 250 255

Phe Lys Glu Lys Phe Ala Leu Asp Lys Ala Tyr Gln Asn Gln Glu Ser
260 265 270

Ala Ser Lys Val Ser Asp Leu Leu Asp Lys Ile Ala His Ala Tyr Gly
275 280 285

Asn Thr Ser Gln Asn Lys Val Val Asp Val Ser Leu Asn Asn Trp Gly
290 295 300

Gln Ile Glu Ile Lys Asn Leu Thr Pro Gly Ser Glu Asn Leu Asp Phe
305 310 315 320

His Leu Ile Ser Ser Asp Gly Asp Phe Asp Asp Leu Asp Ala Leu Arg
325 330 335

ser ser Gly Lys Arg Val Thr Glu Tyr Ile Lys Ser Ala Phe Val Thr
340 345 350

Asp Arg Ser Leu Ser Gln Val Lys Ala Val Pro Asn Met Tyr Asn Pro
355 360 365

Lys Val Leu Glu Val Pro Ser Val Phe Val Thr Lys Asp Asn Val Leu
370 375 380

Ala Asn Lys Asn Thr Lys Leu Ser Glu Ile Phe Gly Asp Ser Val Glu
385 390 395 400

Thr Leu Lys Ile Asn Ala Ser Arg Leu Asp Glu Thr Ser Ala Ile Lys
405 410 415

Ile Pro Asn Leu Pro Val Tyr Leu Asp Ile Pro Ile Leu Leu Asp Val
420 425 430

Lys Asn Ser Thr Ile Lys Asp Leu Lys Asp Ala Ile Lys Lys Arg Phe
435 440 445

Asn Asn Glu Val Asp Val Glu Ile Glu Thr Asn Gly Arg Leu Arg Ile
450 455 460

Ile Asp Asn Ser Ser Lys Glu Ser Pro Ile Ser Leu Ala Leu Ser Ala
465 470 475 480

Leu Asp Ala Lys Gly Leu Glu Val Ala Gly Ile Pro Thr Asn Asn Ala
485 490 495

Ser Glu Tyr Gln Lys Thr Tyr Phe Asn Lys Glu Gly Ala Lys Leu Glu
500 505 510

Ser Asn Val Ala Gln Thr Ala Gln Asn Gly Ala Ala Asn Gly Ser Thr
515 520 525

Lys Leu Ser Glu Ala Ala Lys Gly Ser Leu Glu Asn Ser Val Phe Asn
530 535 540

Met Lys Leu Asn Asp Val Asn Gly Leu Phe Leu Glu Ala Gln Met Asn
545 550 555 560

Leu Asp Asn Asn Gly Ala Phe Leu Ser Leu Pro Asn Gly Ile Lys Ile
565 570 575

Pro Leu Tyr Asp Pro Thr Ser Ala Asp Ile Gln Ala Ser Lys Pro Asn
580 585 590

Glu Val Thr Tyr Arg Gln Leu Met Asp Ala Met Ser Ile Ala Leu Asn
595 600 605

Tyr Ser Asn Thr Asp Pro Ala Ile Tyr Gln Gln Ile Ser Asp Asn Pro
610 615 620

Thr Ser Lys Glu Ser Lys Glu Arg Phe Ile Gly Leu Leu Lys Gln Ala
625 630 635 640

Lys Asp Asn Leu Ser Val Asn Leu Asn Glu Glu Gly Lys Val Ile Ile
645 650 655

Gln Asp Asn Met His Ser Asn Thr Lys Met Gln Phe Met Leu Phe Asp
660 665 670

Lys Asp Ala Asn Asp Phe Ser Gln Asn Ala Leu His Ser Asp Lys Pro
675 680 685

Ser Leu Lys Leu Asn Ala Asn Asn Ala Leu Ile Ile Asp Lys Pro Ser
690 695 700

Val Asn Phe Phe Asp Gln Leu Glu Asn Thr Ile Thr Ser Val Arg Lys
705 710 715 720

Gly Ile Tyr Arg Pro Asp Ala Leu Gly Asp Thr Tyr Ser Ser Asp Met
725 730 735

Arg Asn Leu Gly Ile Gln Asn Gly Ile Thr Leu Ile Asp His Leu Ser
740 745 750

Asp His Ile Glu Lys Met Ile Ala Lys Asn Gly Ala His Gly Lys Ala
755 760 765

Phe Glu Asn Ile Ile Arg Arg Asn Glu Val Leu Lys Thr Gln Val Gln
770 775 780

Ser Ile Arg Gly Glu Thr Thr Gly Thr Asp Met Ala Glu Thr Tyr Asn
785 790 795 800

Lys Phe Ser Asn Leu Thr Asn Asn Tyr Asn Ala Val Leu Ala Ser Thr
805 810 815

Asn Lys Ile Asn Asn Leu Ser Leu Thr Lys Tyr Leu
820 825

<210> 212

<211> 538

<212> PRT

<213> Helicobacter pylori

<400> 212

Met Asp Arg Ala Lys Phe Ile Phe Val Thr Gly Gly Val Leu Ser Ser
1 5 10 15

Leu Gly Lys Gly Ile Ser Ser Ser Ser Ile Ala Thr Leu Leu Gln His
20 25 30

Cys Asn Tyr Gln Val Ser Ile Leu Lys Ile Asp Pro Tyr Ile Asn Ile
35 40 45

Asp Pro Gly Thr Met Ser Pro Leu Glu His Gly Glu Val Phe Val Thr
50 55 60

Ser Asp Gly Ala Glu Thr Asp Leu Asp Ile Gly His Tyr Glu Arg Phe
65 70 75 80

Leu Asn Arg Asn Leu Thr Arg Leu Asn Asn Phe Thr Thr Gly Gln Ile
85 90 95

Phe Ser Ser Val Ile Glu Asn Glu Arg Lys Gly Glu Tyr Leu Gly Lys
100 105 110

Thr Ile Gln Ile Val Pro His Val Thr Asp Glu Ile Lys Arg Arg Ile
115 120 125

Lys Ser Ala Ala Lys Gly Leu Asp Phe Leu Ile Val Glu Val Gly Gly
130 135 140

Thr Val Gly Asp Met Glu Gly Met Phe Tyr Leu Glu Ala Ile Arg Gln
145 150 155 160

Leu Lys Leu Glu Leu Gly Asn Glu Lys Val Ile Asn Val His Val Thr
165 170 175

Leu Ile Pro Tyr Ile Gln Thr Thr Asn Glu Leu Lys Thr Lys Pro Thr
180 185 190

Gln His Ser Val Gln Glu Leu Arg Arg Leu Gly Val Thr Pro Gln Ile
195 200 205

Ile Leu Ala Arg Ser Pro Lys Pro Leu Asp Lys Glu Leu Lys Asn Lys
210 215 220

Ile Ala Leu Ser Cys Asp Val Glu Gln Asp Ser Val Ile Val Ala Thr
225 230 235 240

Asp Thr Lys Ser Ile Tyr Ala Cys Pro Ile Leu Phe Leu Gln Glu Gly
245 250 255

Ile Leu Thr Pro Ile Ala Arg Arg Phe Asn Leu Asn Lys Leu His Pro
260 265 270

Lys Met Ala Ala Trp Asn Thr Leu Val Glu Lys Ile Ile Ala Pro Lys
275 280 285

His Lys Val Lys Ile Gly Phe Val Gly Lys Tyr Leu Ser Leu Lys Glu
290 295 300

Ser Tyr Lys Ser Leu Ile Glu Ala Leu Ile His Ala Gly Ala His Leu
305 310 315 320

Asp Thr Gln Val Asn Ile Glu Trp Leu Asp Ser Glu Asn Phe Asn Glu
325 330 335

Lys Thr Asp Leu Glu Gly Val Asp Ala Ile Leu Val Pro Gly Gly Phe
340 345 350

Gly Glu Arg Gly Ile Glu Gly Lys Ile Cys Ala Ile Gln Arg Ala Arg
355 360 365

Leu Glu Lys Leu Pro Phe Leu Gly Ile Cys Leu Gly Met Gln Leu Ala
370 375 380

Ile Val Glu Phe Cys Arg Asn Val Leu Gly Leu Lys Gly Ala Asn Ser
385 390 395 400

Thr Glu Phe Asn Gln Arg Cys Glu Tyr Pro Val Val Tyr Leu Ile Gly
405 410 415

Asp Phe Met Asp Gln Asn His Gln Lys Gln Val Arg Thr Tyr Asn Ser
420 425 430

Pro Leu Gly Gly Thr Met Arg Leu Gly Glu Tyr Glu Cys Glu Ile Met
435 440 445

Pro Asn Ser Leu Leu Glu Lys Ala Tyr Lys Lys Pro Ser Ile Lys Glu
450 455 460

Arg His Arg His Arg Tyr Glu Ile Asn Pro Lys Tyr Arg Gln Glu Trp
465 470 475 480

Glu Asn Lys Gly Leu Lys Val Val Gly Phe Gly Ser Asn His Leu Ile
485 490 495

Glu Ala Ile Glu Leu Glu Asp His Pro Phe Phe Val Gly Val Gln Phe
500 505 510

His Pro Glu Phe Thr Ser Arg Leu Gln Ser Pro Asn Pro Ile Ile Leu
515 520 525

Asp Phe Ile Lys Ser Ala Leu Ser Lys Ser
530 535

<210> 213

<211> 567

<212> PRT

<213> Helicobacter pylori

<400> 213

Leu Asp Leu Lys Val Leu Leu Gln Arg Ile Val Asp Phe Phe Ile Lys
1 5 10 15

Leu Asn Lys Lys Gln Lys Ile Ala Leu Ile Ala Ala Gly Val Leu Ile
20 25 30

Thr Ala Leu Leu Val Phe Leu Leu Leu Tyr Pro Phe Lys Glu Lys Asp
35 40 45

Tyr Thr Gln Gly Gly Tyr Gly Val Leu Phe Glu Gly Leu Asp Ser Ser
50 55 60

Asp Asn Ala Leu Ile Leu Gln His Leu Gln Gln Asn Gln Ile Pro Tyr
 65 70 75 80
 Lys Val Ser Lys Asp Asp Thr Ile Leu Ile Pro Lys Asp Lys Val Tyr
 85 90 95
 Glu Glu Arg Ile Thr Leu Ala Ser Gln Gly Ile Pro Lys Thr Ser Lys
 100 105 110
 Val Gly Phe Glu Ile Phe Asp Thr Lys Asp Phe Gly Ala Thr Asp Phe
 115 120 125
 Asp Gln Asn Ile Lys Leu Ile Arg Ala Ile Glu Gly Glu Leu Ser Arg
 130 135 140
 Thr Ile Glu Ser Leu Asn Pro Ile Leu Lys Ala Asn Val His Ile Ala
 145 150 155 160
 Ile Pro Lys Asp Ser Val Phe Val Ala Lys Glu Val Pro Pro Ser Ala
 165 170 175
 Ser Val Met Leu Lys Leu Lys Pro Asp Met Lys Leu Ser Pro Thr Gln
 180 185 190
 Ile Leu Gly Ile Lys Asn Leu Ile Ala Ala Ala Val Pro Lys Leu Thr
 195 200 205
 Ile Glu Asn Val Lys Ile Val Asn Glu Asn Gly Glu Ser Ile Gly Glu
 210 215 220
 Gly Asp Ile Leu Glu Asn Ser Lys Glu Leu Ala Leu Glu Gln Leu His
 225 230 235 240
 Tyr Lys Gln Asn Phe Glu Asn Ile Leu Glu Asn Lys Ile Val Asn Ile
 245 250 255
 Leu Ala Pro Ile Val Gly Gly Lys Asn Lys Val Val Ala Arg Val Asn
 260 265 270
 Ala Glu Phe Asp Phe Ser Gln Lys Lys Ser Thr Lys Glu Thr Phe Asp
 275 280 285
 Pro Asn Asn Val Val Arg Ser Glu Gln Asn Leu Glu Glu Lys Lys Glu
 290 295 300
 Gly Ala Ser Lys Lys Gln Val Gly Gly Val Pro Gly Val Val Ser Asn
 305 310 315 320
 Ile Gly Pro Val Gln Gly Leu Lys Asp Asn Lys Glu Pro Glu Lys Tyr
 325 330 335

Glu Lys Ser Gln Asn Thr Thr Asn Tyr Glu Val Gly Lys Thr Ile Ser
340 345 350

Glu Ile Lys Gly Glu Phe Gly Thr Leu Val Arg Leu Asn Ala Ala Val
355 360 365

Val Val Asp Gly Lys Tyr Lys Ile Ala Leu Lys Asp Gly Val Asn Thr
370 375 380

Leu Glu Tyr Glu Pro Leu Ser Asp Glu Ser Leu Gln Lys Ile Asn Ala
385 390 395 400

Leu Val Lys Gln Ala Ile Gly Tyr Asn Gln Asn Arg Gly Asp Asp Val
405 410 415

Ala Val Ser Asn Phe Glu Phe Asn Pro Met Ala Pro Val Ile Asp Asn
420 425 430

Ala Thr Leu Ser Glu Lys Ile Met His Lys Thr Gln Lys Ile Leu Gly
435 440 445

Ser Phe Thr Pro Leu Ile Lys Tyr Ile Leu Val Phe Ile Val Leu Phe
450 455 460

Ile Phe Tyr Lys Lys Val Ile Val Pro Phe Ser Glu Arg Met Leu Glu
465 470 475 480

Val Val Pro Asp Glu Asp Lys Glu Val Lys Ser Met Phe Glu Glu Met
485 490 495

Asp Glu Glu Glu Asp Glu Leu Asn Lys Leu Gly Asp Leu Arg Lys Lys
500 505 510

Val Glu Asp Gln Leu Gly Leu Asn Ala Ser Phe Ser Glu Glu Glu Val
515 520 525

Arg Tyr Glu Ile Ile Leu Glu Lys Ile Arg Gly Thr Leu Lys Glu Arg
530 535 540

Pro Asp Glu Ile Ala Met Leu Phe Lys Leu Leu Ile Lys Asp Glu Ile
545 550 555 560

Ser Ser Asp Gly Ala Lys Gly
565

<210> 214

<211> 448

<212> PRT

<213> Helicobacter pylori

<400> 214

Met Tyr Val Glu Lys Ile Leu Gln Ser Leu Gln Lys Lys Tyr Pro Tyr
 1 5 10 15

Gln Lys Glu Phe His Gln Ala Val Tyr Glu Ala Ile Thr Ser Leu Lys
 20 25 30

Pro Leu Leu Asp Ser Asp Lys Ser Tyr Glu Lys His Ala Ile Leu Glu
 35 40 45

Arg Leu Ile Glu Pro Glu Arg Glu Ile Phe Phe Arg Val Cys Trp Leu
 50 55 60

Asp Asp Asn Asn Gln Ile Gln Val Asn Arg Gly Cys Arg Val Glu Phe
 65 70 75 80

Asn Ser Ala Ile Gly Pro Tyr Lys Gly Gly Leu Arg Phe His Pro Ser
 85 90 95

Val Asn Glu Ser Val Ile Lys Phe Leu Gly Phe Glu Gln Val Leu Lys
 100 105 110

Asn Ser Leu Thr Thr Leu Ala Met Gly Gly Ala Lys Gly Gly Ser Asp
 115 120 125

Phe Asp Pro Lys Gly Lys Ser Glu His Glu Ile Met Arg Phe Cys Gln
 130 135 140

Ala Phe Met Asn Glu Leu Tyr Arg His Ile Gly Ala Thr Thr Asp Val
 145 150 155 160

Pro Ala Gly Asp Ile Gly Val Gly Glu Arg Glu Ile Gly Tyr Leu Phe
 165 170 175

Gly Gln Tyr Lys Lys Leu Val Asn Arg Phe Glu Gly Val Leu Thr Gly
 180 185 190

Lys Gly Leu Thr Tyr Gly Gly Ser Leu Cys Arg Lys Glu Ala Thr Gly
 195 200 205

Tyr Gly Cys Val Tyr Phe Ala Glu Glu Met Leu Gln Glu Arg Asn Ser
 210 215 220

Ser Leu Glu Gly Lys Val Cys Ser Val Ser Gly Ser Gly Asn Val Ala
 225 230 235 240

Ile Tyr Thr Ile Glu Lys Leu Leu Gln Ile Gly Ala Lys Pro Val Thr
 245 250 255

Ala Ser Asp Ser Asn Gly Met Ile Tyr Asp Lys Asp Gly Ile Asp Leu
260 265 270

Glu Leu Leu Lys Glu Ile Lys Glu Val Arg Arg Gly Arg Ile Lys Glu
275 280 285

Tyr Ala Leu Glu Lys Lys Ser Ala Glu Tyr Thr Pro Thr Glu Asn Tyr
290 295 300

Pro Lys Gly Gly Asn Ala Val Trp His Val Pro Cys Phe Ala Ala Phe
305 310 315 320

Pro Ser Ala Thr Glu Asn Glu Leu Ser Val Leu Asp Ala Lys Thr Leu
325 330 335

Leu Ser Asn Gly Cys Lys Cys Val Ala Glu Gly Ala Asn Met Pro Ser
340 345 350

Ser Asn Glu Ala Ile Gly Leu Phe Leu Gln Ala Lys Ile Ser Tyr Gly
355 360 365

Ile Gly Lys Ala Ala Asn Ala Gly Gly Val Ser Val Ser Gly Leu Glu
370 375 380

Met Ala Gln Asn Ala Ser Met His Pro Trp Ser Phe Glu Val Val Asp
385 390 395 400

Ala Lys Leu His His Ile Met Lys Glu Ile Tyr Lys Asn Val Ser Gln
405 410 415

Thr Ala Lys Glu Phe Lys Asp Pro Thr Asn Phe Val Leu Gly Ala Asn
420 425 430

Ile Ala Gly Phe Arg Lys Val Ala Ser Ala Met Ile Ala Gln Gly Val
435 440 445

<210> 215

<211> 803

<212> PRT

<213> Helicobacter pylori

<400> 215

Met Asp Asp Leu Gln Glu Ile Met Glu Asp Phe Leu Ile Glu Ala Phe
1 5 10 15

Glu Met Asn Glu Gln Leu Asp Gln Asp Leu Val Glu Leu Glu His Asn
20 25 30

Pro Glu Asp Leu Asp Leu Leu Asn Arg Ile Phe Arg Val Ala His Thr
35 40 45

Ile Lys Gly Ser Ser Ser Phe Leu Asn Leu Asn Ile Leu Thr His Leu
50 55 60

Thr His Asn Met Glu Asp Val Leu Asn Arg Ala Arg Lys Gly Glu Ile
65 70 75 80

Lys Ile Thr Pro Asp Ile Met Asp Val Val Leu Arg Ser Ile Asp Leu
85 90 95

Met Lys Thr Leu Leu Val Thr Ile Arg Asp Thr Gly Ser Asp Thr Asn
100 105 110

Asn Gly Lys Glu Asn Glu Ile Glu Glu Ala Val Lys Gln Leu Gln Ala
115 120 125

Ile Thr Ser Gln Asn Leu Glu Ser Ala Lys Glu Arg Thr Thr Glu Ala
130 135 140

Pro Gln Lys Glu Asn Lys Glu Glu Thr Lys Glu Glu Ala Lys Glu Glu
145 150 155 160

Asn Lys Glu Asn Lys Ala Lys Ala Pro Thr Ala Glu Asn Thr Ser Ser
165 170 175

Asp Asn Pro Leu Ala Asp Glu Pro Asp Leu Asp Tyr Ala Asn Met Ser
180 185 190

Ala Glu Glu Val Glu Ala Glu Ile Glu Arg Leu Leu Asn Lys Arg Gln
195 200 205

Glu Ala Asp Lys Glu Arg Arg Ala Gln Lys Lys Gln Glu Ala Lys Pro
210 215 220

Lys Gln Glu Val Thr Pro Thr Lys Glu Thr Pro Lys Ala Pro Lys Thr
225 230 235 240

Glu Thr Lys Ala Lys Ala Lys Ala Asp Thr Glu Glu Asn Lys Ala Pro
245 250 255

Ser Ile Gly Val Glu Gln Thr Val Arg Val Asp Val Arg Arg Leu Asp
260 265 270

His Leu Met Asn Leu Ile Gly Glu Leu Val Leu Gly Lys Asn Arg Leu
275 280 285

Ile Arg Ile Tyr Ser Asp Val Glu Glu Arg Tyr Asp Gly Glu Lys Phe
290 295 300

Leu Glu Glu Leu Asn Gln Val Val Ser Ser Ile Ser Ala Val Thr Thr
305 310 315 320

Asp Leu Gln Leu Ala Val Met Lys Thr Arg Met Gln Pro Val Gly Lys
325 330 335

Val Phe Asn Lys Phe Pro Arg Met Val Arg Asp Leu Ser Arg Glu Leu
340 345 350

Gly Lys Ser Ile Glu Leu Ile Ile Glu Gly Glu Glu Thr Glu Leu Asp
355 360 365

Lys Ser Ile Val Glu Glu Ile Gly Asp Pro Leu Ile His Ile Ile Arg
370 375 380

Asn Ser Cys Asp His Gly Ile Glu Pro Leu Glu Glu Arg Arg Lys Leu
385 390 395 400

Asn Lys Pro Glu Thr Gly Lys Val Gln Leu Ser Ala Tyr Asn Glu Gly
405 410 415

Asn His Ile Val Ile Lys Ile Ser Asp Asp Gly Lys Gly Leu Asp Pro
420 425 430

Val Met Leu Lys Glu Lys Ala Ile Glu Lys Gly Val Ile Ser Glu Arg
435 440 445

Asp Ala Glu Gly Met Ser Asp Arg Glu Ala Phe Asn Leu Ile Phe Lys
450 455 460

Pro Gly Phe Ser Thr Ala Lys Val Val Ser Asn Val Ser Gly Arg Gly
465 470 475 480

Val Gly Met Asp Val Val Lys Thr Asn Ile Glu Lys Leu Asn Gly Ile
485 490 495

Ile Glu Ile Asp Ser Glu Val Gly Val Gly Thr Thr Gln Lys Leu Lys
500 505 510

Ile Pro Leu Thr Leu Ala Ile Ile Gln Ala Leu Leu Val Gly Val Gln
515 520 525

Glu Glu Tyr Tyr Ala Ile Pro Leu Ser Ser Val Leu Glu Thr Val Arg
530 535 540

Ile Ser Gln Asp Glu Ile Tyr Thr Val Asp Gly Lys Ser Val Leu Arg
545 550 555 560

Leu Arg Asp Glu Val Leu Ser Leu Val Arg Leu Ser Asp Ile Phe Lys
565 570 575

Val Asp Ala Ile Leu Glu Ser Asn Ser Asp Val Tyr Val Val Ile Ile
580 585 590

Gly Leu Ala Asp Gln Lys Ile Gly Val Ile Val Asp Tyr Leu Ile Gly
595 600 605

Gln Glu Glu Val Val Ile Lys Ser Leu Gly Tyr Tyr Leu Lys Asn Thr
610 615 620

Arg Gly Ile Ala Gly Ala Thr Val Arg Gly Asp Gly Lys Ile Thr Leu
625 630 635 640

Ile Val Asp Val Gly Ala Met Met Asp Met Ala Lys Ser Ile Lys Val
645 650 655

Asn Ile Thr Thr Leu Met Asn Glu Ser Glu Asn Thr Lys Ser Lys Asn
660 665 670

Ser Pro Ser Asp Tyr Ile Val Leu Ala Ile Asp Asp Ser Ser Thr Asp
675 680 685

Arg Ala Ile Ile Arg Lys Cys Leu Lys Pro Leu Gly Ile Thr Leu Leu
690 695 700

Glu Ala Thr Asn Gly Leu Glu Gly Leu Glu Met Leu Lys Asn Gly Asp
705 710 715 720

Lys Ile Pro Asp Ala Ile Leu Val Asp Ile Glu Met Pro Lys Met Asp
725 730 735

Gly Tyr Thr Phe Ala Ser Glu Val Arg Lys Tyr Asn Lys Phe Lys Asn
740 745 750

Leu Pro Leu Ile Ala Val Thr Ser Arg Val Thr Lys Thr Asp Arg Met
755 760 765

Arg Gly Val Glu Ser Gly Met Thr Glu Tyr Ile Thr Lys Pro Tyr Ser
770 775 780

Gly Glu Tyr Leu Thr Thr Val Val Lys Arg Ser Ile Lys Leu Glu Gly
785 790 795 800

Asp Gln Ser

<210> 216

<211> 429

<212> PRT

<213> *Helicobacter pylori*

<400> 216

Val Ile Glu Leu Asp Ile Asn Ala Ser Asp Lys Ser Leu Ser His Arg
1 5 10 15

Ala Val Ile Phe Ser Leu Leu Ala Gln Lys Pro Cys Phe Val Arg Asn
20 25 30

Phe Leu Met Gly Glu Asp Cys Leu Ser Ser Leu Glu Ile Ala Gln Asn
35 40 45

Leu Gly Ala Lys Val Glu Asn Thr Ala Lys Asn Ser Phe Lys Ile Thr
50 55 60

Pro Pro Thr Thr Ile Lys Glu Pro Asn Lys Ile Leu Asn Cys Asn Asn
65 70 75 80

Ser Gly Thr Thr Met Arg Leu Tyr Ser Gly Leu Leu Ser Ala Gln Lys
85 90 95

Gly Leu Phe Val Leu Ser Gly Asp Asn Ser Leu Asn Ala Arg Pro Met
100 105 110

Lys Arg Ile Ile Glu Pro Leu Lys Ala Phe Gly Ala Lys Ile Leu Gly
115 120 125

Arg Glu Asp Asn His Phe Ala Pro Leu Val Ile Leu Gly Ser Pro Leu
130 135 140

Lys Ala Cys His Tyr Glu Ser Pro Ile Ala Ser Ala Gln Val Lys Ser
145 150 155 160

Ala Phe Ile Leu Ser Ala Leu Gln Ala Gln Gly Ala Ser Thr Tyr Lys
165 170 175

Glu Ser Glu Leu Ser Arg Asn His Thr Glu Ile Met Leu Lys Ser Leu
180 185 190

Gly Ala Asp Ile His Asn Gln Asp Gly Val Leu Lys Ile Ser Pro Leu
195 200 205

Glu Lys Pro Leu Glu Ala Phe Asp Phe Thr Ile Ala Asn Asp Pro Ser
210 215 220

Ser Ala Phe Phe Phe Ala Leu Ala Cys Ala Ile Thr Pro Lys Ser Arg
225 230 235 240

Leu Leu Leu Lys Asn Val Leu Leu Asn Pro Thr Arg Ile Glu Ala Phe
245 250 255

Glu Val Leu Lys Lys Met Gly Ala Ser Ile Glu Tyr Ala Ile Gln Ser
260 265 270

Lys Asp Leu Glu Met Ile Gly Asp Ile Tyr Val Glu His Ala Pro Leu
275 280 285

Lys Ala Ile Asn Ile Asp Gln Asn Ile Ala Ser Leu Ile Asp Glu Ile
290 295 300

Pro Ala Leu Ser Ile Ala Met Leu Phe Ala Lys Gly Lys Ser Met Val
305 310 315 320

Lys Asn Ala Lys Asp Leu Arg Ala Lys Glu Ser Asp Arg Ile Lys Ala
325 330 335

Val Val Ser Asn Phe Lys Ala Leu Gly Ile Glu Cys Glu Glu Phe Glu
340 345 350

Asp Gly Phe Tyr Val Glu Gly Leu Glu Asp Ile Ser Pro Leu Lys Gln
355 360 365

Arg Phe Ser Arg Ile Lys Pro Pro Leu Ile Lys Ser Phe Asn Asp His
370 375 380

Arg Ile Ala Met Ser Phe Ala Val Leu Thr Leu Ala Leu Pro Leu Glu
385 390 395 400

Ile Asp Asn Leu Glu Cys Ala Asn Ile Ser Phe Pro Gln Phe Lys His
405 410 415

Leu Leu Asn Gln Phe Lys Lys Gly Ser Leu Asn Gly Asn
420 425

<210> 217

<211> 196

<212> PRT

<213> Helicobacter pylori

<400> 217

Leu Asp Ile Leu Asp Leu Asn Lys Ala Gln Ala Val Gln Gln Asn Glu
1 5 10 15

Gln Glu Val Glu Asp Lys Glu Arg Glu Ser Lys Glu Pro Val Val Leu
20 25 30

Glu Asp Leu Ser Ala Leu Ala Trp Leu Glu Leu Glu Glu Phe Ser Arg
35 40 45

Leu Ser Gly Leu Pro Lys Glu Arg Ile Leu Glu Leu Val Asn Leu Gly
50 55 60

Lys Ile Lys Ser Lys Ile Ser Ser Asn Lys Leu Leu Ile Asp Ala Ser
65 70 75 80

Ser Gly Thr Asn Ala Leu Ile Lys Lys Val Glu Asn Ser Leu Ile Ser
85 90 95

Met Asp Met Asn Gly Arg Ser Leu Glu Pro Val Phe Val Glu Lys Thr
100 105 110

Ile Asn Thr Ile Leu Asn Leu His Asp Lys Val Ile Gly Ala Lys Asp
115 120 125

Glu Thr Ile Ser Ala Phe Lys Asn Glu Asn Met Phe Leu Lys Asp Ala
130 135 140

Leu Ile Ser Met Gln Glu Val Tyr Glu Glu Asp Lys Lys Thr Ile Asp
145 150 155 160

Leu Leu Arg Asp Glu Leu Asn Gln Ala Arg Glu Glu Ile Glu Phe Met
165 170 175

Lys Arg Lys Tyr Arg Leu Met Trp Gly Lys Val Ala Asp Met Ser Ser
180 185 190

Val Asn Lys Lys
195

<210> 218

<211> 508

<212> PRT

<213> Helicobacter pylori

<400> 218

Met Ile Leu Val Leu Asp Phe Gly Ser Gln Tyr Thr Gln Leu Ile Ala
1 5 10 15

Arg Arg Leu Arg Glu Arg Gly Ile Tyr Thr Glu Ile Val Pro Phe Phe
20 25 30

Glu Ser Ile Glu Asn Ile Gln Lys Lys Ala Pro Lys Gly Leu Ile Leu
35 40 45

Ser Gly Gly Pro Ala Ser Val Tyr Ala Lys Asp Ala Tyr Lys Pro Ser
50 55 60

Gly Lys Ile Phe Asp Leu Asn Val Pro Ile Leu Gly Ile Cys Tyr Gly
65 70 75 80

Met Gln Tyr Leu Val Asp Phe Phe Gly Gly Val Val Val Gly Ala Asn
85 90 95

Glu Gln Glu Phe Gly Lys Ala Val Leu Glu Ile Thr Gln Asn Ser Val
100 105 110

Ile Phe Glu Gly Val Lys Ile Lys Ser Leu Val Trp Met Ser His Met
115 120 125

Asp Lys Val Ile Glu Leu Pro Lys Gly Phe Thr Thr Leu Ala Lys Ser
130 135 140

Pro Asn Ser Pro His Cys Ala Ile Glu Asn Gly Lys Ile Phe Gly Leu
145 150 155 160

Gln Phe His Pro Glu Val Val Gln Ser Glu Glu Gly Gly Lys Ile Leu
165 170 175

Glu Asn Phe Ala Leu Leu Val Cys Gly Cys Glu Lys Thr Trp Gly Met
180 185 190

Gln His Phe Ala Gln Arg Glu Ile Ala Arg Leu Lys Glu Lys Ile Ala
195 200 205

Asn Ala Lys Val Leu Cys Ala Val Ser Gly Gly Val Asp Ser Thr Val
210 215 220

Val Ala Thr Leu Leu His Arg Ala Ile Lys Asp Asn Leu Ile Ala Val
225 230 235 240

Phe Val Asp His Gly Leu Leu Arg Lys Asn Glu Lys Glu Arg Val Gln
245 250 255

Ala Met Phe Lys Asp Leu Lys Ile Pro Leu Asn Thr Ile Asp Ala Lys
260 265 270

Glu Val Phe Leu Ser Lys Leu Lys Gly Val Ser Glu Pro Glu Leu Lys
275 280 285

Arg Lys Ile Ile Gly Glu Thr Phe Ile Glu Val Phe Glu Lys Glu Ala
290 295 300

Lys Lys His His Leu Lys Gly Lys Ile Glu Phe Leu Ala Gln Gly Thr
305 310 315 320

Leu Tyr Pro Asp Val Ile Glu Ser Val Ser Val Lys Gly Pro Ser Lys
325 330 335

Val Ile Lys Thr His His Asn Val Gly Gly Leu Pro Glu Trp Met Asp
340 345 350

Phe Lys Leu Ile Glu Pro Leu Arg Glu Leu Phe Lys Asp Glu Val Arg
355 360 365

Leu Leu Gly Lys Glu Leu Gly Val Ser Gln Asp Phe Leu Met Arg His
370 375 380

Pro Phe Pro Gly Pro Gly Leu Ala Val Arg Ile Leu Gly Glu Ile Ser
385 390 395 400

Glu Ser Lys Ile Lys Arg Leu Gln Glu Ala Asp Phe Ile Phe Ile Glu
405 410 415

Glu Leu Lys Lys Ala Asn Leu Tyr Asp Lys Val Trp Gln Ala Phe Cys
420 425 430

Val Leu Leu Asn Val Asn Ser Val Gly Val Met Gly Asp Asn Arg Thr
435 440 445

Tyr Glu Asn Ala Ile Cys Leu Arg Ala Val Asn Ala Ser Asp Gly Met
450 455 460

Thr Ala Ser Phe Ser Phe Leu Glu His Ser Phe Leu Glu Lys Val Ser
465 470 475 480

Asn Arg Ile Thr Asn Glu Val Ser Gly Ile Asn Arg Val Val Tyr Asp
485 490 495

Ile Thr Ser Lys Pro Pro Gly Thr Ile Glu Trp Glu
500 505

<210> 219

<211> 268

<212> PRT

<213> Helicobacter pylori

<400> 219

Met Lys Val Asn Lys Gly Phe Lys Phe Arg Leu Tyr Pro Thr Lys Glu
1 5 10 15

Gln Gln Asp Lys Leu Gln His Cys Phe Phe Val Tyr Asn Gln Ala Tyr
20 25 30

Asn Ile Gly Leu Asn Glu Leu Gln Glu Gln Tyr Glu Thr Asn Lys Asp
35 40 45

Ser Pro Pro Lys Glu Arg Lys Tyr Lys Lys Ser Ser Glu Leu Asp Asn
50 55 60
Ala Ile Lys Gln Cys Leu Arg Ala Arg Asp Leu Pro Phe Ser Ala Val
65 70 75 80
Ile Ala Gln Gln Ala Arg Met Asn Val Glu Arg Ala Leu Lys Asp Ala
85 90 95
Phe Lys Val Lys Asn Arg Gly Phe Pro Lys Phe Lys Asn Ser Lys Ser
100 105 110
Ala Lys Gln Ser Phe Ser Trp Asn Asn Gln Gly Phe Ser Ile Lys Glu
115 120 125
Ser Asp Asp Glu Cys Phe Lys Thr Phe Thr Leu Met Lys Met Pro Leu
130 135 140
Leu Met Arg Met His Arg Arg Leu Pro Pro Asn Phe Lys Val Lys Gln
145 150 155 160
Ile Ser Ile Ser Cys Ser His Arg Lys Tyr Phe Val Ser Phe Ser Val
165 170 175
Glu Tyr Glu Gln Asp Ile Thr Pro Ile Lys Asn Thr Lys Asn Gly Val
180 185 190
Gly Leu Asp Leu Asn Ile Leu Asp Thr Ala Cys Ser Cys Glu Ile Asn
195 200 205
Asn His Asp Lys Leu Thr Asp Phe Lys Gln Tyr Gln Thr Asp Met Lys
210 215 220
Glu Leu Leu Gly Ile Glu Ile Asp Glu Glu Leu Asp Thr Lys Arg Leu
225 230 235 240
Ile Pro Thr Tyr Ser Lys Leu Tyr Ser Leu Lys Lys Tyr Ser Lys Lys
245 250 255
Phe Lys Arg Leu Gln Arg Lys Gln Ser Arg Arg Cys
260 265

<210> 220

<211> 858

<212> PRT

<213> Helicobacter pylori

<400> 220

Met Leu Glu Ser Ala Leu Lys Tyr Cys Lys Glu Lys Ala Ile Asp Leu
1 5 10 15

Leu Val Gly Phe Val Pro Lys Thr Tyr Ser Met Ala Gln Glu Cys Asn
20 25 30

Ile Leu Gly Leu Tyr Asp Asp Ala Phe Ile Ile Thr Lys Gln Glu Asn
35 40 45

Leu Val Gly Ile Ile Ser Leu Gln Gly Leu Ser Tyr Ser Asn Leu Met
50 55 60

Gln Lys Asp Leu Glu Gly Tyr Phe Asp Ala Arg Gln Asn Val Leu Asn
65 70 75 80

Thr Ile Ser Lys Asp Ile Gln Leu Arg Ile Val Ala Lys Arg Arg Lys
85 90 95

Glu Phe Ile Asn Gln Ser Pro Asn Ile Asp Asn Ile Tyr Ala Lys Ala
100 105 110

Ile Ile Thr Gln Phe Glu Ser Lys Gly Ile Tyr Lys Thr Glu Tyr Phe
115 120 125

Leu Val Phe Glu Thr Ile Thr Ser Asn Val Lys Ser Phe Phe Glu Lys
130 135 140

Lys Lys Leu Glu Met Thr Thr Ser Ile Asn Glu Glu Leu Glu Glu Ser
145 150 155 160

Ser Lys Glu Asp Lys Gln Glu Asn Glu Asn Ser Ser Asn Glu Thr His
165 170 175

Ser Asn Thr Ser Ser Lys Lys Asp Lys Lys Asn Lys Phe Lys Lys Lys
180 185 190

Ile Thr Phe Ser Thr Lys Ser Lys Arg Ala Leu Leu Ile Gln Thr Ile
195 200 205

Glu Arg Val Lys Asn Ala Leu Lys Glu Phe Lys Pro Thr Leu Leu Asn
210 215 220

Ser Lys Glu Val Leu Asn Phe Tyr Ala Glu Tyr Ile Asn Gly Lys Tyr
225 230 235 240

Ile Ala Phe Asn Pro Lys Leu Lys Arg Leu Ser Asp Ser Tyr Ile Ala
245 250 255

Ser Asn Val His Phe Lys Lys Asp Tyr Phe Val Ile Glu Phe Gln Asn
260 265 270

Gln Asn Thr Phe Cys Ala Cys Val Gly Ile Lys Ala Tyr Glu Ser Glu
275 280 285

Glu Ile Ser Ser Leu Pro Ile Ser Thr Leu Leu His Thr Gln Ile Glu
290 295 300

Leu Asp Leu Ile Phe His Ile Arg Ser Leu Gly Gln Phe Glu Ser Leu
305 310 315 320

Asn Phe Leu Lys Thr Lys Lys Lys Leu Thr Leu Ser Lys Ile Val Lys
325 330 335

Ala Asp Ile Asp Asn Tyr Ile Glu Leu Val Gln Ala Asn Arg Leu Ser
340 345 350

Met Gln Glu Cys Ala Leu Asn Leu Val Ile Arg Ala Lys Ser Lys Ala
355 360 365

Lys Leu Asp Lys Ser Leu Lys Glu Ile Leu Ser Leu Leu Asn Asn Ala
370 375 380

Gly Leu Gly Ser Val Thr Glu Thr Ile Gly Leu Lys Pro Ser Tyr Phe
385 390 395 400

Ser Phe Phe Pro Asn Asn Ala Asn Ile Asn Pro Arg Met Arg His Gln
405 410 415

Thr Ser Gln Val Ile Ala Ser Leu Ile Leu Phe Glu Lys Asn Asn Thr
420 425 430

Gly Phe Arg Ala Asn Ser Trp Gly Asp Met Pro Leu Ser Val Phe Lys
435 440 445

Asn Leu Asp His Ser Pro Tyr Leu Phe Asn Phe His Asn Gln Glu Val
450 455 460

Lys His Lys Gly Val Leu Ala His Asn Val Ala Arg Val Val Gly His
465 470 475 480

Thr Met Ile Ile Gly Ala Thr Gly Ala Gly Lys Thr Thr Leu Ile Ser
485 490 495

Tyr Leu Met Met Ser Ala Leu Lys Tyr Ser Asn Ile Asp Ile Leu Ala
500 505 510

Leu Asp Arg Leu Asn Gly Leu Tyr Ser Phe Thr Lys Tyr Phe Asp Gly
515 520 525

Ile Tyr Asn Gln Gly Glu Asn Phe His Ile Asn Pro Phe Ser Leu Glu
530 535 540

Asp Ser Ala Thr Asn Arg Ala Phe Leu Leu His Phe Tyr Ala Gln Met
 545 550 555 560
 Ala Lys Val Asp Ser Tyr Asp Asp His Lys Asp Lys Val Glu Asp Arg
 565 570 575
 Thr Ala Leu Leu Asn Ala Ile Asp Thr Met Tyr Arg Asn Tyr Asn Asp
 580 585 590
 Glu Val Lys Gln Ala Lys Phe Ser Asn Gln Glu Leu Pro Leu Pro Phe
 595 600 605
 Asp Leu Lys Glu Phe Val Asn Ala Ile Ala Lys Thr Asn Thr Asp Ile
 610 615 620
 Leu Asp Ser Ser Phe Glu Asp Tyr Leu Lys Ser Ser Leu Phe Ser Ser
 625 630 635 640
 Arg Met Asp Ser Leu Asp Phe Lys Thr Arg Ile Ser Thr Ile Asn Thr
 645 650 655
 Asp Ser Ile Leu His Asn Asp Asp Asp Ala Gly Leu Leu Ala Tyr Tyr
 660 665 670
 Val Phe His Lys Met Ile Asp Arg Ala Leu Lys Ile Asn Arg Gly Phe
 675 680 685
 Leu Cys Phe Ile Asp Glu Phe Lys Ser Tyr Ala Gln Asn Glu Met Met
 690 695 700
 Asn Lys Lys Ile Asn Glu Ile Ile Thr Gln Ala Arg Lys Ala Asn Gly
 705 710 715 720
 Val Ile Val Leu Ala Leu Gln Asp Ile Asn Gln Leu Ser Glu Val Arg
 725 730 735
 Asn Ala Gln Ser Phe Ile Lys Asn Met Gly Gln Leu Ile Leu Tyr Pro
 740 745 750
 Gln Arg Asn Ile Asp Thr Lys Asp Leu Asn Asp Lys Phe Gly Ile Arg
 755 760 765
 Leu Ser Asp Thr Glu Lys His Phe Leu Glu Asn Thr Ala Val Asn Glu
 770 775 780
 Tyr Lys Val Leu Leu Lys Asn Met Asn Asp Gly Ser Ser Asn Ile Ile
 785 790 795 800
 Asp Val Ser Leu Ser Ser Leu Gly Asn Tyr Leu Gln Ile Phe Ser Ser
 805 810 815

Asn Ser Ser Met Val Glu His Ile Asp Asn Leu Ile Lys His Tyr Pro
820 825 830

Lys Thr Trp Arg Glu Val Phe Val Ser Asn Lys His Glu Asn Phe Asp
835 840 845

Asp Lys Lys His Leu Glu Lys Val Leu Lys
850 855

<210> 221

<211> 599

<212> PRT

<213> Helicobacter pylori

<400> 221

Met Lys Asn Ile Arg Asn Ile Ala Val Ile Ala His Val Asp His Gly
1 5 10 15

Lys Thr Thr Leu Val Asp Gly Leu Leu Ser Gln Ser Gly Thr Phe Ser
20 25 30

Glu Arg Glu Lys Val Asp Glu Arg Val Met Asp Ser Asn Asp Leu Glu
35 40 45

Arg Glu Arg Gly Ile Thr Ile Leu Ser Lys Asn Thr Ala Ile Tyr Tyr
50 55 60

Lys Asp Thr Lys Ile Asn Ile Ile Asp Thr Pro Gly His Ala Asp Phe
65 70 75 80

Gly Gly Glu Val Glu Arg Val Leu Lys Met Val Asp Gly Val Leu Leu
85 90 95

Leu Val Asp Ala Gln Glu Gly Val Met Pro Gln Thr Lys Phe Val Val
100 105 110

Lys Lys Ala Leu Ser Phe Gly Ile Cys Pro Ile Val Val Val Asn Lys
115 120 125

Ile Asp Lys Pro Ala Ala Glu Pro Asp Arg Val Val Asp Glu Val Phe
130 135 140

Asp Leu Phe Val Ala Met Gly Ala Ser Asp Lys Gln Leu Asp Phe Pro
145 150 155 160

Val Val Tyr Ala Ala Ala Arg Asp Gly Tyr Ala Met Lys Ser Leu Asp
165 170 175

Asp Glu Lys Lys Asn Leu Glu Pro Leu Phe Glu Thr Ile Leu Glu His
180 185 190

Val Pro Ser Pro Ser Gly Ser Val Asp Glu Pro Leu Gln Met Gln Ile
195 200 205

Phe Thr Leu Asp Tyr Asp Asn Tyr Val Gly Lys Ile Gly Ile Ala Arg
210 215 220

Val Phe Asn Gly Ser Val Lys Lys Asn Glu Ser Val Leu Leu Met Lys
225 230 235 240

Ser Asp Gly Ser Lys Glu Asn Gly Arg Ile Thr Lys Leu Ile Gly Phe
245 250 255

Leu Gly Leu Ala Arg Thr Glu Ile Glu Asn Ala Tyr Ala Gly Asp Ile
260 265 270

Val Ala Ile Ala Gly Phe Asn Ala Met Asp Val Gly Asp Ser Val Val
275 280 285

Asp Pro Ala Asn Pro Met Pro Leu Asp Pro Met His Leu Glu Glu Pro
290 295 300

Thr Met Ser Val Tyr Phe Ala Val Asn Asp Ser Pro Leu Ala Gly Leu
305 310 315 320

Glu Gly Lys His Val Thr Ala Asn Lys Leu Lys Asp Arg Leu Leu Lys
325 330 335

Glu Met Gln Thr Asn Ile Ala Met Lys Cys Glu Glu Met Gly Glu Gly
340 345 350

Lys Phe Lys Val Ser Gly Arg Gly Glu Leu Gln Ile Thr Ile Leu Ala
355 360 365

Glu Asn Leu Arg Arg Glu Gly Phe Glu Phe Ser Ile Ser Arg Pro Glu
370 375 380

Val Ile Ile Lys Glu Glu Asn Gly Val Lys Cys Glu Pro Phe Glu His
385 390 395 400

Leu Val Ile Asp Thr Pro Gln Asp Phe Ser Gly Ala Ile Ile Glu Arg
405 410 415

Leu Gly Lys Arg Lys Ala Glu Met Lys Ala Met Asn Pro Met Ser Asp
420 425 430

Gly Tyr Thr Arg Leu Glu Phe Glu Ile Pro Ala Arg Gly Leu Ile Gly
435 440 445

Tyr Arg Ser Glu Phe Leu Thr Asp Thr Lys Gly Glu Gly Val Met Asn
450 455 460

His Ser Phe Leu Glu Phe Arg Pro Phe Ser Gly Ser Val Glu Ser Arg
465 470 475 480

Lys Asn Gly Ala Leu Ile Ser Met Glu Asn Gly Glu Ala Thr Ala Phe
485 490 495

Ser Leu Phe Asn Ile Gln Glu Arg Gly Thr Leu Phe Ile Asn Pro Gln
500 505 510

Thr Lys Val Tyr Val Gly Met Val Ile Gly Glu His Ser Arg Asp Asn
515 520 525

Asp Leu Asp Val Asn Pro Ile Lys Ser Lys His Leu Thr Asn Met Arg
530 535 540

Ala Ser Gly Ser Asp Asp Ala Ile Lys Leu Thr Pro Pro Arg Thr Met
545 550 555 560

Val Leu Glu Arg Ala Leu Glu Trp Ile Glu Glu Asp Glu Ile Leu Glu
565 570 575

Val Thr Pro Leu Asn Leu Arg Ile Arg Lys Lys Ile Leu Asp Pro Asn
580 585 590

Met Arg Lys Arg Ala Lys Lys
595

<210> 222

<211> 314

<212> PRT

<213> Helicobacter pylori

<400> 222

Met Lys Lys Ile Gly Leu Ser Leu Cys Leu Val Leu Ser Leu Gly Phe
1 5 10 15

Leu Lys Ala His Glu Val Ser Ala Glu Glu Ile Ala Asp Ile Phe Tyr
20 25 30

Lys Leu Asn Ala Lys Glu Pro Lys Met Lys Ile Asn His Thr Lys Gly
35 40 45

Phe Cys Ala Lys Gly Val Phe Leu Pro Asn Ala Gln Ala Lys Lys Asp
50 55 60

Leu Asp Val Pro Leu Leu Asn Glu Lys Glu Ile Pro Ala Ser Val Arg
65 70 75 80

Tyr Ser Leu Gly Gly Val Ala Met Asp Asp Lys Ser Lys Val Arg Gly
85 90 95

Met Ala Leu Lys Leu Glu Asn Gln Asn Ala Ser Trp Thr Met Val Met
100 105 110

Leu Asn Thr Glu Ile Asn Phe Ala Lys Asn Pro Asn Glu Phe Ala Gln
115 120 125

Phe Phe Glu Met Arg Ile Pro Lys Asn Gly Lys Val Asp Glu Ala Arg
130 135 140

Ile Lys Lys Leu Tyr Glu Glu Val Pro Ser Tyr Arg Asn Phe Ala Ala
145 150 155 160

Tyr Thr Lys Thr Ile Gly Ile Ser Ser Ser Val Ala Asn Thr Pro Tyr
165 170 175

Tyr Ser Val His Ala Phe Arg Phe Lys Asp Lys Lys Gly Lys Leu Leu
180 185 190

Pro Ala Arg Trp Lys Phe Val Pro Lys Glu Gly Ile Lys Tyr Leu Asn
195 200 205

Pro Gln Glu Leu Lys Gln Lys Asp Ser Asn Tyr Leu Leu Ser Ala Phe
210 215 220

Gln Gln His Leu Lys Thr Lys Pro Ile Glu Tyr Gln Met Tyr Leu Val
225 230 235 240

Phe Ala Asn Lys Asn Asp Ala Thr Asn Asp Thr Thr Ala Leu Trp Lys
245 250 255

Gly Lys His Lys Glu Leu Leu Val Gly Thr Leu Lys Val Glu Lys Tyr
260 265 270

Glu Gly Met Gly Cys Asn Lys Asp Val Tyr Phe Pro Ala Asp Leu Pro
275 280 285

Lys Gly Val Glu Ala Pro Thr Asp Pro Leu Phe Gln Ile Arg Asn Glu
290 295 300

Val Tyr Gly Ile Thr Phe Ser Arg Arg Gln
305 310

<210> 223

<211> 452

<212> PRT

<213> Helicobacter pylori

<400> 223

Met Leu Arg Leu Leu Ile Gly Leu Leu Leu Met Ser Phe Ile Ser Leu
1 5 10 15

Gln Ser Ala Ser Trp Gln Glu Pro Leu Arg Val Ser Ile Glu Phe Val
20 25 30

Asp Leu Pro Lys Lys Ile Ile Arg Phe Pro Ala His Asp Leu Gln Val
35 40 45

Gly Glu Phe Gly Phe Val Val Thr Lys Leu Ser Asp Tyr Glu Ile Val
50 55 60

Asn Ser Glu Val Val Ile Ile Ala Val Glu Asn Gly Val Ala Thr Ala
65 70 75 80

Lys Phe Arg Ala Phe Glu Ser Met Lys Gln Arg His Leu Pro Thr Pro
85 90 95

Arg Met Val Ala Arg Lys Gly Asp Leu Val Tyr Phe Arg Gln Phe Asn
100 105 110

Asn Gln Ala Phe Leu Ile Ala Pro Asn Asp Glu Leu Tyr Glu Gln Ile
115 120 125

Arg Ala Thr Asn Thr Asp Ile Asn Phe Ile Ser Ser Asp Leu Leu Val
130 135 140

Thr Phe Leu Asn Gly Phe Asp Pro Lys Ile Ala Asn Leu Arg Lys Ala
145 150 155 160

Cys Asn Val Tyr Ser Val Gly Val Ile Tyr Ile Val Thr Thr Asn Thr
165 170 175

Leu Asn Ile Leu Ser Cys Glu Ser Phe Glu Ile Leu Glu Lys Arg Glu
180 185 190

Leu Asp Thr Ser Gly Val Thr Lys Thr Ser Thr Pro Phe Phe Ser Arg
195 200 205

Val Glu Gly Ile Asp Ala Gly Thr Leu Gly Lys Leu Phe Ser Gly Ser
210 215 220

Gln Ser Lys Asn Tyr Phe Ala Tyr Tyr Asp Ala Leu Val Lys Lys Glu
225 230 235 240

Lys Arg Lys Glu Val Arg Ile Lys Lys Arg Glu Glu Lys Ile Asp Ser
245 250 255

Arg Glu Ile Lys Arg Glu Ile Lys Gln Glu Ala Ile Lys Glu Pro Lys
260 265 270

Lys Ala Asn Gln Gly Thr Gln Asn Ala Pro Thr Leu Glu Glu Lys Asn
275 280 285

Tyr Gln Lys Ala Glu Arg Lys Leu Asp Ala Lys Glu Glu Arg Arg Tyr
290 295 300

Leu Arg Asp Glu Arg Lys Lys Ala Lys Ala Thr Lys Lys Ala Met Glu
305 310 315 320

Phe Glu Glu Arg Glu Lys Glu His Asp Glu Arg Asp Glu Gln Glu Thr
325 330 335

Glu Gly Arg Arg Lys Ala Leu Glu Met Asp Lys Gly Asp Lys Lys Glu
340 345 350

Glu Arg Val Lys Pro Lys Glu Asn Glu Arg Glu Ile Lys Gln Glu Ala
355 360 365

Ile Lys Glu Pro Ser Asp Gly Asn Asn Ala Thr Gln Gln Gly Glu Lys
370 375 380

Gln Asn Ala Pro Lys Glu Asn Asn Ala Gln Lys Glu Glu Asn Lys Pro
385 390 395 400

Asn Ser Lys Glu Glu Lys Arg Arg Leu Lys Glu Glu Lys Lys Lys Ala
405 410 415

Lys Ala Glu Gln Arg Ala Arg Glu Phe Glu Gln Arg Ala Arg Glu His
420 425 430

Gln Glu Arg Asp Glu Lys Glu Leu Glu Glu Arg Arg Lys Ala Leu Glu
435 440 445

Ala Gly Lys Lys
450

<210> 224

<211> 276

<212> PRT

<213> Helicobacter pylori

<400> 224

Met Phe Lys Asp Phe Tyr Arg Thr Thr Leu Ser Phe Leu Lys Pro Leu
1 5 10 15

Leu Leu Leu Leu Val Leu Leu Leu Pro Phe Ser Leu Cys Ile Ala Asp
20 25 30

Glu Tyr Ile Ser Ile Ser Asp Asp Trp Asp Glu Ile Val Arg Asn His
35 40 45

Lys Thr Tyr Tyr Phe Glu Asn Gly Leu Asp His Phe Asn Gln Gly Gln
50 55 60

Tyr Gln Gln Ala Phe Lys Asp Phe Arg Leu Ala Gln Glu Tyr Ser Ile
65 70 75 80

Gly Leu Gly Ser Val Tyr Leu Ala Lys Met Tyr Leu Glu Gly Lys Gly
85 90 95

Val Lys Val Asp Tyr Lys Lys Ala Gln Phe Tyr Ala Glu Asn Ala Ile
100 105 110

Lys Gly Tyr Gly Ser Gly Leu Leu Gly Gly Ala Leu Ile Leu Gly Arg
115 120 125

Met Gln Ala Glu Gly Leu Gly Met Lys Lys Asp Leu Lys Gln Ala Leu
130 135 140

Lys Thr Tyr Arg His Val Val Arg Met Phe Ser Asn Lys Ser Thr Asn
145 150 155 160

Phe Ala Asn Asn Phe Arg Leu Pro Asn Leu Ala Glu Phe Thr Ser Met
165 170 175

Leu Ile Gly Ser Arg Phe Ile Asp Leu Ser Gly Leu Ser Ala Asn Pro
180 185 190

Ile Lys Phe Gly Lys Lys Phe Gly Ile Leu Val Lys Lys Ser Thr Gln
195 200 205

Ile Lys Asp Lys Thr Leu Leu Trp Glu Asp Ile Ala Glu Ile Ser Ser
210 215 220

Asn Ile Thr Leu Leu Lys Gln Gln Met Gly Glu Ile Leu Tyr Arg Ile
225 230 235 240

Gly Ile Ala Tyr Lys Glu Gly Leu Gly Thr Arg Lys Lys Lys Asp Arg
245 250 255

Ala Lys Lys Phe Leu Gln Lys Ser Ala Glu Phe Gly Tyr Glu Lys Ala
260 265 270

Met Glu Ala Leu
275

<210> 225

<211> 330

<212> PRT

<213> Helicobacter pylori

<400> 225

Met Thr Glu Asp Arg Leu Ser Ala Glu Asp Lys Lys Phe Leu Glu Val
1 5 10 15

Glu Arg Ala Leu Lys Glu Ala Ala Leu Asn Pro Leu Arg His Ala Thr
20 25 30

Glu Glu Leu Phe Gly Asp Phe Leu Lys Met Glu Asn Ile Thr Glu Ile
35 40 45

Cys Tyr Asn Gly Asn Lys Val Val Trp Val Leu Lys Asn Asn Gly Glu
50 55 60

Trp Gln Pro Phe Asp Val Arg Asp Arg Lys Ala Phe Ser Leu Ser Arg
65 70 75 80

Leu Met His Phe Ala Arg Cys Cys Ala Ser Phe Lys Lys Lys Thr Ile
85 90 95

Asp Asn Tyr Glu Asn Pro Ile Leu Ser Ser Asn Leu Ala Asn Gly Glu
100 105 110

Arg Val Gln Ile Val Leu Ser Pro Val Thr Val Asn Asp Glu Thr Ile
115 120 125

Ser Ile Ser Ile Arg Ile Pro Ser Lys Thr Thr Tyr Pro His Ser Phe
130 135 140

Phe Glu Glu Gln Gly Phe Tyr Asn Leu Leu Asp Asn Lys Glu Gln Ala
145 150 155 160

Ile Ser Ala Ile Lys Asp Gly Ile Ala Ile Gly Lys Asn Val Ile Val
165 170 175

Cys Gly Gly Thr Gly Ser Gly Lys Thr Thr Tyr Ile Lys Ser Ile Met
180 185 190

Glu Phe Ile Pro Lys Glu Glu Arg Ile Ile Ser Ile Glu Asp Thr Glu
195 200 205

Glu Ile Val Phe Lys His His Lys Asn Tyr Thr Gln Leu Phe Phe Gly
210 215 220

Gly Asn Ile Thr Ser Ala Asp Cys Leu Lys Ser Cys Leu Arg Met Arg
225 230 235 240

Pro Asp Arg Ile Ile Leu Gly Glu Leu Arg Ser Ser Glu Ala Tyr Asp
245 250 255

Phe Tyr Asn Val Leu Cys Ser Gly His Lys Gly Thr Leu Thr Thr Leu
260 265 270

His Ala Gly Ser Ser Glu Glu Ala Phe Ile Arg Leu Ala Asn Met Ser
275 280 285

Ser Ser Asn Ser Ala Ala Arg Asn Ile Lys Phe Glu Ser Leu Ile Glu
290 295 300

Gly Phe Lys Asp Leu Ile Asp Met Ile Val His Ile Asn His His Lys
305 310 315 320

Gln Cys Asp Glu Phe Tyr Ile Lys His Arg
325 330

<210> 226

<211> 1927

<212> PRT

<213> Helicobacter pylori

<220>

<221> MISC_FEATURE

<222> (907)..(907)

<223> "X" can be any amino acid

<400> 226

Met Asn Glu Glu Asn Asp Lys Leu Glu Thr Ser Lys Lys Ala Gln Gln
1 5 10 15

Asp Ser Pro Gln Asp Leu Ser Asn Glu Glu Ala Thr Glu Ala Asn His
20 25 30

Phe Glu Asn Leu Leu Lys Glu Ser Lys Glu Ser Ser Asp His His Leu
35 40 45

Hp 04-04-03.ST251

Asp Asn Pro Thr Glu Thr Gln Thr His Phe Asp Gly Asp Lys Ser Glu
50 55 60

Glu Thr Gln Thr Gln Met Asp Ser Glu Gly Asn Glu Thr Ser Glu Ser
65 70 75 80

Ser Asn Gly Ser Leu Ala Asp Lys Leu Phe Lys Lys Ala Arg Lys Leu
85 90 95

Val Asp Asn Lys Lys Pro Phe Thr Gln Gln Lys Asn Leu Asp Glu Glu
100 105 110

Thr Gln Glu Leu Asn Glu Glu Asp Asp Gln Glu Asn Asn Glu Tyr Gln
115 120 125

Glu Glu Thr Gln Thr Asp Leu Ile Asp Asp Glu Thr Ser Lys Lys Thr
130 135 140

Gln Gln His Ser Pro Gln Asp Leu Ser Asn Glu Glu Ala Thr Glu Ala
145 150 155 160

Asn His Phe Glu Asn Leu Leu Lys Glu Ser Lys Glu Ser Ser Asp His
165 170 175

His Leu Asp Asn Pro Thr Glu Thr Gln Thr Asn Phe Asp Gly Asp Lys
180 185 190

Ser Glu Glu Thr Gln Thr Gln Met Asp Ser Glu Gly Asn Glu Thr Ser
195 200 205

Glu Ser Ser Asn Gly Ser Leu Ala Asp Lys Leu Phe Lys Lys Ala Arg
210 215 220

Lys Leu Val Asp Asn Lys Lys Pro Phe Thr Gln Gln Lys Asn Leu Asp
225 230 235 240

Glu Glu Thr Gln Glu Leu Asn Glu Glu Asp Asp Gln Glu Asn Asn Glu
245 250 255

Tyr Gln Glu Glu Thr Gln Thr Asp Leu Ile Asp Asp Glu Thr Ser Lys
260 265 270

Lys Thr Gln Gln His Ser Pro Gln Asp Leu Ser Asn Glu Glu Ala Thr
275 280 285

Glu Ala Asn His Phe Glu Asn Leu Leu Lys Glu Ser Lys Glu Ser Ser
290 295 300

Asp His His Leu Asp Asn Pro Thr Glu Thr Gln Thr Asn Phe Asp Gly
305 310 315 320

Hp 04-04-03.ST251

Asp Lys Ser Glu Glu Ile Thr Asp Asp Ser Asn Asp Gln Glu Ile Ile
325 330 335

Lys Gly Ser Lys Lys Lys Tyr Ile Ile Gly Gly Ile Val Val Ala Val
340 345 350

Leu Ile Val Ile Ile Leu Phe Ser Arg Ser Ile Phe His Tyr Phe Met
355 360 365

Pro Leu Glu Asp Lys Ser Ser Arg Phe Ser Lys Asp Arg Asn Leu Tyr
370 375 380

Val Asn Asp Glu Ile Gln Ile Arg Gln Glu Tyr Asn Arg Leu Leu Lys
385 390 395 400

Glu Arg Asn Glu Lys Gly Asn Met Ile Asp Lys Asn Leu Phe Phe Asn
405 410 415

Asp Asp Pro Asn Arg Thr Leu Tyr Asn Tyr Leu Asn Ile Ala Glu Ile
420 425 430

Glu Asp Lys Asn Pro Leu Arg Ala Phe Tyr Glu Cys Ile Ser Asn Gly
435 440 445

Gly Asn Tyr Glu Glu Cys Leu Lys Leu Ile Lys Asp Lys Lys Leu Gln
450 455 460

Asp Gln Met Lys Lys Thr Leu Glu Ala Tyr Asn Asp Cys Ile Lys Asn
465 470 475 480

Ala Lys Thr Glu Glu Glu Arg Ile Lys Cys Leu Asp Leu Ile Lys Asp
485 490 495

Glu Asn Leu Lys Lys Ser Leu Leu Asn Gln Gln Lys Val Gln Val Ala
500 505 510

Leu Asp Cys Leu Lys Asn Ala Lys Thr Asp Glu Glu Arg Asn Glu Cys
515 520 525

Leu Lys Leu Ile Asn Asp Pro Glu Ile Arg Glu Lys Phe Arg Lys Glu
530 535 540

Leu Glu Leu Gln Lys Glu Leu Gln Glu Tyr Lys Asp Cys Ile Lys Asn
545 550 555 560

Ala Lys Thr Glu Ala Glu Lys Asn Lys Cys Leu Lys Gly Leu Ser Lys
565 570 575

Glu Ala Ile Glu Arg Leu Lys Gln Gln Ala Leu Asp Cys Leu Lys Asn
580 585 590

Ala Lys Thr Asp Glu Glu Arg Asn Glu Cys Leu Lys Asn Ile Pro Gln
595 600 605

Asp Leu Gln Lys Glu Leu Leu Ala Asp Met Ser Val Lys Ala Tyr Lys
610 615 620

Asp Cys Val Ser Lys Ala Arg Asn Glu Lys Glu Lys Gln Glu Cys Glu
625 630 635 640

Lys Leu Leu Thr Pro Glu Ala Arg Lys Lys Leu Glu Gln Gln Val Leu
645 650 655

Asp Cys Leu Lys Asn Ala Lys Thr Asp Glu Glu Arg Lys Lys Cys Leu
660 665 670

Lys Asp Leu Pro Lys Asp Leu Gln Ser Asp Ile Leu Ala Lys Glu Ser
675 680 685

Leu Lys Ala Tyr Lys Asp Cys Val Ser Gln Ala Lys Thr Glu Ala Glu
690 695 700

Lys Lys Glu Cys Glu Lys Leu Leu Thr Pro Glu Ala Lys Lys Leu Leu
705 710 715 720

Glu Glu Glu Ala Lys Glu Ser Val Lys Ala Tyr Leu Asp Cys Val Ser
725 730 735

Gln Ala Lys Thr Glu Ala Glu Lys Lys Glu Cys Glu Lys Leu Leu Thr
740 745 750

Pro Glu Ala Lys Lys Lys Leu Glu Glu Ala Lys Lys Ser Val Lys Ala
755 760 765

Tyr Leu Asp Cys Val Ser Arg Ala Arg Asn Glu Lys Glu Lys Lys Glu
770 775 780

Cys Glu Lys Leu Leu Thr Pro Glu Ala Lys Lys Leu Leu Glu Gln Gln
785 790 795 800

Ala Leu Asp Cys Leu Lys Asn Ala Lys Thr Asp Lys Glu Arg Lys Lys
805 810 815

Cys Leu Lys Asp Leu Pro Lys Asp Leu Gln Lys Lys Val Leu Ala Lys
820 825 830

Glu Ser Val Lys Ala Tyr Leu Asp Cys Val Ser Gln Ala Lys Thr Glu
835 840 845

Ala Glu Lys Lys Glu Cys Glu Lys Leu Leu Thr Pro Glu Ala Arg Lys
850 855 860

Leu 865 Leu Glu Glu Ala Lys 870 Lys Ser Val Lys 875 Ala Tyr Leu Asp Cys Val 880

Ser Gln Ala Lys Thr 885 Glu Ala Glu Lys Lys 890 Glu Cys Glu Lys Leu 895 Leu

Thr Pro Glu Ala 900 Arg Lys Leu Leu Glu 905 Glu Xaa Ala Lys Glu 910 Ser Val

Lys Ala Tyr 915 Leu Asp Cys Val Ser 920 Gln Ala Lys Asn Glu 925 Ala Glu Lys

Lys Glu 930 Cys Glu Lys Leu Leu 935 Thr Leu Glu Ser Lys 940 Lys Lys Leu Glu

Glu 945 Ala Lys Lys Ser Val 950 Lys Ala Tyr Leu Asp 955 Cys Val Ser Gln Ala 960

Lys Thr Glu Ala Glu 965 Lys Lys Glu Cys Glu 970 Lys Leu Leu Thr Pro 975 Glu

Ala Lys Lys Leu 980 Leu Glu Gln Gln Ala 985 Leu Asp Cys Leu Lys 990 Asn Ala

Lys Thr Glu 995 Ala Asp Lys Lys Arg 1000 Cys Val Lys Asp Leu 1005 Pro Lys Asp

Leu Gln 1010 Lys Lys Val Leu Ala 1015 Lys Glu Ser Leu Lys 1020 Ala Tyr Lys

Asp Cys 1025 Val Ser Lys Ala Arg 1030 Asn Glu Lys Glu Lys 1035 Lys Glu Cys

Glu Lys 1040 Leu Leu Thr Pro Glu 1045 Ala Lys Lys Leu Leu 1050 Glu Glu Ala

Lys Lys 1055 Ser Val Lys Ala Tyr 1060 Leu Asp Cys Val Ser 1065 Gln Ala Lys

Thr Glu 1070 Ala Glu Lys Lys Glu 1075 Cys Glu Lys Leu Leu 1080 Thr Pro Glu

Ala Arg 1085 Lys Leu Leu Glu Glu 1090 Ala Lys Glu Ser Val 1095 Lys Ala Tyr

Lys Asp 1100 Cys Val Ser Lys Ala 1105 Arg Asn Glu Lys Glu 1110 Lys Lys Glu

Cys Glu 1115 Lys Leu Leu Thr Pro 1120 Glu Ala Lys Lys Leu 1125 Leu Glu Gln

Hp 04-04-03.ST251

Gln Val 1130 Leu Asp Cys Leu Lys 1135 Asn Ala Lys Thr Glu 1140 Ala Asp Lys

Lys Arg 1145 Cys Val Lys Asp Leu 1150 Pro Lys Asp Leu Gln 1155 Lys Lys Val

Leu Ala 1160 Lys Glu Ser Val Lys 1165 Ala Tyr Leu Asp Cys 1170 Val Ser Arg

Ala Arg 1175 Asn Glu Lys Glu Lys 1180 Lys Glu Cys Glu Lys 1185 Leu Leu Thr

Pro Glu 1190 Ala Lys Lys Leu Leu 1195 Glu Glu Ala Lys Glu 1200 Ser Leu Lys

Ala Tyr 1205 Lys Asp Cys Leu Ser 1210 Gln Ala Arg Asn Glu 1215 Glu Glu Arg

Arg Ala 1220 Cys Glu Lys Leu Leu 1225 Thr Pro Glu Ala Arg 1230 Lys Leu Leu

Glu Gln 1235 Glu Val Lys Lys Ser 1240 Ile Lys Ala Tyr Leu 1245 Asp Cys Val

Ser Arg 1250 Ala Arg Asn Glu Lys 1255 Glu Lys Lys Glu Cys 1260 Glu Lys Leu

Leu Thr 1265 Pro Glu Ala Arg Lys 1270 Phe Leu Ala Lys Gln 1275 Val Leu Asn

Cys Leu 1280 Glu Lys Ala Gly Asn 1285 Glu Glu Glu Arg Lys 1290 Ala Cys Leu

Lys Asn 1295 Leu Pro Lys Asp Leu 1300 Gln Glu Asn Ile Leu 1305 Ala Lys Glu

Ser Leu 1310 Lys Ala Tyr Lys Asp 1315 Cys Leu Ser Gln Ala 1320 Arg Asn Glu

Glu Glu 1325 Arg Arg Ala Cys Glu 1330 Lys Leu Leu Thr Pro 1335 Glu Ala Arg

Lys Leu 1340 Leu Glu Gln Glu Val 1345 Lys Lys Ser Val Lys 1350 Ala Tyr Leu

Asp Cys 1355 Val Ser Arg Ala Arg 1360 Asn Glu Lys Glu Lys 1365 Lys Glu Cys

Glu Lys 1370 Leu Leu Thr Pro Glu 1375 Ala Arg Lys Phe Leu 1380 Ala Lys Glu

Hp 04-04-03.ST251

Leu	Gln	Gln	Lys	Asp	Lys	Ala	Ile	Lys	Asp	Cys	Leu	Lys	Asn	Ala
1385						1390					1395			
Asp	Pro	Asn	Asp	Arg	Ala	Ala	Ile	Met	Lys	Cys	Leu	Asp	Gly	Leu
1400						1405					1410			
Ser	Asp	Glu	Glu	Lys	Leu	Lys	Tyr	Leu	Gln	Glu	Ala	Arg	Glu	Lys
1415						1420					1425			
Ala	Val	Ala	Asp	Cys	Leu	Ala	Met	Ala	Lys	Thr	Asp	Glu	Glu	Lys
1430						1435					1440			
Arg	Lys	Cys	Gln	Asn	Leu	Tyr	Ser	Asp	Leu	Ile	Gln	Glu	Ile	Gln
1445						1450					1455			
Asn	Lys	Arg	Thr	Gln	Asn	Lys	Gln	Asn	Gln	Leu	Ser	Lys	Thr	Glu
1460						1465					1470			
Arg	Leu	His	Gln	Ala	Ser	Glu	Cys	Leu	Asp	Asn	Leu	Asp	Asp	Pro
1475						1480					1485			
Thr	Asp	Gln	Glu	Ala	Ile	Glu	Gln	Cys	Leu	Glu	Gly	Leu	Ser	Asp
1490						1495					1500			
Ser	Glu	Arg	Ala	Leu	Ile	Leu	Gly	Ile	Lys	Arg	Gln	Ala	Asp	Glu
1505						1510					1515			
Val	Asp	Leu	Ile	Tyr	Ser	Asp	Leu	Arg	Asn	Arg	Lys	Thr	Phe	Asp
1520						1525					1530			
Asn	Met	Ala	Ala	Lys	Gly	Tyr	Pro	Leu	Leu	Pro	Met	Asp	Phe	Lys
1535						1540					1545			
Asn	Gly	Gly	Asp	Ile	Ala	Thr	Ile	Asn	Ala	Thr	Asn	Val	Asp	Ala
1550						1555					1560			
Asp	Lys	Ile	Ala	Ser	Asp	Asn	Pro	Ile	Tyr	Ala	Ser	Ile	Glu	Pro
1565						1570					1575			
Asp	Ile	Ala	Lys	Gln	Tyr	Glu	Thr	Glu	Lys	Thr	Ile	Lys	Asp	Lys
1580						1585					1590			
Asn	Leu	Glu	Ala	Lys	Leu	Ala	Lys	Ala	Leu	Gly	Gly	Asn	Lys	Lys
1595						1600					1605			
Asp	Asp	Asp	Lys	Glu	Lys	Ser	Lys	Lys	Ser	Thr	Ala	Glu	Ala	Lys
1610						1615					1620			
Ala	Glu	Asn	Asn	Lys	Ile	Asp	Lys	Asp	Val	Ala	Glu	Thr	Ala	Lys
1625						1630					1635			

Hp 04-04-03.ST251

Asn Ile Ser Glu Ile Ala Leu Lys Asn Lys Lys Glu Lys Ser Gly
1640 1645 1650

Glu Phe Val Asp Glu Asn Gly Asn Pro Ile Asp Asp Lys Lys Lys
1655 1660 1665

Ala Glu Lys Gln Asp Glu Thr Ser Pro Val Lys Gln Ala Phe Ile
1670 1675 1680

Gly Lys Ser Asp Pro Thr Phe Val Leu Ala Gln Tyr Thr Pro Ile
1685 1690 1695

Glu Ile Thr Leu Thr Ser Lys Val Asp Ala Thr Leu Thr Gly Ile
1700 1705 1710

Val Ser Gly Val Val Ala Lys Asp Val Trp Asn Met Asn Gly Thr
1715 1720 1725

Met Ile Leu Leu Asp Lys Gly Thr Lys Val Tyr Gly Asn Tyr Gln
1730 1735 1740

Ser Val Lys Gly Gly Thr Pro Ile Met Thr Arg Leu Met Ile Val
1745 1750 1755

Phe Thr Lys Ala Ile Thr Pro Asp Gly Val Ile Ile Pro Leu Ala
1760 1765 1770

Asn Ala Gln Ala Ala Gly Met Leu Gly Glu Ala Gly Val Asp Gly
1775 1780 1785

Tyr Val Asn Asn His Phe Met Lys Arg Ile Gly Phe Ala Val Ile
1790 1795 1800

Ala Ser Val Val Asn Ser Phe Leu Gln Thr Ala Pro Ile Ile Ala
1805 1810 1815

Leu Asp Lys Leu Ile Gly Leu Gly Lys Gly Arg Ser Glu Arg Thr
1820 1825 1830

Pro Glu Phe Asn Tyr Ala Leu Gly Gln Ala Ile Asn Gly Ser Met
1835 1840 1845

Gln Ser Ser Ala Gln Met Ser Asn Gln Ile Leu Gly Gln Leu Met
1850 1855 1860

Asn Ile Pro Pro Ser Phe Tyr Lys Asn Glu Gly Asp Ser Ile Lys
1865 1870 1875

Ile Leu Thr Met Asp Asp Ile Asp Phe Ser Gly Val Tyr Asp Val
1880 1885 1890

Lys Ile Thr Asn Lys Ser Val Val Asp Glu Ile Ile Lys Gln Ser
 1895 1900 1905

Thr Lys Thr Leu Ser Arg Glu His Glu Glu Ile Thr Thr Ser Pro
 1910 1915 1920

Lys Gly Gly Asn
 1925

<210> 227

<211> 381

<212> PRT

<213> Helicobacter pylori

<400> 227

Val Lys Cys Phe Leu Ser Ile Phe Ser Phe Leu Thr Phe Cys Gly Leu
 1 5 10 15

Ser Leu Asn Gly Thr Glu Val Val Ile Thr Leu Glu Pro Ala Leu Lys
 20 25 30

Ala Ile Gln Ala Asp Ala Gln Ala Lys Gln Lys Thr Ala Gln Ala Glu
 35 40 45

Leu Lys Ala Ile Glu Ala Gln Ser Ser Ala Lys Glu Lys Ala Ile Gln
 50 55 60

Ala Gln Ile Glu Gly Glu Leu Arg Thr Gln Leu Ala Thr Met Ser Ala
 65 70 75 80

Met Leu Lys Gly Ala Asn Gly Val Ile Asn Gly Val Asn Gly Met Thr
 85 90 95

Gly Gly Phe Phe Ala Gly Ser Asp Ile Leu Leu Gly Val Met Glu Gly
 100 105 110

Tyr Ser Ser Ala Leu Ser Ala Leu Gly Gly Asn Val Lys Met Ile Val
 115 120 125

Glu Lys Gln Lys Ile Asn Thr Gln Thr Glu Ile Gln Asn Met Gln Ile
 130 135 140

Ala Leu Gln Lys Asn Asn Glu Ile Ile Lys Leu Lys Met Asn Gln Gln
 145 150 155 160

Asn Ala Leu Leu Glu Ala Leu Lys Asn Ser Phe Glu Pro Ser Val Thr
 165 170 175

Hp 04-04-03.ST251

Leu Lys Thr Gln Met Glu Met Leu Ser Gln Ala Leu Gly Ser Ser Ser
180 185 190

Asp Asn Ala Gln Tyr Ile Ala Tyr Asn Thr Ile Gly Ile Lys Ala Phe
195 200 205

Glu Glu Thr Leu Lys Gly Phe Glu Thr Trp Leu Lys Val Ala Met Gln
210 215 220

Lys Ala Thr Leu Ile Asp Tyr Asn Ser Leu Thr Gly Gln Ala Leu Phe
225 230 235 240

Gln Ser Ala Ile Tyr Ala Pro Ala Leu Ser Phe Phe Ser Ser Met Gly
245 250 255

Ala Pro Phe Gly Ile Ile Glu Thr Phe Thr Leu Ala Pro Thr Lys Cys
260 265 270

Pro Tyr Leu Asp Gly Leu Lys Ile Ser Ala Cys Leu Met Glu Gln Val
275 280 285

Ile Gln Asn Tyr Arg Met Ile Val Ala Leu Ile Gln Asn Lys Leu Ser
290 295 300

Asp Ala Asp Phe Gln Asn Ile Ala Tyr Leu Asn Gly Ile Asn Gly Glu
305 310 315 320

Ile Lys Thr Leu Lys Gly Ser Val Asp Leu Asn Ala Leu Ile Glu Val
325 330 335

Ala Ile Leu Asn Ala Glu Asn His Leu Asn Tyr Ile Glu Asn Leu Glu
340 345 350

Lys Lys Ala Asp Leu Trp Glu Glu Gln Leu Lys Leu Glu Arg Glu Thr
355 360 365

Thr Ala Arg Asn Ile Ala Ser Ser Lys Val Ile Val Lys
370 375 380

<210> 228

<211> 370

<212> PRT

<213> Helicobacter pylori

<220>

<221> MISC_FEATURE

<222> (245)..(245)

<223> "X" can be any amino acid

<400> 228

Met Ala Gly Thr Gln Ala Ile Tyr Glu Ser Ser Ser Ala Gly Phe Leu
1 5 10 15

Ser Glu Ile Ser Ser Ile Ile Ser Ser Thr Ser Gly Val Ala Gly Pro
20 25 30

Phe Ala Gly Ile Val Ala Gly Ala Met Ser Ala Ala Ile Ile Pro Ile
35 40 45

Val Val Gly Phe Thr Asn Pro Gln Met Thr Ala Ile Met Thr Gln Tyr
50 55 60

Asn Gln Ser Ile Ala Glu Ala Val Ser Met Pro Met Lys Ala Ala Asn
65 70 75 80

Gln Gln Tyr Asn Gln Leu Tyr Gln Gly Phe Asn Asp Gln Ser Met Ala
85 90 95

Val Gly Asn Asn Ile Leu Asn Ile Ser Lys Leu Thr Gly Glu Phe Asn
100 105 110

Val Gln Gly Asn Thr Gln Gly Ala Gln Ile Ser Ala Val Asn Ser Gln
115 120 125

Ile Ala Ser Ile Leu Ala Ser Asn Thr Thr Pro Lys Asn Pro Ser Ala
130 135 140

Ile Glu Ala Tyr Ala Thr Asn Gln Ile Ala Val Pro Ser Val Pro Thr
145 150 155 160

Thr Val Glu Met Met Ser Gly Ile Leu Gly Asn Ile Thr Ser Ala Ala
165 170 175

Pro Lys Tyr Ala Leu Ala Leu Gln Glu Gln Leu Arg Ser Gln Ala Ser
180 185 190

Asn Ser Ser Met Asn Asp Thr Ala Asp Ser Leu Asp Ser Cys Thr Ala
195 200 205

Leu Gly Ala Leu Val Gly Ser Ser Lys Val Phe Phe Ser Cys Met Gln
210 215 220

Ile Ser Met Thr Pro Met Ser Val Ser Met Pro Thr Val Tyr Ala Lys
225 230 235 240

Tyr Gln Ala Leu Xaa Thr Asn Ala Leu Thr Ser Gly Thr Asn Pro Met
245 250 255

Thr Thr Pro Ala Cys Pro Ile Gly Asp Lys Val Leu Ala Val Tyr Cys
260 265 270

Tyr Ala Glu Lys Val Ala Glu Ile Leu Arg Glu Tyr Tyr Ile Glu Phe
275 280 285

Val Lys Asn Asn Thr Asn Leu Leu Gln Asn Ala Ser Gln Met Ile Leu
290 295 300

Asn Gln Ser Gly Leu Ala Thr Ser Thr Tyr Asp Thr Gln Ala Ile Ser
305 310 315 320

Asn Ile Ser Ser Leu Tyr Asn Tyr Asn Ile Val Ala Asn Lys Ser Phe
325 330 335

Leu Lys Ser His Leu Thr Tyr Leu Asp Tyr Ile Lys Asn Lys Leu Lys
340 345 350

Gly Gln Lys Asp Ser Tyr Leu Thr Glu Arg Val Gln Thr Lys Ile Ile
355 360 365

Val Lys
370

<210> 229

<211> 142

<212> PRT

<213> Helicobacter pylori

<400> 229

Met Lys Thr Asn Phe Tyr Lys Ile Lys Leu Leu Phe Ala Trp Cys Leu
1 5 10 15

Ile Ile Gly Met Phe Asn Ala Pro Leu Asn Ala Asp Gln Asn Thr Asp
20 25 30

Ile Lys Asp Ile Ser Pro Glu Asp Met Ala Leu Asn Ser Val Gly Leu
35 40 45

Val Ser Arg Asp Gln Leu Lys Ile Glu Ile Pro Lys Glu Thr Leu Glu
50 55 60

Gln Lys Val Ala Val Leu Asn Asp Tyr Asn Asp Lys Asn Val Asn Ile
65 70 75 80

Lys Phe Asp Asn Ile Ser Leu Gly Ser Phe Gln Pro Asn Asp Asn Leu
85 90 95

Gly Ile Asn Ala Met Trp Gly Ile Gln Asn Leu Leu Met Ser Gln Met
100 105 110

Met Gly Asp Tyr Gly Pro Asn Asn Pro Phe Met Tyr Gly Tyr Ala Pro
115 120 125

Thr Tyr Ser Asp Ser Ser Phe Leu Pro Pro Ile Leu Gly Tyr
130 135 140

<210> 230

<211> 983

<212> PRT

<213> Helicobacter pylori

<400> 230

Val Phe Val Ala Ser Lys Gln Ala Asp Glu Gln Lys Lys Leu Val Ile
1 5 10 15

Glu Gln Glu Val Gln Lys Arg Gln Phe Lys Lys Ile Glu Glu Leu Lys
20 25 30

Ala Asp Met Gln Lys Gly Val Asn Pro Phe Phe Lys Val Leu Phe Asp
35 40 45

Gly Gly Asn Arg Leu Phe Gly Phe Pro Glu Thr Phe Ile Tyr Ser Ser
50 55 60

Ile Phe Ile Leu Phe Val Thr Ile Val Leu Ser Val Ile Leu Phe Gln
65 70 75 80

Ala Tyr Glu Pro Val Leu Ile Val Ala Ile Val Ile Val Leu Val Ala
85 90 95

Leu Gly Phe Lys Lys Asp Tyr Arg Leu Tyr Gln Arg Met Glu Arg Ala
100 105 110

Met Lys Phe Lys Lys Pro Phe Leu Phe Lys Gly Val Lys Asn Lys Ala
115 120 125

Phe Met Ser Ile Phe Ser Met Lys Pro Ser Lys Glu Met Ala Asn Asp
130 135 140

Ile His Leu Asn Pro Asn Arg Glu Asp Arg Leu Val Ser Ala Ala Asn
145 150 155 160

Ser Tyr Leu Ala Asn Asn Tyr Glu Cys Phe Leu Asp Asp Gly Val Ile
165 170 175

Leu Thr Asn Asn Tyr Ser Leu Leu Gly Thr Ile Lys Leu Gly Gly Ile
180 185 190

Asp Phe Leu Thr Thr Ser Lys Lys Asp Leu Ile Glu Leu His Ala Ser
195 200 205

Ile Tyr Ser Val Phe Arg Asn Phe Val Thr Pro Glu Phe Lys Phe Tyr
210 215 220

Phe His Thr Val Lys Lys Lys Ile Val Ile Asp Glu Thr Asn Arg Asp
225 230 235 240

Tyr Ser Leu Ile Phe Ser Asn Asp Phe Met Arg Ala Tyr Asn Glu Lys
245 250 255

Gln Lys Arg Glu Ser Phe Tyr Asp Ile Ser Phe Tyr Leu Thr Ile Glu
260 265 270

Gln Asp Leu Leu Asp Thr Leu Asn Glu Pro Val Met Asn Lys Lys His
275 280 285

Phe Ala Asp Asn Asn Phe Glu Glu Phe Gln Arg Ile Ile Arg Ala Lys
290 295 300

Leu Glu Asn Phe Lys Asp Arg Ile Glu Leu Ile Glu Glu Leu Leu Ser
305 310 315 320

Lys Tyr His Pro Ile Arg Leu Lys Glu Tyr Thr Lys Asp Gly Val Ile
325 330 335

Tyr Ser Lys Gln Cys Glu Phe Tyr Asn Phe Leu Val Gly Met Asn Glu
340 345 350

Ala Pro Phe Ile Cys Asn Arg Lys Asp Leu Tyr Leu Lys Glu Lys Met
355 360 365

His Gly Gly Val Lys Glu Val Tyr Phe Ala Asn Lys His Gly Lys Ile
370 375 380

Leu Asn Asp Asp Leu Ser Glu Lys Tyr Phe Ser Ala Ile Glu Ile Ser
385 390 395 400

Glu Tyr Ala Pro Lys Ser Gln Ser Asp Leu Phe Asp Lys Ile Asn Ala
405 410 415

Leu Asp Ser Glu Phe Ile Phe Met His Ala Tyr Ser Pro Lys Asn Ser
420 425 430

Gln Val Leu Lys Asp Lys Leu Ala Phe Thr Ser Arg Arg Ile Ile Ile
435 440 445

Ser Gly Gly Ser Lys Glu Gln Gly Met Thr Leu Gly Cys Leu Ser Glu
450 455 460

Leu Val Gly Asn Gly Asp Ile Thr Leu Gly Ser Tyr Gly Asn Ser Leu
465 470 475 480

Val Leu Phe Ala Asp Ser Phe Glu Lys Met Lys Gln Ser Val Lys Glu
485 490 495

Cys Val Ser Ser Leu Asn Ala Lys Gly Phe Leu Ala Asn Ala Ala Thr
500 505 510

Phe Ser Met Glu Asn Tyr Phe Phe Ala Lys His Cys Ser Phe Ile Thr
515 520 525

Leu Pro Phe Ile Phe Asp Val Thr Ser Asn Asn Phe Ala Asp Phe Ile
530 535 540

Ala Met Arg Ala Met Ser Phe Asp Gly Asn Gln Glu Asn Asn Ala Trp
545 550 555 560

Gly Asn Ser Val Met Thr Leu Lys Ser Glu Ile Asn Ser Pro Phe Tyr
565 570 575

Leu Asn Phe His Met Pro Thr Asp Phe Gly Ser Ala Ser Ala Gly His
580 585 590

Thr Leu Ile Leu Gly Ser Thr Gly Ser Gly Lys Thr Val Phe Met Ser
595 600 605

Met Thr Leu Asn Ala Met Gly Gln Phe Val His Asn Phe Pro Ala Asn
610 615 620

Val Ser Lys Asp Lys Gln Lys Leu Thr Met Val Tyr Met Asp Lys Asp
625 630 635 640

Tyr Gly Ala Tyr Gly Asn Ile Val Ala Met Gly Gly Glu Tyr Val Lys
645 650 655

Ile Glu Leu Gly Thr Asp Thr Gly Leu Asn Pro Phe Ala Trp Ala Ala
660 665 670

Cys Val Gln Lys Thr Asn Ala Thr Met Glu Gln Lys Gln Thr Ala Ile
675 680 685

Ser Val Val Lys Glu Leu Val Lys Asn Leu Ala Thr Lys Ser Asp Glu
690 695 700

Lys Asp Glu Asn Gly Asn Ser Ile Ser Phe Ser Leu Ala Asp Ser Asn
705 710 715 720

Thr Leu Ala Ala Ala Val Thr Asn Leu Ile Thr Gly Asp Met Asn Leu
725 730 735

Asp Tyr Pro Ile Thr Gln Leu Ile Asn Ala Phe Gly Lys Asp His Asn
740 745 750

Asp Pro Asn Gly Leu Val Ala Arg Leu Ala Pro Phe Cys Lys Ser Thr
755 760 765

Asn Gly Glu Phe Gln Trp Leu Phe Asp Asn Lys Ala Thr Asp Arg Leu
770 775 780

Asp Phe Ser Lys Thr Ile Ile Gly Val Asp Gly Ser Ser Phe Leu Asp
785 790 795 800

Asn Asn Asp Val Ser Pro Phe Ile Cys Phe Tyr Leu Phe Ala Arg Ile
805 810 815

Gln Glu Ala Met Asp Gly Arg Arg Phe Val Leu Asp Ile Asp Glu Ala
820 825 830

Trp Lys Tyr Leu Gly Asp Pro Lys Val Ala Tyr Phe Val Arg Asp Met
835 840 845

Leu Lys Thr Ala Arg Lys Arg Asn Ala Ile Val Arg Leu Ala Thr Gln
850 855 860

Ser Ile Thr Asp Leu Leu Ala Cys Pro Ile Ala Asp Thr Ile Arg Glu
865 870 875 880

Gln Cys Pro Thr Lys Ile Phe Leu Arg Asn Asp Gly Gly Asn Leu Ser
885 890 895

Asp Tyr Gln Arg Leu Ala Asn Val Thr Glu Lys Glu Phe Glu Ile Ile
900 905 910

Thr Lys Gly Leu Asp Arg Lys Ile Leu Tyr Lys Gln Asp Gly Ser Pro
915 920 925

Ser Val Ile Ala Ser Phe Asn Leu Arg Gly Ile Pro Lys Glu Tyr Leu
930 935 940

Lys Ile Leu Ser Thr Asp Thr Val Phe Val Lys Glu Ile Asp Lys Ile
945 950 955 960

Ile Gln Asn His Ser Ile Ile Asp Lys Tyr Gln Ala Leu Arg Gln Met
965 970 975

Tyr Gln Gln Ile Lys Glu Tyr
980

<210> 231

<211> 207

<212> PRT

<213> Helicobacter pylori

<400> 231

Leu Ile Asn Asn Asn Ser Asn Lys Lys Leu Arg Gly Phe Phe Val Lys
1 5 10 15

Val Leu Leu Ser Leu Val Val Phe Ser Ser Tyr Gly Leu Ala Asn Asp
20 25 30

Asp Lys Glu Ala Lys Lys Glu Val Leu Glu Lys Glu Lys Asn Thr Pro
35 40 45

Asn Gly Leu Val Tyr Thr Asn Leu Asp Phe Asp Ser Phe Lys Ala Thr
50 55 60

Ile Lys Asn Leu Lys Asp Lys Lys Val Thr Phe Lys Glu Val Asn Pro
65 70 75 80

Asp Ile Ile Lys Asp Glu Val Phe Asp Phe Val Ile Val Asn Arg Val
85 90 95

Leu Lys Lys Ile Lys Asp Leu Lys His Tyr Asp Pro Val Ile Glu Lys
100 105 110

Ile Phe Asp Glu Lys Gly Lys Glu Met Gly Leu Asn Val Glu Leu Gln
115 120 125

Ile Asn Pro Glu Val Lys Asp Phe Phe Thr Phe Lys Ser Ile Ser Thr
130 135 140

Thr Asn Lys Gln Arg Cys Phe Leu Ser Leu Arg Gly Glu Thr Arg Glu
145 150 155 160

Ile Leu Cys Asp Asp Lys Leu Tyr Asn Val Leu Leu Ala Val Phe Asn
165 170 175

Ser Tyr Asp Pro Asn Asp Leu Leu Lys His Ile Ser Thr Val Glu Ser
180 185 190

Leu Lys Lys Ile Phe Tyr Thr Ile Thr Cys Glu Ala Val Tyr Leu
195 200 205

<210> 232

<211> 1186

<212> PRT

<213> Helicobacter pylori

<400> 232

Met Thr Asn Glu Thr Ile Asp Gln Thr Arg Thr Pro Asp Gln Thr Gln
1 5 10 15

Ser Gln Thr Ala Phe Asp Pro Gln Gln Phe Ile Asn Asn Leu Gln Val
20 25 30

Ala Phe Ile Lys Val Asp Asn Val Val Ala Ser Phe Asp Pro Asp Gln
35 40 45

Lys Pro Ile Val Asp Lys Asn Asp Arg Asp Asn Arg Gln Ala Phe Asp
50 55 60

Gly Ile Ser Gln Leu Arg Glu Glu Tyr Ser Asn Lys Ala Ile Lys Asn
65 70 75 80

Pro Thr Lys Lys Asn Gln Tyr Phe Ser Asp Phe Ile Asp Lys Ser Asn
85 90 95

Asp Leu Ile Asn Lys Asp Asn Leu Ile Asp Val Glu Ser Ser Thr Lys
100 105 110

Ser Phe Gln Lys Phe Gly Asp Gln Arg Tyr Gln Ile Phe Thr Ser Trp
115 120 125

Val Ser His Gln Lys Asp Pro Ser Lys Ile Asn Thr Arg Ser Ile Arg
130 135 140

Asn Phe Met Glu Asn Ile Ile Gln Pro Pro Ile Pro Asp Asp Lys Glu
145 150 155 160

Lys Ala Glu Phe Leu Lys Ser Ala Lys Gln Ser Phe Ala Gly Ile Ile
165 170 175

Ile Gly Asn Gln Ile Arg Thr Asp Gln Lys Phe Met Gly Val Phe Asp
180 185 190

Glu Ser Leu Lys Glu Arg Gln Glu Ala Glu Lys Asn Gly Gly Pro Thr
195 200 205

Gly Gly Asp Trp Leu Asp Ile Phe Leu Ser Phe Ile Phe Asn Lys Lys
210 215 220

Gln Ser Ser Asp Val Lys Glu Ala Ile Asn Gln Glu Pro Val Pro His
225 230 235 240

Val Gln Pro Asp Ile Ala Thr Thr Thr Thr Asp Ile Gln Gly Leu Pro
 245 250 255
 Pro Glu Ala Arg Asp Leu Leu Asp Glu Arg Gly Asn Phe Ser Lys Phe
 260 265 270
 Thr Leu Gly Asp Met Glu Met Leu Asp Val Glu Gly Val Ala Asp Ile
 275 280 285
 Asp Pro Asn Tyr Lys Phe Asn Gln Leu Leu Ile His Asn Asn Ala Leu
 290 295 300
 Ser Ser Val Leu Met Gly Ser His Asn Gly Ile Glu Pro Glu Lys Val
 305 310 315 320
 Ser Leu Leu Tyr Ala Gly Asn Gly Gly Phe Gly Asp Lys His Asp Trp
 325 330 335
 Asn Ala Thr Val Gly Tyr Lys Asp Gln Gln Gly Asn Asn Val Ala Thr
 340 345 350
 Leu Ile Asn Val His Met Lys Asn Gly Ser Gly Leu Val Ile Ala Gly
 355 360 365
 Gly Glu Lys Gly Ile Asn Asn Pro Ser Phe Tyr Leu Tyr Lys Glu Asp
 370 375 380
 Gln Leu Thr Gly Ser Gln Arg Ala Leu Ser Gln Glu Glu Ile Arg Asn
 385 390 395 400
 Lys Val Asp Phe Met Glu Phe Leu Ala Gln Asn Asn Thr Lys Leu Asp
 405 410 415
 Asn Leu Ser Glu Lys Glu Lys Glu Lys Phe Gln Asn Glu Ile Glu Asp
 420 425 430
 Phe Gln Lys Asp Ser Lys Ala Tyr Leu Asp Ala Leu Gly Asn Asp Arg
 435 440 445
 Ile Ala Phe Val Ser Lys Lys Asp Thr Lys His Ser Ala Leu Ile Thr
 450 455 460
 Glu Phe Asn Asn Gly Asp Leu Ser Tyr Thr Leu Lys Asp Tyr Gly Lys
 465 470 475 480
 Lys Ala Asp Lys Ala Leu Asp Arg Glu Lys Asn Val Thr Leu Gln Gly
 485 490 495
 Ser Leu Lys His Asp Gly Val Met Phe Val Asp Tyr Ser Asn Phe Lys
 500 505 510

Tyr Thr Asn Ala Ser Lys Asn Pro Asn Lys Gly Val Gly Ala Thr Asn
515 520 525

Gly Val Ser His Leu Glu Ala Gly Phe Asn Lys Val Ala Val Phe Asn
530 535 540

Leu Pro Asp Leu Asn Asn Leu Ala Ile Thr Ser Phe Val Arg Arg Asn
545 550 555 560

Leu Glu Asn Lys Leu Thr Ala Lys Gly Leu Ser Leu Gln Glu Ala Asn
565 570 575

Lys Leu Ile Lys Asp Phe Leu Ser Ser Asn Lys Glu Leu Ala Gly Lys
580 585 590

Ala Leu Asn Phe Asn Lys Ala Val Ala Glu Ala Lys Ser Thr Gly Asn
595 600 605

Tyr Asp Glu Val Lys Lys Ala Gln Lys Asp Leu Glu Lys Ser Leu Arg
610 615 620

Lys Arg Glu His Leu Glu Lys Glu Val Glu Lys Lys Leu Glu Ser Lys
625 630 635 640

Ser Gly Asn Lys Asn Lys Met Glu Ala Lys Ala Gln Ala Asn Ser Gln
645 650 655

Lys Asp Glu Ile Phe Ala Leu Ile Asn Lys Glu Ala Asn Arg Asp Ala
660 665 670

Arg Ala Ile Ala Tyr Thr Gln Asn Leu Lys Gly Ile Lys Arg Glu Leu
675 680 685

Ser Asp Lys Leu Glu Lys Ile Ser Lys Asp Leu Lys Asp Phe Ser Lys
690 695 700

Ser Phe Asp Glu Phe Lys Asn Gly Lys Asn Lys Asp Phe Ser Lys Ala
705 710 715 720

Glu Glu Thr Leu Lys Ala Leu Lys Gly Ser Val Lys Asp Leu Gly Ile
725 730 735

Asn Pro Glu Trp Ile Ser Lys Val Glu Asn Leu Asn Ala Ala Leu Asn
740 745 750

Glu Phe Lys Asn Gly Lys Asn Lys Asp Phe Ser Lys Val Thr Gln Ala
755 760 765

Lys Ser Asp Leu Glu Asn Ser Val Lys Asp Val Ile Ile Asn Gln Lys
770 775 780

Val Thr Asp Lys Val Asp Asn Leu Asn Gln Ala Val Ser Val Ala Lys
 785 790 795 800
 Ala Met Gly Asp Phe Ser Arg Val Glu Gln Val Leu Ala Asp Leu Lys
 805 810 815
 Asn Phe Ser Lys Glu Gln Leu Ala Gln Gln Ala Gln Lys Asn Glu Asp
 820 825 830
 Phe Asn Thr Gly Lys Asn Ser Glu Leu Tyr Gln Ser Val Lys Asn Ser
 835 840 845
 Val Asn Lys Thr Leu Val Gly Asn Gly Leu Ser Gly Ile Glu Ala Thr
 850 855 860
 Ala Leu Ala Lys Asn Phe Ser Asp Ile Lys Lys Glu Leu Asn Glu Lys
 865 870 875 880
 Phe Lys Asn Phe Asn Asn Asn Asn Asn Gly Leu Lys Asn Ser Thr Glu
 885 890 895
 Pro Ile Tyr Ala Lys Val Asn Lys Lys Lys Thr Gly Gln Val Ala Ser
 900 905 910
 Pro Glu Glu Pro Ile Tyr Thr Gln Val Ala Lys Lys Val Asn Ala Lys
 915 920 925
 Ile Asp Arg Leu Asn Gln Ile Ala Ser Gly Leu Gly Gly Val Gly Gln
 930 935 940
 Ala Ala Gly Phe Pro Leu Lys Arg His Asp Lys Val Asp Asp Leu Ser
 945 950 955 960
 Lys Val Gly Leu Ser Ala Ser Pro Glu Pro Ile Tyr Ala Thr Ile Asp
 965 970 975
 Asp Leu Gly Gly Pro Phe Pro Leu Lys Arg His Asp Lys Val Asp Asp
 980 985 990
 Leu Ser Lys Val Gly Arg Ser Arg Asn Gln Glu Leu Ala Gln Lys Ile
 995 1000 1005
 Asp Asn Leu Asn Gln Ala Val Ser Glu Ala Lys Ala Gly Phe Phe
 1010 1015 1020
 Gly Asn Leu Glu Gln Thr Ile Asp Lys Leu Lys Asp Ser Thr Lys
 1025 1030 1035
 Lys Asn Val Met Asn Leu Tyr Val Glu Ser Ala Lys Lys Val Pro
 1040 1045 1050

Ala Ser Leu Ser Ala Lys Leu Asp Asn Tyr Ala Ile Asn Ser His
1055 1060 1065

Thr Arg Ile Asn Ser Asn Ile Gln Asn Gly Ala Ile Asn Glu Lys
1070 1075 1080

Ala Thr Gly Met Leu Thr Gln Lys Asn Pro Glu Trp Leu Lys Leu
1085 1090 1095

Val Asn Asp Lys Ile Val Ala His Asn Val Gly Ser Val Ser Leu
1100 1105 1110

Ser Glu Tyr Asp Lys Ile Gly Phe Asn Gln Lys Asn Met Lys Asp
1115 1120 1125

Tyr Ser Asp Ser Phe Lys Phe Ser Thr Lys Leu Asn Asn Ala Val
1130 1135 1140

Lys Asp Ile Lys Ser Gly Phe Thr His Phe Leu Ala Asn Ala Phe
1145 1150 1155

Ser Thr Gly Tyr Tyr Cys Leu Ala Arg Glu Asn Ala Glu His Gly
1160 1165 1170

Ile Lys Asn Val Asn Thr Lys Gly Gly Phe Gln Lys Ser
1175 1180 1185

<210> 233

<211> 416

<212> PRT

<213> Helicobacter pylori

<400> 233

Val Ala Ile Asn Thr Phe Leu Lys His Ser Phe Leu Val Cys Leu Leu
1 5 10 15

Ala Val Asn Ser Tyr Ala Phe Asp Trp Asn Ile Phe Lys Tyr Asn Leu
20 25 30

Gly Phe Asn Met Phe Ile Met Asp His Glu Gly Ser Thr Pro Tyr Trp
35 40 45

Val Asn Thr Asn Thr Asn Leu Lys Thr Arg Leu Thr Pro Asn Phe Gly
50 55 60

Ile Gln Phe Tyr Thr Arg Gly Val Glu Gln Ser Leu Thr Val Gly Ala
65 70 75 80

Tyr Phe Phe Gln Asn Phe His Asn Tyr Ser Thr Asn Phe Pro Tyr Arg
 85 90 95
 Trp Gly Pro Thr Met Tyr Tyr Lys Ala Arg Gly Lys Arg Phe Thr Phe
 100 105 110
 Tyr Gly Gly Ile Phe Pro Arg Lys Asn Leu Leu Gly Arg Tyr Gly Leu
 115 120 125
 Asn Ile Phe Ala Pro Tyr Tyr Trp Phe Ile Asp Pro Asn Ala Arg Gly
 130 135 140
 Phe Leu Leu Gln Phe Gln Asn His Tyr Ser Pro Ser Lys Pro Tyr Tyr
 145 150 155 160
 Gly His Ala Glu Phe Met Leu Asp Trp Phe Gly Gly Asn Cys Tyr Asn
 165 170 175
 Thr Cys Lys Phe Gly Arg Asn Pro Tyr Gly Asn Ala Met Asp Arg Phe
 180 185 190
 Gln Met Asn Gly Ser Val Ala Tyr Asn Phe Phe Lys Asp Leu Leu Gly
 195 200 205
 Ile Gly Gly Tyr Phe Val Leu Phe His Asn Glu Asp Lys Tyr Leu Leu
 210 215 220
 Asn Gly Ala Asp Gly Met Gln Phe Asn Glu Lys Lys Ala Ile Asp Asn
 225 230 235 240
 Ser Ala Ile Tyr Leu Leu Asp Arg Leu Tyr Tyr Asn Ala Tyr Ile Ser
 245 250 255
 Thr Ser Leu Leu Asp Ile Ala Pro Phe Met Glu Lys Leu Ser Ala Lys
 260 265 270
 Phe Gly Met Val Ser Glu Ala Ser Arg Leu Arg Asn Arg Glu Lys Glu
 275 280 285
 Val Pro Phe Ile Asn Ser Val Gly Gly Gln Phe Asp Val Glu Ile Gln
 290 295 300
 Tyr Lys Gly Phe Gly Ile His Asn Leu Phe Phe Phe Ala Lys Thr Pro
 305 310 315 320
 Glu Met Pro Phe Tyr Asn Gln Tyr Gln Tyr Val Glu Met Tyr Cys Thr
 325 330 335
 Pro Ser Tyr Cys Pro Thr Pro Ile Tyr Arg Gly Val Pro Phe Phe Gln
 340 345 350

Ala Asn Met Tyr Asn Arg Phe Asp Phe Tyr Tyr Asn Trp Lys Asn Asp
355 365 365

Phe Ala Ser Val Arg Ile Asn Phe Val Leu Asn Ala Met Arg Gly Gly
370 375 380

Phe Asp Arg Ser Leu Pro Trp Ser Glu Ser Tyr Gln Val Tyr Met Thr
385 390 395 400

Val Ala Phe Asp Pro Tyr Asn Leu Ile Asn Lys Ile Ala Arg Lys Lys
405 410 415

<210> 234

<211> 340

<212> PRT

<213> Helicobacter pylori

<400> 234

Met Met Ile Phe Ile Asp Ala Cys Phe Arg Lys Glu Thr Pro Tyr Thr
1 5 10 15

Pro Ile Trp Met Met Arg Gln Ala Gly Arg Tyr Leu Ser Glu Tyr Gln
20 25 30

Glu Ser Arg Lys Lys Ala Gly Ser Phe Leu Glu Leu Cys Lys Asn Ser
35 40 45

Asp Leu Ala Thr Glu Val Thr Leu Gln Pro Val Glu Ile Leu Gly Val
50 55 60

Asp Ala Ala Ile Leu Phe Ser Asp Ile Leu Val Val Pro Leu Glu Met
65 70 75 80

Gly Leu Asn Leu Glu Phe Ile Pro Lys Lys Gly Pro His Phe Leu Glu
85 90 95

Thr Ile Thr Asp Leu Lys Ser Val Glu Ser Leu Lys Val Gly Ala Tyr
100 105 110

Lys Gln Leu Asn Tyr Val Tyr Asp Thr Ile Ser Gln Thr Arg Gln Lys
115 120 125

Leu Ser Arg Glu Lys Ala Leu Ile Gly Phe Cys Gly Ser Pro Trp Thr
130 135 140

Leu Ala Thr Tyr Met Ile Glu Gly Glu Gly Ser Lys Ser Tyr Ala Lys
145 150 155 160

Ser Lys Lys Met Leu Tyr Ser Glu Pro Glu Val Leu Lys Ala Leu Leu
165 170 175

Glu Lys Leu Ser Leu Glu Leu Ile Glu Tyr Leu Ser Leu Gln Ile Gln
180 185 190

Ala Gly Val Asn Ala Val Met Ile Phe Asp Ser Trp Ala Ser Ala Leu
195 200 205

Glu Lys Glu Ala Tyr Leu Lys Phe Ser Trp Asp Tyr Leu Lys Lys Ile
210 215 220

Ser Lys Glu Leu Lys Lys Arg Tyr Ala His Ile Pro Val Ile Leu Phe
225 230 235 240

Pro Lys Gly Ile Gly Ala Tyr Leu Asp Ser Ile Asp Gly Glu Phe Asp
245 250 255

Val Phe Gly Val Asp Trp Gly Thr Pro Leu Thr Ala Ala Lys Lys Ile
260 265 270

Leu Gly Gly Lys Tyr Val Leu Gln Gly Asn Leu Glu Pro Thr Arg Leu
275 280 285

Tyr Asp Lys Asn Ala Leu Glu Glu Gly Val Glu Thr Ile Leu Lys Val
290 295 300

Met Gly Asn Gln Gly His Ile Phe Asn Leu Gly His Gly Met Leu Pro
305 310 315 320

Asp Leu Pro Arg Glu Asn Ala Lys Tyr Leu Val Gln Leu Val His Ala
325 330 335

Lys Thr Arg Arg
340

<210> 235

<211> 1028

<212> PRT

<213> Helicobacter pylori

<400> 235

Met Tyr Lys Thr Ala Ile Asn Arg Pro Ile Thr Thr Leu Met Phe Ala
1 5 10 15

Leu Ala Ile Val Phe Phe Gly Thr Met Gly Phe Lys Lys Leu Ser Val
20 25 30

Ala Leu Phe Pro Lys Ile Asp Leu Pro Thr Val Val Val Thr Thr Thr
35 40 45

Tyr Pro Gly Ala Ser Ala Glu Ile Ile Glu Ser Lys Val Thr Asp Lys
50 55 60

Ile Glu Glu Ala Val Met Gly Ile Asp Gly Ile Lys Lys Val Thr Ser
65 70 75 80

Thr Ser Ser Lys Asn Val Ser Ile Val Val Ile Glu Phe Glu Leu Glu
85 90 95

Lys Pro Asn Glu Glu Ala Leu Asn Asp Val Val Asn Lys Ile Ser Ser
100 105 110

Val Arg Phe Asp Asp Ser Asn Ile Lys Lys Pro Ser Ile Asn Lys Phe
115 120 125

Asp Thr Asp Ser Gln Ala Ile Ile Ser Leu Phe Val Ser Ser Ser Ser
130 135 140

Val Pro Ala Thr Thr Leu Asn Asp Tyr Ala Lys Asn Thr Ile Lys Pro
145 150 155 160

Met Leu Gln Lys Ile Asn Gly Val Gly Gly Val Gln Leu Asn Gly Phe
165 170 175

Arg Glu Arg Gln Ile Arg Ile Tyr Ala Asn Pro Thr Leu Met Asn Lys
180 185 190

Tyr Asn Leu Thr Tyr Ala Asp Leu Phe Ser Thr Leu Lys Ala Glu Asn
195 200 205

Val Glu Ile Asp Gly Gly Arg Ile Val Asn Ser Gln Arg Glu Phe Ser
210 215 220

Ile Leu Ile Asn Ala Asn Ser Tyr Ser Val Ala Asp Val Glu Lys Ile
225 230 235 240

Gln Val Gly Asn His Val Arg Leu Gly Asp Ile Ala Lys Ile Glu Ile
245 250 255

Gly Leu Glu Glu Asp Asn Thr Phe Ala Ser Phe Lys Asp Lys Pro Gly
260 265 270

Val Ile Leu Glu Ile Gln Lys Ile Ala Gly Ala Asn Glu Ile Glu Ile
275 280 285

Val Asp Arg Val Tyr Glu Ala Leu Lys Arg Ile Gln Ala Ile Ser Pro
290 295 300

Asn Tyr Glu Ile Arg Pro Phe Leu Asp Thr Thr Gly Tyr Ile Arg Thr
305 310 315 320

Ser Ile Glu Asp Val Lys Phe Asp Leu Val Leu Gly Ala Ile Leu Ala
325 330 335

Val Leu Val Val Phe Ala Phe Leu Arg Asn Gly Thr Ile Thr Leu Val
340 345 350

Ser Ala Ile Ser Ile Pro Ile Ser Ile Met Gly Thr Phe Ala Leu Ile
355 360 365

Gln Trp Met Gly Phe Ser Leu Asn Met Leu Thr Met Val Ala Leu Thr
370 375 380

Leu Ala Ile Gly Ile Ile Ile Asp Asp Ala Ile Val Val Ile Glu Asn
385 390 395 400

Ile His Lys Lys Leu Glu Met Gly Met Ser Lys Arg Lys Ala Ser Tyr
405 410 415

Glu Gly Val Arg Glu Ile Gly Phe Ala Leu Val Ala Ile Ser Ala Met
420 425 430

Leu Leu Ser Val Phe Val Pro Ile Gly Asn Met Lys Gly Ile Ile Gly
435 440 445

Arg Phe Phe Gln Ser Phe Gly Ile Thr Val Ala Leu Ala Ile Ala Leu
450 455 460

Ser Tyr Val Val Val Val Thr Ile Ile Pro Met Val Ser Ser Val Val
465 470 475 480

Val Asn Pro Arg His Ser Arg Phe Tyr Val Trp Ser Glu Pro Phe Phe
485 490 495

Lys Ala Leu Glu Ser Arg Tyr Thr Lys Leu Leu Gln Trp Val Leu Asn
500 505 510

His Lys Ile Ile Ile Ser Ile Ala Val Val Leu Val Phe Val Gly Ser
515 520 525

Leu Phe Val Ala Ser Lys Ile Gly Met Glu Phe Met Leu Lys Glu Asp
530 535 540

Arg Gly Arg Phe Leu Val Trp Leu Lys Ala Lys Pro Gly Val Ser Ile
545 550 555 560

Asp Tyr Met Thr Gln Lys Ser Lys Ile Phe Gln Lys Ala Ile Glu Lys
565 570 575

His Ala Glu Val Glu Phe Thr Thr Leu Gln Val Gly Tyr Gly Thr Thr
580 585 590

Gln Asn Pro Phe Lys Ala Lys Ile Phe Val Gln Leu Lys Pro Leu Lys
595 600 605

Glu Arg Lys Lys Glu His Gln Leu Gly Gln Phe Glu Leu Met Ser Val
610 615 620

Leu Arg Lys Glu Leu Arg Ser Leu Pro Glu Ala Lys Gly Leu Asp Thr
625 630 635 640

Ile Asn Leu Ser Glu Val Thr Leu Ile Gly Gly Gly Gly Asp Ser Ser
645 650 655

Pro Phe Gln Thr Phe Val Phe Ser His Ser Gln Glu Ala Val Asp Lys
660 665 670

Ser Val Glu Asn Leu Lys Lys Phe Leu Leu Glu Ser Pro Glu Leu Lys
675 680 685

Gly Lys Val Glu Ser Tyr His Thr Ser Thr Ser Glu Ser Gln Pro Gln
690 695 700

Leu Gln Leu Lys Ile Leu Arg Gln Asn Ala Asn Lys Tyr Gly Val Ser
705 710 715 720

Ala Gln Thr Ile Gly Ser Val Val Ser Ser Ala Phe Ser Gly Thr Ser
725 730 735

Gln Ala Ser Val Phe Lys Glu Asp Gly Lys Glu Tyr Asp Met Ile Ile
740 745 750

Arg Val Pro Asp Asp Lys Arg Val Ser Val Glu Asp Ile Lys Arg Leu
755 760 765

Gln Val Arg Asn Lys Tyr Asp Lys Leu Met Phe Leu Asp Ala Leu Val
770 775 780

Glu Ile Thr Glu Thr Lys Ser Pro Ser Ser Ile Ser Arg Tyr Asn Arg
785 790 795 800

Gln Arg Ser Val Thr Val Leu Ala Glu Pro Asn Arg Asn Ala Gly Val
805 810 815

Ser Leu Gly Glu Ile Leu Thr Gln Val Ser Lys Asn Thr Lys Glu Trp
820 825 830

Leu Val Glu Gly Ala Asn Tyr Arg Phe Thr Gly Glu Ala Asp Asn Ala
835 840 845

Lys Glu Ser Asn Gly Glu Phe Leu Val Ala Leu Ala Thr Ala Phe Val
850 855 860

Leu Ile Tyr Met Ile Leu Ala Ala Leu Tyr Glu Ser Ile Leu Glu Pro
865 870 875 880

Phe Ile Ile Met Val Thr Met Pro Leu Ser Phe Ser Gly Ala Phe Phe
885 890 895

Ala Leu Gly Leu Val His Gln Pro Leu Ser Met Phe Ser Met Ile Gly
900 905 910

Leu Ile Leu Leu Ile Gly Met Val Gly Lys Asn Ala Thr Leu Leu Ile
915 920 925

Asp Val Ala Asn Glu Glu Arg Lys Lys Gly Leu Asn Ile Gln Glu Ala
930 935 940

Ile Leu Phe Ala Gly Lys Thr Arg Leu Arg Pro Ile Leu Met Thr Thr
945 950 955 960

Ile Ala Met Val Cys Gly Met Leu Pro Leu Ala Leu Ala Ser Gly Asp
965 970 975

Gly Ala Ala Met Lys Ser Pro Ile Gly Ile Ala Met Ser Gly Gly Leu
980 985 990

Met Ile Ser Met Val Leu Ser Leu Leu Ile Val Pro Val Phe Tyr Arg
995 1000 1005

Leu Leu Ala Pro Ile Asp Asp Lys Ile Lys Arg Phe Tyr Gln Asn
1010 1015 1020

Gln Lys Thr Leu Glu
1025

<210> 236

<211> 194

<212> PRT

<213> Helicobacter pylori

<400> 236

Met Lys Lys Val Leu Ile Ile Asn Gly Ala Lys Ala Phe Gly Ser Ser
1 5 10 15

Gly Gly Lys Leu Asn Glu Thr Leu Thr Asp His Ala Lys Lys Thr Leu
20 25 30

Glu Ser Leu Gly Leu Glu Val Asp Thr Thr Ile Val Asp Lys Gly Tyr
35 40 45

Glu His Ala Gln Glu Val Glu Lys Val Phe Ser Ala Asp Ala Thr Ile
50 55 60

Trp Gln Met Pro Gly Trp Trp Met Gly Glu Pro Trp Ile Val Lys Lys
65 70 75 80

Tyr Ile Asp Glu Val Phe Ser Val Gly His Gly Lys Leu Tyr Ala Ser
85 90 95

Asp Gly Arg Ser Ser Gln Asn Pro Thr Lys Asn Tyr Gly Lys Gly Gly
100 105 110

Leu Met Gln Gly Lys Lys Tyr Met Leu Ser Leu Thr Trp Asn Ala Pro
115 120 125

Ile Glu Ala Phe Asn Asp Pro Ser Glu Phe Phe Glu Gly Val Gly Val
130 135 140

Asp Val Val Tyr Leu His Leu His Lys Ala Phe Gln Phe Leu Gly Leu
145 150 155 160

Ser Ala Leu Pro Thr Phe Ile Cys Asn Asp Val Val Lys Asn Pro Gln
165 170 175

Val Glu Gln Tyr Leu Asn Ser Leu Thr Thr His Leu Arg Gln Ala Phe
180 185 190

Gly Lys

<210> 237

<211> 512

<212> PRT

<213> Helicobacter pylori

<400> 237

Leu Val Phe Val Phe Leu Phe Lys Cys Val Asn Glu Glu Thr Ser Leu
1 5 10 15

Asn Phe Thr Pro Leu Leu Glu Arg Met Ala Cys Asn Leu Gln Ala Arg
20 25 30

Phe Tyr Ser Val Tyr Lys Asp Asn Thr Thr Ser Phe Tyr Leu Gln Ala
35 40 45

Ser Ala Glu Thr Thr Leu Glu Phe Ala Gln Lys Leu Ser Glu Ile Leu
50 55 60

Pro Phe Ser Leu Asp Phe Ser Phe Leu Ser Leu Lys Glu Ile Thr Glu
65 70 75 80

Pro Leu Asp Glu Asn Leu Phe Gln Thr Ala Ser Leu Ser Lys Pro Leu
85 90 95

Phe Met Asn Ala Lys Glu His Gln Asp Phe Leu Asp Lys Asn Ser Ser
100 105 110

Leu Tyr Ala Asp Thr Leu Gly Leu Ile Lys Asn Thr Ala Phe Lys Gly
115 120 125

Asp Ile Ile His Ser Pro Lys Glu Leu Ile Asp Cys Leu Thr Gln Leu
130 135 140

Lys Gly Met Leu Lys Thr Gln Asp Phe Ile Pro Ile Phe Thr Ser Arg
145 150 155 160

Glu Ala Leu Ser Leu Ser Leu Lys Asn Pro Ser Pro Ser Val Ile Phe
165 170 175

Ser Asp Leu Ser Ser Val Leu Ser Cys Thr Lys Leu Pro Leu Glu Asp
180 185 190

Ala Lys Tyr Leu Ala Ser Leu Glu Lys Pro Ser Ile Lys Ala Pro Leu
195 200 205

Lys Ser Val Phe Lys Asp Thr Phe Lys Asn Asp Glu Ile Ile Ala Gln
210 215 220

Leu Pro Tyr Asp Pro Ile Leu Asn Leu Leu Cys His Ile Leu Gln Asp
225 230 235 240

Glu Gly Ile Glu Phe Val Phe Met His Glu Ser Arg Ser Cys Glu Ala
245 250 255

Leu Leu Tyr Tyr Glu Ala Leu Phe Lys Thr Pro Lys Arg Leu Ile Thr
260 265 270

Pro Thr Lys Lys Phe Val Leu Glu Asn Asn Phe Ser Thr Phe Pro Phe
275 280 285

Lys Asp Glu Leu Glu Phe Leu Ser Ala Thr Pro Asn Ser Ile Val Leu
290 295 300

Tyr Leu Ser Phe Lys Arg Pro Thr Arg Leu Leu Leu His Ala Asn Gly
305 310 315 320

Ser Leu Lys Thr Leu₃₂₅ Leu Ser Val Ser Phe₃₃₀ Asp Phe Asn Lys₃₃₅ Met Phe

Asn Ala Leu Lys₃₄₀ Gln Asp Glu Lys Ala₃₄₅ Ser Arg Met Leu Gln₃₅₀ Asn Tyr

Ala Thr Lys₃₅₅ Phe Pro Asp Phe Tyr₃₆₀ Ala Arg Ile Val Glu₃₆₅ Leu Ser Lys

Tyr Asp₃₇₀ Leu Gly Gly Ala Asn₃₇₅ Leu Leu Asp Phe Phe₃₈₀ Cys Ile Leu Gly

Phe Val Leu Gly Tyr Ser₃₉₀ Glu Asp Phe Cys Thr₃₉₅ Gln Ser Val Ile Pro₄₀₀

Leu Ala Lys Glu Cys₄₀₅ Leu Arg Pro Lys Gly₄₁₀ Pro Arg Ile Asp Tyr₄₁₅ Lys

Ile Leu Lys Asp₄₂₀ Asn Ser Leu Lys Met₄₂₅ Ala Leu Asn Phe Ser₄₃₀ Lys Ile

Met His Ser₄₃₅ Ala Met Ser Phe Arg₄₄₀ Leu Ala Gly Val Glu₄₄₅ Asn Glu Ile

Leu Ser₄₅₀ Leu Gly Ile Leu Asp₄₅₅ Ser Leu Ala Glu Phe₄₆₀ Leu Gly Asn Phe

Ile Trp Asp Asn Ala Gln₄₇₀ Asn Phe Ser Val Gln₄₇₅ Glu Val Thr Ile Ala₄₈₀

Gly Asp Phe Phe Gly₄₈₅ Glu Lys Val Phe₄₉₀ Leu Asp Leu Phe Val Arg₄₉₅ Tyr

Phe Pro Lys Thr₅₀₀ Leu Ala Leu Lys Thr₅₀₅ His Ala Phe Leu Asp₅₁₀ Tyr Glu

<210> 238

<211> 916

<212> PRT

<213> helicobacter pylori

<400> 238

Ile Lys Lys Leu₅ Ile Leu Ser Ser Leu Val₁₀ Phe Ala Cys Ile Asn Thr₁₅

Ser Val Glu Ala₂₀ Leu Glu Asn Asp Gly₂₅ Ser Lys Pro Asn Asp₃₀ Leu Thr

Ser Pro Lys Glu Ala Ser Gln Glu Ser Gln Lys Asn Glu Ala Pro Lys
35 40 45

Asn Glu Val Gln Arg Asn Glu Ala Gln Lys Glu Thr Pro Gln Ser Asn
50 55 60

Gln Thr Pro Lys Glu Met Lys Val Lys Ser Ile Ser Tyr Val Gly Leu
65 70 75 80

Ser Tyr Met Ser Asp Met Leu Ala Asn Glu Ile Val Lys Ile Arg Val
85 90 95

Gly Asp Ile Val Asp Ser Lys Lys Ile Asp Thr Ala Val Leu Ala Leu
100 105 110

Phe Asn Gln Gly Tyr Phe Lys Asp Val Tyr Ala Thr Phe Glu Gly Gly
115 120 125

Ile Leu Glu Phe His Phe Asp Glu Lys Ala Arg Ile Ala Gly Val Glu
130 135 140

Ile Lys Gly Tyr Gly Thr Glu Lys Glu Lys Asp Gly Leu Lys Ser Gln
145 150 155 160

Met Gly Ile Lys Lys Gly Asp Thr Phe Asp Glu Gln Lys Leu Glu His
165 170 175

Ala Lys Thr Ala Leu Lys Thr Ala Leu Glu Gly Gln Gly Tyr Tyr Gly
180 185 190

Ser Val Val Glu Val Arg Thr Glu Lys Val Ser Glu Gly Ala Leu Leu
195 200 205

Ile Val Phe Asp Val Asn Arg Gly Asp Ser Ile Tyr Ile Lys Gln Ser
210 215 220

Ile Tyr Glu Gly Ser Ala Lys Leu Lys Arg Arg Met Ile Glu Ser Leu
225 230 235 240

Ser Ala Asn Lys Gln Arg Asp Phe Met Gly Trp Met Trp Gly Leu Asn
245 250 255

Asp Gly Lys Leu Arg Leu Asp Gln Leu Glu Tyr Asp Ser Met Arg Ile
260 265 270

Gln Asp Val Tyr Met Arg Arg Gly Tyr Leu Asp Ala His Ile Ser Ser
275 280 285

Pro Phe Leu Lys Thr Asp Phe Ser Thr His Asp Ala Lys Leu His Tyr
290 295 300

Lys val Lys Glu Gly Ile Gln Tyr Arg Ile Ser Asp Ile Leu Ile Glu
305 310 315 320

Ile Asp Asn Pro Val Val Pro Leu Lys Thr Leu Glu Lys Ala Leu Lys
325 330 335

Val Lys Arg Lys Asp Val Phe Asn Ile Glu His Leu Arg Ala Asp Ala
340 345 350

Gln Ile Leu Lys Thr Glu Ile Ala Asp Lys Gly Tyr Ala Phe Ala Val
355 360 365

Val Lys Pro Asp Leu Asp Lys Asp Glu Lys Asn Gly Leu Val Lys Val
370 375 380

Ile Tyr Arg Ile Glu Val Gly Asp Met Val Tyr Ile Asn Asp Val Ile
385 390 395 400

Ile Ser Gly Asn Gln Arg Thr Ser Asp Arg Ile Ile Arg Arg Glu Leu
405 410 415

Leu Leu Gly Pro Lys Asp Lys Tyr Asn Leu Thr Lys Leu Arg Asn Ser
420 425 430

Glu Asn Ser Leu Arg Arg Leu Gly Phe Phe Ser Lys Val Lys Ile Glu
435 440 445

Glu Lys Arg Val Asn Ser Ser Leu Met Asp Leu Leu Val Ser Val Glu
450 455 460

Glu Gly Arg Thr Gly Gln Leu Gln Phe Gly Leu Gly Tyr Gly Ser Tyr
465 470 475 480

Gly Gly Leu Met Leu Asn Gly Ser Val Ser Glu Arg Asn Leu Phe Gly
485 490 495

Thr Gly Gln Ser Met Ser Leu Tyr Ala Asn Ile Ala Thr Gly Gly Gly
500 505 510

Arg Ser Tyr Pro Gly Met Pro Lys Gly Ala Gly Arg Met Phe Ala Gly
515 520 525

Asn Leu Ser Leu Thr Asn Pro Arg Ile Phe Asp Ser Trp Tyr Ser Ser
530 535 540

Thr Ile Asn Leu Tyr Ala Asp Tyr Arg Ile Ser Tyr Gln Tyr Ile Gln
545 550 555 560

Gln Gly Gly Gly Phe Gly Val Asn Val Gly Arg Met Leu Gly Asn Arg
565 570 575

Thr His Val Ser₅₈₀ Leu Gly Tyr Asn₅₈₅ Leu Asn Val Thr Lys₅₉₀ Leu Leu Gly

Phe Ser Ser₅₉₅ Pro Leu Tyr Asn₆₀₀ Arg Tyr Tyr Ser Ser Val₆₀₅ Asn Glu Val

Val Ser₆₁₀ Pro Arg Gln Cys Ser₆₁₅ Thr Pro Ala Ser Val₆₂₀ Ile Ile Asn Arg

Leu Ser₆₂₅ Gly Gly Lys Thr₆₃₀ Pro Leu Gln Pro Glu₆₃₅ Ser Cys Ser Ser Pro₆₄₀

Gly Ala Ile Thr Thr₆₄₅ Ser Pro Glu Ile Arg₆₅₀ Gly Ile Trp Asp Arg₆₅₅ Asp

Tyr His Thr Pro₆₆₀ Ile Thr Ser Ser Phe₆₆₅ Thr Leu Asp Val Ser₆₇₀ Tyr Asp

Asn Thr Asp₆₇₅ Asp Tyr Tyr Phe Pro₆₈₀ Arg Asn Gly Val Ile₆₈₅ Phe Ser Ser

Tyr Ala Thr Met Ser Gly Leu₆₉₅ Pro Ser Ser Gly Thr₇₀₀ Leu Asn Ser Trp

Asn Gly Leu Gly Gly Asn₇₁₀ Val Arg Asn Thr Lys₇₁₅ Val Tyr Gly Lys Phe₇₂₀

Ala Ala Tyr His His₇₂₅ Leu Gln Lys Tyr Leu₇₃₀ Leu Ile Asp Leu Ile₇₃₅ Ala

Arg Phe Lys Thr₇₄₀ Gln Gly Gly Tyr Ile₇₄₅ Phe Arg Tyr Asn Thr₇₅₀ Asp Asp

Tyr Leu Pro₇₅₅ Leu Asn Ser Thr Phe₇₆₀ Tyr Met Gly Gly Val₇₆₅ Thr Thr Val

Arg Gly₇₇₀ Phe Arg Asn Gly Ser₇₇₅ Val Thr Pro Lys Asp₇₈₀ Glu Phe Gly Leu

Trp Leu Gly Gly Asp Gly₇₉₀ Ile Phe Thr Ala Ser₇₉₅ Thr Glu Leu Ser Tyr₈₀₀

Gly Val Leu Lys Ala₈₀₅ Ala Lys Met Arg Leu Ala Trp Phe Phe Asp₈₁₅ Phe

Gly Phe Leu Thr₈₂₀ Phe Lys Thr Pro Thr₈₂₅ Arg Gly Ser Phe Phe₈₃₀ Tyr Asn

Ala Pro Val₈₃₅ Thr Thr Ala Asn Phe₈₄₀ Lys Asp Tyr Gly Val₈₄₅ Ile Gly Ala

Gly Phe Glu Arg Ala Thr Trp Arg Ala Ser Thr Gly Leu Gln Ile Glu
850 855 860

Trp Ile Ser Pro Met Gly Pro Leu Val Leu Ile Phe Pro Ile Ala Phe
865 870 875 880

Phe Asn Gln Trp Gly Asp Gly Asn Gly Lys Lys Cys Lys Gly Leu Cys
885 890 895

Phe Asn Pro Asn Met Asp Asp Tyr Thr Gln His Phe Glu Phe Ser Met
900 905 910

Gly Thr Arg Phe
915

<210> 239

<211> 414

<212> PRT

<213> Helicobacter pylori

<400> 239

Met Arg Lys Ile Phe Ser Tyr Val Leu Lys Ala Leu Leu Phe Ile Gly
1 5 10 15

Ile Val Tyr Ala Glu Pro Glu Ser Lys Val Glu Ala Leu Glu Gly Arg
20 25 30

Lys Gln Glu Ser Ser Leu Asp Lys Lys Ile Arg Gln Glu Leu Lys Asn
35 40 45

Lys Asp Leu Lys Asn Lys Glu Leu Lys Asn Lys Lys Glu Glu Lys Lys
50 55 60

Asn Thr Glu Glu Lys Lys Glu Thr Lys Ala Lys Arg Lys Pro Arg Ala
65 70 75 80

Glu Val His His Gly Asp Thr Lys Asn Pro Thr Gln Lys Ile Thr Pro
85 90 95

Pro Lys Ile Lys Glu Asn Ala Lys Gly Val Gln Asn Gln Gly Val Gln
100 105 110

Ser Asn Ala Pro Lys Leu Glu Glu Lys Asp Thr Thr Ser Gln Thr Leu
115 120 125

Glu Lys Lys Gly Ala Ser Pro Ser Ser Gln Phe Asn Ser Ile Phe Gly
130 135 140

Asn Pro Asn Asp Ala Ala Asn Asn Thr Leu Glu Asp Lys Val Val Gly
 145 150 155 160
 Gly Ile Ser Leu Leu Val Asn Gly Ser Pro Ile Thr Leu Tyr Gln Ile
 165 170 175
 Gln Glu Glu Gln Glu Lys Ser Lys Val Ser Lys Ala Gln Ala Arg Asp
 180 185 190
 Arg Leu Ile Ala Glu Arg Ile Lys Asn Gln Glu Ile Glu Arg Leu Lys
 195 200 205
 Ile His Val Asp Asp Asp Lys Leu Asp Gln Glu Met Ala Met Met Ala
 210 215 220
 Gln Gln Gln Gly Met Asp Leu Asp His Phe Lys Gln Met Leu Met Ala
 225 230 235 240
 Glu Gly His Tyr Lys Leu Tyr Arg Asp Gln Leu Lys Glu His Leu Glu
 245 250 255
 Met Gln Glu Leu Leu Arg Asn Ile Leu Leu Thr Asn Val Asp Thr Ser
 260 265 270
 Ser Glu Thr Lys Met Arg Glu Tyr Tyr Asn Lys His Lys Glu Gln Phe
 275 280 285
 Ser Ile Pro Thr Glu Ile Glu Thr Val Arg Tyr Thr Ser Thr Asn Gln
 290 295 300
 Glu Asp Leu Glu Arg Ala Met Ala Asp Pro Asn Leu Glu Ile Pro Gly
 305 310 315 320
 Val Ser Lys Ala Asn Glu Lys Ile Glu Met Lys Thr Leu Asn Pro Gln
 325 330 335
 Ile Ala Gln Val Phe Ile Ser His Glu Gln Gly Ser Phe Thr Pro Val
 340 345 350
 Met Asn Gly Gly Gly Gly Gln Phe Ile Thr Phe Tyr Ile Lys Glu Lys
 355 360 365
 Lys Gly Lys Asn Glu Val Ser Phe Ser Gln Ala Lys Gln Phe Ile Ala
 370 375 380
 Gln Lys Leu Val Glu Glu Ser Lys Asp Lys Ile Leu Glu Glu His Phe
 385 390 395 400
 Glu Lys Leu Arg Val Lys Ser Arg Ile Val Met Ile Arg Glu
 405 410

<210> 240

<211> 433

<212> PRT

<213> Helicobacter pylori

<400> 240

Met Leu Ser Val Ile Ile Leu Ala Ala Gly Lys Gly Thr Arg Met Arg
1 5 10 15

Ser Ser Leu Pro Lys Thr Leu His Thr Ile Cys Gly Glu Pro Met Leu
20 25 30

Phe Tyr Ile Leu Glu Thr Ala Phe Ser Ile Ser Asp Asp Val His Leu
35 40 45

Ile Leu His His Gln Gln Glu Arg Ile Lys Glu Ala Val Leu Glu Arg
50 55 60

Phe Lys Gly Val Ile Phe His Thr Gln Ile Val Glu Lys Tyr Ser Gly
65 70 75 80

Thr Gly Gly Ala Ile Met Gln Lys Asp Lys Thr Pro Ile Ser Thr Lys
85 90 95

His Glu Arg Val Leu Ile Leu Asn Ala Asp Met Pro Leu Ile Thr Lys
100 105 110

Asp Ala Leu Ala Pro Leu Leu Glu Ser Lys Asn Asn Ala Ile Gly Leu
115 120 125

Leu His Leu Ala Asp Pro Lys Gly Tyr Gly Arg Val Val Leu Glu Asn
130 135 140

His Gln Val Lys Lys Ile Val Glu Glu Lys Asp Ala Asn Asp Glu Glu
145 150 155 160

Lys Glu Ile Lys Ser Val Asn Ala Gly Val Tyr Gly Phe Glu Arg Asp
165 170 175

Phe Leu Glu Lys Tyr Leu Pro Lys Leu His Asp Gln Asn Ala Gln Lys
180 185 190

Glu Tyr Tyr Leu Thr Asp Leu Ile Ala Leu Gly Ile Asn Glu Asn Glu
195 200 205

Thr Ile Asp Ala Ile Phe Leu Lys Glu Glu Cys Phe Leu Gly Val Asn
210 215 220

Hp 04-04-03.ST251

Ser Gln Thr Glu Arg Ala Lys Ala Glu Glu Ile Met Leu Glu Arg Leu
225 230 235 240

Arg Lys Asn Ala Met Asp Leu Gly Val Val Met Gln Leu Pro Asn Ser
245 250 255

Ile Tyr Leu Glu Lys Gly Val Ser Phe Lys Gly Glu Cys Val Leu Glu
260 265 270

Gln Gly Val Arg Leu Ile Gly Asn Cys Leu Ile Glu Asn Ala His Ile
275 280 285

Lys Ala Tyr Ser Val Ile Glu Glu Ser Gln Ile Val Asn Ser Ser Val
290 295 300

Gly Pro Phe Ala His Ala Arg Pro Lys Ser Val Ile Cys Asn Ser His
305 310 315 320

Val Gly Asn Phe Val Glu Thr Lys Asn Ala Lys Leu Gln Gly Thr Lys
325 330 335

Ala Gly His Leu Ser Tyr Leu Gly Asp Cys Glu Ile Gly Lys Asn Thr
340 345 350

Asn Val Gly Ala Gly Val Ile Thr Cys Asn Tyr Asp Gly Lys Lys Lys
355 360 365

His Gln Thr Ile Ile Gly Glu Asn Val Phe Ile Gly Ser Asp Ser Gln
370 375 380

Leu Val Ala Pro Ile Asn Ile Gly Ser Asn Val Leu Ile Gly Ser Gly
385 390 395 400

Thr Thr Ile Thr Lys Asp Ile Pro Ser Gly Ser Leu Ser Leu Ser Arg
405 410 415

Ala Pro Gln Thr Asn Ile Glu Asn Gly Tyr Phe Lys Phe Phe Lys Lys
420 425 430

Pro

<210> 241

<211> 642

<212> PRT

<213> Helicobacter pylori

<400> 241

Met Lys Glu Ile Thr Ile Ala Leu Val Gly Gln Pro Asn Val Gly Lys
1 5 10 15

Ser Ser Leu Ile Asn Ala Leu Ser Asn Ala His Leu Lys Val Gly Asn
20 25 30

Phe Ala Gly Val Thr Val Asp Lys Met Glu Val Gly Leu Ile His Lys
35 40 45

Glu His Gln Ile Thr Ile Ile Asp Leu Pro Gly Thr Tyr Ala Leu Asn
50 55 60

Asp Phe Thr Thr Glu Glu Lys Val Thr Lys Asp Phe Leu Glu Lys Gly
65 70 75 80

Gln Tyr Asp Leu Ile Leu Asn Val Val Asp Ser Thr Asn Leu Glu Arg
85 90 95

Asn Leu Ala Leu Ser Ala Gln Leu Leu Asp Thr Asn Lys Lys Met Leu
100 105 110

Leu Ala Leu Asn Met Trp Asp Glu Ala Gln Lys Glu Gly Ile Lys Ile
115 120 125

Asn Thr Glu Lys Leu Ser Lys Glu Leu Gly Val Val Cys Val Pro Thr
130 135 140

Ser Ala Arg Ser Lys Glu Asp Arg Leu Asn Thr Glu Leu Leu Leu Asp
145 150 155 160

Glu Ile Val Arg Leu Tyr Ser Gln Asn Thr Thr Asn Asn Glu Asn Ile
165 170 175

Lys Val Pro Ser Gln Ser Phe Lys Glu Ser Leu Lys Tyr Ser Gln Ser
180 185 190

Ala Gln Arg Ile Ala Gln Leu Val Ile Ser Glu Asn Gln Gln Asn Ala
195 200 205

Ser Phe Glu His Thr Tyr Lys Ile Asp Lys Ile Leu Met His Lys Arg
210 215 220

Tyr Gly Ile Phe Ile Phe Leu Gly Phe Met Phe Ile Ile Phe Ser Leu
225 230 235 240

Ser Phe Leu Ile Gly Gly Gly Val Gln Lys Ala Leu Glu Thr Gly Phe
245 250 255

Lys Phe Leu Ser Asp Gly Ile Lys Glu Asn Val Ala Asn Glu Asp Leu
260 265 270

Ala Ser Leu Val Gly Asp Gly Ile Ile Gly Gly Val Gly Ala Thr Val
275 280 285

Ser Phe Leu Pro Leu Ile Val Val Leu Tyr Phe Gly Ile Ser Leu Leu
290 295 300

Glu Thr Thr Gly Tyr Met Ser Arg Val Ala Phe Leu Leu Asp Gly Ile
305 310 315 320

Leu His Lys Phe Gly Leu His Gly Lys Ser Phe Ile Pro Leu Ile Thr
325 330 335

Gly Phe Gly Cys Ser Val Pro Ala Tyr Met Ala Thr Arg Thr Leu Gln
340 345 350

Asn Tyr Asn Glu Arg Leu Ile Thr Leu Phe Val Ile Gly Phe Met Ser
355 360 365

Cys Ser Ala Arg Leu Pro Ile Tyr Val Leu Phe Val Gly Ser Phe Phe
370 375 380

Pro Ser Ser Ser Ala Gly Phe Val Leu Phe Cys Ile Tyr Ile Leu Gly
385 390 395 400

Ala Val Val Ala Leu Val Met Ala Lys Leu Leu Lys Leu Ser Val Phe
405 410 415

Lys Gly Gln Thr Glu Ser Phe Ile Met Glu Met Pro Lys Tyr Arg Phe
420 425 430

Pro Ser Trp Arg Met Val Tyr Phe Ser Ile Tyr Thr Lys Ser Leu Ser
435 440 445

Tyr Leu Lys Lys Ala Gly Thr Tyr Ile Leu Val Gly Ala Ile Leu Ile
450 455 460

Trp Phe Met Ser Gln Tyr Pro Lys Ser Asp Ala Ala Met Lys Ala Tyr
465 470 475 480

Lys Gln Glu Ser Leu Leu Val Asn Lys Asp Thr Thr Leu Ser Ser Glu
485 490 495

Ala Lys Glu Glu Lys Leu Lys Glu Leu Lys Thr Glu Leu Asp Lys Lys
500 505 510

Asn Leu Lys Asn Ser Ile Val Gly Arg Gly Gly Ala Tyr Leu Glu Lys
515 520 525

Val Phe Ser Pro Met Asp Phe Asp Trp Arg Leu Ser Val Ser Leu Val
530 535 540

Thr Gly Phe Met Ala Lys Glu Val Val Val Ser Thr Leu Gly Val Leu
545 550 555 560

Phe Ser Leu Gly Asp Gln Asn Glu Lys Ser Asp Ala Phe Arg Gly Ile
565 570 575

Leu Arg Lys Glu Val Ser Val Pro Ser Gly Ile Ala Phe Ile Val Phe
580 585 590

Val Met Phe Tyr Ile Pro Cys Phe Ala Ala Thr Ile Thr Phe Gly Arg
595 600 605

Glu Ala Gly Gly Ile Lys Phe Val Ala Tyr Leu Phe Ile Phe Thr Thr
610 615 620

Val Val Ala Tyr Ala Phe Ser Leu Ile Ala Phe Tyr Ala Thr Gln Ile
625 630 635 640

Leu Val

<210> 242

<211> 765

<212> PRT

<213> Helicobacter pylori

<400> 242

Met Ala Asn Leu Leu Lys Asn Gly Lys Thr Leu Lys Gln Ala Arg Asp
1 5 10 15

Glu Ile Leu Ala Arg Thr Glu Lys Thr Gly His Tyr Asn Gly Leu Lys
20 25 30

Lys Leu Glu Phe Lys Glu Arg Asp Pro Ile Gly Tyr Glu Lys Met Phe
35 40 45

Ser Lys Leu Arg Gly Gly Ile Val His Ala Arg Glu Thr Ala Lys Arg
50 55 60

Ile Ala Ala Ser Pro Ile Val Glu Gln Glu Gly Glu Leu Cys Phe Thr
65 70 75 80

Leu Tyr Asn Ala Val Gly Asp Ser Val Leu Thr Ser Thr Gly Ile Ile
85 90 95

Ile His Val Gly Thr Met Gly Ser Ala Ile Lys Tyr Met Val Glu Asn
100 105 110

Asn Trp Glu Asp Asn Pro Gly Ile Asn Asp Lys Asp Ile Phe Thr Asn
 115 120 125
 Asn Asp Cys Ala Ile Gly Asn Val His Pro Cys Asp Ile Met Thr Leu
 130 135 140
 Val Pro Ile Phe His Asp Glu Lys Leu Ile Gly Trp Val Gly Gly Val
 145 150 155 160
 Thr His Val Ile Asp Thr Gly Ser Val Thr Pro Gly Ser Met Ser Thr
 165 170 175
 Gly Gln Val Gln Arg Phe Gly Asp Gly Tyr Met Ile Thr Cys Arg Lys
 180 185 190
 Thr Gly Ala Asn Asp Glu Ser Phe Lys Asp Trp Leu His Glu Ser Gln
 195 200 205
 Arg Ser Val Arg Thr Pro Lys Tyr Trp Ile Leu Asp Glu Arg Thr Arg
 210 215 220
 Ile Ala Gly Cys His Met Ile Arg Asp Leu Val Met Glu Val Ile Lys
 225 230 235 240
 Glu Asp Gly Ile Asp Ser Tyr Met Arg Phe Ile Asp Glu Val Ile Glu
 245 250 255
 Glu Gly Arg Arg Gly Leu Ile Ser Arg Ile Lys Ser Met Thr Ile Pro
 260 265 270
 Gly Lys Tyr Arg Lys Val Ala Phe Val Asp Val Pro Tyr Ala His Lys
 275 280 285
 Asp Ile Gly Val Cys Ser Glu Phe Ala Lys Leu Asp Thr Ile Met His
 290 295 300
 Ser Pro Val Glu Ile Thr Ile Asn Lys Asp Ala Thr Trp Lys Leu Asp
 305 310 315 320
 Phe Asp Gly Ala Ser Arg Trp Gly Trp His Ser Phe Asn Cys Asn Gln
 325 330 335
 Val Ser Phe Thr Ser Gly Ile Trp Val Met Met Thr Gln Thr Leu Ile
 340 345 350
 Pro Thr Ser Arg Ile Asn Asp Gly Ala Tyr Phe Ala Thr Gln Phe Arg
 355 360 365
 Leu Lys Lys Gly Thr Trp Met Asn Pro Asp Asp Arg Arg Thr Gly His
 370 375 380

Ala Tyr Ala Trp His Phe Leu Val Ser Gly Trp Ser Ala Leu Trp Arg
385 390 395 400

Gly Leu Ser Gln Ala Tyr Tyr Ser Arg Gly Tyr Leu Glu Glu Val Asn
405 410 415

Ser Gly Asn Ala Asn Thr Ser Asn Trp Leu Gln Gly Gly Gly Ile Asn
420 425 430

Gln Asp Gly Glu Ile His Ala Val Asn Ser Phe Glu Thr Ser Ser Cys
435 440 445

Gly Thr Gly Ala Cys Ala Ile Lys Asp Gly Leu Asn His Ala Ala Ala
450 455 460

Ile Trp Asn Pro Glu Gly Asp Met Gly Asp Val Glu Ile Trp Glu Met
465 470 475 480

Ala Glu Pro Leu Leu Tyr Leu Gly Arg Asn Val Lys Ala Asn Thr Gly
485 490 495

Gly Tyr Gly Lys Tyr Arg Gly Gly Asn Gly Phe Glu Thr Leu Arg Met
500 505 510

Val Trp Gly Ala His Asp Trp Thr Met Phe Phe Met Gly Asn Gly Tyr
515 520 525

Met Asn Ser Asp Trp Gly Met Met Gly Gly Tyr Pro Ala Ala Ser Gly
530 535 540

Tyr Arg Phe Glu Ala His Asn Thr Asp Leu Lys Asn Arg Ile Lys Asn
545 550 555 560

Asn Ala Ser Leu Pro Leu Gly Gly Asp Phe Asn Pro Thr Asp Arg Asp
565 570 575

Tyr Glu Lys His Ile Ser His Ala Ser Gln Val Lys Arg Asp Lys Gln
580 585 590

Cys Ile Thr Thr Glu Asn Cys Phe Asp Asn Tyr Asp Leu Tyr Leu Asn
595 600 605

Tyr Ile Lys Gly Gly Pro Gly Phe Gly Asp Pro Ile Glu Arg Asp Leu
610 615 620

Asn Ala Ile Leu Glu Asp Leu Asn Ser Lys Gln Leu Leu Pro Glu Tyr
625 630 635 640

Ala Tyr Lys Val Tyr Gly Ala Val Val Ser Gln Asn Lys Asp Gly Val
645 650 655

Trp Val Gly Asp Glu Ala Lys Thr Lys Ala Arg Arg Lys Glu Ile Leu
660 665 670

Glu Asn Arg Lys Ala Arg Ser Ile Pro Val Lys Gln Trp Met Glu Gln
675 680 685

Glu Arg Asn Ala Ile Leu Glu Lys Glu Ala Ser Lys Gln Val Lys His
690 695 700

Met Tyr Ala Thr Ser Phe Asp Leu Ser Pro Lys Phe Leu Asn Asp Phe
705 710 715 720

Lys Thr Phe Trp Asn Leu Pro Lys Asn Trp Ser Val Lys Glu Asp Glu
725 730 735

Leu Gly Val Phe Thr Tyr Gly Ser Lys Tyr Arg Met Asp Leu Ser Lys
740 745 750

Leu Pro Asp Val Arg Thr Val Leu Leu Val Asp Glu Lys
755 760 765

<210> 243

<211> 827

<212> PRT

<213> Helicobacter pylori

<400> 243

Met Gln Asp Asn Ser Val Asn Glu Thr Lys Asn Ile Val Glu Val Gly
1 5 10 15

Ile Asp Ser Ser Ile Glu Glu Ser Tyr Leu Ala Tyr Ser Met Ser Val
20 25 30

Ile Ile Gly Arg Ala Leu Pro Asp Ala Arg Asp Gly Leu Lys Pro Val
35 40 45

His Arg Arg Ile Leu Tyr Ala Met His Glu Leu Gly Leu Thr Ser Lys
50 55 60

Val Ala Tyr Lys Lys Ser Ala Arg Ile Val Gly Asp Val Ile Gly Lys
65 70 75 80

Tyr His Pro His Gly Asp Asn Ala Val Tyr Asp Ala Leu Val Arg Met
85 90 95

Ala Gln Asp Phe Ser Met Arg Leu Glu Leu Val Asp Gly Gln Gly Asn
100 105 110

Phe Gly Ser Ile Asp Gly Asp Asn Ala Ala Ala Met Arg Tyr Thr Glu
115 120 125

Ala Arg Met Thr Lys Ala Ser Glu Glu Ile Leu Arg Asp Ile Asp Lys
130 135 140

Asp Thr Ile Asp Phe Val Pro Asn Tyr Asp Asp Thr Leu Lys Glu Pro
145 150 155 160

Asp Ile Leu Pro Ser Arg Leu Pro Asn Leu Leu Val Asn Gly Ala Asn
165 170 175

Gly Ile Ala Val Gly Met Ala Thr Ser Ile Pro Pro His Arg Met Asp
180 185 190

Glu Ile Ile Asp Ala Leu Val His Val Leu Glu Asn Pro Asn Ala Gly
195 200 205

Leu Asp Glu Ile Leu Glu Phe Val Lys Gly Pro Asp Phe Pro Thr Gly
210 215 220

Gly Ile Ile Tyr Gly Lys Ala Gly Ile Ile Glu Ala Tyr Lys Thr Gly
225 230 235 240

Arg Gly Arg Val Lys Val Arg Ala Lys Val His Val Glu Lys Thr Lys
245 250 255

Asn Lys Glu Ile Ile Val Leu Asp Glu Met Pro Phe Gln Thr Asn Lys
260 265 270

Ala Lys Leu Val Glu Gln Ile Ser Asp Leu Ala Arg Glu Lys Gln Ile
275 280 285

Glu Gly Ile Ser Glu Val Arg Asp Glu Ser Asp Arg Glu Gly Ile Arg
290 295 300

Val Val Ile Glu Leu Lys Arg Asp Ala Met Ser Glu Ile Val Leu Asn
305 310 315 320

His Leu Tyr Lys Leu Thr Thr Met Glu Thr Thr Phe Ser Ile Ile Leu
325 330 335

Leu Ala Ile Tyr Asn Lys Glu Pro Lys Ile Phe Thr Leu Leu Glu Leu
340 345 350

Leu His Leu Phe Leu Asn His Arg Lys Thr Ile Ile Ile Arg Arg Thr
355 360 365

Ile Phe Glu Leu Glu Lys Ala Lys Ala Arg Ala His Ile Leu Glu Gly
370 375 380

Tyr Leu Ile Ala Leu Asp Asn Ile Asp Glu Ile Val Arg Leu Ile Lys
385 390 395 400

Thr Ser Gln Ser Pro Glu Ala Ala Lys Asn Ala Leu Met Glu Arg Phe
405 410 415

Thr Leu Ser Glu Ile Gln Ser Lys Ala Ile Leu Glu Met Arg Leu Gln
420 425 430

Arg Leu Thr Gly Leu Glu Arg Asp Lys Ile Lys Glu Glu Tyr Gln Asn
435 440 445

Leu Leu Glu Leu Ile Asp Asp Leu Asn Gly Ile Leu Lys Ser Glu Asp
450 455 460

Arg Leu Asn Gly Val Val Lys Thr Glu Leu Leu Glu Val Lys Glu Gln
465 470 475 480

Phe Ser Ser Pro Arg Arg Thr Glu Ile Gln Glu Ser Tyr Glu Asn Ile
485 490 495

Asp Ile Glu Asp Leu Ile Ala Asn Glu Pro Met Val Val Ser Met Ser
500 505 510

Tyr Lys Gly Tyr Val Lys Arg Val Asp Leu Lys Ala Tyr Glu Lys Gln
515 520 525

Asn Arg Gly Gly Lys Gly Lys Leu Ser Gly Ser Thr Tyr Glu Asp Asp
530 535 540

Phe Ile Glu Asn Phe Phe Val Ala Asn Thr His Asp Ile Leu Leu Phe
545 550 555 560

Ile Thr Asn Lys Gly Gln Leu Tyr His Leu Lys Val Tyr Lys Ile Pro
565 570 575

Glu Ala Ser Arg Ile Ala Met Gly Lys Ala Ile Val Asn Leu Ile Ser
580 585 590

Ile Ala Pro Asp Glu Lys Ile Met Ala Thr Leu Ser Thr Lys Asp Phe
595 600 605

Ser Asp Glu Arg Ser Leu Ala Phe Phe Thr Lys Asn Gly Val Val Lys
610 615 620

Arg Thr Asn Leu Ser Glu Phe Glu Ser Asn Arg Ser Cys Gly Ile Arg
625 630 635 640

Ala Ile Val Leu Asp Glu Gly Asp Glu Leu Val Ser Ala Lys Val Val
645 650 655

Asp Lys Asn Ala Lys His Leu Leu Ile Ala Ser His Leu Gly Ile Phe
660 665 670

Ile Lys Phe Pro Leu Glu Glu Val Arg Glu Ile Gly Arg Thr Thr Arg
675 680 685

Gly Val Ile Gly Ile Lys Leu Asn Glu Asn Asp Phe Val Val Gly Ala
690 695 700

Val Val Ile Ser Asp Asp Gly Asn Lys Leu Leu Ser Val Ser Glu Asn
705 710 715 720

Gly Leu Gly Lys Gln Thr Leu Ala Glu Ala Tyr Arg Gly Gln Ser Arg
725 730 735

Gly Gly Lys Gly Val Ile Gly Met Lys Leu Thr Gln Lys Thr Gly Asn
740 745 750

Leu Val Gly Val Ile Ser Val Asp Asp Glu Asn Leu Asp Leu Met Ile
755 760 765

Leu Thr Ala Ser Ala Lys Met Ile Arg Val Ser Ile Lys Asp Ile Arg
770 775 780

Glu Thr Gly Arg Asn Ala Ser Gly Val Lys Leu Ile Asn Thr Ala Asp
785 790 795 800

Lys Val Met Tyr Val Asn Ser Cys Pro Lys Glu Glu Glu Pro Glu Asn
805 810 815

Leu Glu Thr Ser Ser Ala Gln Asn Leu Phe Glu
820 825

<210> 244

<211> 273

<212> PRT

<213> Helicobacter pylori

<400> 244

Met Glu Phe Met Lys Lys Phe Val Ala Leu Gly Leu Leu Ser Ala Val
1 5 10 15

Leu Ser Ser Ser Leu Leu Ala Glu Gly Asp Gly Val Tyr Ile Gly Thr
20 25 30

Asn Tyr Gln Leu Gly Gln Ala Arg Leu Asn Ser Asn Ile Tyr Asn Thr
35 40 45

Gly Asp Cys Thr Gly Ser Val Val Gly Cys Pro Pro Gly Leu Thr Ala
50 55 60

Asn Lys His Asn Pro Gly Gly Thr Asn Ile Asn Trp His Ala Lys Tyr
65 70 75 80

Ala Asn Gly Ala Leu Asn Gly Leu Gly Leu Asn Val Gly Tyr Lys Lys
85 90 95

Phe Phe Gln Phe Lys Ser Phe Asp Met Thr Ser Lys Trp Phe Gly Phe
100 105 110

Arg Val Tyr Gly Leu Phe Asp Tyr Gly His Ala Thr Leu Gly Lys Gln
115 120 125

Val Tyr Ala Pro Asn Lys Ile Gln Leu Asp Met Val Ser Trp Gly Val
130 135 140

Gly Ser Asp Leu Leu Ala Asp Ile Ile Asp Asn Asp Asn Ala Ser Phe
145 150 155 160

Gly Ile Phe Gly Gly Val Ala Ile Gly Gly Asn Thr Trp Lys Ser Ser
165 170 175

Ala Ala Asn Tyr Trp Lys Glu Gln Ile Ile Glu Ala Lys Gly Pro Asp
180 185 190

Val Cys Thr Pro Thr Tyr Cys Asn Pro Asn Ala Pro Tyr Ser Thr Lys
195 200 205

Thr Ser Thr Val Ala Phe Gln Val Trp Leu Asn Phe Gly Val Arg Ala
210 215 220

Asn Ile Tyr Lys His Asn Gly Val Glu Phe Gly Val Arg Val Pro Leu
225 230 235 240

Leu Ile Asn Lys Phe Leu Ser Ala Gly Pro Asn Ala Thr Asn Leu Tyr
245 250 255

Tyr His Leu Lys Arg Asp Tyr Ser Leu Tyr Leu Gly Tyr Asn Tyr Thr
260 265 270

Phe

<210> 245

<211> 414

<212> PRT

<213> Helicobacter pylori

<400> 245

Met Ala Ile Leu Arg Ala Asn Leu Ser Pro Lys Asn Lys Leu Asn Ala
 1 5 10 15
 Thr Leu Lys Gly Trp Leu Pro Ile Leu Gln Ser Glu Leu Glu Asp Leu
 20 25 30
 Glu Glu Val Leu Lys Gln Asn Ala Leu Asp Asn Pro Leu Ile Lys Ile
 35 40 45
 Glu Asn Lys Arg Ile Lys Asn Phe Ser Asp Arg Phe Ser Ala Lys Lys
 50 55 60
 Ser Ser Asp His Leu Glu Asn Phe Ala Thr Ala Ser Lys Ser Leu Phe
 65 70 75 80
 Glu Thr Leu Glu Ala Gln Ile Ile Pro Pro Leu Phe Pro Thr Glu Thr
 85 90 95
 Ser Gln Lys Ile Ala Met Asp Ile Ile Ser Gly Leu Asn Asn Glu Gly
 100 105 110
 Tyr Phe Glu Glu Asn Ile Glu Glu Arg Ala Arg Ile Leu Gly Val Glu
 115 120 125
 Ser Glu Val Tyr Glu Lys Val Arg Lys Arg Phe Ser Tyr Leu Asn Pro
 130 135 140
 Ala Gly Ile Gly Ala Lys Asp Val Lys Glu Ser Phe Leu Phe Gln Leu
 145 150 155 160
 Glu Ser Arg Glu Leu Asp Asp Asn Glu Leu Tyr Glu Glu Thr Arg Lys
 165 170 175
 Ile Ile Leu Asn Leu Glu Lys His His Glu Phe Ser Lys Asp Phe Tyr
 180 185 190
 Tyr Glu Lys Ala Leu Lys Ile Leu Lys Ser Phe Lys Asn Pro Pro Ala
 195 200 205
 Ile Glu Phe Leu Glu Lys Glu Ile Glu Val Ile Pro Glu Leu Phe Ile
 210 215 220
 Val Glu Val Asp Asn Gly Ile Ile Val Arg Leu Asn Asp Glu Ser Tyr
 225 230 235 240
 Pro Thr Ile Ser Leu Glu Glu Asn Arg Phe Lys Asp Ser Gly Tyr Leu
 245 250 255

Lys Glu Lys Leu Lys Glu Ala Lys Asp Leu Ile Asp Ala Leu Asn Leu
260 265 270

Arg Lys Ala Thr Ile Tyr Lys Ile Gly Leu Met Leu Leu Glu Tyr Gln
275 280 285

Tyr Asp Phe Phe Lys Gly Lys Glu Leu Arg Pro Leu Lys Leu Leu Asp
290 295 300

Leu Ala Asn Glu Phe Asn His Ser Val Ser Thr Ile Ser Arg Ala Ile
305 310 315 320

Ser Asn Lys Tyr Leu Ala Cys Glu Arg Gly Val Phe Pro Ile Lys His
325 330 335

Phe Phe Ser Ile Ala Leu Asp Asn Ser Glu Thr Ser Asn Ala Val Ile
340 345 350

Lys Asp Tyr Leu Leu Glu Leu Ile Lys Asn Glu Asp Lys Lys Glu Pro
355 360 365

Leu Ser Asp Ala Lys Ile Leu Glu Leu Ile Glu Glu Lys Phe His Leu
370 375 380

Lys Met Val Arg Arg Thr Ile Thr Lys Tyr Arg Gln Leu Leu Asn Ile
385 390 395 400

Ala Ser Ser Ser Glu Arg Lys Arg Leu Tyr Leu Met Arg Ala
405 410

<210> 246

<211> 578

<212> PRT

<213> Helicobacter pylori

<400> 246

Met Gln Val Leu Ala Leu Lys Tyr Arg Pro Lys His Phe Ser Glu Leu
1 5 10 15

Val Gly Gln Glu Ser Val Ala Lys Thr Leu Ser Leu Ala Leu Asp Asn
20 25 30

Gln Arg Leu Ala Asn Ala Tyr Leu Phe Ser Gly Leu Arg Gly Ser Gly
35 40 45

Lys Thr Ser Ser Ser Arg Ile Phe Ala Arg Ala Leu Met Cys Glu Glu
50 55 60

Gly Pro Lys Ala Val Pro Cys Asp Thr Cys Ile Gln Cys Gln Ser Ala
65 70 75 80

Leu Asn Asn His His Ile Asp Ile Ile Glu Met Asp Gly Ala Ser Asn
85 90 95

Arg Gly Ile Asp Asp Val Arg Asn Leu Ile Glu Gln Thr Arg Tyr Lys
100 105 110

Pro Ser Phe Gly Arg Tyr Lys Ile Phe Ile Ile Asp Glu Val His Met
115 120 125

Phe Thr Thr Glu Ala Phe Asn Ala Leu Leu Lys Thr Leu Glu Glu Pro
130 135 140

Pro Ser His Val Lys Phe Leu Leu Ala Thr Thr Asp Ala Leu Lys Leu
145 150 155 160

Pro Ala Thr Ile Leu Ser Arg Thr Gln His Phe Arg Phe Lys Lys Ile
165 170 175

Pro Glu Asn Ser Val Ile Ser His Leu Lys Thr Ile Leu Glu Lys Glu
180 185 190

Gln Val Ser Tyr Glu Thr Ser Ala Leu Glu Lys Leu Ala His Ser Gly
195 200 205

Gln Gly Ser Leu Arg Asp Thr Ile Thr Leu Leu Glu Gln Ala Ile Asn
210 215 220

Tyr Cys Asp Asn Ala Ile Thr Glu Ser Lys Val Ala Glu Met Leu Gly
225 230 235 240

Ala Ile Asp Arg Ser Val Leu Glu Asp Phe Phe Gln Ser Leu Ile Asn
245 250 255

Gln Asp Glu Ala Arg Leu Lys Glu Arg Tyr Ala Ile Leu Glu Asn Tyr
260 265 270

Glu Thr Glu Ser Val Leu Glu Glu Met Met Leu Phe Leu Lys Ala Lys
275 280 285

Leu Leu Ser Pro Asp Phe Tyr Ser Ile Leu Leu Ile Glu Arg Phe Phe
290 295 300

Lys Ile Ile Met Ser Ser Leu Ser Leu Leu Lys Glu Gly Ala Asn Ala
305 310 315 320

Ser Phe Val Leu Leu Leu Lys Met Lys Phe Lys Glu Ala Leu Lys
325 330 335

Phe Lys Ala Leu Asp Asp Ala Ile Leu Glu Leu Glu Gln Thr Pro Phe
340 345 350

Asn Gln Asn Pro Ser Ile Ser Tyr Asn Ala Pro Lys Gln Glu Ser Lys
355 360 365

Asn Ile Glu Lys Arg Glu Lys Ile Glu Gln Ile Glu Arg Ile Glu Gly
370 375 380

Thr Glu Lys Arg Glu Lys Leu Glu Lys Lys Glu Asn Ala Glu Thr Pro
385 390 400

Gln Thr Pro Met Leu Ser Ala Lys Asp Arg Ile Phe His Asn Leu Phe
405 410 415

Lys Gln Val Gln Thr Leu Val Tyr Glu Arg Asn Tyr Glu Leu Gly Ala
420 425 430

Val Phe Glu Lys Asn Ile Arg Phe Ile Asp Phe Asp Ser Gln Thr Lys
435 440 445

Thr Leu Thr Trp Glu Ser Leu Ala Thr Asp Lys Asp Lys Glu Leu Leu
450 455 460

Arg Glu Arg Phe Lys Ile Val Lys Ser Ile Val Asp Gly Val Phe Gly
465 470 475 480

Lys Gly Glu Ser Ile Lys Ile Ala Leu Lys Asn His Ser Glu Asn Lys
485 490 495

Ser Thr Leu Glu Val Val Lys Glu Leu Lys Phe Pro Tyr Ser Lys Pro
500 505 510

Lys Pro Thr Thr Glu Thr Thr Ala Glu Thr Lys Glu Lys Glu Thr Lys
515 520 525

Glu Lys Glu Ile Gln Glu Asn Asp Thr Lys Glu Ile Gln Glu Val Gln
530 535 540

Pro Lys Gln Ala Pro Thr Ala Leu Gln Glu Phe Met Ala Asn His Ser
545 550 555 560

Glu Leu Ile Glu Glu Ile Lys Ser Glu Phe Glu Ile Lys Ser Val Glu
565 570 575

Leu Leu

<210> 247

<211> 348

<212> PRT

<213> Helicobacter pylori

<400> 247

Met Arg Ile Phe Leu Lys Leu Leu Ile Leu Leu Phe Cys Leu Lys Gly
1 5 10 15

Gln Val Met Ala Gln Asn Leu Pro Thr Ile Ala Leu Leu Ala Thr Gly
20 25 30

Gly Thr Ile Ala Gly Ser Gly Ala Ser Ala Ser Leu Gly Ser Tyr Lys
35 40 45

Ser Gly Glu Leu Gly Ile Lys Glu Leu Leu Lys Ala Ile Pro Ser Leu
50 55 60

Asn Arg Leu Ala Arg Ile Gln Gly Glu Gln Ile Ser Asn Ile Gly Ser
65 70 75 80

Gln Asp Met Asn Glu Glu Val Trp Phe Lys Leu Ala Lys Arg Ala Gln
85 90 95

Glu Leu Leu Asp Asp Ser Arg Ile Gln Gly Val Val Ile Thr His Gly
100 105 110

Thr Asp Thr Leu Glu Glu Ser Ala Tyr Phe Leu Asn Leu Val Leu Arg
115 120 125

Ser Thr Lys Pro Val Val Leu Val Gly Ala Met Arg Asn Ala Ala Ser
130 135 140

Leu Ser Ala Asp Gly Ala Leu Asn Leu Tyr Asn Ala Val Ser Val Ala
145 150 155 160

Leu Asn Glu Lys Ser Ala Asn Lys Gly Val Leu Val Val Met Asp Asp
165 170 175

Asn Ile Phe Ser Ala Arg Glu Val Ile Lys Thr His Thr Thr His Thr
180 185 190

Ser Thr Phe Lys Ala Leu Asn Ser Gly Ala Ile Gly Ser Val Tyr Tyr
195 200 205

Gly Lys Thr Arg Tyr Tyr Met Gln Pro Leu Arg Lys His Thr Thr Glu
210 215 220

Ser Glu Phe Ser Leu Ser Gln Leu Lys Thr Pro Leu Pro Lys Val Asp
225 230 235 240

Ile Ile Tyr Thr His Ala Gly Met Thr Pro Asp Leu Phe Gln Ala Ser
245 250 255

Leu Asn Ser His Ala Lys Gly Val Val Ile Ala Gly Val Gly Asn Gly
260 265 270

Asn Val Ser Ala Gly Phe Leu Lys Ala Met Gln Glu Ala Ser Gln Met
275 280 285

Gly Val Val Ile Val Arg Ser Ser Arg Val Asn Ser Gly Glu Ile Thr
290 295 300

Ser Gly Glu Ile Asp Asp Lys Ala Phe Ile Thr Ser Asp Asn Leu Asn
305 310 315 320

Pro Gln Lys Ala Arg Val Leu Leu Gln Leu Ala Leu Thr Lys Thr Asn
325 330 335

Asn Lys Glu Lys Ile Gln Glu Met Phe Glu Glu Tyr
340 345

<210> 248

<211> 328

<212> PRT

<213> Helicobacter pylori

<400> 248

Met Asp Phe Lys Asn Lys Lys Trp Leu Phe Leu Ala Pro Leu Ala Gly
1 5 10 15

Tyr Thr Asp Leu Pro Phe Arg Ser Val Val Lys Lys Phe Gly Val Asp
20 25 30

Val Thr Thr Ser Glu Met Val Ser Ser His Ser Leu Val Tyr Ala Phe
35 40 45

Asp Lys Thr Ser Lys Met Leu Glu Lys Ser Pro Leu Glu Asp His Phe
50 55 60

Met Ala Gln Ile Ser Gly Ser Lys Glu Ser Val Val Lys Glu Ala Val
65 70 75 80

Glu Lys Ile Asn Ala Leu Glu His Val Asn Gly Ile Asp Phe Asn Cys
85 90 95

Gly Cys Pro Ala Pro Lys Val Ala Asn His Gly Asn Gly Ser Gly Leu
100 105 110

Leu Lys Asp Leu Asn His Leu Val Lys Leu Leu Lys Thr Ile Arg Glu
 115 120 125
 Asn Thr Ser Lys Lys Ile Thr Ser Val Lys Val Arg Leu Gly Phe Glu
 130 135 140
 Lys Lys Ile Pro Lys Glu Ile Ala His Ala Leu Asn Asp Ala Pro Val
 145 150 155 160
 Asp Tyr Val Val Val His Gly Arg Thr Arg Ser Asp Lys Tyr Gln Lys
 165 170 175
 Asp Lys Ile Asp Tyr Glu Ser Ile Ala Leu Met Lys Lys Ile Leu Lys
 180 185 190
 Lys Pro Val Ile Ala Asn Gly Glu Ile Asp Ser Val Lys Lys Ala Phe
 195 200 205
 Glu Val Leu Gln Ile Thr Gln Ala Asp Gly Leu Met Ile Gly Arg Ala
 210 215 220
 Ala Leu Arg Ala Pro Trp Ile Phe Trp Gln Ile Arg Asn Asn Thr Thr
 225 230 235 240
 Lys Leu Pro Ala Val Val Lys Lys Asp Leu Val Leu Glu His Phe Asp
 245 250 255
 Lys Met Val Glu Phe Tyr Gly Asp Met Gly Val Ile Met Phe Arg Lys
 260 265 270
 Asn Leu His Ala Tyr Ala Lys Gly Glu Met Gln Ala Ser Ala Phe Arg
 275 280 285
 Asn Cys Val Asn Thr Leu Thr Glu Ile Lys Ser Met Arg Glu Ser Ile
 290 295 300
 Glu Glu Phe Phe Asn Gln Glu Met Leu Gln Ser Glu Val Pro Leu Trp
 305 310 315 320
 Val Glu Leu Asn Gln Lys Ser Val
 325

<210> 249

<211> 674

<212> PRT

<213> Helicobacter pylori

<400> 249

Met Ala Ile Gly Ser Leu Ser Ser Leu Gly Leu Gly Ser Lys Val Leu
1 5 10 15

Asn Tyr Asp Val Ile Asp Lys Leu Lys Asp Ala Asp Glu Lys Ala Leu
20 25 30

Ile Ala Pro Leu Asp Lys Lys Met Glu Gln Asn Val Glu Lys Gln Lys
35 40 45

Ala Leu Val Glu Ile Lys Thr Leu Leu Ser Ala Leu Lys Gly Pro Val
50 55 60

Lys Thr Leu Ser Asp Tyr Ser Thr Tyr Ile Ser Arg Lys Ser Asn Val
65 70 75 80

Thr Gly Asp Ala Leu Ser Ala Ser Val Gly Val Gly Val Pro Ile Gln
85 90 95

Asp Ile Lys Val Asp Val Gln Asn Leu Ala Gln Gly Asp Ile Asn Glu
100 105 110

Leu Gly Ala Lys Phe Ser Ser Arg Asp Asp Ile Phe Ser Gln Val Asp
115 120 125

Thr Thr Leu Lys Phe Tyr Thr Gln Asn Lys Asp Tyr Ala Val Asn Ile
130 135 140

Lys Ala Gly Met Thr Leu Gly Asp Val Ala Gln Ser Ile Thr Asp Ala
145 150 155 160

Thr Asn Gly Glu Val Met Gly Ile Val Met Lys Thr Gly Gly Asn Asp
165 170 175

Pro Tyr Gln Leu Met Val Asn Thr Lys Asn Thr Gly Glu Asp Asn Arg
180 185 190

Val Tyr Phe Gly Ser His Leu Gln Ser Thr Leu Thr Asn Lys Asn Ala
195 200 205

Leu Ser Leu Gly Val Asp Gly Ser Gly Lys Ser Glu Val Ser Leu Asn
210 215 220

Leu Lys Gly Ala Asp Gly Asn Met His Glu Val Pro Ile Met Leu Glu
225 230 235 240

Leu Pro Glu Ser Ala Ser Ile Lys Gln Lys Asn Thr Ala Ile Gln Lys
245 250 255

Ala Met Glu Gln Ala Leu Glu Asn Asp Pro Asn Phe Lys Asn Leu Ile
260 265 270

Ala Asn Gly Asp Ile Ser Ile Asp Thr Leu His Gly Gly Glu Ser Leu
275 280 285

Ile Ile Asn Asp Arg Arg Gly Gly Asn Ile Glu Val Lys Gly Ser Lys
290 295 300

Ala Lys Glu Leu Gly Phe Leu Gln Thr Thr Thr Gln Glu Ser Asp Leu
305 310 315 320

Leu Lys Ser Ser Arg Thr Ile Lys Glu Gly Lys Leu Glu Gly Val Val
325 330 335

Ser Leu Asn Gly Gln Lys Leu Asp Leu Ser Ala Leu Thr Lys Glu Ser
340 345 350

Asn Thr Ser Glu Glu Asn Thr Asp Ala Ile Ile Gln Ala Ile Asn Ala
355 360 365

Lys Glu Gly Leu Ser Ala Phe Lys Asn Ala Glu Gly Lys Leu Val Ile
370 375 380

Asn Ser Lys Thr Gly Met Leu Thr Ile Lys Gly Glu Asp Ala Leu Gly
385 390 395 400

Lys Ala Ser Leu Lys Asp Leu Gly Leu Asn Ala Gly Met Val Gln Ser
405 410 415

Tyr Glu Ala Ser Gln Asn Thr Leu Phe Met Ser Lys Asn Leu Gln Lys
420 425 430

Ala Ser Asp Ser Ala Phe Thr Tyr Asn Gly Val Ser Ile Thr Arg Pro
435 440 445

Thr Asn Glu Val Asn Asp Val Ile Ser Gly Val Asn Ile Thr Leu Glu
450 455 460

Gln Thr Thr Glu Pro Asn Lys Pro Ala Ile Ile Ser Val Ser Arg Asp
465 470 475 480

Asn Gln Ala Ile Ile Asp Ser Leu Thr Glu Phe Val Lys Ala Tyr Asn
485 490 495

Glu Leu Ile Pro Lys Leu Asp Glu Asp Thr Arg Tyr Asp Ala Asp Thr
500 505 510

Lys Ile Ala Gly Ile Phe Asn Gly Val Gly Asp Ile Arg Ala Ile Arg
515 520 525

Ser Ser Leu Asn Asn Val Phe Ser Tyr Ser Val His Thr Asp Asn Gly
530 535 540

Hp 04-04-03.ST251

Val Glu Ser Leu Met Lys Tyr Gly Leu Ser Leu Asp Asp Lys Gly Val
545 550 555 560

Met Ser Leu Asp Glu Ala Lys Leu Ser Ser Ala Leu Asn Ser Asn Pro
565 570 575

Lys Ala Thr Gln Asp Phe Phe Tyr Gly Ser Asp Ser Lys Asp Met Gly
580 585 590

Gly Arg Glu Ile His Gln Glu Gly Ile Phe Ser Lys Phe Asn Gln Val
595 600 605

Ile Ala Asn Leu Ile Asp Gly Gly Asn Ala Lys Leu Lys Ile Tyr Glu
610 615 620

Asp Ser Leu Asp Arg Asp Ala Lys Ser Leu Thr Lys Asp Lys Glu Asn
625 630 635 640

Ala Gln Glu Leu Leu Lys Thr Arg Tyr Asn Ile Met Ala Asp Val Leu
645 650 655

Pro Leu Met Ile Ala Lys Ser Leu Lys Pro Ile Lys Asn Ser Ile Pro
660 665 670

Cys Lys

<210> 250

<211> 462

<212> PRT

<213> Helicobacter pylori

<400> 250

Met Gln Ile Ala Thr Ala Ile Trp Lys Thr Arg Ile Trp Gln Leu Gln
1 5 10 15

Thr His Phe Asp Lys Lys Glu Ala His Leu Lys His Leu Glu Ala Gln
20 25 30

His Lys Glu Phe Val Arg Asp Glu Lys Arg Tyr Leu Glu Lys Glu Lys
35 40 45

Lys Glu Leu Glu Lys Glu Arg Gln Ile Leu Glu Gln Glu Lys Glu Asn
50 55 60

Phe Lys Lys Gln Arg Ala Val Cys Lys Glu Ser Gln Ala Lys Ala Leu
65 70 75 80

Asp Ala Met Leu Asn Tyr Met Ala Tyr Thr Lys Asp Glu Ile Lys Ser
85 90 95

Met Ile Leu Glu Gln Leu Glu Glu Glu Leu Glu Ala Gln Lys Ser Ala
100 105 110

Leu Ile Arg Arg Tyr Glu Lys Glu Ala Lys Glu Glu Gly Lys Lys Lys
115 120 125

Ser Tyr Ala Ile Leu Ala Glu Ala Thr Ala Arg Phe Ala Gly Asn Tyr
130 135 140

Ala Ala Glu Asn Leu Thr Thr Arg Ile Ala Leu Pro Cys Ser Asp Tyr
145 150 155 160

Ile Gly Arg Val Ile Gly Lys Asp Gly Lys Asn Ile Glu Ala Phe Lys
165 170 175

Lys Val Ser Gly Val Asp Ile Glu Phe Ser Glu Asp Ser Ser Glu Leu
180 185 190

Cys Leu Ser Ser Phe Asn Leu Tyr Arg Arg Glu Val Ala Ser Glu Thr
195 200 205

Leu Lys Ile Leu Ile Glu Asp Gly Arg Ile Gln Pro Asn Arg Ile Glu
210 215 220

Glu Val Tyr His Arg Val Ala Arg Asn Leu Glu Lys Glu Leu Leu Ser
225 230 235 240

Glu Gly Glu Ser Val Val Leu Glu Leu Glu Leu Gly Ala Met Glu Asp
245 250 255

Glu Leu Lys Ile Leu Ile Gly Lys Met Arg Tyr Arg Ser Ser Phe Gly
260 265 270

Gln Asn Ala Leu Gln His Ser Lys Glu Val Ala Leu Leu Ala Gly Leu
275 280 285

Ile Ala Glu Gln Leu Gly Gly Asp Lys Lys Leu Ala Arg Arg Ala Gly
290 295 300

Ile Leu His Asp Ile Gly Lys Ala Leu Thr Gln Glu Leu Gly Arg Asp
305 310 315 320

His Val Asn Leu Gly Val Glu Val Cys Lys Arg His Lys Glu Asp Pro
325 330 335

Val Val Ile Asn Ala Ile Tyr Ala His His Gly His Glu Glu Ile Leu
340 345 350

Ser Val Glu Cys Ala Ser Val Cys Ala Ala Asp Ala Leu Ser Ala Gly
355 360 365

Arg Pro Gly Ala Arg Arg Lys Ser Asp Glu Glu Tyr Ala Lys Arg Met
370 375 380

Gln Ala Leu Glu Glu Ile Ala Leu Glu Phe Asp Gly Val Glu Lys Ala
385 390 395 400

Tyr Ala Met Glu Ser Gly Arg Glu Leu Arg Val Ile Val Lys Ser Asn
405 410 415

Gln Val Arg Asp Asn Gln Val Pro Ile Ile Ala Arg Lys Ile Ala Lys
420 425 430

Lys Ile Glu Glu Ser Ala Gln Tyr Val Gly Glu Val Gly Val Gln Val
435 440 445

Val Arg Glu Ser Arg Phe Lys Thr Thr Ala Thr Leu Lys Gln
450 455 460

<210> 251

<211> 119

<212> PRT

<213> Helicobacter pylori

<400> 251

Met Pro Met Arg Leu His Thr Ala Phe Phe Gly Ile Asn Ser Leu Leu
1 5 10 15

Val Ala Ser Leu Leu Ile Ser Gly Cys Ser Leu Phe Lys Lys Arg Asn
20 25 30

Thr Asn Ala Gln Leu Ile Pro Pro Ser Ala Asn Gly Leu Gln Ala Pro
35 40 45

Tle Tyr Pro Pro Thr Asn Phe Thr Pro Arg Lys Ser Ile Gln Pro Leu
50 55 60

Pro Ser Pro Arg Leu Glu Asn Asn Asp Gln Pro Val Ile Ser Ser Asn
65 70 75 80

Pro Thr Asn Ala Ile Pro Asn Thr Pro Ile Leu Thr Pro Asn Asn Val
85 90 95

Ile Glu Leu Asn Ala Trp Ala Trp Ala Trp Leu Gln Asn Pro Pro Phe
100 105 110

His Pro Leu Lys Pro Trp Leu
115

<210> 252

<211> 527

<212> PRT

<213> Helicobacter pylori

<400> 252

Met Glu Asn Asn Pro Asn Asn Asn Gln Ala Ser Leu Glu Arg Asn Glu
1 5 10 15

Leu His Asn Thr Ile Trp Lys Val Ala Asn Glu Leu Arg Gly Ser Val
20 25 30

Asp Gly Trp Asp Phe Lys Gln Tyr Val Leu Gly Ile Leu Phe Tyr Arg
35 40 45

Tyr Ile Ser Glu Asn Met Thr His Tyr Ile Asn Lys Glu Glu Arg Lys
50 55 60

Arg Asp Pro Ser Phe Asp Tyr Ala Lys Leu Ser Asp Glu Lys Ala Glu
65 70 75 80

Arg Gly Arg Lys His Leu Ile Glu Gln Lys Gly Phe Phe Ile Pro Pro
85 90 95

Ser Ala Leu Phe Cys Asn Ala Leu Lys Asn Ala Cys His Asn Glu Asp
100 105 110

Leu Asn Val Thr Leu Gln Asn Ile Phe Asn Glu Ile Glu Lys Ser Ser
115 120 125

Leu Gly Thr Pro Ser Glu Glu Asn Val Lys Gly Leu Phe Ala Asp Leu
130 135 140

Asp Val Asn Ser Asn Lys Leu Gly Ser Ser His Gln Asn Arg Val Glu
145 150 155 160

Lys Leu Thr Lys Ile Leu Glu Ala Ile Gly Gly Met Gln Leu Gly Asp
165 170 175

Tyr Leu Lys Ser Gly Ile Asp Val Phe Gly Asp Ala Tyr Glu Tyr Leu
180 185 190

Met Ala Met Tyr Ala Ser Asn Ala Gly Lys Ser Gly Gly Glu Phe Phe
195 200 205

Thr Pro Gln Glu Val Ser Glu Leu Leu Ala Lys Ile Thr Leu His Gly
 210 215 220
 Gln Glu Ser Val Asn Lys Val Tyr Asp Pro Cys Cys Gly Ser Gly Ser
 225 230 235 240
 Leu Leu Leu Gln Phe Ser Lys Val Leu Gly Asp Lys Asn Val Ser Lys
 245 250 255
 Gly Tyr Phe Gly Gln Glu Ile Asn Leu Thr Thr Tyr Asn Leu Cys Arg
 260 265 270
 Ile Asn Met Phe Leu His Asp Ile Asn Tyr Ser Lys Phe His Ile Ala
 275 280 285
 His Gly Asp Thr Leu Leu Asp Pro Lys His Glu Asp Asp Glu Pro Phe
 290 295 300
 Asp Ala Ile Val Ser Asn Pro Pro Tyr Ser Thr Lys Trp Val Gly Asp
 305 310 315 320
 Ser Asn Pro Ile Leu Ile Asn Asp Glu Arg Phe Ser Pro Ala Gly Val
 325 330 335
 Leu Ala Pro Lys Asn Ala Ala Asp Leu Ala Phe Thr Met His Met Leu
 340 345 350
 Ser Tyr Leu Ser Asn Ser Gly Thr Ala Ala Ile Val Glu Phe Pro Gly
 355 360 365
 Val Leu Tyr Arg Gly Asn Ala Glu Ala Lys Ile Arg Glu Tyr Leu Val
 370 375 380
 Lys Glu Asn Val Ile Asp Cys Val Ile Ala Leu Pro Asp Asn Leu Phe
 385 390 395 400
 Phe Gly Thr Ser Ile Ala Thr Cys Ile Leu Val Leu Lys Lys Asn Lys
 405 410 415
 Gln Asp Asp Thr Thr Leu Phe Ile Asp Ala Ser Lys Glu Phe Val Lys
 420 425 430
 Glu Gly Lys Lys Asn Lys Leu Lys Glu Arg Asn Arg Glu Lys Ile Leu
 435 440 445
 Gln Thr Tyr Ile Glu Arg Lys Glu Ile Lys His Phe Cys Ala Leu Ala
 450 455 460
 Asn Ile Glu Lys Ile Lys Glu Asn Asp Tyr Asn Leu Ser Val Asn Arg
 465 470 475 480

Tyr Val Glu Gln Glu Asp Thr Lys Glu Ala Ile Asp Ile Lys Ala Leu
485 490 495

Asn Ser Glu Ile Ala Gln Ile Val Glu Lys Gln Ser Ala Leu Arg Asn
500 505 510

Arg Leu Glu Ser Ile Ile Lys Glu Leu Glu Gly Gly Gln Asn Ala
515 520 525

<210> 253

<211> 533

<212> PRT

<213> Helicobacter pylori

<400> 253

Met Leu Gln Thr Ile Asn Leu Thr Gln Arg Tyr Ala Thr Lys Lys Leu
1 5 10 15

Phe Glu Asn Val Asn Ile Lys Leu Asp Lys Asn Lys Arg Tyr Gly Leu
20 25 30

Ile Gly Ala Asn Gly Ala Gly Lys Ser Thr Phe Leu Lys Ile Leu Ser
35 40 45

Lys Ser Ile Asp Cys Ser Ser Gly Glu Val Ile Ile Thr Ser Gly Met
50 55 60

Lys Met Gly Val Leu Gly Gln Asp Gln Tyr Ala Phe Glu Asp Leu Ser
65 70 75 80

Leu Lys Asp Ala Val Leu Ile Gly Asn Lys Arg Leu Tyr Asp Ala Ile
85 90 95

Lys Glu Lys Glu Arg Leu Tyr Thr Glu Gly Asp Leu Ser Asp Asp Lys
100 105 110

Val Asn Ala Arg Leu Gly Glu Leu Glu Thr Ile Cys Val Glu Glu Asp
115 120 125

Pro Met Tyr Glu Cys Glu Val Ala Ile Glu Lys Ile Leu Glu Asp Leu
130 135 140

Gly Ile Pro Ser Ser Lys His Asn Asp Leu Met Lys Thr Leu Pro Ser
145 150 155 160

Ser Asp Lys Phe Lys Ile Leu Leu Ala Gln Val Leu Phe Pro Lys Pro
165 170 175

Hp 04-04-03.ST251

Asp Ile Leu Leu Leu Asp Glu Pro Thr Asn Asn Leu Asp Leu Asn Ala
 180 185 190
 Ile Glu Trp Leu Glu Asn Asn Leu Lys Arg His Glu Gly Thr Met Val
 195 200 205
 Val Ile Ser His Asp Arg His Phe Leu Asn Ala Val Cys Thr His Ile
 210 215 220
 Leu Asp Leu Asp Phe His Ser Val Arg Glu Phe Ser Gly Asn Tyr Asp
 225 230 235 240
 Asp Trp Tyr Ile Ala Ser Thr Leu Ile Ala Lys Gln Gln Glu Ala Glu
 245 250 255
 Arg Asn Lys Lys Leu Lys Glu Lys Glu Glu Leu Glu Lys Phe Ile Ala
 260 265 270
 Arg Phe Ser Ala Asn Ala Ser Lys Ala Lys Gln Ala Thr Ser Arg Gln
 275 280 285
 Lys Gln Leu Asp Lys Leu Asp Ile Gln Ser Leu Ala Val Ser Ser Arg
 290 295 300
 Arg Asp Pro Ser Ile Ile Phe Lys Pro Lys Arg Thr Ile Gly Asn Glu
 305 310 315 320
 Ala Leu Glu Cys Glu Asn Ile Ser Lys Ser Tyr Asp Asp Gln Ile Val
 325 330 335
 Leu Asn Gln Val Ser Leu Lys Val Met Pro Lys Asp Lys Ile Ala Leu
 340 345 350
 Ile Gly Pro Asn Gly Val Gly Lys Ser Thr Leu Cys Lys Ile Leu Val
 355 360 365
 Glu Glu Leu Lys Pro Asp Lys Gly Val Val Lys Trp Gly Ala Thr Val
 370 375 380
 Ser Lys Gly Tyr Phe Pro Gln Asn Val Ser Glu Glu Ile Ser Gly Glu
 385 390 395 400
 Glu Thr Leu Tyr Gln Trp Leu Phe Asn Phe Asn Lys Lys Ile Glu Ser
 405 410 415
 Ala Glu Val Arg Asn Ala Leu Gly Arg Met Leu Phe Asn Gly Glu Glu
 420 425 430
 Gln Glu Lys Cys Val Asn Ala Leu Ser Gly Gly Glu Lys His Arg Met
 435 440 445

Val Leu Ser Lys Leu Met Leu Glu Gly Gly Asn Phe Leu Val Leu Asp
450 455 460

Glu Pro Thr Asn His Leu Asp Leu Glu Ala Ile Ile Ala Leu Gly Glu
465 470 475 480

Ala Leu Phe Lys Phe Asp Gly Ala Leu Ile Cys Val Ser His Asp Arg
485 490 495

Glu Leu Ile Asp Ala Tyr Ala Asn Arg Ile Ile Glu Leu Val Pro Ser
500 505 510

Pro Lys Gly Ala Ser Ile Ile Asp Phe Lys Gly Ser Tyr Glu Glu Tyr
515 520 525

Leu Ala Ser Lys Lys
530

<210> 254

<211> 542

<212> PRT

<213> Helicobacter pylori

<400> 254

Met Asn Lys Pro Phe Leu Ile Leu Leu Ile Ala Leu Ile Val Phe Ser
1 5 10 15

Gly Cys Asn Met Arg Lys Tyr Phe Lys Pro Ala Lys His Gln Ile Lys
20 25 30

Gly Glu Ala Tyr Phe Pro Asn His Leu Gln Glu Ser Ile Val Ser Ser
35 40 45

Asn Arg Tyr Gly Ala Ile Leu Lys Asn Gly Ala Val Ile Gly Asp Lys
50 55 60

Gly Leu Thr Gln Leu Arg Ile Gly Lys Asn Phe Asn Tyr Glu Ser Ser
65 70 75 80

Phe Leu Asn Glu Ser Gln Gly Phe Phe Ile Leu Ala Gln Asp Cys Leu
85 90 95

Asn Lys Ile Asp Lys Lys Thr Asn Lys Ser Lys Val Ala Lys Thr Glu
100 105 110

Glu Thr Glu Leu Lys Leu Lys Gly Val Glu Ala Glu Val Gln Asp Lys
115 120 125

Val Cys His Gln Val Glu Leu Ile Ser Asn Asn Pro Asn Ala Ser Gln
130 135 140

Gln Ser Ile Val Ile Pro Leu Glu Thr Phe Ala Leu Ser Ala Ser Val
145 150 155 160

Lys Gly Asn Leu Leu Ala Val Val Leu Ala Asp Asn Ser Ala Asn Leu
165 170 175

Tyr Asp Ile Thr Ser Gln Lys Leu Leu Phe Ser Glu Lys Gly Ser Pro
180 185 190

Ser Thr Thr Ile Asn Ser Leu Met Ala Met Pro Ile Phe Met Asp Thr
195 200 205

Val Val Val Phe Pro Met Leu Asp Gly Arg Leu Leu Val Val Asp Tyr
210 215 220

Val His Gly Asn Pro Thr Pro Ile Arg Asn Ile Val Ile Ser Ser Asp
225 230 235 240

Lys Phe Phe Asn Asn Ile Thr Tyr Leu Ile Val Asp Gly Asn Asn Met
245 250 255

Ile Ala Ser Thr Gly Lys Arg Ile Leu Ser Val Val Ser Gly Gln Glu
260 265 270

Phe Asn Tyr Asp Gly Asp Ile Val Asp Leu Leu Tyr Asp Lys Gly Thr
275 280 285

Leu Tyr Val Leu Thr Leu Asp Gly Gln Ile Leu Gln Met Asp Lys Ser
290 295 300

Leu Arg Glu Leu Asn Ser Val Lys Leu Pro Ser Ser Leu Asn Thr Ile
305 310 315 320

Val Leu Asn His Asn Lys Leu Tyr Ser Leu Glu Lys Arg Gly Tyr Val
325 330 335

Ile Glu Val Asp Leu Asn Asp Phe Asp Ser Tyr Asn Val Tyr Lys Thr
340 345 350

Pro Thr Ile Gly Ser Phe Lys Phe Phe Ser Ser Asn Arg Leu Asp Lys
355 360 365

Gly Val Phe Tyr Asp Lys Asn Arg Val Tyr Tyr Asp Arg Tyr Tyr Leu
370 375 380

Asp Tyr Asn Asp Phe Lys Pro Lys Leu Tyr Pro Val Val Glu Lys Ser
385 390 395 400

Ala Ser Lys Lys Ser Gln Lys Gly Glu Lys Gly Asn Ala Pro Ile Tyr
405 410 415

Leu Gln Glu Arg His Lys Ala Lys Glu Asn Lys Gln Pro Leu Glu Glu
420 425 430

Asn Lys Val Lys Pro Arg Asn Ser Gly Phe Glu Glu Glu Glu Val Lys
435 440 445

Thr Arg Arg Pro Glu Pro Ile Arg Asp Gln Asn Asn Ala Thr Gln Gln
450 455 460

Gly Glu Thr Lys Asn Asn Glu Ser Lys Asn Ala Pro Val Leu Lys Glu
465 470 475 480

Asn Ala Ala Lys Lys Glu Val Pro Lys Pro Asn Ser Lys Glu Glu Lys
485 490 495

Arg Arg Leu Lys Glu Glu Lys Lys Lys Ala Lys Ala Glu Gln Arg Ala
500 505 510

Arg Glu Phe Glu Gln Arg Ala Arg Glu His Gln Glu Arg Asp Glu Lys
515 520 525

Glu Leu Glu Glu Arg Arg Lys Ala Leu Glu Met Asn Lys Lys
530 535 540

<210> 255

<211> 291

<212> PRT

<213> Helicobacter pylori

<400> 255

Met Lys Arg Arg Asp Phe Ile Lys Thr Thr Thr Leu Gly Ala Thr Gly
1 5 10 15

Ala Val Leu Gly Ala Gln Ile Leu Gln Ala Glu Glu Ser Lys Gly Ser
20 25 30

Val Ala Lys Tyr Lys Ile Glu Ala Gln Tyr Ser Ile Asp Phe Asp Ser
35 40 45

Ala Glu His Thr Ser Leu Phe Ile Pro Met Pro Ser Val Val Ala Ser
50 55 60

Asn Val His Leu Gln Gly Asn His Ala Ser Tyr Lys Ser Met Leu Asn
65 70 75 80

Phe Gly Val Pro Tyr Leu Gln Val Asp Phe Leu Lys Ser Thr Gln Lys
85 90 95

Lys Gln Val His Leu Ser Tyr Glu Ile Ala Ser Tyr Gln Leu Asn Glu
100 105 110

Arg Leu Phe Glu Thr Ser Asp Phe Val Ala Met Gly Arg Tyr Glu Arg
115 120 125

Asp Asp Ala Ser Val Ala Asn Ile Ala Asn Gln Leu Lys Gly Thr Thr
130 135 140

Pro Lys Glu Ser Val Arg Asn Phe Tyr Ala Phe Ile Lys His Glu Met
145 150 155 160

Pro Lys Arg Gln Lys Ala Leu Glu Gly Lys Glu Asn Leu Pro Lys Arg
165 170 175

Glu Ser Leu Pro Trp Phe Ala Thr Ile Ser Lys Glu Ser Met Phe Val
180 185 190

Ser Leu Cys His Ala Cys Gly Ile Lys Ser Ala Glu Val Gln Gly Leu
195 200 205

Lys Leu Gly Gln Asn Ser Val Val Lys Asn Ala Pro Arg Val Glu Val
210 215 220

Tyr Leu Lys Asp Ser Phe Leu Ala Phe Asp Phe Gln Asn Asn His Lys
225 230 235 240

Glu Val Phe Ile Pro Leu Asn Arg His Lys Asp Met Gln Leu Asp Ser
245 250 255

Ala Leu Leu Ala Thr Phe Gly Asp Ala Phe Ala Leu Val Asp Gly Arg
260 265 270

Asp Leu Gly Asn Tyr Glu Ser Lys Leu Phe Glu Lys Arg Val Ser Tyr
275 280 285

Thr Ile Val
290

<210> 256

<211> 505

<212> PRT

<213> Helicobacter pylori

<400> 256

Met Val Asn Lys Asp Val Lys Gln Thr Thr Ala Phe Gly Ala Pro Val
1 5 10 15

Trp Asp Asp Asn Asn Val Ile Thr Ala Gly Pro Arg Gly Pro Val Leu
20 25 30

Leu Gln Ser Thr Trp Phe Leu Glu Lys Leu Ala Ala Phe Asp Arg Glu
35 40 45

Arg Ile Pro Glu Arg Val Val His Ala Lys Gly Ser Gly Ala Tyr Gly
50 55 60

Thr Phe Thr Val Thr Lys Asp Ile Thr Lys Tyr Thr Lys Ala Lys Ile
65 70 75 80

Phe Ser Lys Val Gly Lys Lys Thr Glu Cys Phe Phe Arg Phe Ser Thr
85 90 95

Val Ala Gly Glu Arg Gly Ser Ala Asp Ala Val Arg Asp Pro Arg Gly
100 105 110

Phe Ala Met Lys Tyr Tyr Thr Glu Glu Gly Asn Trp Asp Leu Val Gly
115 120 125

Asn Asn Thr Pro Val Phe Phe Ile Arg Asp Ala Ile Lys Phe Pro Asp
130 135 140

Phe Ile His Thr Gln Lys Arg Asp Pro Gln Thr Asn Leu Pro Asn His
145 150 155 160

Asp Met Val Trp Asp Phe Trp Ser Asn Val Pro Glu Ser Leu Tyr Gln
165 170 175

Val Thr Trp Val Met Ser Asp Arg Gly Ile Pro Lys Ser Phe Arg His
180 185 190

Met Asp Gly Phe Gly Ser His Thr Phe Ser Leu Ile Asn Ala Lys Gly
195 200 205

Glu Arg Phe Trp Val Lys Phe His Phe His Thr Met Gln Gly Val Lys
210 215 220

His Leu Thr Asn Glu Glu Ala Ala Glu Val Arg Lys Tyr Asp Pro Asp
225 230 235 240

Ser Asn Gln Arg Asp Leu Phe Asn Ala Ile Ala Arg Gly Asp Phe Pro
245 250 255

Lys Trp Lys Leu Ser Ile Gln Val Met Pro Glu Glu Asp Ala Lys Lys
260 265 270

Tyr Arg Phe His Pro Phe Asp Val Thr Lys Ile Trp Tyr Leu Gln Asp
275 285

Tyr Pro Leu Met Glu Val Gly Ile Val Glu Leu Asn Lys Asn Pro Glu
290 300

Asn Tyr Phe Ala Glu Val Gly Gln Ala Ala Phe Ser Pro Ala Asn Val
305 310 315 320

Val Pro Gly Ile Gly Tyr Ser Pro Asp Arg Met Leu Gln Gly Arg Leu
325 330 335

Phe Ser Tyr Gly Asp Thr His Arg Tyr Arg Leu Gly Val Asn Tyr Pro
340 345 350

Gln Ile Pro Val Asn Lys Pro Arg Cys Pro Phe His Ser Ser Ser Arg
355 360 365

Asp Gly Tyr Met Gln Asn Gly Tyr Tyr Gly Ser Leu Gln Asn Tyr Thr
370 375 380

Pro Ser Ser Leu Pro Gly Tyr Lys Glu Asp Lys Ser Ala Arg Asp Pro
385 390 395 400

Lys Phe Asn Leu Ala His Ile Glu Lys Glu Phe Glu Val Trp Asn Trp
405 410 415

Asp Tyr Arg Ala Asp Asp Ser Asp Tyr Tyr Thr Gln Pro Gly Asp Tyr
420 425 430

Tyr Arg Ser Leu Pro Ala Asp Glu Lys Glu Arg Leu His Asp Thr Ile
435 440 445

Gly Glu Ser Leu Ala His Val Thr His Lys Glu Ile Val Asp Lys Gln
450 455 460

Leu Glu His Phe Lys Lys Ala Asp Pro Lys Tyr Ala Glu Gly Val Lys
465 470 475 480

Lys Ala Leu Glu Lys His Gln Lys Met Met Lys Asp Met His Gly Lys
485 490 495

Asp Met His His Thr Lys Lys Lys Lys
500 505

<210> 257

<211> 791

<212> PRT

<213> Helicobacter pylori

<400> 257

Met Phe Leu Arg Val Tyr Pro Lys Leu Arg Tyr Ala Leu Cys Phe Pro
 1 5 10 15

Leu Leu Ala Glu Thr Cys Tyr Ser Glu Glu Arg Thr Leu Asn Lys Val
 20 25 30

Thr Thr Gln Ala Lys Arg Ile Phe Thr Tyr Asn Asn Glu Phe Lys Val
 35 40 45

Thr Ser Lys Glu Leu Asp Gln Arg Gln Ser Asn Glu Val Lys Asp Leu
 50 55 60

Phe Arg Thr Asn Pro Asp Val Asn Val Gly Gly Gly Ser Val Met Gly
 65 70 75 80

Gln Lys Ile Tyr Val Arg Gly Val Glu Asp Arg Leu Leu Arg Val Thr
 85 90 95

Val Asp Gly Ala Ala Gln Asn Gly Asn Ile Tyr His His Gln Gly Asn
 100 105 110

Thr Val Ile Asp Pro Gly Met Leu Lys Ser Val Glu Val Thr Lys Gly
 115 120 125

Ala Ala Asn Ala Ser Ala Gly Pro Gly Ala Ile Ala Gly Val Ile Lys
 130 135 140

Met Glu Thr Lys Gly Ala Ala Asp Phe Ile Pro Arg Gly Lys Asn Tyr
 145 150 155 160

Ala Ala Ser Gly Ala Val Ser Phe Tyr Thr Asn Phe Gly Asp Arg Glu
 165 170 175

Thr Phe Arg Ser Ala Tyr Gln Asn Ala His Phe Asp Ile Ile Ala Tyr
 180 185 190

Tyr Thr His Gln Asn Ile Phe Tyr Tyr Arg Ser Gly Ala Thr Ala Met
 195 200 205

Lys Asn Leu Phe Asn Pro Thr Gln Ala Asp Lys Glu Pro Gly Thr Pro
 210 215 220

Ser Glu Gln Asn Asn Ala Leu Ile Lys Met Asn Gly Tyr Leu Ser Asp
 225 230 235 240

Arg Asp Thr Leu Thr Phe Ser Trp Asn Met Thr Arg Asp Asn Ala Thr
 245 250 255

Arg Pro Leu Arg Ser Asn Ala Ile Gly Leu Ala Tyr Pro Cys Glu Ala
 260 265 270
 Pro Phe Ser Pro Asp Ser Ser Gln Gly Cys Pro Asn Val Leu Asp Ser
 275 280 285
 Phe Thr Arg Tyr Met Tyr His Ser Ile Asn Ser Ala Asn Asn Leu Ser
 290 295 300
 Leu Gln Tyr Lys Arg Glu Ala Gly Asn Ser Phe Gly Asp Pro Arg Leu
 305 310 315 320
 Asp Phe Thr Leu Tyr Thr Ser Ile Arg Asn Ala Gln Phe Asp Pro Leu
 325 330 335
 Phe Asp Pro Asn Gly Val Tyr Ala Lys Phe Pro Thr Ser Leu Ala Ser
 340 345 350
 Ala Trp Glu Lys Glu Asn Tyr Pro Cys Val Glu Gly Ala Tyr Cys Thr
 355 360 365
 Pro Ser Phe Ser Asp Val Asp Lys Pro Ser Ser Gln Pro Arg Asn Leu
 370 375 380
 Phe Leu Asn Asn Thr Gly Leu Asn Leu Lys Val Ala His Val Ile Asp
 385 390 395 400
 Glu Ala Thr Asp Ser Leu Phe Glu Tyr Gly Phe Asn Tyr Gln Asn Leu
 405 410 415
 Ser Val Phe Asp Ala Arg Ile Pro Lys Ser Glu Leu Tyr Arg Pro Asn
 420 425 430
 Gln Val Tyr Thr Asp Asp Lys Gly Gln Lys Gln Ile Ala Cys Ser Leu
 435 440 445
 Val Asn Asn Asn Pro Asn Asp Pro Thr Leu Cys Gln Arg Gly Lys Ala
 450 455 460
 Asn Gly Asn Ile Tyr Gly Gly Tyr Val Gln Ala Asn Tyr Ser Pro His
 465 470 475 480
 Lys Ile Ile Thr Phe Gly Ala Gly Val Arg Trp Asp Ala Tyr Thr Leu
 485 490 495
 Tyr Asp Lys Asp Trp Asn His Arg Tyr Thr Gln Gly Phe Ser Pro Ser
 500 505 510
 Ala Ala Leu Val Leu Ser Pro Ile Glu Pro Leu Ser Leu Lys Ile Thr
 515 520 525

Tyr Ser Gln Val Thr Arg Gly Val Met Pro Gly Asp Gly Val Tyr Met
530 535 540

Arg Gln Asn Asp Leu Arg Tyr Ala Lys Asn Ile Lys Pro Glu Val Gly
545 550 555 560

Ser Asn Ala Glu Phe Asn Ile Asp Tyr Ser Ser Gln Tyr Phe Ser Gly
565 570 575

Arg Ala Ala Ala Phe Tyr Gln Ala Leu Asp Asn Phe Ile Ser Gln Tyr
580 585 590

Ala Gln Asn Leu Ile Val Thr Asn Leu Ser Gln Ala Ile Arg Ile Tyr
595 600 605

Gly Tyr Glu Val Gly Gly Thr Phe Arg Tyr Lys Gly Val Ser Leu Asn
610 615 620

Val Gly Val Ser Arg Thr Trp Pro Thr Thr Arg Gly Tyr Leu Met Ala
625 630 635 640

Asp Ser Tyr Glu Leu Ala Ala Ser Thr Gly Asn Val Phe Ile Ile Lys
645 650 655

Leu Asp Tyr Thr Ile Pro Lys Thr Gly Ile Asn Leu Ala Trp Leu Ser
660 665 670

Arg Phe Val Thr Gly Leu Asp Tyr Cys Gly Phe Asp Ile Tyr Leu Pro
675 680 685

Asp Tyr Gly Thr Ala Glu Lys Pro Lys Thr Pro Thr Asp Leu Ala Lys
690 695 700

Cys Gly Ser Gln Leu Gly Leu Val His Met His Lys Pro Gly Tyr Gly
705 710 715 720

Val Ser Asn Phe Tyr Ile Asn Trp Ser Pro Lys Thr Lys Ser Arg Trp
725 730 735

Lys Gly Leu Leu Leu Ser Ala Val Phe Asn Asn Val Phe Asn Lys Phe
740 745 750

Tyr Val Asp Gln Thr Ser Pro Tyr Val Met Ser Pro Asp Met Pro Gly
755 760 765

Thr Asp Ala Val Lys Arg Ala Ile Ala Glu Pro Gly Phe Asn Ala Arg
770 775 780

Phe Glu Val Ala Tyr Lys Trp
785 790

<210> 258

<211> 1290

<212> PRT

<213> Helicobacter pylori

<400> 258

Met Glu Ile Gln Gln Thr His Arg Lys Ile Asn Arg Pro Leu Val Ser
1 5 10 15

Leu Ala Leu Val Gly Ala Leu Val Ser Ile Thr Pro Gln Gln Ser His
20 25 30

Ala Ala Phe Phe Thr Thr Val Ile Ile Pro Ala Ile Val Gly Gly Ile
35 40 45

Ala Thr Gly Ala Ala Val Gly Thr Val Ser Gly Leu Leu Gly Trp Gly
50 55 60

Leu Lys Gln Ala Glu Glu Ala Asn Lys Thr Pro Asp Lys Pro Asp Lys
65 70 75 80

Val Trp Arg Ile Gln Ala Gly Lys Gly Phe Asn Glu Phe Pro Asn Lys
85 90 95

Glu Tyr Asp Leu Tyr Arg Ser Leu Leu Ser Ser Lys Ile Asp Gly Gly
100 105 110

Trp Asp Trp Gly Asn Ala Ala Thr His Tyr Trp Val Lys Gly Gly Gln
115 120 125

Trp Asn Lys Leu Glu Val Asp Met Lys Asp Ala Val Gly Thr Tyr Asn
130 135 140

Leu Ser Gly Leu Arg Asn Phe Thr Gly Gly Asp Leu Asp Val Asn Met
145 150 155 160

Gln Lys Ala Thr Leu Arg Leu Gly Gln Phe Asn Gly Asn Ser Phe Thr
165 170 175

Ser Tyr Lys Asp Ser Ala Asp Arg Thr Thr Arg Val Asp Phe Asn Ala
180 185 190

Lys Asn Ile Leu Ile Asp Asn Phe Leu Glu Ile Asn Asn Arg Val Gly
195 200 205

Ser Gly Ala Gly Arg Lys Ala Ser Ser Thr Val Leu Thr Leu Gln Ala
210 215 220

Ser Glu Gly Ile Thr Ser Ser Lys Asn Ala Glu Ile Ser Leu Tyr Asp
225 230 235 240

Gly Ala Thr Leu Asn Leu Ala Ser Asn Ser Val Lys Leu Met Gly Asn
245 250 255

Val Trp Met Gly Arg Leu Gln Tyr Val Gly Ala Tyr Leu Ala Pro Ser
260 265 270

Tyr Ser Thr Ile Asn Thr Ser Lys Val Thr Gly Glu Val Asn Phe Asn
275 280 285

His Leu Thr Val Gly Asp His Asn Ala Ala Gln Ala Gly Ile Ile Ala
290 295 300

Ser Asn Lys Thr His Ile Gly Thr Leu Asp Leu Trp Gln Ser Ala Gly
305 310 315 320

Leu Asn Ile Ile Ala Pro Pro Glu Gly Gly Tyr Lys Asp Lys Pro Lys
325 330 335

Asp Lys Pro Ser Asn Thr Thr Gln Asn Asn Ala Asn Asn Asn Gln Gln
340 345 350

Asn Ser Ala Gln Asn Asn Ser Asn Thr Gln Val Ile Asn Pro Pro Asn
355 360 365

Ser Ala Gln Lys Thr Glu Ile Gln Pro Thr Gln Val Ile Asp Gly Pro
370 375 380

Phe Ala Gly Gly Lys Asp Thr Val Val Asn Ile Asp Arg Ile Asn Thr
385 390 395 400

Asn Ala Asp Gly Thr Ile Lys Val Gly Gly Tyr Lys Ala Ser Leu Thr
405 410 415

Thr Asn Ala Ala His Leu His Ile Gly Lys Gly Gly Ile Asn Leu Ser
420 425 430

Asn Gln Ala Ser Gly Arg Thr Leu Leu Val Glu Asn Leu Thr Gly Asn
435 440 445

Ile Thr Val Asp Gly Pro Leu Arg Val Asn Asn Gln Val Gly Gly Tyr
450 455 460

Ala Leu Ala Gly Ser Ser Ala Asn Phe Glu Phe Lys Ala Gly Thr Asp
465 470 475 480

Thr Lys Asn Gly Thr Ala Thr Phe Asn Asn Asp Ile Ser Leu Gly Arg
485 490 495

Phe Val Asn Leu Lys Val Asp Ala His Thr Ala Asn Phe Lys Gly Ile
 500 505 510
 Asp Thr Gly Asn Gly Gly Phe Asn Thr Leu Asp Phe Ser Gly Val Thr
 515 520 525
 Gly Lys Val Asn Ile Asn Lys Leu Ile Thr Ala Ser Thr Asn Val Ala
 530 535 540
 Val Lys Asn Phe Asn Ile Asn Glu Leu Val Val Lys Thr Asn Gly Val
 545 550 555 560
 Ser Val Gly Glu Tyr Thr His Phe Ser Glu Asp Ile Gly Ser Gln Ser
 565 570 575
 Arg Ile Asn Thr Val Arg Leu Glu Thr Gly Thr Arg Ser Ile Phe Ser
 580 585 590
 Gly Gly Val Lys Phe Lys Ser Gly Glu Lys Leu Val Ile Asp Glu Phe
 595 600 605
 Tyr Tyr Ser Pro Trp Asn Tyr Phe Asp Ala Arg Asn Ile Lys Asn Val
 610 615 620
 Glu Ile Thr Arg Lys Phe Ala Ser Ser Thr Pro Glu Asn Pro Trp Gly
 625 630 635 640
 Thr Ser Lys Leu Met Phe Asn Asn Leu Thr Leu Gly Gln Asn Ala Val
 645 650 655
 Met Asp Tyr Ser Gln Phe Ser Asn Leu Thr Ile Gln Gly Asp Phe Ile
 660 665 670
 Asn Asn Gln Gly Thr Ile Asn Tyr Leu Val Arg Gly Gly Gln Val Ala
 675 680 685
 Thr Leu Asn Val Gly Asn Ala Ala Ala Met Phe Phe Ser Asn Asn Val
 690 695 700
 Asp Ser Ala Thr Gly Phe Tyr Gln Pro Leu Met Lys Ile Asn Ser Ala
 705 710 715 720
 Gln Asp Leu Ile Lys Asn Lys Glu His Val Leu Leu Lys Ala Lys Ile
 725 730 735
 Ile Gly Tyr Gly Asn Val Ser Leu Gly Thr Asn Ser Ile Ser Asn Val
 740 745 750
 Asn Leu Ile Glu Gln Phe Lys Glu Arg Leu Ala Leu Tyr Asn Asn Asn
 755 760 765

Asn Arg Met Asp Ile Cys Val Val Arg Asn Thr Asp Asp Ile Lys Ala
770 775 780

Cys Gly Thr Ala Ile Gly Asn Gln Ser Met Val Asn Asn Pro Asp Asn
785 790 795 800

Tyr Lys Tyr Leu Ile Gly Lys Ala Trp Lys Asn Ile Gly Ile Ser Lys
805 810 815

Thr Ala Asn Gly Ser Lys Ile Ser Val Tyr Tyr Leu Gly Asn Ser Thr
820 825 830

Pro Thr Glu Lys Gly Gly Asn Thr Thr Asn Leu Pro Thr Asn Thr Thr
835 840 845

Ser Asn Val Arg Ser Ala Asn Asn Ala Leu Ala Gln Asn Ala Pro Phe
850 855 860

Ala Gln Pro Ser Ala Thr Pro Asn Leu Val Ala Ile Asn Gln His Asp
865 870 875 880

Phe Gly Thr Ile Glu Ser Val Phe Glu Leu Ala Asn Arg Ser Lys Asp
885 890 895

Ile Asp Thr Leu Tyr Ala Asn Ser Gly Ala Gln Gly Arg Asp Leu Leu
900 905 910

Gln Thr Leu Leu Ile Asp Ser His Asp Ala Gly Tyr Ala Arg Gln Met
915 920 925

Ile Asp Asn Thr Ser Thr Gly Glu Ile Thr Lys Gln Leu Asn Ala Ala
930 935 940

Thr Thr Thr Leu Asn Asn Ile Ala Ser Leu Glu His Lys Thr Ser Ser
945 950 955 960

Leu Gln Thr Leu Ser Leu Ser Asn Ala Met Ile Leu Asn Ser Arg Leu
965 970 975

Val Asn Leu Ser Arg Arg His Thr Asn Asn Ile Asp Ser Phe Ala Gln
980 985 990

Arg Leu Gln Ala Leu Lys Asp Gln Lys Phe Ala Ser Leu Glu Ser Ala
995 1000 1005

Ala Glu Val Leu Tyr Gln Phe Ala Pro Lys Tyr Glu Lys Pro Thr
1010 1015 1020

Asn Val Trp Ala Asn Ala Ile Gly Gly Thr Ser Leu Asn Asn Gly
1025 1030 1035

Gly	Asn	Ala	Ser	Leu	Tyr	Gly	Thr	Ser	Ala	Gly	Val	Asp	Ala	Tyr
1040						1045					1050			
Leu	Asn	Gly	Glu	Val	Glu	Ala	Ile	Val	Gly	Gly	Phe	Gly	Ser	Tyr
1055						1060					1065			
Gly	Tyr	Ser	Ser	Phe	Asn	Asn	Gln	Ala	Asn	Ser	Leu	Asn	Ser	Gly
1070						1075					1080			
Ala	Asn	Asn	Thr	Asn	Phe	Gly	Val	Tyr	Ser	Arg	Ile	Phe	Ala	Asn
1085						1090					1095			
Gln	His	Glu	Phe	Asp	Phe	Glu	Ala	Gln	Gly	Ala	Leu	Gly	Ser	Asp
1100						1105					1110			
Gln	Ser	Ser	Leu	Asn	Phe	Lys	Ser	Ala	Leu	Leu	Arg	Asp	Leu	Asn
1115						1120					1125			
Gln	Ser	Tyr	Asn	Tyr	Leu	Ala	Tyr	Ser	Ala	Ala	Thr	Arg	Ala	Ser
1130						1135					1140			
Tyr	Gly	Tyr	Asp	Phe	Ala	Phe	Phe	Arg	Asn	Ala	Leu	Val	Leu	Lys
1145						1150					1155			
Pro	Ser	Val	Gly	Val	Ser	Tyr	Asn	His	Leu	Gly	Ser	Thr	Asn	Phe
1160						1165					1170			
Lys	Ser	Asn	Ser	Asn	Gln	Val	Ala	Leu	Lys	Asn	Gly	Ser	Ser	Ser
1175						1180					1185			
Gln	His	Leu	Phe	Asn	Ala	Ser	Ala	Asn	Val	Glu	Ala	Arg	Tyr	Tyr
1190						1195					1200			
Tyr	Gly	Asp	Thr	Ser	Tyr	Phe	Tyr	Met	Asn	Ala	Gly	Val	Leu	Gln
1205						1210					1215			
Glu	Phe	Ala	Asn	Phe	Gly	Ser	Ser	Asn	Ala	Val	Ser	Leu	Asn	Thr
1220						1225					1230			
Phe	Lys	Val	Asn	Ala	Ala	His	Asn	Pro	Leu	Ser	Thr	His	Ala	Arg
1235						1240					1245			
Val	Met	Met	Gly	Gly	Glu	Leu	Lys	Leu	Ala	Lys	Glu	Val	Phe	Leu
1250						1255					1260			
Asn	Leu	Gly	Phe	Val	Tyr	Leu	His	Asn	Leu	Ile	Ser	Asn	Ile	Gly
1265						1270					1275			
His	Phe	Ala	Ser	Asn	Leu	Gly	Met	Arg	Tyr	Ser	Phe			
1280						1285					1290			

<210> 259

<211> 174

<212> PRT

<213> Helicobacter pylori

<400> 259

Met Pro Gln Ile Gln Ser Ser His Ser Asn His Phe Asp Phe Thr Ile
1 5 10 15

Asp Thr Ala Asp Arg Thr Lys Leu Leu Met Ser Tyr Leu Val Val Pro
20 25 30

Thr Thr Ala Asn Phe Asn Asn Val Met His Gly Gly Glu Leu Leu Asn
35 40 45

Leu Leu Asp Lys Val Ala Tyr Val Cys Ser Thr Arg Tyr Cys Ala Lys
50 55 60

Gly Thr Val Thr Leu Ser Val Asp Gly Val Thr Phe Lys Tyr Pro Ile
65 70 75 80

Pro Val Gly Asn Leu Leu Thr Phe Leu Ala Ser Ile Asn Tyr Val Gly
85 90 95

Asn Thr Ser Cys Glu Val Gly Ile Lys Val Leu Ser Glu Asp Ile Lys
100 105 110

Thr Arg Glu Ile Thr His Thr Asn Ser Cys Tyr Phe Thr Met Val Ala
115 120 125

Val Glu Asn Gly Lys Pro Thr Pro Met Pro Lys Tyr Glu Pro Lys Thr
130 135 140

Glu Val Glu Ile Arg Arg Tyr Glu Gly Ala Leu Lys Arg Lys Glu Met
145 150 155 160

Arg Thr Arg Gly Tyr Leu Lys Ser Gly Lys His Glu Gly Val
165 170

<210> 260

<211> 379

<212> PRT

<213> Helicobacter pylori

<400> 260

Leu Asn Asn Leu Asp Ile Lys Thr Leu Gly Gln Val Phe Thr Pro Lys
 1 5 10 15

Lys Ile Val Asp Phe Met Leu Thr Leu Lys His Asn His Gly Ser Val
 20 25 30

Leu Glu Pro Ser Ala Gly Asp Gly Ser Phe Leu Lys Arg Leu Lys Lys
 35 40 45

Ala Val Arg Ile Glu Ile Asp Pro Lys Ile Cys Pro Lys Asn Ala Leu
 50 55 60

Cys Met Asp Phe Phe Asp Tyr Pro Leu Glu Asn Gln Phe Asp Thr Ile
 65 70 75 80

Ile Gly Asn Pro Pro Tyr Val Lys His Lys Asp Ile Ala Pro Ser Thr
 85 90 95

Lys Glu Lys Leu His Tyr Ser Leu Phe Asp Glu Arg Ser Asn Leu Tyr
 100 105 110

Leu Phe Phe Ile Glu Lys Ala Ile Lys His Leu Lys Pro Lys Gly Glu
 115 120 125

Leu Ile Phe Ile Thr Pro Arg Asp Phe Leu Lys Ser Thr Ser Ser Val
 130 135 140

Lys Leu Asn Glu Trp Ile Tyr Lys Glu Gly Thr Ile Thr His Phe Phe
 145 150 155 160

Glu Leu Gly Asp Gln Lys Val Phe Pro Asn Ala Met Pro Asn Cys Val
 165 170 175

Ile Phe Arg Phe Cys Lys Gly Asn Phe Ser Arg Ile Thr Asn Asp Gly
 180 185 190

Leu Gln Phe Leu Cys Lys Lys Gly Ile Leu Tyr Phe Leu Asn Gln Ser
 195 200 205

Tyr Thr Gln Lys Leu Ser Glu Val Phe Lys Val Lys Val Gly Ala Val
 210 215 220

Ser Gly Cys Asp Lys Ile Phe Lys Asn Glu Lys Tyr Gly Asn Leu Glu
 225 230 235 240

Phe Val Thr Ser Ile Thr Lys Arg Thr Asn Ala Leu Glu Lys Met Val
 245 250 255

Phe Val Asn Glu Pro Asn Asp Tyr Leu Leu Gln His Lys Asp Ser Leu
 260 265 270

Met Gln Arg Lys Ile Lys Lys Phe Asn Glu Asn Asn Trp Phe Glu Trp
275 280 285

Gly Arg Met His His Ile Ser Pro Lys Lys Arg Ile Tyr Val Asn Ala
290 295 300

Lys Thr His Gln Lys Asn Pro Phe Phe Ile His Gln Cys Pro Asn Tyr
305 310 315 320

Asp Gly Ser Ile Leu Ala Leu Phe Pro Tyr Asn Gln Asn Leu Asp Leu
325 330 335

Gln Asn Leu Cys Asp Lys Leu Asn Ala Ile Asn Trp Gln Glu Leu Gly
340 345 350

Phe Val Cys Gly Gly Arg Phe Leu Phe Ser Gln Arg Ser Leu Glu Asn
355 360 365

Ala Leu Leu Pro Lys Asp Phe Leu Asn Leu Gly
370 375

<210> 261

<211> 529

<212> PRT

<213> Helicobacter pylori

<400> 261

Met Lys Gln Asn Leu Lys Pro Phe Lys Met Ile Lys Glu Asn Leu Met
1 5 10 15

Thr Gln Ser Gln Lys Val Arg Phe Leu Ala Pro Leu Ser Leu Ala Leu
20 25 30

Ser Leu Ser Phe Asn Pro Val Gly Ala Glu Glu Asp Gly Gly Phe Met
35 40 45

Thr Phe Gly Tyr Glu Leu Gly Gln Val Val Gln Gln Val Lys Asn Pro
50 55 60

Gly Lys Ile Lys Ala Glu Glu Leu Ala Gly Leu Leu Asn Ser Asn Thr
65 70 75 80

Thr Asn Asn Thr Asn Thr Asn Ile Ala Gly Thr Gly Gly Asn Val Ala
85 90 95

Gly Thr Leu Gly Asn Leu Phe Met Asn Gln Leu Gly Asn Leu Ile Asp
100 105 110

Leu Tyr Pro Ile Leu Asn Thr Lys Asn Ile His Gln Cys Gly Thr Thr
 115 120 125
 Asn Asn Gly Ser Ser Ser Ala Thr Thr Ala Ala Ala Thr Thr Asn Asn
 130 135 140
 Gly Leu Cys Phe Gln Gly Asn Leu Asp Leu Tyr Asn Glu Met Val Gly
 145 150 155 160
 Ser Ile Lys Thr Leu Ser Gln Asn Ile Ser Lys Asn Ile Phe Gln Gly
 165 170 175
 Asn Asn Asn Thr Thr Ser Gln Asn Leu Ser Asn Gln Leu Ser Glu Leu
 180 185 190
 Asn Thr Ala Ser Val Tyr Leu Thr Tyr Met Asn Ser Phe Leu Asn Ala
 195 200 205
 Asn Asn Gln Ala Gly Gly Ile Phe Gln Asn Asn Thr Asn Gln Ala Tyr
 210 215 220
 Gly Asn Gly Val Thr Ala Gln Gln Ile Ala Tyr Ile Leu Lys Gln Ala
 225 230 235 240
 Ser Ile Thr Met Gly Pro Ser Gly Asp Ser Gly Ala Ala Ala Ala Phe
 245 250 255
 Leu Asp Ala Ala Leu Ala Gln His Val Phe Asn Ser Ala Asn Ala Gly
 260 265 270
 Asn Asp Leu Ser Ala Lys Glu Phe Thr Ser Leu Val Gln Asn Ile Val
 275 280 285
 Asn Asn Ser Gln Asn Ala Leu Thr Leu Ala Asn Asn Ala Asn Ile Ser
 290 295 300
 Asn Ser Thr Gly Tyr Gln Val Ser Tyr Gly Gly His Ile Asp Gln Ala
 305 310 315 320
 Arg Ser Thr Gln Leu Leu Asn Asn Thr Thr Asn Thr Leu Ala Lys Val
 325 330 335
 Thr Ala Leu Asn Asn Glu Leu Lys Ala Asn Pro Trp Leu Gly Asn Phe
 340 345 350
 Ala Ala Gly Asn Ser Ser Gln Val Asn Ala Phe Asn Gly Phe Ile Thr
 355 360 365
 Lys Ile Gly Tyr Lys Gln Phe Phe Gly Glu Asn Lys Asn Val Gly Leu
 370 375 380

Arg Tyr Tyr Gly Phe Phe Ser Tyr Asn Gly Ala Gly Val Gly Asn Gly
385 390 395 400

Pro Thr Tyr Asn Gln Val Asn Leu Leu Thr Tyr Gly Val Gly Thr Asp
405 410 415

Val Leu Tyr Asn Val Phe Ser Arg Ser Phe Gly Ser Arg Ser Leu Asn
420 425 430

Ala Gly Phe Phe Gly Gly Ile Gln Leu Ala Gly Asp Thr Tyr Ile Ser
435 440 445

Thr Leu Arg Asn Ser Pro Gln Leu Ala Asn Arg Pro Thr Ala Thr Lys
450 455 460

Phe Gln Phe Leu Phe Asp Val Gly Leu Arg Met Asn Phe Gly Ile Leu
465 470 475 480

Lys Lys Asp Leu Lys Ser His Asn Gln His Ser Ile Glu Ile Gly Val
485 490 495

Gln Ile Pro Thr Ile Tyr Asn Thr Tyr Tyr Lys Ala Gly Gly Ala Glu
500 505 510

Val Lys Tyr Phe Arg Pro Tyr Ser Val Tyr Trp Val Tyr Gly Tyr Ala
515 520 525

Phe

<210> 262

<211> 2529

<212> PRT

<213> Helicobacter pylori

<400> 262

Met Ala Phe Lys Lys Ala Arg Leu Ile Ser Lys Phe Ile Ser Lys Gly
1 5 10 15

Ser Phe Lys Leu Asn Lys Ile Ser Lys Lys Ile Phe Thr Leu Asn Gln
20 25 30

Ile Leu Lys Cys Glu Lys Pro Leu Lys Arg His Lys Lys Ala Leu Lys
35 40 45

Pro Ile Lys Lys Leu Ser Asn Arg Asn Lys Ser Phe Leu Lys Ala Ser
50 55 60

Val Leu Leu Ile Gly Ala Leu Gly Gly Leu Ser His Leu Arg Ala Asn
 65 70 75 80
 Glu Cys Arg Tyr Trp Ser Trp Ser Ser Trp Ser Tyr Gln Asp Asn Ile
 85 90 95
 Glu Ser Gly Pro Asn Ser Pro Thr His Asn Ser Tyr Cys Leu Phe Ser
 100 105 110
 Ser Thr Gln Gly Ser Gly Thr Tyr Tyr Leu Asn Thr Leu Thr Thr Tyr
 115 120 125
 Ser Ala Gly Gly Ala Ser Phe Thr Gln Lys Phe Asn Asn Gly Thr Leu
 130 135 140
 Asn Val Gly Glu Asn Ile Arg Phe Gly Gly Thr Gly Ile Asn Gly Gly
 145 150 155 160
 Asp Val Gly Tyr Ile Thr Gly Thr Tyr Asp Ala Gln Thr Ile Asn Phe
 165 170 175
 Asn Ser Ser His Leu Thr Thr Gly Asn Ser Tyr Ala Asp Gly Gly Gly
 180 185 190
 Ala Thr Leu Asn Phe Asn Ala Ala Asn Asn Ile Thr Ile Asn Gln Ala
 195 200 205
 Ser Phe Asp Asn Ser His Ala Gly Thr Gln Lys Ser Tyr Met Asn Phe
 210 215 220
 Lys Gly Ser Asn Ile Lys Val Ser Gly Ser Ser Phe Thr Asp Asp Thr
 225 230 235 240
 Asp Gly Gly Phe Ser Phe Ser Gly Asn Ser Asn Asn Ser Thr Ile Ser
 245 250 255
 Phe Asn Gln Thr Ser Phe Asn Gln Gly Thr Tyr His Phe Ser Asn Ser
 260 265 270
 Ala Thr Leu Ser Phe Asn His Ser Ala Phe Asn Gln Gly Thr Tyr Asn
 275 280 285
 Phe Asn Ser Thr Gln Ser Ala Phe Asn Asn Ser Ala Phe Asn Gln Gly
 290 295 300
 Thr Tyr His Phe Asn Gly Asn Ala Ser Phe Asp Asn Asp Thr Phe Asn
 305 310 315 320
 Gln Gly Thr Tyr Ser Phe Asn Thr Ser Lys Val Ser Phe Ser Gly Ile
 325 330 335

Asn Thr Leu Asn Ser Ser Ser Pro Phe Ala Ser Leu Lys Gly Ser Val
340 345 350

Ser Phe Gly Ser Asp Ala Ile Phe Asn Leu Asn Gln Thr Leu Asn Asn
355 360 365

Gln Thr Tyr Asp Ile Leu Thr Thr Asn Gly Ala Ile Gln Tyr Gly Val
370 375 380

Tyr Gln Ser Tyr Leu Trp Asp Leu Ile Asn Tyr Lys Gly Asp Lys Ala
385 390 395 400

Ile Ser His Val Glu Val Gly Asn Asn Thr Tyr Asp Val Thr Phe Asp
405 410 415

Ile Asn Gly Gln Asp Glu Thr Leu Gln Glu Thr Phe Asn Lys Gln Ser
420 425 430

Ile Ile Thr Gln Phe Leu Gly Asp Asp Leu Gln Gln Gln Ala Gln Lys
435 440 445

Thr Tyr Gln Gln Asp Leu Ser Asn Ser Gln Ser Ala Leu Asn Asn Ala
450 455 460

Ala Ser Asp Asn Lys Ile Ala Asn Ser Asp Thr Asp Tyr Thr Lys Asn
465 470 475 480

Lys Asn Ala Thr Ile Lys Lys Asp Ala Gln Gly Leu Glu Asn Thr Asn
485 490 495

Gln Gln Ile Ala Gln Asp Glu Gln Ala Leu Gln Gly Asp Leu Asp Lys
500 505 510

Leu Lys Gln Leu Ala Asn Ser Pro Thr Gly Phe Ser Glu Gln Ala Phe
515 520 525

Asn Gln Ala Gln Lys Gln Glu Gln Gln Asp Glu Gln Thr Leu Gln Asn
530 535 540

Glu Glu Lys Thr Phe Asn Ser Glu Gln Glu Gly Leu Lys Gln Ala Ile
545 550 555 560

Gln Gln Ala Gln Ala Gln Gln Gln Lys Gln Gln Gln Lys Gln Glu Gln
565 570 575

Gln Gln Ala Gln Gln Thr Tyr Gln Glu Asp Leu Thr His Ser Gln Ser
580 585 590

Ala Leu Asn Asp Val Ala Ser Asp Asn Thr Ile Ala Ser Asn Asp Thr
595 600 605

Asn Tyr Thr Asn Asn Gln Asn Thr Ala Ile Lys Glu Asp Ala Gln Gly
 610 615 620
 Leu Glu Asn Thr Asn Gln Gln Ile Ala Gln Asp Glu Gln Ala Leu Gln
 625 630 635 640
 Gly Asp Leu Asp Lys Leu Lys Gln Leu Ala Asn Ser Pro Thr Gly Phe
 645 650 655
 Ser Glu Gln Ala Phe Asn Gln Ala Gln Lys Gln Glu Gln Gln Asp Glu
 660 665 670
 Gln Thr Leu Gln Asn Glu Glu Lys Thr Phe Asn Ser Glu Gln Glu Arg
 675 680 685
 Leu Lys Gln Ala Ile Ala Asn Ala Lys Pro Thr Ser Pro Thr Pro Ser
 690 695 700
 His Ala Pro Thr Pro Thr Lys His Thr Ala Pro Asn Thr Pro Pro Asn
 705 710 715 720
 Lys Val Pro Pro Thr Pro Pro Thr Gln Asn Pro Pro Ala Glu Ser Val
 725 730 735
 Trp Ser Gly Val Tyr Trp Leu Gln Asn Lys Thr Tyr Ser Asn Lys Gly
 740 745 750
 Ile Tyr Tyr Ile Asp Pro Asn Leu Ser Gly Gln Ser Gly Gln Ser Gly
 755 760 765
 Asn Thr Leu Ser Thr Tyr Thr Ala Asn Leu Phe Gly Arg Ser Phe Ser
 770 775 780
 Val Asn Ile Gln Asn Gly Thr Leu Ile Ile Gly Asn Asn Thr Glu Ser
 785 790 795 800
 Val Asn Ser Asn Gly Leu Ile Trp Ile Gly His Gly Gly Phe Gly Tyr
 805 810 815
 Ile Thr Gly Thr Phe Ser Ala Ala Asn Ile Tyr Leu Thr Asn Asn Phe
 820 825 830
 Lys Thr Gly Glu Gly Val Ser Asn Ser Asp Gly Gly Gly Ala Asn Ile
 835 840 845
 Thr Phe Lys Ala Ser Asp Asn Ile Thr Met Asp Gly Leu Asn Tyr Asn
 850 855 860
 Asp Ala Glu Thr Val Thr Lys Met Ile Gln Thr Gly Ala Ser Gln His
 865 870 875 880

Ser Tyr Ala Thr Phe Asp Ala Leu Asn Asn Ile Ser Val Thr Asn Ser
885 890 895

Ser Phe Ser Asp Met Thr Trp Gly Lys Phe Ser Phe Ser Ala Lys Asn
900 905 910

Ile Ser Phe Ser Asn Ala Ser Phe Ser Gly Phe Thr Asn Pro Gly Gly
915 920 925

Ser Ser Val Ile Ser Ala Asn Ala Thr Asn Ser Leu Ser Phe Ile Asn
930 935 940

Ser Arg Leu Asn Gly Gly Ala Val Tyr Asn Leu Gln Ala Asn Ser Leu
945 950 955 960

Ile Phe Asn Asn Thr Gln Ala Val Phe Asn Val Leu Tyr Ser Arg Gly
965 970 975

Thr Ser Asn Phe Asn Ala Thr Thr Gln Leu Leu Gly Asn Thr Asn Phe
980 985 990

Thr Leu Ser Ser Gln Ser Leu Leu Asn Phe Asn Gly Asp Thr Thr Leu
995 1000 1005

Gln Asn Asn Ala Asn Ile Thr Leu Gly Asn Lys Ser Gln Ala Ala
1010 1015 1020

Phe Lys Asn Ser Leu Thr Leu Asp Asn Asn Ser Asn Leu Ser Leu
1025 1030 1035

Asp Asn Gln Ser Val Leu Asn Ala Asn Asn Thr Ser Ala Phe Asn
1040 1045 1050

Asn Gln Ala Ser Leu Asn Ile Tyr Asn Gly Ser Gln Ala Thr Phe
1055 1060 1065

Asn Ser Leu Phe Phe Asn Gly Gly Thr Leu Ser Leu Asn Ala Ser
1070 1075 1080

Ser Lys Leu Asn Ala Ser Asn Ala Ser Phe Ser Asn Asn Thr Thr
1085 1090 1095

Ile Asn Leu Asp Asp Ser Val Leu Ser Ala Ser Asn Thr Ser Ser
1100 1105 1110

Leu Asn Ala Asn Ile Asn Phe Gln Gly Ala Ser Gln Ala Asp Phe
1115 1120 1125

Gly Gly Asn Thr Ile Ile Asp Thr Ala Ser Phe Asn Phe Asp Ser
1130 1135 1140

Ala	Ser	Ser	Leu	Asn	Phe	Asn	Asn	Leu	Thr	Ala	Asn	Gly	Ala	Leu
	1145					1150					1155			
Asn	Phe	Asn	Gly	Tyr	Thr	Pro	Ser	Leu	Thr	Lys	Ala	Leu	Met	Ser
	1160					1165					1170			
Val	Ser	Gly	Gln	Phe	Val	Leu	Gly	Asn	Asn	Gly	Asp	Ile	Asn	Leu
	1175					1180					1185			
Ser	Asp	Ile	Asn	Ile	Phe	Asp	Asn	Ile	Thr	Lys	Ser	Val	Thr	Tyr
	1190					1195					1200			
Asn	Ile	Leu	Asn	Ala	Gln	Lys	Gly	Ile	Thr	Gly	Ile	Ser	Gly	Ala
	1205					1210					1215			
Asn	Gly	Tyr	Glu	Lys	Ile	Leu	Phe	Tyr	Gly	Met	Lys	Ile	Gln	Asn
	1220					1225					1230			
Ala	Thr	Tyr	Ser	Asp	Asn	Asn	Asn	Ile	Gln	Thr	Trp	Ser	Phe	Ile
	1235					1240					1245			
Asn	Pro	Leu	Asn	Ser	Ser	Gln	Ile	Ile	Gln	Glu	Ser	Ile	Lys	Asn
	1250					1255					1260			
Gly	Asp	Leu	Thr	Ile	Glu	Val	Leu	Asn	Asn	Pro	Asn	Ser	Ala	Ser
	1265					1270					1275			
Asn	Thr	Ile	Phe	Asn	Ile	Ala	Pro	Glu	Leu	Tyr	Asn	Tyr	Gln	Ala
	1280					1285					1290			
Ser	Lys	Gln	Asn	Pro	Thr	Gly	Tyr	Ser	Tyr	Asp	Tyr	Ser	Asp	Asn
	1295					1300					1305			
Gln	Ala	Gly	Thr	Tyr	Tyr	Leu	Thr	Ser	Asn	Ile	Lys	Gly	Leu	Phe
	1310					1315					1320			
Thr	Pro	Lys	Gly	Ser	Gln	Thr	Pro	Gln	Ala	Pro	Gly	Thr	Tyr	Ser
	1325					1330					1335			
Pro	Phe	Asn	Gln	Pro	Leu	Ser	Ser	Leu	Asn	Ile	Tyr	Asn	Lys	Gly
	1340					1345					1350			
Phe	Ser	Ser	Glu	Asn	Leu	Lys	Thr	Leu	Leu	Gly	Ile	Leu	Ser	Gln
	1355					1360					1365			
Asn	Ser	Ala	Thr	Leu	Lys	Glu	Met	Ile	Glu	Ser	Asn	Gln	Leu	Asp
	1370					1375					1380			
Asn	Ile	Thr	Asn	Ile	Asn	Glu	Val	Leu	Gln	Leu	Leu	Asp	Lys	Ile
	1385					1390					1395			

Lys Ile Thr Gln Val Gln Lys Gln Ala Leu Leu Glu Thr Ile Asn
1400 1405 1410

His Leu Thr Asp Asn Ile Asn Gln Thr Phe Asn Asn Gly Asn Leu
1415 1420 1425

Ile Ile Gly Ala Thr Gln Asp Asn Val Thr Asn Ser Thr Ser Ser
1430 1435 1440

Ile Trp Phe Gly Gly Asn Gly Tyr Ser Ser Pro Cys Thr Leu Asp
1445 1450 1455

Ser Ala Thr Cys Ser Ser Phe Arg Asn Thr Tyr Leu Gly Gln Leu
1460 1465 1470

Leu Gly Ser Thr Ser Pro Tyr Leu Gly Tyr Ile Asn Ala Asp Phe
1475 1480 1485

Lys Ala Lys Ser Ile Tyr Ile Thr Gly Thr Ile Gly Ser Gly Asn
1490 1495 1500

Ala Phe Glu Ser Gly Gly Ser Ala Asp Val Thr Phe Gln Ser Ala
1505 1510 1515

Asn Asn Leu Val Leu Asn Lys Ala Asn Ile Glu Ala Gln Ala Thr
1520 1525 1530

Asp Asn Ile Phe Asn Leu Leu Gly Gln Lys Gly Ile Glu Lys Ile
1535 1540 1545

Phe Asn Gln Gly Asn Leu Ala Asn Val Leu Ser Gln Val Ala Met
1550 1555 1560

Glu Lys Ile Lys Gln Ala Gly Gly Leu Gly Asn Phe Ile Glu Asn
1565 1570 1575

Ala Leu Ser Pro Leu Ser Lys Glu Leu Pro Ala Ser Leu Gln Asn
1580 1585 1590

Glu Thr Leu Gly Gln Leu Ile Gly Gln Asn Asn Leu Asp Asp Leu
1595 1600 1605

Leu Asn Asn Ser Gly Val Met Asn Ala Ile Gln Asn Ile Ile Ser
1610 1615 1620

Lys Lys Leu Ser Ile Phe Gly Asn Phe Val Thr Pro Ser Ile Ile
1625 1630 1635

Glu Asn Tyr Leu Ala Lys Gln Ser Leu Lys Ser Met Leu Asp Asp
1640 1645 1650

Lys Gly Leu Leu Asn Phe Ile Gly Gly Tyr Met Asn Ala Ser Glu
 1655 1660 1665
 Leu Ser Ser Ile Leu Ser Val Val Leu Lys Asp Ile Thr Asn Pro
 1670 1675 1680
 Pro Thr Ser Leu Gln Lys Asp Ile Gly Val Val Ala Asn Asp Leu
 1685 1690 1695
 Leu Asn Glu Phe Leu Gly Gln Asp Val Ile Lys Lys Leu Glu Ser
 1700 1705 1710
 Gln Gly Leu Val Ser Asn Ile Ile Asn Asn Ile Ile Ser Gln Gly
 1715 1720 1725
 Gly Leu Ser Gly Val Tyr Asn Gln Gly Leu Gly Ser Val Leu Pro
 1730 1735 1740
 Pro Ser Leu Gln Asn Ala Leu Lys Glu Asn Asp Leu Gly Thr Leu
 1745 1750 1755
 Leu Ser Pro Arg Gly Leu His Asp Phe Trp Gln Lys Gly Tyr Phe
 1760 1765 1770
 Asn Phe Leu Ser Asn Gly Tyr Val Phe Val Asn Asn Ser Ser Phe
 1775 1780 1785
 Ser Asn Ala Thr Gly Gly Ser Leu Asn Phe Val Ala Asn Lys Ser
 1790 1795 1800
 Ile Ile Phe Asn Gly Asp Asn Thr Ile Asp Phe Ser Lys Tyr Gln
 1805 1810 1815
 Gly Ala Leu Ile Phe Ala Ser Asn Asp Val Ser Asn Ile Asn Ile
 1820 1825 1830
 Thr Thr Leu Asn Ala Thr Asn Gly Leu Ser Leu Asn Ala Gly Leu
 1835 1840 1845
 Asn Asn Val Ser Val Gln Lys Gly Glu Ile Cys Val Asn Leu Ala
 1850 1855 1860
 Asn Cys Pro Thr Thr Lys Asn Ser Ser Ser Thr Asn Ser Ser Val
 1865 1870 1875
 Thr Pro Thr Asn Glu Ser Leu Ser Val Arg Ala Asn Asn Phe Thr
 1880 1885 1890
 Phe Leu Gly Ala Ile Ala Ser Asn Gly Ala Ile Asp Leu Ser Gln
 1895 1900 1905

Val Lys 1910 Asn Asn Ser Val Ile 1915 Asp Thr Leu Asn Leu 1920 Asn Glu Asn
 Ala Ala 1925 Leu Gln Ala Asn Asn 1930 Leu Thr Ile Thr Asn 1935 Ala Phe Asn
 Asn Ala 1940 Ser Asn Ser Thr Ala 1945 Asn Ile Asn Gly Asn 1950 Phe Thr Leu
 Asn Gln 1955 Gln Ala Thr Leu Ser 1960 Thr Asn Ala Ser Gly 1965 Leu Asn Val
 Met Gly 1970 Asn Phe Asn Ser Tyr 1975 Gly Asp Leu Val Phe 1980 Asn Leu Ser
 His Ser 1985 Val Ser His Ala Ile 1990 Ile Asn Ala Gln Gly 1995 Ser Ala Thr
 Ile Met 2000 Ala Asn Asn Asn Asn 2005 Pro Leu Ile Gln Phe 2010 Asn Thr Ser
 Ser Lys 2015 Glu Val Gly Thr Tyr 2020 Thr Leu Ile Asp Ser 2025 Ala Lys Ala
 Ile Tyr 2030 Tyr Gly Tyr Asn Asn 2035 Gln Ile Thr Gly Gly 2040 Ser Ser Leu
 Asp Asn 2045 Tyr Leu Lys Leu Tyr 2050 Thr Leu Ile Asp Ile 2055 Asn Gly Lys
 His Met 2060 Val Met Thr Asp Asn 2065 Gly Leu Thr Tyr Asn 2070 Gly Gln Ala
 Val Ser 2075 Val Lys Asp Gly Gly 2080 Leu Val Val Gly Phe 2085 Lys Asp Ser
 Gln Asn 2090 Gln Tyr Ile Tyr Thr 2095 Ser Ile Leu Tyr Asn 2100 Lys Val Lys
 Ile Ala 2105 Val Ser Asn Asp Pro 2110 Ile Asn Asn Leu Gln 2115 Ala Pro Thr
 Leu Lys 2120 Gln Tyr Ile Ala Gln 2125 Ile Gln Gly Thr Gln 2130 Gly Val Asp
 Ser Ile 2135 Asp Gln Ala Gly Gly 2140 Ser Gln Ala Ile Asn 2145 Trp Leu Asn
 Lys Ile 2150 Phe Glu Thr Lys Gly 2155 Ser Pro Leu Phe Ala 2160 Pro Tyr Tyr

Leu Glu Ser His Ser Thr Lys Asp Leu Thr Thr Ile Ala Gly Asp
 2165 2170 2175
 Ile Ala Asn Thr Leu Glu Val Ile Ala Asn Pro Asn Phe Lys Asn
 2180 2185 2190
 Asp Ala Thr Asn Ile Leu Gln Ile Asn Thr Tyr Thr Gln Gln Met
 2195 2200 2205
 Ser Arg Leu Ala Lys Leu Ser Asp Thr Ser Thr Phe Ala Ser Ala
 2210 2215 2220
 Asp Phe His Glu Arg Leu Glu Ala Leu Lys Asn Lys Arg Phe Ala
 2225 2230 2235
 Asp Ala Ile Pro Asn Ala Met Asp Val Ile Leu Lys Tyr Ser Gln
 2240 2245 2250
 Arg Asn Arg Val Lys Asn Asn Val Trp Ala Thr Gly Val Gly Gly
 2255 2260 2265
 Ala Ser Phe Ile Asn Gly Gly Thr Gly Thr Leu Tyr Gly Ile Asn
 2270 2275 2280
 Val Gly Tyr Asp Arg Phe Ile Lys Gly Val Ile Val Gly Gly Tyr
 2285 2290 2295
 Ala Ala Tyr Gly Tyr Ser Gly Phe His Ala Asn Ile Thr Gln Ser
 2300 2305 2310
 Gly Ser Ser Asn Val Asn Met Gly Val Tyr Ser Arg Ala Phe Ile
 2315 2320 2325
 Lys Arg Ser Glu Leu Thr Met Ser Leu Asn Glu Thr Trp Gly Tyr
 2330 2335 2340
 Asn Lys Thr Phe Ile Asn Ser Tyr Asp Pro Leu Leu Ser Ile Ile
 2345 2350 2355
 Asn Gln Ser Tyr Lys Tyr Asp Thr Trp Thr Thr Asp Ala Lys Ile
 2360 2365 2370
 Asn Tyr Gly Tyr Asp Phe Met Phe Lys Asp Lys Ser Val Ile Phe
 2375 2380 2385
 Lys Pro Gln Ile Gly Leu Ala Tyr Tyr Tyr Ile Gly Leu Ser Gly
 2390 2395 2400
 Leu Arg Gly Ile Met Asp Asp Pro Ile Tyr Asn Gln Phe Arg Ala
 2405 2410 2415

Asn Ala Asp Pro Asn Lys Lys Ser Val Leu Thr Ile Asn Phe Ala
2420 2425 2430

Leu Glu Ser Arg His Tyr Phe Asn Lys Asn Ser Tyr Tyr Phe Val
2435 2440 2445

Ile Ala Asp Val Gly Arg Asp Leu Phe Ile Asn Ser Met Gly Asp
2450 2455 2460

Lys Met Val Arg Phe Ile Gly Asn Asn Thr Leu Ser Tyr Arg Asp
2465 2470 2475

Gly Gly Arg Tyr Asn Thr Phe Ala Ser Ile Ile Thr Gly Gly Glu
2480 2485 2490

Ile Arg Leu Phe Lys Thr Phe Tyr Val Asn Ala Gly Ile Gly Ala
2495 2500 2505

Arg Phe Gly Leu Asp Tyr Lys Asp Ile Asn Ile Thr Gly Asn Ile
2510 2515 2520

Gly Met Arg Tyr Ala Phe
2525

<210> 263

<211> 193

<212> PRT

<213> Helicobacter pylori

<400> 263

Met Asn Thr Tyr Lys Asn Ser Leu Asn His Phe Leu Asn Leu Val Asp
1 5 10 15

Cys Leu Glu Lys Ile Pro Asn Val Gly Lys Lys Ser Ala Phe Lys Met
20 25 30

Ala Tyr His Leu Gly Leu Glu Asn Pro Tyr Leu Ala Leu Lys Ile Thr
35 40 45

His Ala Leu Glu Asn Ala Leu Glu Asn Leu Lys Thr Cys Ser Ser Cys
50 55 60

Asn Ala Leu Ser Glu Ser Glu Val Cys Glu Ile Cys Ser Asp Glu Ser
65 70 75 80

Arg Gln Asn Ser Gln Leu Cys Met Val Leu His Pro Arg Asp Val Phe
85 90 95

Ile Leu Glu Asp Leu Lys Asp Phe Leu Gly Arg Tyr Tyr Val Leu Asn
100 105 110

Ser Ile Glu Glu Val Asp Phe Asn Ala Leu Glu Lys Arg Leu Ile Glu
115 120 125

Glu Asn Ile Lys Glu Ile Ile Phe Ala Phe Pro Pro Thr Leu Ala Asn
130 135 140

Asp Ser Leu Met Leu Tyr Ile Glu Asp Lys Leu Gln His Phe His Leu
145 150 155 160

Thr Phe Thr Lys Ile Ala Gln Gly Val Pro Thr Gly Val Asn Phe Glu
165 170 175

Asn Ile Asp Ser Val Ser Leu Ser Arg Ala Phe Asn Ser Arg Ile Lys
180 185 190

Ala

<210> 264

<211> 188

<212> PRT

<213> Helicobacter pylori

<400> 264

Leu Phe Lys Arg Met Val Leu Ile Ala Leu Leu Gly Val Phe Ser Ser
1 5 10 15

Val Ser Leu Ser Ala Lys Ser Leu Leu Arg Asp Asp Gly Ile Leu Val
20 25 30

Ser Asp Leu Lys Gly Met Lys Ser Glu Leu Ser Asp Ala Pro Ala Trp
35 40 45

Val Phe Glu Asp Ala Lys Ala Pro Tyr Glu Glu Met Gly Val Ala Tyr
50 55 60

Ile Pro Val Asn Asn Lys Tyr Leu Gly Ile Glu Gln Ala Thr Leu Asn
65 70 75 80

Ala Lys Leu Ser Leu Ile Val Val Phe His Glu Ile Met Met Lys Tyr
85 90 95

Lys Lys Arg Phe Met Glu Gln Phe His Glu Ser Glu Gln Thr Thr Thr
100 105 110

Asn Ile Ser Tyr Ala Ile Tyr Asn Tyr Leu Ala Thr Lys Ile Gln Val
115 120 125

Ser Asn Thr Tyr Thr Asn Leu Lys Ser Glu Val Ala Val Val Lys Ile
130 135 140

Lys Leu Val Gly Cys Gln Ile Glu Gln Ile Lys Arg Tyr Leu Lys Ala
145 150 155 160

Ser Val Glu Asn Leu Asn Asp Asn Glu Ile Ala Tyr Ile Ala Lys Val
165 170 175

Ala Gln Lys Glu Phe Gly Ser Val Cys Ala Leu Arg
180 185

<210> 265

<211> 353

<212> PRT

<213> Helicobacter pylori

<400> 265

Leu Lys His Leu Thr Pro Leu Thr His Thr Ile Phe Lys Ala Leu Trp
1 5 10 15

Leu Gly Thr Ala Leu Ser Ala Ser Leu Ser Leu Ala Ala Thr Glu Ser
20 25 30

Pro Thr Lys Thr Glu Pro Lys Pro Ala Lys Gly Val Lys Asn Lys Pro
35 40 45

Lys Ser Pro Val Thr Lys Val Met Met Thr Asn Cys Asp Asn Ile Lys
50 55 60

Asp Phe Asn Ala Lys Gln Lys Glu Val Leu Lys Ala Ala Tyr Gln Phe
65 70 75 80

Gly Ser Lys Glu Asn Leu Gly Tyr Glu Met Ala Gly Ile Ala Trp Lys
85 90 95

Glu Ser Cys Ala Gly Val Tyr Lys Ile Asn Phe Ser Asp Pro Ser Ala
100 105 110

Gly Val Tyr His Ser Tyr Ile Pro Ser Val Leu Lys Ser Tyr Gly His
115 120 125

Asn Asp Ser Pro Phe Leu Arg Asn Val Met Gly Glu Leu Leu Ile Lys
130 135 140

Asp Asp Ala Phe Ala Ser Glu Val Ala Leu Lys Glu Leu Leu Tyr Trp
145 150 155 160

Lys Thr Arg Tyr His Asp Asn Leu Lys Asp Met Ile Lys Ser Tyr Asn
165 170 175

Lys Gly Ser Arg Trp Glu Arg Ser Glu Lys Ser Asn Ala Asp Ala Glu
180 185 190

Lys Tyr Tyr Glu Glu Ile Gln Asp Arg Ile Arg Arg Leu Lys Glu Ser
195 200 205

Lys Ile Phe Asp Ser Gln Ser Ser Asn Asp Gln Glu Leu Gln Lys Ser
210 215 220

Ala Asn Ser Asn Leu Asp Leu Asp Pro Ile Gly Asn Ala Met Pro Gln
225 230 235 240

Ala Leu Ile Ala Lys Glu Thr Lys Ile Glu Glu Thr Gln Ala Glu Lys
245 250 255

Ser Gln Glu Met Lys Glu Thr Thr Ser Glu Gln Thr Lys Ser Lys Pro
260 265 270

Glu Lys Ala Lys Asp Lys Pro Met Tyr Leu Ala Gln Ile Asn Ser Thr
275 280 285

Asp Phe Thr Pro Val Lys Lys Ser Pro Lys Lys Pro Ala Lys Val Ser
290 295 300

Gln Lys His Ser Phe Lys Asn Asn Ile Lys Asn Asn Val Lys Asn Asn
305 310 315 320

Ala Lys Thr Ala Ser Lys Lys Gln Glu Met Cys Lys Asn Cys Ser Pro
325 330 335

Gly Gln Arg Asn Ala Ile Leu Ala Asn His Ile Thr Leu Met Gln Glu
340 345 350

Leu

<210> 266

<211> 487

<212> PRT

<213> Helicobacter pylori

<400> 266

Met Ile Glu Trp Met Gln Asn His Arg Lys Tyr Leu Val Val Thr Ile
 1 5 10 15

Trp Ile Ser Thr Ile Ala Phe Ile Ala Ala Gly Met Ile Gly Trp Gly
 20 25 30

Gln Tyr Ser Phe Ser Leu Asp Ser Asp Ser Ala Ala Lys Val Gly Gln
 35 40 45

Ile Lys Ile Ser Gln Glu Glu Leu Ala Gln Glu Tyr Arg Arg Leu Lys
 50 55 60

Asp Ala Tyr Ala Glu Ser Ile Pro Asp Phe Lys Glu Leu Thr Lys Asp
 65 70 75 80

Gln Ile Lys Ala Met His Leu Glu Lys Ser Ala Leu Asp Ser Leu Ile
 85 90 95

Asn Gln Ala Leu Leu Arg Asn Leu Ala Leu Asp Leu Gly Leu Gly Ala
 100 105 110

Thr Lys Gln Glu Val Ala Lys Glu Ile Arg Lys Thr Ser Val Phe Gln
 115 120 125

Lys Asp Gly Val Phe Asp Glu Glu Leu Tyr Lys Asn Ile Leu Lys Gln
 130 135 140

Ser His Tyr Arg Pro Lys His Phe Glu Glu Ser Val Glu Arg Leu Leu
 145 150 155 160

Ile Leu Gln Lys Ile Ser Thr Leu Phe Pro Lys Thr Thr Thr Pro Leu
 165 170 175

Glu Gln Ser Ser Leu Ser Leu Trp Ala Lys Leu Gln Asp Lys Leu Asp
 180 185 190

Ile Leu Ile Leu Asn Pro Ser Asp Val Lys Ile Ser Leu Asn Glu Glu
 195 200 205

Glu Met Lys Lys Tyr Tyr Glu Ser His Lys Lys Asp Phe Lys Lys Pro
 210 215 220

Thr Ser Phe Lys Thr Arg Ser Leu Tyr Phe Asp Ala Ser Leu Glu Lys
 225 230 235 240

Pro Asp Leu Lys Glu Leu Glu Glu Tyr Tyr His Lys Asn Lys Val Ser
 245 250 255

Tyr Leu Asp Lys Glu Gly Lys Leu Gln Asp Phe Lys Ser Val Gln Glu
 260 265 270

Gln Val Lys His Asp Leu Ser Met Gln Lys Ala Asn Glu Lys Ala Leu
275 280 285

Arg Ser Tyr Ile Ala Leu Lys Lys Ala Asn Ala Gln Asn Tyr Thr Thr
290 295 300

Gln Asp Phe Glu Glu Asn Asn Ser Pro Tyr Thr Ala Glu Ile Thr Gln
305 310 315 320

Lys Leu Thr Ala Leu Lys Pro Leu Glu Ile Leu Lys Pro Glu Pro Phe
325 330 335

Lys Asp Gly Phe Ile Val Val Gln Leu Ile Ser Gln Ile Lys Asp Glu
340 345 350

Leu Gln Asn Phe Asn Glu Ala Lys Ser Ala Leu Lys Thr Arg Leu Thr
355 360 365

Gln Glu Lys Thr Leu Met Ala Leu Gln Thr Leu Ala Lys Glu Lys Leu
370 375 380

Lys Asp Phe Lys Gly Lys Ser Val Gly Tyr Val Ser Pro Asn Phe Gly
385 390 395 400

Gly Thr Ile Ser Glu Leu Asn Gln Glu Glu Ser Ala Lys Phe Ile Asn
405 410 415

Ala Leu Phe Asn Arg Gln Glu Lys Lys Gly Phe Ile Ala Ile Asn Asn
420 425 430

Lys Val Val Leu Tyr Gln Ile Thr Glu Gln Asn Phe Asn His Ser Phe
435 440 445

Ser Ala Glu Glu Ser Gln Tyr Met Gln Arg Leu Val Asn Asn Thr Lys
450 455 460

Thr Asp Phe Phe Asp Lys Ala Leu Ile Glu Glu Leu Lys Lys Arg Tyr
465 470 475 480

Lys Ile Val Lys Tyr Ile Gln
485

<210> 267

<211> 443

<212> PRT

<213> Helicobacter pylori

<400> 267

Val Ser Pro Leu Lys Thr Ile Arg Ile Tyr Ser Tyr His Asp Ser Ile
1 5 10 15

Lys Asp Ser Ile Lys Ala Val Val Asn Ile Ser Thr Glu Lys Lys Ile
20 25 30

Lys Asn Asn Phe Ile Gly Gly Gly Val Phe Asn Asp Pro Phe Phe Gln
35 40 45

Gln Phe Phe Gly Asp Leu Gly Gly Met Ile Pro Lys Glu Arg Met Glu
50 55 60

Arg Ala Leu Gly Ser Gly Val Ile Ile Ser Lys Asp Gly Tyr Ile Val
65 70 75 80

Thr Asn Asn His Val Ile Asp Gly Ala Asp Lys Ile Lys Val Thr Ile
85 90 95

Pro Gly Ser Asn Lys Glu Tyr Ser Ala Thr Leu Val Gly Thr Asp Ser
100 105 110

Glu Ser Asp Leu Ala Val Ile Arg Ile Thr Lys Asp Asn Leu Pro Thr
115 120 125

Ile Lys Phe Ser Asp Ser Asn Asp Ile Ser Val Gly Asp Leu Val Phe
130 135 140

Ala Ile Gly Asn Pro Phe Gly Val Gly Glu Ser Val Thr Gln Gly Ile
145 150 155 160

Val Ser Ala Leu Asn Lys Ser Gly Ile Gly Ile Asn Ser Tyr Glu Asn
165 170 175

Phe Ile Gln Thr Asp Ala Ser Ile Asn Pro Gly Asn Ser Gly Gly Ala
180 185 190

Leu Ile Asp Ser Arg Gly Gly Leu Val Gly Ile Asn Thr Ala Ile Ile
195 200 205

Ser Lys Thr Gly Gly Asn His Gly Ile Gly Phe Ala Ile Pro Ser Asn
210 215 220

Met Val Lys Asp Thr Val Thr Gln Leu Ile Lys Thr Gly Lys Ile Glu
225 230 235 240

Arg Gly Tyr Leu Gly Val Gly Leu Gln Asp Leu Ser Gly Asp Leu Gln
245 250 255

Asn Ser Tyr Asp Asn Lys Glu Gly Ala Val Val Ile Ser Val Glu Lys
260 265 270

Asp Ser Pro Ala Lys Lys Ala Gly Ile Leu Val Trp Asp Leu Ile Thr
275 280 285

Glu Val Asn Gly Lys Lys Val Lys Asn Thr Asn Glu Leu Arg Asn Leu
290 295 300

Ile Gly Ser Met Leu Pro Asn Gln Arg Val Thr Leu Lys Val Ile Arg
305 310 315 320

Asp Lys Lys Glu Arg Ala Phe Thr Leu Thr Leu Ala Glu Arg Lys Asn
325 330 335

Pro Asn Lys Lys Glu Thr Ile Ser Ala Gln Asn Gly Ala Gln Gly Gln
340 345 350

Leu Asn Gly Leu Gln Val Glu Asp Leu Thr Gln Glu Thr Lys Arg Ser
355 360 365

Met Arg Leu Ser Asp Asp Val Gln Gly Val Leu Val Ser Gln Val Asn
370 375 380

Glu Asn Ser Pro Ala Glu Gln Ala Gly Phe Arg Gln Gly Asn Ile Ile
385 390 395 400

Thr Lys Ile Glu Glu Val Glu Val Lys Ser Val Ala Asp Phe Asn His
405 410 415

Ala Leu Glu Lys Tyr Lys Gly Lys Pro Lys Arg Phe Leu Val Leu Asp
420 425 430

Leu Asn Gln Gly Tyr Arg Ile Ile Leu Val Lys
435 440

<210> 268

<211> 288

<212> PRT

<213> Helicobacter pylori

<400> 268

Met Ser Lys Ser Leu Tyr Gln Thr Leu Asn Val Ser Glu Asn Ala Ser
1 5 10 15

Gln Asp Glu Ile Lys Lys Ser Tyr Arg Arg Leu Ala Arg Gln Tyr His
20 25 30

Pro Asp Leu Asn Lys Thr Lys Glu Ala Glu Glu Lys Phe Lys Glu Ile
35 40 45

Asn Ala Ala Tyr Glu Ile Leu Ser Asp Glu Glu Lys Arg Arg Gln Tyr
50 55 60

Asp Gln Phe Gly Asp Asn Met Phe Gly Gly Gln Asn Phe Ser Asp Phe
65 70 75 80

Ala Arg Ser Arg Gly Pro Ser Glu Asp Leu Asp Asp Ile Leu Ser Ser
85 90 95

Ile Phe Gly Lys Gly Gly Phe Ser Gln Arg Phe Ser Gln Asn Ser Gln
100 105 110

Gly Phe Ser Gly Phe Asn Phe Ser Asn Phe Ala Pro Glu Asn Leu Asp
115 120 125

Ile Thr Ala Ala Leu Asn Val Ser Val Leu Asp Thr Leu Leu Gly Asn
130 135 140

Lys Lys Gln Val Ser Ile Asn Asn Glu Thr Phe Ser Leu Lys Ile Pro
145 150 155 160

Ile Gly Val Glu Glu Gly Glu Lys Ile Arg Val Arg Asn Lys Gly Lys
165 170 175

Thr Gly Arg Thr Thr Arg Gly Asp Leu Leu Leu Glu Ile His Ile Glu
180 185 190

Glu Asp Glu Met Tyr Arg Arg Glu Lys Asp Asp Ile Thr Gln Ile Phe
195 200 205

Asp Leu Pro Leu Lys Thr Ala Leu Phe Gly Gly Lys Ile Glu Ile Ala
210 215 220

Thr Trp His Lys Thr Leu Thr Leu Thr Ile Pro Pro Asn Thr Lys Ala
225 230 235 240

Met Gln Lys Phe Arg Ile Lys Glu Lys Gly Ile Lys Asn Arg Lys Thr
245 250 255

Ser His Val Gly Asp Leu Tyr Leu Gln Ala Arg Leu Ile Leu Pro Lys
260 265 270

Thr Glu Thr Leu Ser Asn Glu Leu Lys Ala Leu Leu Glu Lys Glu Leu
275 280 285

<210> 269

<211> 295

<212> PRT

<213> Helicobacter pylori

<400> 269

Met Lys Gln Thr Thr Ile Asn His Ser Val Glu Leu Val Gly Ile Gly
1 5 10 15Leu His Lys Gly Val Pro Val Lys Leu Val Leu Glu Pro Leu Gly Glu
20 25 30Asn Gln Gly Ile Val Phe Tyr Arg Ser Asp Leu Gly Val Asn Leu Pro
35 40 45Leu Lys Pro Glu Asn Ile Val Asp Thr Lys Met Ala Thr Val Leu Gly
50 55 60Lys Asp Asn Ala Arg Ile Ser Thr Ile Glu His Leu Leu Ser Ala Val
65 70 75 80His Ala Tyr Gly Ile Asp Asn Leu Lys Ile Ser Val Asp Asn Glu Glu
85 90 95Ile Pro Ile Met Asp Gly Ser Ala Leu Thr Tyr Cys Met Leu Leu Asp
100 105 110Glu Ala Gly Ile Lys Glu Leu Asp Ala Pro Lys Lys Val Met Glu Ile
115 120 125Lys Gln Ala Val Glu Ile Arg Glu Ser Asp Lys Phe Val Lys Ile Glu
130 135 140Pro Asp Ser Gln Leu Ser Leu Asn Phe Thr Ile Asp Phe Asn His Pro
145 150 155 160Val Ile Ala Lys Gln Ala His His Phe Val Phe Ser Lys Thr Ala Tyr
165 170 175Lys Glu Gln Val Ala Lys Ala Arg Thr Phe Gly Phe Leu Gln Glu Val
180 185 190Asn Tyr Leu Arg Ser Ile Gly Leu Ala Lys Gly Gly Ser Leu Asn Asn
195 200 205Cys Ile Val Leu Asp Glu Asn Ser Ile Leu Asn Lys Glu Gly Leu Arg
210 215 220Cys Glu Lys Glu Phe Val Cys His Lys Ile Leu Asp Ala Met Gly Asp
225 230 235 240Leu Met Val Leu Gly Met Pro Val Met Gly Lys Tyr Thr Ser Phe Ser
245 250 255

Gly Ser His Lys Leu Asn Ser Met Leu Val Lys Ala Ile Leu Ala Asp
260 265 270

Ala Lys Asn Tyr Glu Val Leu Ile Ala Ala Asp Pro Ala Lys Glu Phe
275 280 285

Ala Leu Gln Lys Ala Phe Ala
290 295

<210> 270

<211> 858

<212> PRT

<213> Helicobacter pylori

<400> 270

Val Gln Pro Met Lys Ser Lys Lys Leu Tyr Leu Ala Leu Ile Ile Gly
1 5 10 15

Val Leu Leu Ala Phe Leu Thr Leu Ser Ser Trp Leu Gly Asn Ser Gly
20 25 30

Leu Val Gly Arg Phe Gly Val Trp Phe Ala Ala Leu Asn Lys Lys Tyr
35 40 45

Phe Gly His Leu Ser Phe Ile Asn Leu Pro Tyr Leu Ala Trp Val Leu
50 55 60

Phe Leu Leu Tyr Lys Thr Lys Asn Pro Phe Thr Glu Ile Val Leu Glu
65 70 75 80

Lys Thr Leu Gly His Leu Leu Gly Ile Leu Ser Leu Leu Phe Leu Gln
85 90 95

Ser Ser Leu Leu Asn Gln Gly Glu Ile Gly Asn Ser Ala Arg Leu Phe
100 105 110

Leu Arg Pro Phe Ile Gly Asp Phe Gly Leu Tyr Ala Leu Ile Thr Leu
115 120 125

Met Val Val Ile Ser Tyr Leu Ile Leu Phe Lys Leu Pro Pro Lys Ser
130 135 140

Val Phe Tyr Pro Tyr Met Asn Lys Thr Gln Asn Leu Leu Lys Glu Ile
145 150 155 160

Tyr Lys Gln Cys Leu Gln Ala Phe Ser Pro Asn Phe Ser Pro Lys Lys
165 170 175

Hp 04-04-03.ST251

Glu Gly Phe Glu Asn Thr Pro Ser Asp Ile Gln Lys Lys Glu Thr Lys
180 185 190

Asn Asp Lys Glu Lys Glu Asn Arg Lys Glu Asn Pro Ile Asn Glu Asn
195 200 205

His Lys Thr Pro Asn Glu Glu Pro Phe Leu Ala Ile Pro Thr Pro Tyr
210 215 220

Asn Thr Thr Leu Asn Asp Ser Glu Pro Gln Glu Gly Leu Val Gln Ile
225 230 235 240

Ser Ser His Pro Pro Thr His Tyr Thr Ile Tyr Pro Lys Arg Asn Arg
245 250 255

Phe Asp Asp Leu Thr Asn Pro Thr Asn Pro Pro Leu Lys Glu Ile Lys
260 265 270

Gln Glu Thr Lys Glu Arg Glu Pro Thr Pro Thr Lys Glu Thr Leu Thr
275 280 285

Pro Thr Thr Pro Lys Pro Ile Met Pro Thr Leu Ala Pro Ile Ile Glu
290 295 300

Asn Asp Asn Lys Thr Glu Asn Gln Lys Thr Pro Asn His Pro Lys Lys
305 310 315 320

Glu Glu Asn Pro Gln Glu Asn Thr Gln Glu Glu Met Ile Glu Gly Arg
325 330 335

Ile Glu Glu Met Ile Lys Glu Asn Leu Lys Lys Glu Glu Lys Glu Val
340 345 350

Gln Asn Ala Pro Asn Phe Ser Pro Val Thr Pro Thr Ser Ala Lys Lys
355 360 365

Pro Val Met Val Lys Glu Leu Ser Glu Asn Lys Glu Ile Leu Asp Gly
370 375 380

Leu Asp Tyr Gly Glu Val Gln Lys Pro Lys Asp Tyr Glu Leu Pro Thr
385 390 395 400

Thr Gln Leu Leu Asn Ala Val Cys Leu Lys Asp Thr Ser Leu Asp Glu
405 410 415

Asn Glu Ile Asp Gln Lys Ile Gln Asp Leu Leu Ser Lys Leu Arg Thr
420 425 430

Phe Lys Ile Asp Gly Asp Ile Ile Arg Thr Tyr Ser Gly Pro Ile Val
435 440 445

Thr Thr Phe Glu Phe Arg Pro Ala Pro Asn Val Lys Val Ser Arg Ile
450 455 460

Leu Gly Leu Ser Asp Asp Leu Ala Met Thr Leu Cys Ala Glu Ser Ile
465 470 475 480

Arg Ile Gln Ala Pro Ile Lys Gly Lys Asp Val Val Gly Ile Glu Ile
485 490 495

Pro Asn Ser Gln Ser Gln Ile Ile Tyr Leu Arg Glu Ile Leu Glu Ser
500 505 510

Glu Leu Phe Gln Lys Ser Ser Ser Pro Leu Thr Leu Ala Leu Gly Lys
515 520 525

Asp Ile Val Gly Asn Pro Phe Ile Thr Asp Leu Lys Lys Leu Pro His
530 535 540

Leu Leu Ile Ala Gly Thr Thr Gly Ser Gly Lys Ser Val Gly Val Asn
545 550 555 560

Ala Met Ile Leu Ser Leu Leu Tyr Lys Asn Pro Pro Asp Gln Leu Lys
565 570 575

Leu Val Met Ile Asp Pro Lys Met Val Glu Phe Ser Ile Tyr Ala Asp
580 585 590

Ile Pro His Leu Leu Thr Pro Ile Ile Thr Asp Pro Lys Lys Ala Ile
595 600 605

Gly Ala Leu Gln Ser Val Ala Lys Glu Met Glu Arg Arg Tyr Ser Leu
610 615 620

Met Ser Glu Tyr Lys Val Lys Thr Ile Asp Ser Tyr Asn Glu Gln Ala
625 630 635 640

Pro Ser Asn Gly Val Glu Ala Phe Pro Tyr Leu Ile Val Val Ile Asp
645 650 655

Glu Leu Ala Asp Leu Met Met Thr Gly Gly Lys Glu Ala Glu Phe Pro
660 665 670

Ile Ala Arg Ile Ala Gln Met Gly Arg Ala Ser Gly Leu His Leu Ile
675 680 685

Val Ala Thr Gln Arg Pro Ser Val Asp Val Val Thr Gly Leu Ile Lys
690 695 700

Thr Asn Leu Pro Ser Arg Val Ser Phe Arg Val Gly Thr Lys Ile Asp
705 710 715 720

Ser Lys Val Ile Leu Asp Thr Asp Gly Ala Gln Ser Leu Leu Gly Arg
725 730 735

Gly Asp Met Leu Phe Thr Pro Pro Gly Ala Asn Gly Leu Val Arg Leu
740 745 750

His Ala Pro Phe Ala Thr Glu Asp Glu Ile Lys Lys Ile Val Asp Phe
755 760 765

Ile Lys Ala Gln Lys Glu Val Gln Tyr Asp Lys Asp Phe Leu Leu Glu
770 775 780

Glu Ser Arg Met Pro Leu Asp Thr Pro Asn Tyr Gln Gly Asp Asp Ile
785 790 795 800

Leu Glu Arg Ala Lys Ala Val Ile Leu Glu Lys Lys Ile Thr Ser Thr
805 810 815

Ser Phe Leu Gln Arg Gln Leu Lys Ile Gly Tyr Asn Gln Ala Ala Thr
820 825 830

Ile Thr Asp Glu Leu Glu Ala Gln Gly Phe Leu Ser Pro Arg Asn Ala
835 840 845

Lys Gly Asn Arg Glu Ile Leu Gln Asn Phe
850 855

<210> 271

<211> 290

<212> PRT

<213> Helicobacter pylori

<400> 271

Met Leu Glu Asn Val Lys Lys Ser Phe Phe Arg Val Leu Cys Leu Gly
1 5 10 15

Ala Leu Cys Leu Gly Gly Leu Met Ala Glu Gln Asp Pro Lys Glu Leu
20 25 30

Val Gly Leu Gly Ala Lys Ser Tyr Lys Glu Lys Asp Phe Thr Gln Ala
35 40 45

Lys Lys Tyr Phe Glu Lys Ala Cys Asp Leu Lys Glu Asn Ser Gly Cys
50 55 60

Phe Asn Leu Gly Val Leu Tyr Tyr Gln Gly Gln Gly Val Glu Lys Asn
65 70 75 80

Leu Lys Lys Ala Ala Ser Phe Tyr Ala Lys Ala Cys Asp Leu Asn Tyr
85 90 95

Ser Asn Gly Cys His Leu Leu Gly Asn Leu Tyr Tyr Ser Gly Gln Gly
100 105 110

Val Ser Gln Asn Thr Asn Lys Ala Leu Gln Tyr Tyr Ser Lys Ala Cys
115 120 125

Asp Leu Lys Tyr Ala Glu Gly Cys Ala Ser Leu Gly Gly Ile Tyr His
130 135 140

Asp Gly Lys Val Val Thr Arg Asp Phe Lys Lys Ala Val Glu Tyr Phe
145 150 155 160

Thr Lys Ala Cys Asp Leu Asn Asp Gly Asp Gly Cys Thr Ile Leu Gly
165 170 175

Ser Leu Tyr Asp Ala Gly Arg Gly Thr Pro Lys Asp Leu Lys Lys Ala
180 185 190

Leu Ala Ser Tyr Asp Lys Ala Cys Asp Leu Lys Asp Ser Pro Gly Cys
195 200 205

Phe Asn Ala Gly Asn Met Tyr His His Gly Glu Gly Ala Thr Lys Asn
210 215 220

Phe Lys Glu Ala Leu Ala Arg Tyr Ser Lys Ala Cys Glu Leu Glu Asn
225 230 235 240

Gly Gly Gly Cys Phe Asn Leu Gly Ala Met Gln Tyr Asn Gly Glu Gly
245 250 255

Val Thr Arg Asn Glu Lys Gln Ala Ile Glu Asn Phe Lys Lys Gly Cys
260 265 270

Lys Leu Gly Ala Lys Gly Ala Cys Asp Ile Leu Lys Gln Leu Lys Ile
275 280 285

Lys Val
290

<210> 272

<211> 957

<212> PRT

<213> Helicobacter pylori

<400> 272

Val Lys Leu Pro Lys Ala Leu Asn Glu Ala Thr Ala Gly Ala Ala Leu
 1 5 10 15
 Lys Tyr His Ile Lys Arg Ala Leu Glu Arg Ser His Ser Ile Ser Asp
 20 25 30
 Phe Ser Lys Asn Leu Glu Leu Ser Thr Gln Lys Ser His Phe Ser Asn
 35 40 45
 Asn Thr Leu Lys Ile Ile Glu Glu Leu Asn Asn Gly Val Lys Gln Ala
 50 55 60
 Ser Glu Glu Ile Lys Glu Lys Ala Arg Asp Phe Ser Asn Gln Lys Leu
 65 70 75 80
 Thr Asn Glu Gln Ile Lys Asp Leu Leu Asn Asn Ala Glu Ile Pro Thr
 85 90 95
 Ser Gly Arg Asp Ala Ile Thr Phe Gly Val Asn Asn Leu Asn Pro Glu
 100 105 110
 Ile Val Glu Phe Leu His Lys Asn Asn Lys Lys Met Ile Ile Glu Lys
 115 120 125
 Ala Ser Asn Lys Glu Leu Glu Leu Leu Lys Asp Ala Asn Phe Lys His
 130 135 140
 Pro Glu Asn Ile Arg Ala Ser Leu Asp His Asp Ala Ile Ala His Ile
 145 150 155 160
 Leu Lys Arg His Gly Val Asn Ser Val Asn Val Arg Asn Gly Glu Ile
 165 170 175
 Pro Ile Thr Asn Glu Asp Ile Ala Asn Tyr Arg Tyr Ile Val Asn Asn
 180 185 190
 Ala Asp Ala Ile Leu Arg Thr Leu Asp Asn Glu Asn Lys Glu Leu Ile
 195 200 205
 Ser Ala Phe Lys Gln Ile Asn Gly Tyr Ala Val Val Val Glu Gln Ala
 210 215 220
 Ile Asn Lys Lys Asn Glu Leu Val Leu Lys Thr Met Tyr Lys Ser Lys
 225 230 235 240
 Gly Asp Tyr Lys Asp Asn Asn Ala Tyr Lys Lys Phe Ser Ser Thr His
 245 250 255
 Thr Leu Asn Ala Asp Ala Lys Val Asn His Arg Leu Ser Ser Tyr Ser
 260 265 270

Gly Ala Thr Glu Asn Thr Thr Gln Lys Asp Leu Ile Asp Gln Glu Asn
275 280 285

Leu Leu Lys Thr Ser Glu Asn Leu Asn Glu Ser Thr Pro Lys Pro Thr
290 295 300

Asn Leu Ser Pro Leu Glu Gln Ala Asn Ala Glu Lys Leu Ala Lys Leu
305 310 315 320

Glu Ser Glu Lys Leu Glu Ser Glu Lys Glu Phe Leu Lys Ala Lys Glu
325 330 335

Gln Glu Ala Thr Arg Lys Ala Ala Leu Lys Lys Lys Leu Glu His Glu
340 345 350

Arg Gly Asn Ala Gly Asn Ile Glu Ser Gln Thr Lys Ile Glu Val Gly
355 360 365

Glu Asp Ile Pro Thr Gln Thr Gln Ala Gln Leu Pro Lys Ser Arg Val
370 375 380

Arg Leu Asn Glu Arg Glu Ile Tyr Asp Leu Asp Tyr Ala Ile Val Lys
385 390 395 400

Ala Lys Asp Leu Lys Pro Ser Phe Thr Thr Gly Gly Thr Gln Lys Arg
405 410 415

Thr Asp Met Asn Glu Glu Gln Ile Lys Ser Ile Ala Glu Asn Phe Asp
420 425 430

Pro Lys Lys Ile Phe Gly Ser Gly Gly Phe Glu Asp Leu Pro Ile Ile
435 440 445

Leu His Asp Gly Gln Val Ile Ala Gly Asn His Arg Ile Gln Gly Met
450 455 460

Leu Asn Phe Thr Pro Lys Ser Arg Phe Ser Tyr Glu Arg Ala Ile Lys
465 470 475 480

Glu Tyr Tyr His Ile Asp Leu Lys Pro Asp Glu Leu Leu Val Arg Val
485 490 495

Pro His Lys Arg Leu Asn Asn Thr Glu Ile Asn Asn Leu Ala Ala Ser
500 505 510

Ser Asn Gln Gly Arg Phe Asn Ser Glu Ser Asp His Ala Ile Ala Val
515 520 525

Leu Ser His Tyr Glu Ala Lys Leu Lys Glu Leu Asp Gln Lys Leu Asp
530 535 540

Ala Asp Ser Ile Tyr Ser Leu Lys Asn Ile Val Ala Lys Asn Leu Asn
545 550 555 560

Phe Asp Lys Ala Thr His Pro Asn Val Thr Asp Ser Asn Leu Ala Leu
565 570 575

Leu Met Phe Asn Met Pro Arg Thr Lys Thr Gln Gly Ile Glu Leu Leu
580 585 590

Asn Arg Trp Lys Lys Glu Phe Ser Asn Asp Ile Lys Ser Tyr Glu Lys
595 600 605

Val Lys Lys Met Phe Val Asp Asn Ala Gly Ser Phe His Asn Leu Ile
610 615 620

His Asp Leu Asn Phe Pro Lys Val Ser Leu Asn Ala Tyr Leu Ser Asp
625 630 635 640

Ile Met Asp Arg Ser Phe Ala Asn Leu Lys Asn Tyr Gln Ser Thr Ser
645 650 655

Glu Ser Leu Lys Asp Leu Ser Glu Lys Phe Tyr Lys Thr Ser Ser Leu
660 665 670

Glu Met Phe Glu Lys Ser Asp Gln Ser Thr Ser Asp Ile Ser Glu Ile
675 680 685

Leu Gly Gly Ala Ile Ala Arg Phe Ala Arg Phe Asp Asp Pro Ser Lys
690 695 700

Ala Leu Phe Glu Ala Leu Arg Ser Asp Asn Ile Lys Lys Gly Leu Lys
705 710 715 720

Asp Tyr Lys Ile Ala Asp Val Thr Lys Asp Met Phe Asn Ala Asp Ser
725 730 735

Lys Glu Phe Lys Asp Ile Asp Ile Tyr Asp Phe Thr His Tyr Leu Leu
740 745 750

Met Val Asn Arg Glu Pro Asn Glu Asn Asn Pro Ile Leu Lys Arg Leu
755 760 765

Ile Glu Ala Val Lys Asp Met Gln Lys Glu Ser Glu Lys Gly Ile Lys
770 775 780

Gln Lys Leu Glu Thr Pro Ser Glu Trp Gly His Asn Tyr Ser Glu Phe
785 790 795 800

Lys Gly Asp Gly Leu Gly Ala Ile Asn Lys Leu Leu Glu Thr Lys Lys
805 810 815

Gly Phe Val Ala Gly Ala Phe His Lys Glu Gly Leu Gly Asp Ile Asp
820 825 830

Leu Val Tyr Gly Asn Ser Lys Tyr Gly Leu Glu His Ile Phe Asn Arg
835 840 845

Arg Glu Ser Asp Ala Ile Asp Lys Gly Met Ser Lys Glu Glu Ala Lys
850 855 860

Lys Tyr Ala Leu Lys Ile Ile Asn Asn Ile Pro Asn Ile Ile Ser Asn
865 870 875 880

Gly Lys Leu Ser Lys Asp Asn Leu Gly Arg Leu Ser Ile Glu Phe Glu
885 890 895

Asn Gln Arg Val Gly Leu Asn Asp Ser Trp Lys Gly Glu Thr Leu Asn
900 905 910

Asn Arg Trp Val Ile Thr Ser Tyr Glu Ile Asp Lys Ser Arg Asn Gly
915 920 925

Leu Ile Glu Ser Pro Leu Ala Pro Asn Tyr Lys Gly Lys Asp Thr Asn
930 935 940

Pro Leu Asn Leu Asp Ser Pro Asn Pro Thr Thr Lys Asn
945 950 955

<210> 273

<211> 256

<212> PRT

<213> Helicobacter pylori

<400> 273

Met Gly Tyr Ala Ser Lys Leu Ala Leu Lys Ile Cys Leu Ala Ser Leu
1 5 10 15

Cys Leu Phe Ser Ala Leu Gly Ala Glu His Leu Glu Gln Lys Arg Asn
20 25 30

Tyr Ile Tyr Lys Gly Glu Glu Ala Tyr Asn Asn Lys Glu Tyr Glu Arg
35 40 45

Ala Ala Ser Phe Tyr Lys Ser Ala Ile Lys Asn Gly Glu Pro Leu Ala
50 55 60

Tyr Val Leu Leu Gly Ile Met Tyr Glu Asn Gly Arg Gly Val Pro Lys
65 70 75 80

Asp Glu Lys Lys Ala Ala Glu Tyr Phe Gln Lys Ala Val Asp Asn Asp
85 90 95

Ile Pro Arg Gly Tyr Asn Asn Leu Gly Val Met Tyr Lys Glu Gly Arg
100 105 110

Gly Val Pro Lys Asp Glu Lys Lys Ala Val Glu Tyr Phe Arg Ile Ala
115 120 125

Thr Glu Lys Gly Tyr Thr Asn Ala Tyr Ile Asn Leu Gly Ile Met Tyr
130 135 140

Met Glu Gly Arg Gly Val Pro Ser Asn Tyr Val Lys Ala Thr Glu Cys
145 150 155 160

Phe Arg Lys Ala Met His Lys Gly Asn Val Glu Ala Tyr Ile Leu Leu
165 170 175

Gly Asp Ile Tyr Tyr Ser Gly Asn Asp Gln Leu Gly Ile Glu Pro Asp
180 185 190

Lys Asp Lys Ala Ile Val Tyr Tyr Lys Met Ala Ala Asp Met Ser Ser
195 200 205

Ser Arg Ala Tyr Glu Gly Leu Ala Glu Ser Tyr Gln Tyr Gly Leu Gly
210 215 220

Val Glu Lys Asp Lys Lys Lys Ala Glu Glu Tyr Met Gln Lys Ala Cys
225 230 235 240

Asp Phe Asp Ile Asp Lys Asn Cys Lys Lys Lys Asn Thr Ser Ser Arg
245 250 255

<210> 274

<211> 606

<212> PRT

<213> Helicobacter pylori

<400> 274

Met Gly Gly Ile Leu Ser Ser Leu Asn Thr Ser Tyr Thr Gly Leu Gln
1 5 10 15

Ala His Gln Ser Met Val Asp Val Thr Gly Asn Asn Ile Ser Asn Ala
20 25 30

Ser Asp Glu Phe Tyr Ser Arg Gln Arg Val Ile Ala Lys Pro Gln Ala
35 40 45

Ala Tyr Met Tyr Gly Thr Lys Asn Val Asn Met Gly Val Asp Val Glu
50 55 60

Ala Ile Glu Arg Val His Asp Glu Phe Val Phe Ala Arg Tyr Thr Lys
65 70 75 80

Ala Asn Tyr Glu Asn Thr Tyr Tyr Asp Thr Glu Phe Ser His Leu Lys
85 90 95

Glu Ala Ser Ala Tyr Phe Pro Asp Ile Asp Glu Ala Ser Leu Phe Thr
100 105 110

Asp Leu Gln Asp Tyr Phe Asn Ser Trp Lys Glu Leu Ser Lys Asn Ala
115 120 125

Lys Asp Ser Ala Gln Lys Gln Ala Leu Ala Gln Lys Thr Glu Ala Leu
130 135 140

Thr His Asn Ile Lys Asp Thr Arg Glu Arg Leu Thr Thr Leu Gln His
145 150 155 160

Lys Ala Ser Glu Glu Leu Lys Ser Val Ile Lys Glu Val Asn Ser Leu
165 170 175

Gly Ser Gln Ile Ala Glu Ile Asn Lys Arg Ile Lys Glu Val Glu Asn
180 185 190

Asn Lys Ser Leu Lys His Ala Asn Glu Leu Arg Asp Lys Arg Asp Glu
195 200 205

Leu Glu Phe His Leu Arg Glu Leu Leu Gly Gly Asn Val Phe Lys Ser
210 215 220

Ser Ile Lys Thr His Ser Leu Thr Asp Lys Asp Ser Ala Asp Phe Asp
225 230 235 240

Glu Ser Tyr Asn Leu Asn Ile Gly His Gly Phe Asn Ile Ile Asp Gly
245 250 255

Ser Ile Phe His Pro Leu Val Val Lys Glu Ser Glu Asn Lys Gly Gly
260 265 270

Leu Asn Gln Val Tyr Phe Gln Ser Asp Asp Phe Lys Val Thr Asn Ile
275 280 285

Thr Asp Lys Leu Asn Gln Gly Arg Val Gly Ala Leu Leu Asn Val Tyr
290 295 300

Asn Asp Gly Ser Asn Gly Thr Leu Lys Gly Lys Leu Gln Asp Tyr Ile
305 310 315 320

Asp Leu Leu Asp Ser Phe Ala Lys Gly Leu Ile Glu Ser Thr Asn Ala
 325 330 335
 Ile Tyr Ala Gln Ser Ala Ser His Tyr Ile Glu Gly Glu Pro Val Glu
 340 345 350
 Phe Asn Ser Asp Glu Ala Phe Lys Asp Thr Asn Tyr Asn Ile Lys Asn
 355 360 365
 Gly Ser Phe Asp Leu Ile Ala Tyr Asn Thr Asp Gly Lys Glu Ile Ala
 370 375 380
 Arg Lys Thr Ile Ala Ile Thr Pro Ile Thr Thr Met Asn Asp Ile Ile
 385 390 395 400
 Gln Ala Ile Asn Ala Asn Thr Asp Asp Asn Gln Asp Asn Asn Thr Glu
 405 410 415
 Asn Asp Phe Asp Asp Tyr Phe Thr Ala Gly Phe Asn Asn Glu Thr Lys
 420 425 430
 Lys Phe Val Ile Gln Pro Lys Asn Ala Ser Gln Gly Leu Phe Val Ser
 435 440 445
 Met Lys Asp Asn Gly Thr Asn Phe Met Gly Ala Leu Lys Leu Asn Pro
 450 455 460
 Phe Phe Gln Gly Asp Asp Ala Ser Asn Ile Ser Leu Asn Lys Glu Tyr
 465 470 475 480
 Lys Lys Glu Pro Thr Thr Ile Arg Pro Trp Leu Ala Pro Ile Asn Gly
 485 490 495
 Asn Phe Asp Val Ala Asn Met Met Gln Gln Leu Gln Tyr Asp Ser Val
 500 505 510
 Asp Phe Tyr Asn Asp Lys Phe Asp Ile Lys Pro Met Lys Ile Ser Glu
 515 520 525
 Phe Tyr Gln Phe Leu Thr Gly Lys Ile Asn Thr Asp Ala Glu Lys Ser
 530 535 540
 Gly Arg Ile Leu Asp Thr Lys Lys Ser Met Leu Glu Thr Ile Lys Lys
 545 550 555 560
 Glu Gln Leu Ser Ile Ser Gln Val Ser Val Asp Glu Glu Met Val Asn
 565 570 575
 Leu Ile Lys Phe Gln Ser Gly Tyr Ala Ala Asn Ala Lys Val Ile Thr
 580 585 590

Ala Ile Asp Arg Met Ile Asp Thr Leu Leu Gly Ile Lys Gln
595 600 605

<210> 275

<211> 417

<212> PRT

<213> Helicobacter pylori

<400> 275

Met Arg Tyr Leu Trp Leu Phe Leu Ile His Thr Ile Gly Leu Phe Ala
1 5 10 15

Thr Asp Lys Thr Leu Asp Ile Ile Lys Thr Ile Gln Lys Leu Pro Lys
20 25 30

Ile Glu Val Arg Tyr Ser Ile Asp Asn Asp Ala Asn Tyr Ala Leu Lys
35 40 45

Leu His Glu Val Leu Ala Asn Asp Leu Lys Thr Ser Gln His Phe Asp
50 55 60

Val Ser Gln Asn Lys Asp Gln Gly Ala Ile Asn Tyr Ala Glu Leu Lys
65 70 75 80

Asp Lys Lys Val His Leu Val Ala Leu Val Ser Val Ala Val Glu Asn
85 90 95

Gly Asn Lys Ile Ser Arg Leu Lys Leu Tyr Asp Val Asp Thr Gly Thr
100 105 110

Leu Lys Lys Thr Phe Asp Tyr Pro Ile Val Ser Leu Asp Leu Tyr Pro
115 120 125

Phe Ala Ala His Asn Met Ala Ile Val Val Asn Asp Tyr Leu Lys Ala
130 135 140

Pro Ser Ile Ala Trp Met Lys Arg Leu Ile Val Phe Ser Lys Tyr Ile
145 150 155 160

Gly Pro Gly Ile Thr Asn Ile Ala Leu Ala Asp Tyr Thr Met Arg Tyr
165 170 175

Gln Lys Glu Ile Ile Lys Asn Asn Arg Leu Asn Ile Phe Pro Lys Trp
180 185 190

Ala Asn Ala Glu Gln Thr Glu Phe Tyr Tyr Thr Gln Tyr Gly Glu Arg
195 200 205

Hp 04-04-03.ST251

Thr Pro Met Ile Leu Lys Tyr Asn Ile Gln Lys Ala Thr His Glu Asn
 210 215 220
 Ile Ala Ser Ser Gln Gly Met Ala Val Val Ser Ser Val Ser Ser Asp
 225 230 235 240
 Gly Ser Lys Ile Leu Met Ser Leu Ala Pro Asp Gly Gln Pro Asp Val
 245 250 255
 Tyr Leu Tyr Asp Thr His Lys Lys Thr Lys Thr Lys Ile Thr Arg Tyr
 260 265 270
 Pro Gly Ile Asp Val Ser Gly Val Phe Leu Glu Asp Asp Lys Ser Met
 275 280 285
 Ala Phe Val Ser Asp Arg Ser Gly Tyr Pro Asn Ile Tyr Met Lys Lys
 290 295 300
 Leu Gly Leu Lys Glu Ser Ala Glu Gln Leu Leu Tyr Glu Gly Arg Ser
 305 310 315 320
 Asn Glu Ser Ile Asp Ala Tyr Lys Asp Ser Ile Val Tyr Val Ser Arg
 325 330 335
 Glu Asn Leu Asn Glu Phe Gly Lys Thr Val Phe Asn Leu Asn Leu Ile
 340 345 350
 Thr Leu Asn Ser Lys Tyr Ile Arg Arg Leu Thr Val Asn Gly Ser Asn
 355 360 365
 Gln Met Pro Arg Phe Ser Thr Asp Gly Arg Asn Ile Met Tyr Ile Lys
 370 375 380
 Lys Thr Pro Gln Glu Tyr Ala Met Gly Leu Ile Leu Leu Asp Tyr Asn
 385 390 395 400
 Gln Ser Phe Leu Phe Pro Leu Lys Asn Val Lys Ile Gln Ala Phe Asp
 405 410 415

Trp

<210> 276

<211> 448

<212> PRT

<213> Helicobacter pylori

<400> 276

Met Phe Gln Ala Leu Ser Asp Gly Phe Lys Asn Ala Leu Asn Lys Ile
 1 5 10 15

Arg Phe Gln Asp Asp Glu Lys Ala Leu Asp Arg Ala Leu Asp Glu Leu
 20 25 30

Lys Lys Thr Leu Leu Lys Asn Asp Val His His Lys Val Ala Arg Glu
 35 40 45

Leu Leu Lys Lys Val Glu Ser Gln Thr Lys Leu Asn Gly Ile Gly Lys
 50 55 60

Gln Gln Phe Leu Asp Ala Leu Glu Lys Ser Leu Leu Glu Ile Leu Ser
 65 70 75 80

Ala Lys Gly Ser Ser Gly Phe Thr Phe Ala Gln Thr Pro Pro Thr Val
 85 90 95

Val Leu Met Ala Gly Leu Gln Gly Ser Gly Lys Thr Thr Thr Thr Ala
 100 105 110

Lys Leu Ala His Tyr Leu Lys Thr Lys Asn Lys Lys Val Leu Leu Cys
 115 120 125

Ala Cys Asp Leu Gln Arg Leu Ala Ala Val Glu Gln Leu Lys Val Leu
 130 135 140

Gly Glu Gln Val Gly Val Glu Val Phe Tyr Glu Glu Asn Lys Ser Val
 145 150 155 160

Lys Glu Ile Ala Ser Asn Ala Leu Lys Arg Ala Lys Glu Ala Gln Phe
 165 170 175

Asp Val Leu Leu Val Asp Ser Ala Gly Arg Leu Ala Ile Asp Lys Glu
 180 185 190

Leu Met Gln Glu Leu Lys Glu Val Lys Glu Ile Leu Asn Pro His Glu
 195 200 205

Val Leu Tyr Val Ala Asp Ala Leu Ser Gly Gln Asp Gly Val Lys Ser
 210 215 220

Ala Asn Thr Phe Asn Glu Glu Ile Gly Val Ser Gly Val Val Leu Ser
 225 230 235 240

Lys Phe Asp Ser Asp Ser Lys Gly Gly Ile Ala Leu Gly Ile Thr Tyr
 245 250 255

Gln Leu Gly Leu Pro Leu Arg Phe Ile Gly Ser Gly Glu Lys Ile Pro
 260 265 270

Asp Leu Asp Val Phe Val Pro Glu Arg Ile Val Gly Arg Leu Met Gly
275 280 285

Ala Gly Asp Ile Val Ser Leu Ala Glu Lys Thr Ala Ser Val Leu Asn
290 295 300

Pro Asn Glu Ala Lys Asp Leu Ser Lys Lys Leu Lys Lys Gly Gln Phe
305 310 315 320

Thr Phe Asn Asp Phe Leu Asn Gln Ile Glu Lys Val Lys Lys Leu Gly
325 330 335

Ser Met Ser Ser Leu Ile Ser Met Ile Pro Gly Leu Gly Asn Met Ala
340 345 350

Ser Ala Leu Lys Asp Thr Asp Leu Glu Ser Ser Leu Glu Val Lys Lys
355 360 365

Ile Lys Ala Met Val Asn Ser Met Thr Lys Lys Glu Gln Glu Asn Pro
370 375 380

Glu Ile Leu Asn Gly Ser Arg Arg Lys Arg Ile Ala Leu Gly Ser Gly
385 390 395 400

Leu Glu Val Ser Glu Ile Asn Arg Ile Ile Lys Arg Phe Asp Gln Ala
405 410 415

Ser Lys Met Ala Lys Arg Leu Thr Asn Lys Lys Gly Ile Ser Asp Leu
420 425 430

Met Asn Leu Met Ser Gln Ala Lys Asn Gln Thr Pro Pro Lys Met Arg
435 440 445

<210> 277

<211> 874

<212> PRT

<213> Helicobacter pylori

<400> 277

Met Ile Met Lys Gln Glu Pro Thr Thr Tyr Gln Pro Glu Glu Ile Glu
1 5 10 15

Lys Lys Ile Tyr Glu Ile Cys Ser His Arg Gly Tyr Phe Glu Ile Asp
20 25 30

Gly Asn Glu Ala Ile Gln Glu Lys Asn Lys Arg Phe Cys Leu Met Met
35 40 45

Pro Pro Pro Asn Val Thr Gly Val Leu His Ile Gly His Ala Leu Thr
50 55 60

Leu Ser Leu Gln Asp Ile Leu Ala Arg Tyr Lys Arg Met Asp Gly Tyr
65 70 75 80

Lys Thr Leu Tyr Gln Pro Gly Leu Asp His Ala Gly Ile Ala Thr Gln
85 90 95

Asn Val Val Glu Lys Gln Leu Leu Ser Gln Gly Ile Lys Lys Glu Asp
100 105 110

Leu Gly Arg Glu Glu Phe Ile Lys Lys Val Trp Glu Trp Lys Glu Lys
115 120 125

Ser Gly Gly Ala Ile Leu Glu Gln Met Lys Arg Leu Gly Val Ser Ala
130 135 140

Ala Phe Ser Arg Thr Arg Phe Thr Met Asp Lys Gly Leu Gln Arg Ala
145 150 155 160

Val Lys Leu Ala Phe Leu Lys Trp Tyr Glu Lys Gly Leu Ile Ile Gln
165 170 175

Asp Asn Tyr Met Val Asn Trp Cys Thr Lys Asp Gly Ala Leu Ser Asp
180 185 190

Ile Glu Val Glu Tyr Glu Glu Arg Lys Gly Ala Leu Tyr Tyr Ile Arg
195 200 205

Tyr Tyr Leu Glu Asn Gln Lys Asp Tyr Leu Val Val Ala Thr Thr Arg
210 215 220

Pro Glu Thr Leu Phe Gly Asp Ser Ala Leu Met Val Asn Pro Asn Asp
225 230 235 240

Glu Arg Tyr Lys His Leu Val Gly Gln Lys Ala Ile Leu Pro Leu Ile
245 250 255

His Arg Thr Ile Pro Ile Ile Ala Asp Glu His Val Glu Met Glu Phe
260 265 270

Gly Thr Gly Cys Val Lys Val Thr Pro Gly His Asp Phe Asn Asp Tyr
275 280 285

Glu Val Gly Lys Arg His His Leu Glu Thr Ile Lys Ile Phe Asp Glu
290 295 300

Lys Gly Ile Leu Asn Ala His Cys Gly Glu Phe Glu Asn Leu Glu Arg
305 310 315 320

Leu Glu Ala Arg Asp 325 Lys Val Val Glu Arg 330 Leu Lys Glu Asn Ala 335 Leu

Leu Glu Lys Ile 340 Glu Glu His Thr His 345 Gln Val Gly His Cys 350 Tyr Arg

Cys His Asn 355 Val Val Glu Pro Tyr 360 Val Ser Lys Gln Trp 365 Phe Val Lys

Pro Glu 370 Ile Ala Gln Ser Ser 375 Ile Glu Lys Ile Gln 380 Gln Gly Leu Ala

Arg 385 Phe Tyr Pro Ser Asn 390 Trp Ile Asn Asn Tyr 395 Asn Ala Trp Met Arg 400

Glu Leu Arg Pro Trp 405 Cys Ile Ser Arg Gln 410 Leu Phe Trp Gly His 415 Gln

Ile Pro Val Phe 420 Thr Cys Glu Asn Asn 425 His Gln Phe Val Ser 430 Leu Asp

Thr Pro Leu 435 Ser Cys Pro Thr Cys 440 Lys Ser Glu Thr Leu 445 Glu Gln Asp

Lys Asp 450 Val Leu Asp Thr Trp 455 Phe Ser Ser Gly Leu 460 Trp Ala Phe Ser

Thr 465 Leu Gly Trp Gly Gln 470 Glu Lys Ser Gly Leu 475 Phe Asn Glu Ser Asp 480

Leu Lys Asp Phe Tyr 485 Pro Asn Thr Thr Leu 490 Ile Thr Gly Phe Asp 495 Ile

Leu Phe Phe Trp 500 Val Ala Arg Met Leu 505 Phe Cys Ser Glu Ser 510 Leu Leu

Gly Glu Leu 515 Pro Phe Lys Asp Ile 520 Tyr Leu His Ala Leu 525 Val Arg Asp

Glu Lys 530 Gly Glu Lys Met Ser 535 Lys Ser Lys Gly Asn 540 Val Ile Asp Pro

Leu 545 Glu Met Ile Glu Lys 550 Tyr Gly Ala Asp Ser 555 Leu Arg Phe Thr Leu 560

Ala Asn Leu Cys Ala 565 Thr Gly Arg Asp Ile 570 Lys Leu Ser Thr Thr 575 His

Leu Glu Asn Asn 580 Lys Asn Phe Ala Asn 585 Lys Leu Phe Asn Ala 590 Ala Ser

Tyr Leu Lys Leu Lys Gln Glu Ser Phe Lys Asp Lys Glu Arg Leu Asn
595 600 605

Glu Tyr Gln Thr Pro Leu Gly Arg Tyr Ala Lys Ser Arg Leu Asn Ser
610 615 620

Ala Thr Lys Glu Ala Arg Asn Ala Leu Asp Asn Tyr Arg Phe Asn Asp
625 630 635 640

Ala Thr Thr Leu Leu Tyr Arg Phe Leu Trp Gly Glu Phe Cys Asp Trp
645 650 655

Phe Ile Glu Phe Ser Lys Val Glu Asn Glu Ala Ile Asp Glu Leu Gly
660 665 670

Ser Val Leu Lys Glu Ala Leu Lys Leu Leu His Pro Phe Met Pro Phe
675 680 685

Ile Ser Glu Ser Leu Tyr His Lys Leu Ser Asn Thr Glu Leu Glu Asn
690 695 700

Thr Glu Ser Ile Met Val Met Pro Tyr Pro Lys Asp Leu Ala Gln Asp
705 710 715 720

Glu Lys Leu Glu His Glu Phe Glu Val Ile Lys Asp Cys Ile Val Ser
725 730 735

Leu Arg Arg Leu Lys Ile Met Leu Glu Thr Pro Pro Ile Val Leu Lys
740 745 750

Glu Ala Ser Val Gly Leu Arg Glu Ala Ile Glu Asn Thr Glu Arg Leu
755 760 765

Gln Thr Tyr Ala Gln Lys Leu Ala Arg Leu Glu Lys Val Ser Val Ile
770 775 780

Ser Ser Lys Pro Leu Lys Ser Val Ser Asp Val Gly Glu Phe Cys Gln
785 790 795 800

Thr Tyr Ala Asn Leu Glu Asn Leu Asp Leu Ser Pro Leu Val Ala Arg
805 810 815

Leu Lys Lys Gln Leu Glu Lys Leu Glu Lys Glu Lys Leu Lys Leu Asn
820 825 830

Leu His Asn Glu Asn Phe Val Lys Asn Ala Pro Lys Ser Val Leu Glu
835 840 845

Lys Ala Lys Glu Ser Leu Lys Thr Leu Leu Glu Lys Glu Ser Lys Ile
850 855 860

Lys Gln Glu Leu Asp Leu Leu Glu Gln Pro
865 870

<210> 278

<211> 202

<212> PRT

<213> Helicobacter pylori

<400> 278

Met Lys Lys Thr Phe Leu Ile Ala Leu Ala Leu Thr Ala Ser Leu Val
1 5 10 15

Gly Ala Glu Asn Thr Lys Trp Asp Tyr Lys Asn Lys Glu Asn Gly Pro
20 25 30

His Arg Trp Asp Lys Leu His Lys Asp Phe Glu Val Cys Lys Ser Gly
35 40 45

Lys Ser Gln Ser Pro Ile Asn Ile Glu His Tyr Tyr His Thr Gln Asp
50 55 60

Lys Ala Asp Leu Gln Phe Lys Tyr Ala Ala Ser Lys Pro Lys Ala Val
65 70 75 80

Phe Phe Thr His His Thr Leu Lys Ala Ser Phe Glu Pro Thr Asn His
85 90 95

Ile Asn Tyr Arg Gly His Asp Tyr Val Leu Asp Asn Val His Phe His
100 105 110

Ala Pro Met Glu Phe Leu Ile Asn Asn Lys Thr Arg Pro Leu Ser Ala
115 120 125

His Phe Val His Lys Asp Ala Lys Gly Arg Leu Leu Val Leu Ala Ile
130 135 140

Gly Phe Glu Glu Gly Lys Glu Asn Pro Asn Leu Asp Pro Ile Leu Glu
145 150 155 160

Gly Ile Gln Lys Lys Gln Asn Phe Lys Glu Val Ala Leu Asp Ala Phe
165 170 175

Leu Pro Lys Ser Ile Asn Tyr Tyr His Leu Thr Ala Leu Ser Pro Leu
180 185 190

Leu Leu Ala Gln Arg Gly Trp His Gly Leu
195 200

<210> 279

<211> 2890

<212> PRT

<213> Helicobacter pylori

<400> 279

Met Ser Lys Lys Ile Pro Leu Lys Asn Arg Leu Arg Ala Asp Phe Thr
1 5 10 15

Lys Thr Pro Thr Asp Leu Glu Val Pro Asn Leu Leu Leu Leu Gln Arg
20 25 30

Asp Ser Tyr Asp Ser Phe Leu Tyr Ser Lys Glu Gly Lys Glu Ser Gly
35 40 45

Ile Glu Lys Val Phe Lys Ser Ile Phe Pro Ile Gln Asp Glu His Asn
50 55 60

Arg Ile Thr Leu Glu Tyr Ala Gly Cys Glu Phe Gly Lys Ser Lys Tyr
65 70 75 80

Thr Val Arg Glu Ala Met Glu Arg Gly Ile Thr Tyr Ser Ile Pro Leu
85 90 95

Lys Ile Lys Val Arg Leu Ile Leu Trp Glu Lys Asp Thr Lys Ser Gly
100 105 110

Glu Lys Asn Gly Ile Lys Asp Ile Lys Glu Gln Ser Ile Phe Ile Arg
115 120 125

Glu Ile Pro Leu Met Thr Glu Arg Thr Ser Phe Ile Ile Asn Gly Val
130 135 140

Glu Arg Val Val Val Asn Gln Leu His Arg Ser Pro Gly Val Ile Phe
145 150 155 160

Lys Glu Glu Glu Ser Ser Thr Ser Leu Asn Lys Leu Ile Tyr Thr Gly
165 170 175

Gln Ile Ile Pro Asp Arg Gly Ser Trp Leu Tyr Phe Glu Tyr Asp Ser
180 185 190

Lys Asp Val Leu Tyr Ala Arg Ile Asn Lys Arg Arg Lys Val Pro Val
195 200 205

Thr Ile Leu Phe Arg Ala Met Asp Tyr Gln Lys Gln Asp Ile Ile Lys
210 215 220

Met Phe Tyr Pro Leu Val Lys Val Arg Tyr Glu Asn Asp Lys Tyr Leu
225 230 235 240

Ile Pro Phe Ala Ser Leu Asp Ala Asn Gln Arg Met Glu Phe Asp Leu
245 250 255

Lys Asp Pro Gln Gly Lys Val Ile Leu Leu Ala Gly Lys Lys Leu Thr
260 265 270

Ser Arg Lys Ile Lys Glu Leu Lys Glu Asn His Leu Glu Trp Val Glu
275 280 285

Tyr Pro Met Asp Ile Leu Leu Asn Arg His Leu Ala Glu Pro Val Met
290 295 300

Val Gly Lys Glu Val Leu Leu Asp Met Leu Thr Gln Leu Asp Lys Asn
305 310 315 320

Lys Leu Glu Lys Ile His Asp Leu Gly Val Gln Glu Phe Val Ile Ile
325 330 335

Asn Asp Leu Ala Leu Gly His Asp Ala Ser Ile Ile Gln Ser Phe Ser
340 345 350

Ala Asp Ser Glu Ser Leu Lys Leu Leu Lys Gln Thr Glu Lys Ile Asp
355 360 365

Asp Glu Asn Ala Leu Ala Ala Ile Arg Ile His Lys Val Met Lys Pro
370 375 380

Gly Asp Pro Val Thr Thr Glu Val Ala Lys Gln Phe Val Lys Lys Leu
385 390 395 400

Phe Phe Asp Pro Glu Arg Tyr Asp Leu Thr Met Val Gly Arg Met Lys
405 410 415

Met Asn His Lys Leu Gly Leu His Val Pro Asp Tyr Ile Thr Thr Leu
420 425 430

Thr His Glu Asp Ile Ile Thr Thr Val Lys Tyr Leu Met Lys Ile Lys
435 440 445

Asn Asn Gln Gly Lys Ile Asp Asp Arg Asp His Leu Gly Asn Arg Arg
450 455 460

Ile Arg Ala Val Gly Glu Leu Leu Ala Asn Glu Leu His Ser Gly Leu
465 470 475 480

Val Lys Met Gln Lys Thr Ile Lys Asp Lys Leu Thr Thr Met Ser Gly
485 490 495

Ala Phe Asp Ser Leu Met Pro His Asp Leu Val Asn Ser Lys Met Ile
500 505 510

Thr Ser Thr Ile Met Glu Phe Phe Met Gly Gly Gln Leu Ser Gln Phe
515 520 525

Met Asp Gln Thr Asn Pro Leu Ser Glu Val Thr His Lys Arg Arg Leu
530 535 540

Ser Ala Leu Gly Glu Gly Gly Leu Val Lys Asp Arg Val Gly Phe Glu
545 550 555 560

Ala Arg Asp Val His Pro Thr His Tyr Gly Arg Ile Cys Pro Ile Glu
565 570 575

Thr Pro Glu Gly Gln Asn Ile Gly Leu Ile Asn Thr Leu Ser Thr Phe
580 585 590

Thr Arg Val Asn Asp Leu Gly Phe Ile Glu Ala Pro Tyr Lys Lys Val
595 600 605

Val Asp Gly Lys Val Val Gly Glu Thr Ile Tyr Leu Thr Ala Ile Gln
610 615 620

Glu Asp Ser His Ile Ile Ala Pro Ala Ser Thr Pro Ile Asp Glu Glu
625 630 635 640

Gly Asn Ile Leu Gly Asp Leu Ile Glu Thr Arg Val Glu Gly Glu Ile
645 650 655

Val Leu Asn Glu Lys Ser Lys Val Thr Leu Met Asp Leu Ser Ser Ser
660 665 670

Met Leu Val Gly Val Ala Ala Ser Leu Ile Pro Phe Leu Glu His Asp
675 680 685

Asp Ala Asn Arg Ala Leu Met Gly Thr Asn Met Gln Arg Gln Ala Val
690 695 700

Pro Leu Leu Arg Ser Asp Ala Pro Ile Val Gly Thr Gly Ile Glu Lys
705 710 715 720

Ile Ile Ala Arg Asp Ser Trp Gly Ala Ile Lys Ala Asn Arg Ala Gly
725 730 735

Val Val Glu Lys Ile Asp Ser Lys Asn Ile Tyr Ile Leu Gly Glu Ser
740 745 750

Lys Glu Glu Ala Tyr Ile Asp Ala Tyr Ser Leu Gln Lys Asn Leu Arg
755 760 765

Thr Asn Gln Asn Thr Ser Phe Asn Gln Val Pro Ile Val Lys Val Gly
 770 775 780
 Asp Lys Val Gly Ala Gly Gln Ile Ile Ala Asp Gly Pro Ser Met Asp
 785 790 795 800
 Arg Gly Glu Leu Ala Leu Gly Lys Asn Val Arg Val Ala Phe Met Pro
 805 810 815
 Trp Asn Gly Tyr Asn Phe Glu Asp Ala Ile Val Val Ser Glu Cys Ile
 820 825 830
 Thr Lys Asp Asp Ile Phe Thr Ser Thr His Ile Tyr Glu Lys Glu Val
 835 840 845
 Asp Ala Arg Glu Leu Lys His Gly Val Glu Glu Phe Thr Ala Asp Ile
 850 855 860
 Pro Asp Val Lys Glu Glu Ala Leu Ala His Leu Asp Glu Ser Gly Ile
 865 870 875 880
 Val Lys Val Gly Thr Tyr Val Ser Ala Gly Met Ile Leu Val Gly Lys
 885 890 895
 Thr Ser Pro Lys Gly Glu Ile Lys Ser Thr Pro Glu Glu Arg Leu Leu
 900 905 910
 Arg Ala Ile Phe Gly Asp Lys Ala Gly His Val Val Asn Lys Ser Leu
 915 920 925
 Tyr Cys Pro Pro Ser Leu Glu Gly Thr Val Ile Asp Val Lys Val Phe
 930 935 940
 Thr Lys Lys Gly Tyr Glu Lys Asp Ala Arg Val Leu Ser Ala Tyr Glu
 945 950 955 960
 Glu Glu Lys Ala Lys Leu Asp Met Glu His Phe Asp Arg Leu Thr Met
 965 970 975
 Leu Asn Arg Glu Glu Leu Leu Arg Val Ser Ser Leu Leu Ser Gln Ala
 980 985 990
 Ile Leu Glu Glu Pro Phe Ser His Asn Gly Lys Asp Tyr Lys Glu Gly
 995 1000 1005
 Asp Gln Ile Pro Lys Glu Glu Ile Ala Ser Ile Asn Arg Phe Thr
 1010 1015 1020
 Leu Ala Ser Leu Val Lys Lys Tyr Ser Lys Glu Val Gln Asn His
 1025 1030 1035

Tyr Glu Ile Thr Lys Asn Asn Phe Leu Glu Gln Lys Lys Val Leu
 1040 1045 1050
 Gly Glu Glu His Glu Glu Lys Leu Ser Ile Leu Glu Lys Asp Asp
 1055 1060 1065
 Ile Leu Pro Asn Gly Val Ile Lys Lys Val Lys Leu Tyr Ile Ala
 1070 1075 1080
 Thr Lys Arg Lys Leu Lys Val Gly Asp Lys Met Ala Gly Arg His
 1085 1090 1095
 Gly Asn Lys Gly Ile Val Ser Asn Ile Val Pro Val Ala Asp Met
 1100 1105 1110
 Pro Tyr Thr Ala Asp Gly Glu Pro Val Asp Ile Val Leu Asn Pro
 1115 1120 1125
 Leu Gly Val Pro Ser Arg Met Asn Ile Gly Gln Ile Leu Glu Met
 1130 1135 1140
 His Leu Gly Leu Val Gly Lys Glu Phe Gly Lys Gln Ile Ala Arg
 1145 1150 1155
 Met Leu Glu Asp Lys Thr Lys Asp Phe Ala Lys Glu Leu Arg Ala
 1160 1165 1170
 Lys Met Leu Glu Ile Ala Asn Ala Ile Asn Glu Lys Asp Pro Leu
 1175 1180 1185
 Thr Ile His Ala Leu Glu Asn Cys Ser Asp Glu Glu Leu Leu Glu
 1190 1195 1200
 Tyr Ala Lys Asp Trp Ser Lys Gly Val Lys Met Ala Ile Pro Val
 1205 1210 1215
 Phe Glu Gly Ile Ser Gln Glu Lys Phe Tyr Lys Leu Phe Glu Leu
 1220 1225 1230
 Ala Lys Ile Ala Met Asp Gly Lys Met Asp Leu Tyr Asp Gly Arg
 1235 1240 1245
 Thr Gly Glu Lys Met Arg Glu Arg Val Asn Val Gly Tyr Met Tyr
 1250 1255 1260
 Met Ile Lys Leu His His Leu Val Asp Glu Lys Val His Ala Arg
 1265 1270 1275
 Ser Thr Gly Pro Tyr Ser Leu Val Thr His Gln Pro Val Gly Gly
 1280 1285 1290

Lys Ala Leu Phe Gly Gly Gln Arg Phe Gly Glu Met Glu Val Trp
 1295 1300 1305
 Ala Leu Glu Ala Tyr Gly Ala Ala His Thr Leu Lys Glu Met Leu
 1310 1315 1320
 Thr Ile Lys Ser Asp Asp Ile Arg Gly Arg Glu Asn Ala Tyr Arg
 1325 1330 1335
 Ala Ile Ala Lys Gly Glu Gln Val Gly Glu Ser Glu Ile Pro Glu
 1340 1345 1350
 Thr Phe Tyr Val Leu Thr Lys Glu Leu Gln Ser Leu Ala Leu Asp
 1355 1360 1365
 Ile Asn Ile Phe Gly Asp Asp Val Asp Glu Asp Gly Ala Pro Lys
 1370 1375 1380
 Pro Ile Val Ile Lys Glu Asp Asp Arg Pro Lys Asp Phe Ser Ser
 1385 1390 1395
 Phe Gln Leu Thr Leu Ala Ser Pro Glu Lys Ile His Ser Trp Ser
 1400 1405 1410
 Tyr Gly Glu Val Lys Lys Pro Glu Thr Ile Asn Tyr Arg Thr Leu
 1415 1420 1425
 Lys Pro Glu Arg Asp Gly Leu Phe Cys Met Lys Ile Phe Gly Pro
 1430 1435 1440
 Thr Lys Asp Tyr Glu Cys Leu Cys Gly Lys Tyr Lys Lys Pro Arg
 1445 1450 1455
 Phe Lys Asp Ile Gly Thr Cys Glu Lys Cys Gly Val Ala Ile Thr
 1460 1465 1470
 His Ser Lys Val Arg Arg Phe Arg Met Gly His Ile Glu Leu Ala
 1475 1480 1485
 Thr Pro Val Ala His Ile Trp Tyr Val Asn Ser Leu Pro Ser Arg
 1490 1495 1500
 Ile Gly Thr Leu Leu Gly Val Lys Met Lys Asp Leu Glu Arg Val
 1505 1510 1515
 Leu Tyr Tyr Glu Ala Tyr Ile Val Lys Glu Pro Gly Glu Ala Ala
 1520 1525 1530
 Tyr Asp Asn Glu Gly Thr Lys Leu Val Met Lys Tyr Asp Ile Leu
 1535 1540 1545

Asn Glu Glu Gln Tyr Gln Asn Ile Ser Arg Arg Tyr Glu Asp Arg
 1550 1555 1560
 Gly Phe Val Ala Gln Met Gly Gly Glu Ala Ile Lys Asp Leu Leu
 1565 1570 1575
 Glu Glu Ile Asp Leu Ile Thr Leu Leu Gln Ser Leu Lys Glu Glu
 1580 1585 1590
 Val Lys Asp Thr Asn Ser Asp Ala Lys Lys Lys Lys Leu Ile Lys
 1595 1600 1605
 Arg Leu Lys Val Val Glu Ser Phe Leu Asn Ser Gly Asn Arg Pro
 1610 1615 1620
 Glu Trp Met Met Leu Thr Val Leu Pro Val Leu Pro Pro Asp Leu
 1625 1630 1635
 Arg Pro Leu Val Ala Leu Asp Gly Gly Lys Phe Ala Val Ser Asp
 1640 1645 1650
 Val Asn Glu Leu Tyr Arg Arg Val Ile Asn Arg Asn Gln Arg Leu
 1655 1660 1665
 Lys Arg Leu Met Glu Leu Gly Ala Pro Glu Ile Ile Val Arg Asn
 1670 1675 1680
 Glu Lys Arg Met Leu Gln Glu Ala Val Asp Val Leu Phe Asp Asn
 1685 1690 1695
 Gly Arg Ser Thr Asn Ala Val Lys Gly Ala Asn Lys Arg Pro Leu
 1700 1705 1710
 Lys Ser Leu Ser Glu Ile Ile Lys Gly Lys Gln Gly Arg Phe Arg
 1715 1720 1725
 Gln Asn Leu Leu Gly Lys Arg Val Asp Phe Ser Gly Arg Ser Val
 1730 1735 1740
 Ile Val Val Gly Pro Asn Leu Lys Met Asp Glu Cys Gly Leu Pro
 1745 1750 1755
 Lys Asn Met Ala Leu Glu Leu Phe Lys Pro His Leu Leu Ser Lys
 1760 1765 1770
 Leu Glu Glu Arg Gly Tyr Ala Thr Thr Leu Lys Gln Ala Lys Arg
 1775 1780 1785
 Met Ile Glu Gln Lys Ser Asn Glu Val Trp Glu Cys Leu Gln Glu
 1790 1795 1800

Ile Thr 1805	Glu Gly Tyr Pro	Val 1810	Leu Leu Asn Arg	Ala 1815	Pro Thr Leu
His Lys 1820	Gln Ser Ile Gln	Ala 1825	Phe His Pro Lys	Leu 1830	Ile Asp Gly
Lys Ala 1835	Ile Gln Leu His	Pro 1840	Leu Val Cys Ser	Ala 1845	Phe Asn Ala
Asp Phe 1850	Asp Gly Asp Gln	Met 1855	Ala Val His Val	Pro 1860	Leu Ser Gln
Glu Ala 1865	Ile Ala Glu Cys	Lys 1870	Val Leu Met Leu	Ser 1875	Ser Met Asn
Ile Leu 1880	Leu Pro Ala Ser	Gly 1885	Lys Ala Val Ala	Ile 1890	Pro Ser Gln
Asp Met 1895	Val Leu Gly Leu	Tyr 1900	Tyr Leu Ser Leu	Glu 1905	Lys Ser Gly
Val Lys 1910	Gly Glu His Lys	Leu 1915	Phe Ser Ser Val	Asn 1920	Glu Ile Ile
Thr Ala 1925	Ile Asp Thr Lys	Glu 1930	Leu Asp Ile His	Ala 1935	Lys Ile Arg
Val Leu 1940	Asp Gln Gly Asn	Ile 1945	Ile Ala Thr Ser	Ala 1950	Gly Arg Met
Ile Ile 1955	Lys Ser Ile Leu	Pro 1960	Asp Phe Ile Pro	Thr 1965	Asp Leu Trp
Asn Arg 1970	Pro Met Lys Lys	Lys 1975	Asp Ile Gly Val	Leu 1980	Val Asp Tyr
Val His 1985	Lys Val Gly Gly	Ile 1990	Gly Ile Thr Ala	Thr 1995	Phe Leu Asp
Asn Leu 2000	Lys Thr Leu Gly	Phe 2005	Arg Tyr Ala Thr	Lys 2010	Ala Gly Ile
Ser Ile 2015	Ser Met Glu Asp	Ile 2020	Ile Thr Pro Lys	Asp 2025	Lys Gln Lys
Met Val 2030	Glu Lys Ala Lys	Val 2035	Glu Val Lys Lys	Ile 2040	Gln Gln Gln
Tyr Asp 2045	Gln Gly Leu Leu	Thr 2050	Asp Gln Glu Arg	Tyr 2055	Asn Lys Ile

Ile Asp Thr Trp Thr Glu Val Asn Asp Lys Met Ser Lys Glu Met
2060 2065 2070

Met Thr Ala Ile Ala Gln Asp Lys Glu Gly Phe Asn Ser Ile Tyr
2075 2080 2085

Met Met Ala Asp Ser Gly Ala Arg Gly Ser Ala Ala Gln Ile Arg
2090 2095 2100

Gln Leu Ser Ala Met Arg Gly Leu Met Thr Lys Pro Asp Gly Ser
2105 2110 2115

Ile Ile Glu Thr Pro Ile Ile Ser Asn Phe Lys Glu Gly Leu Asn
2120 2125 2130

Val Leu Glu Tyr Phe Asn Ser Thr His Gly Ala Arg Lys Gly Leu
2135 2140 2145

Ala Asp Thr Ala Leu Lys Thr Ala Asn Ala Gly Tyr Leu Thr Arg
2150 2155 2160

Lys Leu Ile Asp Val Ser Gln Asn Val Lys Val Val Ser Asp Asp
2165 2170 2175

Cys Gly Thr His Glu Gly Ile Glu Ile Thr Asp Ile Ala Val Gly
2180 2185 2190

Ser Glu Leu Ile Glu Pro Leu Glu Glu Arg Ile Phe Gly Arg Val
2195 2200 2205

Leu Leu Glu Asp Val Ile Asp Pro Ile Thr Asn Glu Ile Leu Leu
2210 2215 2220

Tyr Ala Asp Thr Leu Ile Asp Glu Glu Gly Ala Lys Lys Val Val
2225 2230 2235

Glu Ala Gly Ile Lys Ser Ile Thr Ile Arg Thr Pro Val Thr Cys
2240 2245 2250

Lys Ala Pro Lys Gly Val Cys Ala Lys Cys Tyr Gly Leu Asn Leu
2255 2260 2265

Gly Glu Gly Lys Met Ser Tyr Pro Gly Glu Ala Val Gly Val Val
2270 2275 2280

Ala Ala Gln Ser Ile Gly Glu Pro Gly Thr Gln Leu Thr Leu Arg
2285 2290 2295

Thr Phe His Val Gly Gly Thr Ala Ser Arg Ser Gln Asp Glu Arg
2300 2305 2310

Hp 04-04-03.ST251

Glu Ile Val Ala Ser Lys Glu Gly Phe Val Arg Phe Tyr Asn Leu
 2315 2320 2325
 Arg Thr Tyr Thr Asn Lys Glu Gly Lys Asn Ile Ile Ala Asn Arg
 2330 2335 2340
 Arg Asn Ala Ser Ile Leu Val Val Glu Pro Lys Ile Lys Ala Pro
 2345 2350 2355
 Phe Asp Gly Glu Leu Arg Ile Glu Thr Val Tyr Glu Glu Val Val
 2360 2365 2370
 Val Ser Val Lys Asn Gly Asp Gln Glu Ala Lys Phe Val Leu Arg
 2375 2380 2385
 Arg Ser Asp Ile Val Lys Pro Ser Glu Leu Ala Gly Val Gly Gly
 2390 2395 2400
 Lys Ile Glu Gly Lys Val Tyr Leu Pro Tyr Ala Ser Gly His Lys
 2405 2410 2415
 Val His Lys Gly Gly Ser Ile Ala Asp Ile Ile Gln Glu Gly Trp
 2420 2425 2430
 Asn Val Pro Asn Arg Ile Pro Tyr Ala Ser Glu Leu Leu Val Lys
 2435 2440 2445
 Asp Asn Asp Pro Ile Ala Gln Asp Val Tyr Ala Lys Glu Lys Gly
 2450 2455 2460
 Val Ile Lys Tyr Tyr Val Leu Glu Ala Asn His Leu Glu Arg Thr
 2465 2470 2475
 His Gly Ile Lys Lys Gly Asp Met Val Ser Glu Lys Gly Leu Phe
 2480 2485 2490
 Ala Val Ile Ala Asp Asp Asn Gly Arg Glu Ala Ala Arg His Tyr
 2495 2500 2505
 Ile Ala Arg Gly Ser Glu Ile Leu Ile Asp Asp Asn Ser Glu Val
 2510 2515 2520
 Ser Thr Asn Ser Val Ile Ser Lys Pro Thr Thr Asn Thr Phe Lys
 2525 2530 2535
 Thr Ile Ala Thr Trp Asp Pro Tyr Asn Thr Pro Ile Ile Ala Asp
 2540 2545 2550
 Phe Lys Gly Lys Val Gly Phe Val Asp Val Ile Ala Gly Val Thr
 2555 2560 2565

Val Ala Glu Lys Glu Asp Glu Asn Thr Gly Ile Thr Ser Leu Val
 2570 2575 2580
 Val Asn Asp Tyr Ile Pro Ser Gly Tyr Lys Pro Ser Leu Phe Leu
 2585 2590 2595
 Glu Gly Ala Asn Gly Glu Glu Met Arg Tyr Phe Leu Glu Pro Lys
 2600 2605 2610
 Thr Ser Ile Ala Ile Ser Asp Gly Ser Ser Val Glu Gln Ala Glu
 2615 2620 2625
 Val Leu Ala Lys Ile Pro Lys Ala Thr Val Lys Ser Arg Asp Ile
 2630 2635 2640
 Thr Gly Gly Leu Pro Arg Val Ser Glu Leu Phe Glu Ala Arg Lys
 2645 2650 2655
 Pro Lys Pro Lys Asp Val Ala Ile Leu Ser Glu Val Asp Gly Ile
 2660 2665 2670
 Val Ser Phe Gly Lys Pro Ile Arg Asn Lys Glu His Ile Ile Val
 2675 2680 2685
 Thr Ser Lys Asp Gly Arg Ser Met Asp Tyr Phe Val Asp Lys Gly
 2690 2695 2700
 Lys Gln Ile Leu Val His Ala Asp Glu Phe Val His Ala Gly Glu
 2705 2710 2715
 Ala Met Thr Asp Gly Val Ile Ser Ser His Asp Ile Leu Arg Ile
 2720 2725 2730
 Ser Gly Glu Lys Glu Leu Tyr Lys Tyr Ile Val Ser Glu Val Gln
 2735 2740 2745
 Gln Val Tyr Arg Arg Gln Gly Val Ser Ile Ala Asp Lys His Ile
 2750 2755 2760
 Glu Ile Ile Val Ser Gln Met Leu Arg Gln Val Arg Ile Leu Asp
 2765 2770 2775
 Ser Gly Asp Ser Lys Phe Ile Glu Gly Asp Leu Val Ser Lys Lys
 2780 2785 2790
 Leu Phe Lys Glu Glu Asn Ala Arg Val Ile Ala Leu Lys Gly Glu
 2795 2800 2805
 Pro Ala Ile Ala Glu Pro Val Leu Leu Gly Ile Thr Arg Ala Ala
 2810 2815 2820

Hp 04-04-03.ST251

Ile Gly Ser Asp Ser Ile Ile Ser Ala Ala Ser Phe Gln Glu Thr
2825 2830 2835

Thr Lys Val Leu Thr Glu Ala Ser Ile Ala Met Lys Lys Asp Phe
2840 2845 2850

Leu Glu Asp Leu Lys Glu Asn Val Val Leu Gly Arg Met Ile Pro
2855 2860 2865

Val Gly Thr Gly Met Tyr Lys Asn Lys Lys Ile Val Leu Arg Ala
2870 2875 2880

Leu Glu Asp Asn Ser Lys Phe
2885 2890

<210> 280

<211> 399

<212> PRT

<213> Helicobacter pylori

<400> 280

Met Ala Lys Glu Lys Phe Asn Arg Thr Lys Pro His Val Asn Ile Gly
1 5 10 15

Thr Ile Gly His Val Asp His Gly Lys Thr Thr Leu Ser Ala Ala Ile
20 25 30

Ser Ala Val Leu Ser Leu Lys Gly Leu Ala Glu Met Lys Asp Tyr Asp
35 40 45

Asn Ile Asp Asn Ala Pro Glu Glu Lys Glu Arg Gly Ile Thr Ile Ala
50 55 60

Thr Ser His Ile Glu Tyr Glu Thr Glu Asn Arg His Tyr Ala His Val
65 70 75 80

Asp Cys Pro Gly His Ala Asp Tyr Val Lys Asn Met Ile Thr Gly Ala
85 90 95

Ala Gln Met Asp Gly Ala Ile Leu Val Val Ser Ala Ala Asp Gly Pro
100 105 110

Met Pro Gln Thr Arg Glu His Ile Leu Leu Ser Arg Gln Val Gly Val
115 120 125

Pro His Ile Val Val Phe Leu Asn Lys Gln Asp Met Val Asp Asp Gln
130 135 140

Glu Leu Leu Glu Leu Val Glu Met Glu Val Arg Glu Leu Leu Ser Ala
145 150 155 160

Tyr Glu Phe Pro Gly Asp Asp Thr Pro Ile Val Ala Gly Ser Ala Leu
165 170 175

Arg Ala Leu Glu Glu Ala Lys Ala Gly Asn Val Gly Glu Trp Gly Glu
180 185 190

Lys Val Leu Lys Leu Met Ala Glu Val Asp Ala Tyr Ile Pro Thr Pro
195 200 205

Glu Arg Asp Thr Glu Lys Thr Phe Leu Met Pro Val Glu Asp Val Phe
210 215 220

Ser Ile Ala Gly Arg Gly Thr Val Val Thr Gly Arg Ile Glu Arg Gly
225 230 235 240

Val Val Lys Val Gly Asp Glu Val Glu Ile Val Gly Ile Arg Pro Thr
245 250 255

Gln Lys Thr Thr Val Thr Gly Val Glu Met Phe Arg Lys Glu Leu Glu
260 265 270

Lys Gly Glu Ala Gly Asp Asn Val Gly Val Leu Leu Arg Gly Thr Lys
275 280 285

Lys Glu Glu Val Glu Arg Gly Met Val Leu Cys Lys Pro Gly Ser Ile
290 295 300

Thr Pro His Lys Lys Phe Glu Gly Glu Ile Tyr Val Leu Ser Lys Glu
305 310 315 320

Glu Gly Gly Arg His Thr Pro Phe Phe Thr Asn Tyr Arg Pro Gln Phe
325 330 335

Tyr Val Arg Thr Thr Asp Val Thr Gly Ser Ile Thr Leu Pro Glu Gly
340 345 350

Val Glu Met Val Met Pro Gly Asp Asn Val Lys Ile Thr Val Glu Leu
355 360 365

Ile Ser Pro Val Ala Leu Glu Leu Gly Thr Lys Phe Ala Ile Arg Glu
370 375 380

Gly Gly Arg Thr Val Gly Ala Gly Val Val Ser Asn Ile Ile Glu
385 390 395

<210> 281

<211> 405

<212> PRT

<213> Helicobacter pylori

<400> 281

Val Leu Ile Val Gln Lys Tyr Gly Gly Thr Ser Met Gly Ser Ile Glu
1 5 10 15

Arg Ile His Asn Val Ala Gln Arg Val Leu Glu Ser Val Thr Leu Gly
20 25 30

His Gln Val Val Val Val Val Ser Ala Met Ser Gly Glu Thr Asp Arg
35 40 45

Leu Leu Glu Phe Gly Lys Asn Phe Ser His Asn Pro Asn Lys Arg Glu
50 55 60

Met Asp Arg Ile Val Ser Val Gly Glu Leu Val Ser Ser Ala Ala Leu
65 70 75 80

Ser Met Ala Leu Glu Arg Tyr Gly His Arg Ala Ile Ser Leu Ser Gly
85 90 95

Lys Glu Ala Gly Ile Leu Thr Ser Ser His Phe Gln Asn Ala Val Ile
100 105 110

Gln Ser Ile Asp Thr Lys Arg Ile Thr Glu Leu Leu Glu Lys Asn Tyr
115 120 125

Ile Val Val Ile Ala Gly Phe Gln Gly Ala Asp Ile Gln Gly Glu Thr
130 135 140

Thr Thr Leu Gly Arg Gly Gly Ser Asp Leu Ser Ala Val Ala Leu Ala
145 150 155 160

Gly Ala Leu Lys Ala His Leu Cys Glu Ile Tyr Thr Asp Val Asp Gly
165 170 175

Val Tyr Thr Thr Asp Pro Arg Ile Glu Glu Lys Ala Gln Lys Ile Ala
180 185 190

Gln Ile Ser Tyr Asp Glu Met Leu Glu Leu Ala Ser Met Gly Ala Lys
195 200 205

Val Leu Leu Asn Arg Ser Val Glu Leu Ala Lys Lys Leu Ser Val Lys
210 215 220

Leu Val Thr Arg Asn Ser Phe Asn His Ser Glu Gly Thr Leu Ile Val
225 230 235 240

Ala Glu Lys Asp Phe Lys Gly Glu Arg Met Glu Thr Pro Ile Val Ser
245 250 255

Gly Ile Ala Leu Asp Lys Asn Gln Ala Arg Val Ser Met Glu Gly Val
260 265 270

Glu Asp Arg Pro Gly Ile Ala Ala Glu Ile Phe Gly Ala Leu Ala Glu
275 280 285

Tyr Arg Ile Asn Val Asp Met Ile Val Gln Thr Ile Gly Arg Asp Gly
290 295 300

Lys Thr Asp Leu Asp Phe Thr Ile Val Lys Thr Gln Ile Glu Glu Thr
305 310 315 320

Lys Gln Ala Leu Lys Pro Phe Leu Ala Gln Met Asp Ser Ile Asp Tyr
325 330 335

Asp Glu Asn Ile Ala Lys Val Ser Ile Val Gly Val Gly Met Lys Ser
340 345 350

His Ser Gly Val Ala Ser Ile Ala Phe Lys Ala Leu Ala Lys Asp Asn
355 360 365

Ile Asn Ile Met Met Ile Ser Thr Ser Glu Ile Lys Ile Ser Val Leu
370 375 380

Ile Asp Ile Lys Tyr Ala Glu Leu Ala Val Arg Thr Leu His Ala Val
385 390 395 400

Tyr Gln Leu Asp Gln
405

<210> 282

<211> 733

<212> PRT

<213> Helicobacter pylori

<400> 282

Met Lys Lys His Ile Leu Ser Leu Ala Leu Gly Ser Leu Leu Val Ser
1 5 10 15

Thr Leu Ser Ala Glu Asp Asp Gly Phe Tyr Thr Ser Val Gly Tyr Gln
20 25 30

Ile Gly Glu Ala Ala Gln Met Val Thr Asn Thr Lys Gly Ile Gln Gln
35 40 45

Leu Ser Asp Asn Tyr Glu Asn Leu Asn Asn Leu Leu Thr Arg Tyr Ser
 50 55 60
 Thr Leu Asn Thr Leu Ile Lys Leu Ser Ala Asp Pro Ser Ala Ile Asn
 65 70 75 80
 Ala Val Arg Glu Asn Leu Gly Ala Ser Ala Lys Asn Leu Ile Gly Asp
 85 90 95
 Lys Ala Asn Ser Pro Ala Tyr Gln Ala Val Leu Leu Ala Ile Asn Ala
 100 105 110
 Ala Val Gly Phe Trp Asn Val Val Gly Tyr Val Thr Gln Cys Gly Gly
 115 120 125
 Asn Ala Asn Gly Gln Glu Ser Thr Ser Ser Thr Thr Ile Phe Asn Asn
 130 135 140
 Glu Pro Gly Tyr Arg Ser Thr Ser Ile Thr Cys Ser Leu Asn Gly His
 145 150 155 160
 Lys Pro Gly Tyr Tyr Gly Pro Met Ser Ile Glu Asn Phe Lys Lys Leu
 165 170 175
 Asn Glu Ala Tyr Gln Ile Leu Gln Thr Ala Leu Lys Asn Gly Leu Pro
 180 185 190
 Ala Leu Lys Glu Asn Asn Gly Lys Val Ser Val Thr Tyr Thr Tyr Thr
 195 200 205
 Cys Ser Gly Gln Gly Asn Asn Asn Cys Ser Pro Ser Val Asn Gly Thr
 210 215 220
 Lys Thr Thr Thr Gln Thr Ile Asp Gly Lys Ser Val Thr Thr Thr Ile
 225 230 235 240
 Ser Ser Lys Val Val Gly Ser Ile Ala Ser Gly Asn Thr Ser His Val
 245 250 255
 Ile Thr Asn Lys Leu Asp Gly Val Pro Asp Ser Ala Gln Ala Leu Leu
 260 265 270
 Ala Gln Ala Ser Thr Leu Ile Asn Thr Ile Asn Glu Ala Cys Pro Tyr
 275 280 285
 Phe His Ala Thr Asn Ser Ser Glu Ala Asn Ala Pro Lys Phe Ser Thr
 290 295 300
 Thr Thr Gly Lys Ile Cys Gly Ala Phe Ser Glu Glu Ile Ser Ala Ile
 305 310 315 320

Gln Lys Met Ile Thr Asp Ala Gln Glu Leu Val Asn Gln Thr Ser Val
325 330 335

Ile Asn Ser Asn Glu Gln Ser Thr Pro Val Gly Asn Asn Asn Gly Lys
340 345 350

Pro Phe Asn Pro Phe Thr Asp Ala Ser Phe Ala Gln Gly Met Leu Ala
355 360 365

Asn Ala Ser Ala Gln Ala Lys Met Leu Asn Leu Ala His Gln Val Gly
370 375 380

Gln Ala Ile Asn Pro Glu Asn Leu Ser Glu Asn Phe Lys Asn Phe Val
385 390 395 400

Thr Gly Phe Leu Ala Thr Cys Asn Asn Lys Ser Thr Ala Gly Thr Gly
405 410 415

Gly Thr Gln Gly Ser Ala Pro Gly Thr Val Thr Thr Gln Thr Phe Ala
420 425 430

Ser Gly Cys Ala Tyr Val Glu Gln Thr Leu Thr Asn Leu Gly Asn Ser
435 440 445

Ile Ala His Phe Gly Thr Gln Glu Gln Gln Ile Gln Gln Ala Glu Asn
450 455 460

Ile Ala Asp Thr Leu Val Asn Phe Lys Ser Arg Tyr Ser Glu Leu Gly
465 470 475 480

Asn Thr Tyr Asn Ser Ile Thr Thr Ala Leu Ser Lys Val Pro Asn Ala
485 490 495

Gln Ser Leu Gln Asn Val Val Ser Lys Lys Asn Asn Pro Tyr Ser Pro
500 505 510

Gln Gly Ile Glu Thr Asn Tyr Tyr Leu Asn Gln Asn Ser Tyr Asn Gln
515 520 525

Ile Gln Thr Ile Asn Gln Glu Leu Gly Arg Asn Pro Phe Arg Lys Val
530 535 540

Gly Ile Val Asn Ser Gln Thr Asn Asn Gly Ala Met Asn Gly Ile Gly
545 550 555 560

Ile Gln Val Gly Tyr Lys Gln Phe Phe Gly Gln Lys Arg Lys Trp Gly
565 570 575

Ala Arg Tyr Tyr Gly Phe Phe Asp Tyr Asn His Ala Phe Ile Lys Ser
580 585 590

Ser Phe Phe Asn Ser Ala Ser Asp Val Trp Thr Tyr Gly Phe Gly Ala
595 600 605

Asp Ala Leu Tyr Asn Phe Ile Asn Asp Lys Ala Thr Asn Phe Leu Gly
610 615 620

Lys Asn Asn Lys Leu Ser Leu Gly Leu Phe Gly Gly Ile Ala Leu Ala
625 630 635 640

Gly Thr Ser Trp Leu Asn Ser Glu Tyr Val Asn Leu Ala Thr Val Asn
645 650 655

Asn Val Tyr Asn Ala Lys Met Asn Val Ala Asn Phe Gln Phe Leu Phe
660 665 670

Asn Met Gly Val Arg Met Asn Leu Ala Arg Ser Lys Lys Lys Gly Ser
675 680 685

Asp His Ala Ala Gln His Gly Ile Glu Leu Gly Leu Lys Ile Pro Thr
690 695 700

Ile Asn Thr Asn Tyr Tyr Ser Phe Met Gly Ala Glu Leu Lys Tyr Arg
705 710 715 720

Arg Leu Tyr Ser Val Tyr Leu Asn Tyr Val Phe Ala Tyr
725 730

<210> 283

<211> 240

<212> PRT

<213> Helicobacter pylori

<400> 283

Leu Asp Ser Phe His Ser Phe Asn Gln His Ala Phe Asn Arg His Ala
1 5 10 15

Lys Thr Tyr His Leu Phe Ala His Ile Gln Gln Gln Ile Ala Ile Cys
20 25 30

Leu Val Gln Phe Leu Lys Gln Lys His Tyr Ala Lys Val Leu Asp Leu
35 40 45

Gly Ser Gly Ser Gly Ala Val Phe Asn Ala Leu Glu Arg Gln Asn Ile
50 55 60

Leu Ile Glu Glu Phe Ile Ala Leu Asp Asn Ser Ile Asn Met Leu Lys
65 70 75 80

Hp 04-04-03.ST251

Leu His Pro Thr His Ser Ile Asn Ile Gln Lys Ile Ser Leu Glu His
85 90 95

Ala Asp Phe Glu Glu His Val Phe Cys Thr Tyr Asp Leu Val Val Ser
100 105 110

Ser Ser Ser Leu Gln Trp Ala Arg Asp Leu Lys Ser Val Leu Glu Lys
115 120 125

Ile Ala Leu Ser Ser Lys Glu Val Ala Leu Ala Ile His Thr Asp Phe
130 135 140

Ser Leu His Glu Val His Glu Phe Leu Gly Thr Pro Ser Pro Leu Arg
145 150 155 160

Asp Leu Lys Thr Leu Lys Ser Leu Ile Lys Asn Ala Phe Lys His Phe
165 170 175

Gln Ile Glu Leu Glu Asn Lys Arg Phe Ala Leu Tyr Phe Asn Arg Lys
180 185 190

Gln Asp Cys Leu Asn Tyr Leu Lys Lys Cys Gly Leu Leu Gly Gly Ser
195 200 205

Thr Leu Ser Phe Lys Gln Lys Lys His Phe Phe Gln Asn Met Ala Phe
210 215 220

Glu Lys Leu Ser Tyr Glu Val Leu Leu Phe Ser Gly Ile Lys Arg Ser
225 230 235 240

<210> 284

<211> 328

<212> PRT

<213> Helicobacter pylori

<400> 284

Leu Ser Gly Phe Asn Pro Leu Asn Ser Pro Leu Val Ala Ser Ser Ser
1 5 10 15

Leu Ser Leu Lys Glu Ala Tyr Tyr Leu Glu Lys Leu Ser Leu Lys Lys
20 25 30

Gly Phe Lys Ile His Tyr Lys Met Thr Lys Asp Ser Leu Asn Leu Leu
35 40 45

Glu Lys Ser Asp Leu Cys Val Leu Phe Gly Gly Phe Ser Asn Ala Cys
50 55 60

Leu Asn Glu Asn Glu Arg Trp Ile Leu Glu Ser Ile Ser His Ser Lys
65 70 75 80

Arg Pro Tyr Ala Leu Leu Arg Pro Leu Gln Asp Thr Arg Asp Leu Gln
85 90 95

Glu Asn Cys Leu Phe Ala Ser Tyr Glu Ile His Thr Glu Ala Ala Ile
100 105 110

Leu Ala Leu Ile Leu Arg Gly Ile Leu Glu Gln Thr Ser Gln Leu Lys
115 120 125

Gly His Val Leu Glu Lys Ile Asp Val Gly Tyr Leu Ser Ser Glu Ala
130 135 140

Asn Met Ser Glu Glu Glu Leu Gln Glu Leu Ile Ala Leu Ile Val Lys
145 150 155 160

Ala Lys Lys Arg Ala Leu Val Leu Asn Arg Glu Ile Thr Lys His Ala
165 170 175

Asn Asn Ala Phe Leu Tyr Thr Leu Leu Ser Glu Leu Gln Asn Tyr Leu
180 185 190

Glu Ile Leu His Ile Pro Cys Tyr Asp Ser Ser Ala Thr Thr Ala Phe
195 200 205

Tyr Asp Phe Lys Asp Gln Glu Trp Leu Leu Glu Thr Ala Phe Lys Glu
210 215 220

Gly Ile Leu Pro Phe Lys Ser Gln Leu Gln Ser Lys Asp Leu Glu Leu
225 230 235 240

Leu Glu Arg Ile Ser Glu Ala Asn Gly Ser Phe Val Tyr Val Ser Tyr
245 250 255

Lys Ser Leu Glu Thr Pro Lys Leu Ser Phe Ser Lys Gln Phe Lys Ile
260 265 270

Ala Asn Lys Ile Glu His Ser Lys Ala Gly Phe Gln Ile Ser Asn Gln
275 280 285

Thr Leu Glu Cys Glu Leu Glu Glu Asn Pro His Leu Lys Gly Leu Ile
290 295 300

Ala Ile Leu Glu Gly Ala Phe Phe Asp Ala Tyr Pro Tyr Ile Pro Ile
305 310 315 320

Leu Ser His Ser Gln Gly Ile Ser
325

<210> 285

<211> 500

<212> PRT

<213> Helicobacter pylori

<400> 285

Met Ile Ser Leu Ile Glu Lys Ala Pro Tyr Ile Pro Tyr Pro Leu Ala
1 5 10 15

Leu Tyr Glu Lys Leu Glu Gln Pro His Thr Leu Leu Phe Glu Ser Ala
20 25 30

Glu Ile Glu Ser Lys Ala His Thr Lys Ser Leu Leu Met Ala Lys Ala
35 40 45

Cys Leu Lys Leu Ile Cys Asn His Asn Ile Val Thr Ile Thr Ser Leu
50 55 60

Thr Pro Asn Gly Gly Ala Phe Leu Gln Lys Leu Ser Ala Phe Phe Lys
65 70 75 80

Thr Pro Ile Gln Asp Asn Ala Leu Ile Leu Thr Tyr Thr Lys Asn Lys
85 90 95

Lys Thr Gln Asp Glu Phe Leu Lys Leu Phe Glu Pro Ser Pro Phe Asp
100 105 110

Ala Leu Arg Gly Leu Phe Lys Ser Val Lys Thr Lys Pro Lys His Pro
115 120 125

Phe Thr Leu Leu Ser Ala Gly Val Phe Ser Phe Glu Met Leu Asn Phe
130 135 140

Phe Glu Asp Leu Pro His Leu Lys Ala Lys Asp Asn Thr Val His Asp
145 150 155 160

Phe Ile Phe Tyr Leu Ala Gln Asn Leu Ile Ile Ile Asp His Lys Glu
165 170 175

Lys Ser Val Glu Ile Leu Gly Ala Cys Phe Asp Glu Arg Phe Lys Thr
180 185 190

Glu Ile Ala Gln Glu Leu Gln Asp Leu Lys Glu Leu Ala Lys Ser Ile
195 200 205

Lys Ser Asp Phe Val Pro Lys Lys Ser Lys Gln Ser Arg Glu Val Ser
210 215 220

Ala Asn Cys Ser Asp Ser Glu Phe Glu Lys Arg Val Leu Ser Leu Gln
 225 230 235 240

Glu Glu Ile Lys Lys Gly Glu Ile Phe Gln Ala Val Leu Ser Arg Ser
 245 250 255

Phe Tyr Met Glu Cys Leu Glu Gly Leu Ser Ala Tyr Tyr His Leu Lys
 260 265 270

Leu Thr Asn Pro Ser Pro Tyr Met Phe Tyr Ile Lys Asp Ser Asp Phe
 275 280 285

Ile Leu Phe Gly Ala Ser Pro Glu Ser Ala Leu Lys Tyr Asn Ala Leu
 290 295 300

Thr Asn Thr Ala Glu Ile Tyr Pro Ile Ala Gly Thr Arg Leu Arg Gly
 305 310 315 320

Lys Asp Lys Gln Gly Asn Ile Asp Tyr Asp Leu Asp Ser Lys Met Glu
 325 330 335

Phe Asp Leu Gln His Asp Tyr Lys Glu Arg Ala Glu His Ile Met Leu
 340 345 350

Val Asp Leu Ala Arg Asn Asp Met Ala Arg Val Ser Lys Lys Arg Tyr
 355 360 365

Cys Asp Lys Leu Leu Lys Val Asp Lys Tyr Ser Asn Val Met His Leu
 370 375 380

Val Ser Arg Val Val Gly Glu Leu Lys Lys Gly Cys Asp Ser Leu His
 385 390 395 400

Ala Tyr Arg Ser Phe Met Asn Ala Gly Thr Leu Ser Gly Ala Pro Lys
 405 410 415

Ile Ser Ala Ile Arg Leu Ile Tyr Gln Leu Glu Asn Gln Arg Arg Gly
 420 425 430

Ser Tyr Gly Gly Ser Val Gly Tyr Leu Asn Ser Glu Gly Ser Met Asp
 435 440 445

Ser Cys Ile Thr Ile Arg Ser Cys Phe Val Lys Asn Asn Arg Ala Val
 450 455 460

Ile Gln Ala Gly Ala Gly Ile Val Leu Asp Ser Val Pro Gln Asn Glu
 465 470 475 480

Ala Asn Glu Thr Arg Ala Lys Ala Gln Ala Leu Ile Asp Ala Ile Arg
 485 490 495

Lys Thr Ser Leu
500

<210> 286

<211> 1035

<212> PRT

<213> Helicobacter pylori

<400> 286

Met Ile Glu Lys Ile Ile Asp Leu Ser Val Lys Asn Lys Leu Leu Thr
1 5 10 15

Thr Leu Val Thr Leu Leu Ile Phe Leu Ala Ser Leu Trp Ala Ile Lys
20 25 30

Ser Val Arg Leu Asp Ala Leu Pro Asp Leu Ser Pro Ala Gln Val Val
35 40 45

Val Gln Ile Thr Tyr Pro Asn Gln Ser Pro Lys Ile Val Gln Glu Gln
50 55 60

Val Thr Tyr Pro Leu Val Ser Thr Phe Met Ser Ile Ala Asn Ile Asp
65 70 75 80

Thr Val Arg Gly Ile Ser Ser Tyr Glu Ser Gly Leu Ile Tyr Ile Ile
85 90 95

Phe Lys Asp Gly Val Asn Leu Tyr Trp Ala Arg Asp Arg Val Leu Glu
100 105 110

Gln Leu Asn Arg Val Ser Asn Leu Pro Lys Asp Ala Lys Val Glu Ile
115 120 125

Gly Ser Asp Ser Thr Ser Ile Gly Trp Ala Tyr Gln Tyr Ala Leu Ser
130 135 140

Ser Asp Ser Lys Asn Leu Ser Asp Leu Lys Val Leu Gln Asp Phe Tyr
145 150 155 160

Tyr Arg Tyr Ala Leu Leu Gly Val Asp Gly Val Ser Glu Val Ala Ser
165 170 175

Val Gly Gly Phe Val Lys Asp Tyr Glu Val Thr Leu Gln Asn Asp Ser
180 185 190

Leu Ile Arg Tyr Asn Leu Ser Leu Glu Gln Val Ala Asn Ala Ile Lys
195 200 205

Asn Ser Asn Asn Asp Thr Gly Gly Gly Val Ile Leu Glu Asn Gly Phe
210 215 220

Glu Lys Ile Ile Arg Ser His Gly Tyr Ile Gln Ser Leu Lys Asp Leu
225 230 235 240

Glu Glu Ile Val Val Lys Lys Glu Gly Ala Ile Pro Leu Lys Ile Lys
245 250 255

Asp Ile Ala Ser Val Arg Leu Thr Pro Lys Pro Arg Arg Gly Ala Ala
260 265 270

Asn Leu Asn Gly Asp Lys Glu Val Val Gly Gly Ile Val Met Val Arg
275 280 285

Tyr His Ala Asp Thr Tyr Lys Val Leu Lys Ala Ile Lys Glu Lys Ile
290 295 300

Ala Thr Leu Gln Ala Ser Asn Pro Asp Val Lys Ile Thr Ser Val Tyr
305 310 315 320

Asp Arg Ser Glu Leu Ile Glu Lys Gly Ile Asp Asn Leu Ile His Thr
325 330 335

Leu Ile Glu Glu Ser Val Ile Val Leu Val Ile Ile Ala Ile Phe Leu
340 345 350

Leu His Phe Arg Ser Ala Leu Val Val Ile Ile Thr Leu Pro Leu Ser
355 360 365

Val Cys Ile Ser Phe Leu Leu Met Arg Tyr Phe Asn Ile Glu Ala Ser
370 375 380

Ile Met Ser Leu Gly Gly Ile Ala Ile Ala Ile Gly Ala Met Val Asp
385 390 395 400

Ala Ala Ile Val Met Val Glu Asn Ala His Lys His Leu Gln His Ile
405 410 415

Asp Val Lys Asp Asn Ala Gln Arg Val Asn Gly Ile Ile Glu Gly Val
420 425 430

Lys His Val Gly Gly Ala Ile Phe Phe Ala Leu Met Ile Ile Val Val
435 440 445

Ser Phe Leu Pro Ile Phe Ala Leu Thr Gly Gln Glu Glu Lys Leu Phe
450 455 460

Ala Pro Leu Ala Tyr Thr Lys Thr Phe Ala Met Leu Val Gly Ala Leu
465 470 475 480

Leu Ser Ile Thr Met Val Pro Ile Leu Met Val Trp Leu Ile Lys Gly
485 490 495

Arg Ile Leu Glu Glu Ser Lys Asn Pro Ile Asn Ala Phe Phe Met Lys
500 505 510

Ile Tyr Gly Val Ser Leu Asn Val Val Leu Lys Phe Arg Tyr Ala Phe
515 520 525

Leu Ile Ala Ser Val Leu Gly Leu Gly Gly Leu Tyr Val Ala Tyr Lys
530 535 540

Lys Leu Asn Trp Glu Phe Ile Pro Gln Ile Asn Glu Gly Val Val Met
545 550 555 560

Tyr Met Pro Val Thr Ile Asn Gly Val Ser Ile Asp Thr Ala Leu Glu
565 570 575

Tyr Leu Lys Lys Ser Asn Ser Ala Ile Lys Arg Leu Asp Phe Val Lys
580 585 590

Gln Val Phe Gly Lys Val Gly Arg Ala Asn Thr Ser Thr Asp Ala Ala
595 600 605

Gly Leu Ser Met Ile Glu Thr Tyr Ile Glu Leu Lys Pro Gln Asn Glu
610 615 620

Trp Lys Glu Lys Leu Ser Tyr Lys Glu Val Arg Asp Lys Leu Glu Lys
625 630 635 640

Thr Leu Gln Leu Lys Gly Leu Thr Asn Ser Trp Thr Tyr Pro Ile Arg
645 650 655

Gly Arg Thr Asp Met Leu Leu Thr Gly Ile Arg Thr Pro Leu Gly Ile
660 665 670

Lys Leu Tyr Gly Asn Asp Thr Asp Lys Leu Gln Glu Leu Ala Ile Leu
675 680 685

Met Glu Gln Gln Leu Lys Thr Leu Lys Glu Ser Leu Ser Val Phe Ala
690 695 700

Glu Arg Ser Asn Asn Gly Tyr Tyr Ile Thr Leu Asp Leu Asn Asp Glu
705 710 715 720

Asn Leu Ala Arg Tyr Gly Ile Asn Lys Lys Ala Val Leu Asp Ala Ile
725 730 735

Lys Phe Ala Leu Gly Gly Ala Thr Leu Thr Thr Met Ile Lys Gly Val
740 745 750

Glu Asn Tyr Pro Ile Ser Leu Arg Leu Glu Asp Thr Glu Arg Asn Thr
755 760 765

Ile Glu Lys Leu Lys Asn Leu Tyr Ile Lys Thr Ala Tyr Asn Tyr Met
770 775 780

Pro Leu Arg Glu Leu Ala Arg Ile Tyr Tyr Asp Asn Ser Pro Ala Val
785 790 795 800

Leu Lys Ser Glu Lys Gly Leu Asn Val Asn Phe Ile Tyr Ile Val Pro
805 810 815

Gln Asn Gly Ile Ser Ser Asp Ala Tyr Arg Gln Leu Ala Gln Lys Ala
820 825 830

Leu Glu Lys Ile Gln Leu Pro Asn Gly Tyr Tyr Tyr Glu Phe Ser Gly
835 840 845

Glu Ser Gln Tyr Leu Glu Glu Ala Phe Lys Thr Leu Gln Tyr Ile Val
850 855 860

Pro Val Ser Val Phe Ile Ile Phe Ile Leu Ile Val Phe Ala Leu Lys
865 870 875 880

Asn Leu Thr Asn Ser Leu Leu Cys Phe Phe Thr Leu Pro Phe Ala Phe
885 890 895

Leu Gly Gly Leu Ile Phe Met Asn Leu Met Gly Phe Asn Met Ser Val
900 905 910

Ala Ala Leu Val Gly Phe Leu Ala Leu Leu Gly Val Ala Ser Glu Thr
915 920 925

Ala Ile Val Met Ile Ile Tyr Leu Glu Asp Ala Phe Gln Lys Phe Ile
930 935 940

Lys Thr Pro Leu Lys Glu Gln Asn Ser Thr Thr Leu Lys Glu Ala Ile
945 950 955 960

Met His Gly Ala Val Leu Arg Val Arg Pro Lys Leu Met Thr Phe Phe
965 970 975

Ser Ile Leu Ala Ser Leu Ile Pro Ile Met Tyr Ser His Gly Thr Gly
980 985 990

Ser Glu Ile Met Lys Ser Ile Ala Ala Pro Met Leu Gly Gly Met Ile
995 1000 1005

Ser Ser Val Val Leu Thr Leu Phe Ile Ile Pro Thr Ala Tyr Phe
1010 1015 1020

Val Ile Lys Asn Ala Gly Ile Lys Ser Asn Gln Thr
1025 1030 1035

<210> 287

<211> 166

<212> PRT

<213> Helicobacter pylori

<400> 287

Met Ser Val Ser His Val Ala Leu Ile Leu Arg Lys Leu Phe Tyr His
1 5 10 15

Arg Gln Gly Val Phe Met Gly Gly Phe Ser Val Gly Met Leu Lys Asp
20 25 30

Tyr Val Asp Ile Phe Val Phe Ala Val Leu Gly Val Ala Ser Phe Leu
35 40 45

Ala Leu Trp Phe Ala Ile Glu Arg Val Ile Phe Tyr Ser Lys Val Asp
50 55 60

Leu Lys Ala Tyr Asp Asp Ile Asp Ala Leu Asn Leu Asp Leu Thr Lys
65 70 75 80

Asn Leu Thr Ile Leu Tyr Val Ile Phe Ser Asn Ala Pro Tyr Val Gly
85 90 95

Leu Leu Gly Thr Val Leu Gly Ile Met Val Ile Phe Tyr Asp Met Gly
100 105 110

Val Ser Gly Gly Met Asp Ala Lys Thr Ile Met Val Gly Leu Ser Leu
115 120 125

Ala Leu Lys Ala Thr Ala Leu Gly Leu Ala Val Ala Ile Pro Thr Leu
130 135 140

Ile Ala Tyr Asn Ser Leu Leu Arg Lys Ser Asp Val Leu Ser Glu Lys
145 150 155 160

Phe Arg Ile Met Lys Lys
165

<210> 288

<211> 285

<212> PRT

<213> Helicobacter pylori

<400> 288

Met Lys Ile Ser Pro Ser Pro Arg Lys Leu Ser Lys Val Ser Thr Ser
 1 5 10 15

Val Ser Phe Leu Ile Ser Phe Ala Leu Tyr Ala Ile Gly Phe Gly Tyr
 20 25 30

Phe Leu Leu Arg Glu Asp Ala Pro Glu Pro Leu Ala Gln Ala Gly Thr
 35 40 45

Thr Lys Val Thr Met Ser Leu Ala Ser Ile Asn Thr Asn Ser Asn Thr
 50 55 60

Lys Thr Asn Ala Glu Ser Ala Lys Pro Lys Glu Glu Pro Lys Glu Lys
 65 70 75 80

Pro Lys Lys Glu Glu Pro Lys Lys Glu Glu Pro Lys Lys Glu Val Thr
 85 90 95

Lys Pro Lys Pro Lys Pro Lys Pro Lys Pro Lys Pro Lys Pro Lys Pro
 100 105 110

Lys Pro Glu Pro Lys Pro Glu Pro Lys Pro Glu Pro Lys Pro Glu Pro
 115 120 125

Lys Val Glu Glu Val Lys Lys Glu Glu Pro Lys Glu Glu Pro Lys Lys
 130 135 140

Glu Glu Ala Lys Glu Glu Ala Lys Glu Lys Ser Ala Pro Lys Gln Val
 145 150 155 160

Thr Thr Lys Asp Ile Val Lys Glu Lys Asp Lys Gln Glu Glu Ser Asn
 165 170 175

Lys Thr Ser Glu Gly Ala Thr Ser Glu Ala Gln Ala Tyr Asn Pro Gly
 180 185 190

Val Ser Asn Glu Phe Leu Met Lys Ile Gln Thr Ala Ile Ser Ser Lys
 195 200 205

Asn Arg Tyr Pro Lys Met Ala Gln Ile Arg Gly Ile Glu Gly Glu Val
 210 215 220

Leu Val Ser Phe Thr Ile Asn Ala Asp Gly Ser Val Thr Asp Ile Lys
 225 230 235 240

Val Val Lys Ser Asn Thr Thr Asp Ile Leu Asn His Ala Ala Leu Glu
 245 250 255

Ala Ile Lys Ser Ala Ala His Leu Phe Pro Lys Pro Glu Glu Thr Val
260 265 270

His Leu Lys Ile Pro Ile Ala Tyr Ser Leu Lys Glu Asp
275 280 285

<210> 289

<211> 691

<212> PRT

<213> Helicobacter pylori

<400> 289

Met Lys Lys Ser Leu Leu Leu Ser Leu Ser Leu Ile Ala Ser Leu Ser
1 5 10 15

Arg Ala Glu Asp Asp Gly Phe Tyr Thr Ser Val Gly Tyr Gln Ile Gly
20 25 30

Glu Ala Val Gln Gln Val Lys Asn Thr Gly Ala Leu Gln Asn Leu Ala
35 40 45

Asp Arg Tyr Asp Asn Leu Asn Asn Leu Leu Asn Gln Tyr Asn Tyr Leu
50 55 60

Asn Ser Leu Val Asn Leu Ala Ser Thr Pro Ser Ala Ile Thr Gly Ala
65 70 75 80

Ile Asp Asn Leu Ser Ser Ser Ala Ile Asn Leu Thr Ser Ala Thr Thr
85 90 95

Thr Ser Pro Ala Tyr Gln Ala Val Ala Leu Ala Leu Asn Ala Ala Val
100 105 110

Gly Met Trp Gln Val Ile Ala Leu Phe Ile Gly Cys Gly Pro Gly Pro
115 120 125

Thr Asn Asn Gln Ser Tyr Gln Ser Phe Gly Asn Thr Pro Ala Leu Asn
130 135 140

Gly Thr Thr Thr Thr Cys Asn Gln Ala Tyr Gly Thr Gly Pro Asn Gly
145 150 155 160

Ile Leu Ser Ile Asp Glu Tyr Gln Lys Leu Asn Gln Ala Tyr Gln Ile
165 170 175

Ile Gln Thr Ala Leu Asn Gln Asn Gln Gly Gly Gly Met Pro Ala Leu
180 185 190

Asn Asp Thr Thr Lys Thr Gly Val Val Asn Ile Gln Gln Thr Asn Tyr
 195 200 205
 Arg Thr Thr Thr Gln Asn Asn Ile Ile Glu His Tyr Tyr Thr Glu Asn
 210 215 220
 Gly Lys Glu Ile Pro Val Ser Tyr Ser Gly Gly Ser Ser Phe Ser Pro
 225 230 235 240
 Thr Ile Gln Leu Thr Tyr His Asn Asn Ala Glu Asn Leu Leu Gln Gln
 245 250 255
 Ala Ala Thr Ile Met Gln Val Leu Ile Thr Gln Lys Pro His Val Gln
 260 265 270
 Thr Ser Asn Gly Gly Lys Ala Trp Gly Leu Ser Ser Thr Pro Gly Asn
 275 280 285
 Val Met Asp Ile Phe Gly Pro Ser Phe Asn Ala Ile Asn Glu Met Ile
 290 295 300
 Lys Asn Ala Gln Thr Ala Leu Ala Lys Thr Gln Gln Leu Asn Ala Asn
 305 310 315 320
 Glu Asn Ala Gln Ile Thr Gln Pro Asn Asn Phe Asn Pro Tyr Thr Ser
 325 330 335
 Lys Asp Lys Gly Phe Ala Gln Glu Met Leu Asn Arg Ala Glu Ala Gln
 340 345 350
 Ala Glu Ile Leu Asn Leu Ala Lys Gln Val Ala Asn Asn Phe His Ser
 355 360 365
 Ile Gln Gly Pro Ile Gln Gly Asp Leu Glu Glu Cys Lys Ala Gly Ser
 370 375 380
 Ala Gly Val Ile Thr Asn Asn Thr Trp Gly Ser Gly Cys Ala Phe Val
 385 390 395 400
 Lys Glu Thr Leu Asn Ser Leu Glu Gln His Thr Ala Tyr Tyr Gly Asn
 405 410 415
 Gln Val Asn Gln Asp Arg Ala Leu Ala Gln Thr Ile Leu Asn Phe Lys
 420 425 430
 Glu Ala Leu Asn Thr Leu Asn Lys Asp Ser Lys Ala Ile Asn Ser Gly
 435 440 445
 Ile Ser Asn Leu Pro Asn Ala Lys Ser Leu Gln Asn Met Thr His Ala
 450 455 460

Thr Gln Asn Pro Asn Ser Pro Glu Gly Leu Leu Thr Tyr Ser Leu Asp
465 470 475 480

Ser Ser Lys Tyr Asn Gln Leu Gln Thr Ile Ala Gln Glu Leu Gly Lys
485 490 495

Asn Pro Phe Arg Arg Phe Gly Val Ile Asp Phe Gln Asn Asn Asn Gly
500 505 510

Ala Met Asn Gly Ile Gly Val Gln Val Gly Tyr Lys Gln Phe Phe Gly
515 520 525

Lys Lys Arg Asn Trp Gly Leu Arg Tyr Tyr Gly Phe Phe Asp Tyr Asn
530 535 540

His Ala Tyr Ile Lys Ser Asn Phe Phe Asn Ser Ala Ser Asp Val Trp
545 550 555 560

Thr Tyr Gly Val Gly Met Asp Ala Leu Tyr Asn Phe Ile Asn Asp Lys
565 570 575

Asn Thr Asn Phe Leu Gly Lys Asn Asn Lys Leu Ser Val Gly Leu Phe
580 585 590

Gly Gly Phe Ala Leu Ala Gly Thr Ser Trp Leu Asn Ser Gln Gln Val
595 600 605

Asn Leu Thr Met Met Asn Gly Ile Tyr Asn Ala Asn Val Ser Thr Ser
610 615 620

Asn Phe Gln Phe Leu Phe Asp Leu Gly Leu Arg Met Asn Leu Ala Arg
625 630 635 640

Pro Lys Lys Lys Asp Ser Asp His Ala Ala Gln His Gly Ile Glu Leu
645 650 655

Gly Phe Lys Ile Pro Thr Ile Asn Thr Asn Tyr Tyr Ser Phe Met Gly
660 665 670

Ala Lys Leu Glu Tyr Arg Arg Met Tyr Ser Leu Phe Leu Asn Tyr Val
675 680 685

Phe Ala Tyr
690

<210> 290

<211> 402

<212> PRT

<213> Helicobacter pylori

<400> 290

Met Leu Ala Lys Met Ser Phe Met Gln Asn Val Lys Asn Ile Gln Glu
 1 5 10 15

Val Glu Val Ser His Lys Arg Val Leu Ile Arg Val Asp Phe Asn Val
 20 25 30

Pro Leu Asp Glu Asn Leu Asn Ile Thr Asp Asp Thr Arg Ile Arg Glu
 35 40 45

Ser Leu Pro Thr Ile Gln Tyr Cys Ile Asp Asn Lys Ala Lys Asp Ile
 50 55 60

Ile Leu Val Ser His Leu Gly Arg Pro Lys Gly Val Glu Glu Lys Leu
 65 70 75 80

Ser Leu Lys Pro Phe Leu Lys Arg Leu Glu Arg Leu Leu Asn His Glu
 85 90 95

Val Val Phe Ser Gln Asn Ile Val Gln Leu Lys Gln Ala Leu Asn Glu
 100 105 110

Asn Ala Pro Thr Arg Ile Phe Leu Leu Glu Asn Ile Arg Phe Leu Arg
 115 120 125

Gly Glu Glu Glu Asn Asp Glu Asn Leu Ala Lys Asp Leu Ala Ser Leu
 130 135 140

Cys Asp Val Phe Val Asn Asp Ala Phe Gly Thr Ser His Arg Lys His
 145 150 155 160

Ala Ser Thr Tyr Gly Thr Ala Lys Phe Ala Pro Ile Lys Val Ser Gly
 165 170 175

Phe Leu Leu Lys Lys Glu Ile Asp Ser Phe Tyr Gln Ala Phe Asn His
 180 185 190

Pro Leu Arg Pro Leu Leu Leu Ile Val Gly Gly Ala Lys Val Ser Ser
 195 200 205

Lys Leu Thr Leu Leu Lys Asn Ile Leu Asp Leu Ile Asp Lys Leu Ile
 210 215 220

Ile Ala Gly Ala Met Ser Asn Thr Phe Leu Lys Ala Leu Gly Tyr Asp
 225 230 235 240

Val Gln Asp Ser Ser Val Glu Asp Ala Leu Ile Asn Asp Ala Leu Glu
 245 250 255

Leu Leu Gln Ser Ala Lys Glu Lys Lys Val Lys Val Tyr Leu Pro Ile
260 265 270

Asp Ala Val Thr Thr Asp Asp Ile Leu Asn Pro Lys His Ile Lys Ile
275 280 285

Ser Pro Val Gln Asp Ile Glu Pro Lys His Lys Ile Ala Asp Ile Gly
290 295 300

Pro Ala Ser Leu Lys Leu Phe Ser Glu Val Ile Glu Ser Ala Pro Thr
305 310 315 320

Ile Leu Trp Asn Gly Pro Leu Gly Val His Glu Lys Gln Glu Phe Ala
325 330 335

Arg Gly Thr Thr Phe Leu Ala His Lys Ile Ala Asp Thr Tyr Ala Phe
340 345 350

Ser Leu Ile Gly Gly Gly Asp Thr Ile Asp Ala Ile Asn Arg Ala Gly
355 360 365

Glu Lys Asp Asn Met Ser Phe Ile Ser Thr Gly Gly Gly Ala Ser Leu
370 375 380

Glu Leu Leu Glu Gly Lys Ile Leu Pro Cys Phe Glu Val Leu Asp Lys
385 390 395 400

Arg His

<210> 291

<211> 459

<212> PRT

<213> Helicobacter pylori

<400> 291

Val Val Leu Leu Thr Met Thr Lys Arg Leu Phe Lys Gly Leu Leu Ala
1 5 10 15

Val Ser Leu Ala Val Ser Leu His Gly Gly Glu Val Lys Glu Lys Lys
20 25 30

Pro Val Lys Pro Val Lys Glu Asp Pro Gln Glu Leu Ala Ala Lys Arg
35 40 45

Val Glu Ala Phe Ser Arg Phe Ser Asn Val Val Ser Glu Ile Glu Lys
50 55 60

Lys Tyr Val Asp Lys Ile Ser Ile Ser Glu Ile Met Thr Lys Ala Ile
 65 70 75 80
 Glu Gly Leu Leu Ser Asn Leu Asp Ala His Ser Ala Tyr Leu Asn Glu
 85 90 95
 Lys Lys Phe Lys Glu Phe Gln Ala Gln Thr Glu Gly Glu Phe Gly Gly
 100 105 110
 Leu Gly Ile Thr Val Gly Met Arg Asp Gly Val Leu Thr Val Ile Ala
 115 120 125
 Pro Leu Glu Gly Thr Pro Ala Tyr Lys Ala Gly Val Lys Ser Gly Asp
 130 135 140
 Asn Ile Leu Lys Ile Asn Asn Glu Ser Thr Leu Ser Met Ser Ile Asp
 145 150 155 160
 Asp Ala Ile Asn Leu Met Arg Gly Lys Pro Lys Thr Pro Ile Gln Ile
 165 170 175
 Thr Val Val Arg Lys Asn Glu Pro Lys Pro Leu Val Phe Asn Ile Ile
 180 185 190
 Arg Asp Ile Ile Lys Leu Pro Ser Val Tyr Val Lys Lys Ile Lys Glu
 195 200 205
 Thr Pro Tyr Leu Tyr Val Arg Val Ser Gly Phe Asp Lys Asn Val Thr
 210 215 220
 Lys Ser Val Leu Glu Gly Leu Lys Ala Asn Pro Lys Ala Lys Gly Ile
 225 230 235 240
 Val Leu Asp Leu Arg Gly Asn Pro Gly Gly Leu Leu Asn Gln Ala Val
 245 250 255
 Gly Leu Ser Asn Leu Phe Ile Lys Glu Gly Val Leu Val Ser Gln Lys
 260 265 270
 Gly Lys Asn Lys Glu Glu Asn Leu Glu Tyr Lys Ala Asn Gly Arg Ala
 275 280 285
 Pro Tyr Thr Asn Leu Pro Ile Ala Val Leu Val Asn Gly Gly Ser Ala
 290 295 300
 Ser Ala Ser Glu Ile Val Ala Gly Ala Leu Gln Asp His Lys Arg Ala
 305 310 315 320
 Val Ile Ile Gly Glu Lys Thr Phe Gly Lys Gly Ser Val Gln Met Leu
 325 330 335

Leu Pro Val Asn Lys Asp Glu Ala Ile Lys Ile Thr Thr Ala Arg Tyr
340 345 350

Tyr Leu Pro Ser Gly Arg Thr Ile Gln Ala Lys Gly Ile Thr Pro Asp
355 360 365

Ile Val Ile Tyr Pro Gly Lys Val Pro Glu Asn Glu Asn Lys Phe Ser
370 375 380

Leu Lys Glu Ala Asp Leu Lys His His Leu Glu Gln Glu Leu Lys Lys
385 390 395 400

Ile Asp Asp Lys Thr Pro Asn Ser Lys Glu Ala Asp Lys Asp Lys Lys
405 410 415

Asn Glu Glu Glu Lys Glu Ile Thr Pro Lys Met Ile Asn Asp Asp Ile
420 425 430

Gln Leu Lys Thr Ala Ile Asp Ser Leu Lys Thr Trp Ser Ile Val Asp
435 440 445

Glu Lys Met Asp Glu Lys Ala Pro Lys Lys Lys
450 455

<210> 292

<211> 446

<212> PRT

<213> Helicobacter pylori

<400> 292

Met Asn Glu Thr Leu Tyr Cys Ser Phe Cys Lys Lys Pro Glu Ser Arg
1 5 10 15

Asp Pro Lys Lys Arg Arg Ile Ile Phe Ala Ser Asn Leu Asn Lys Asp
20 25 30

Val Cys Val Cys Glu Tyr Cys Ile Asp Val Met His Gly Glu Leu His
35 40 45

Lys Tyr Asp Asn Ser Leu Leu Ala Leu Lys Arg Asp Arg Leu Arg Arg
50 55 60

Met Glu Ser Ser Ala Tyr Glu Glu Glu Phe Leu Leu Ser Tyr Ile Pro
65 70 75 80

Ala Pro Lys Glu Leu Lys Ala Val Leu Asp Asn Tyr Val Ile Gly Gln
85 90 95

Glu Gln Ala Lys Lys Val Phe Ser Val Ala Val Tyr Asn His Tyr Lys
 100 105 110
 Arg Leu Ser Phe Lys Glu Lys Leu Lys Lys Gln Asp Asn Gln Asp Ser
 115 120 125
 Asn Val Glu Leu Glu His Leu Glu Glu Val Glu Leu Ser Lys Ser Asn
 130 135 140
 Ile Leu Leu Ile Gly Pro Thr Gly Ser Gly Lys Thr Leu Met Ala Gln
 145 150 155 160
 Thr Leu Ala Lys His Leu Asp Ile Pro Ile Ala Ile Ser Asp Ala Thr
 165 170 175
 Ser Leu Thr Glu Ala Gly Tyr Val Gly Glu Asp Val Glu Asn Ile Leu
 180 185 190
 Thr Arg Leu Leu Gln Ala Ser Asp Trp Asn Val Gln Lys Ala Gln Lys
 195 200 205
 Gly Ile Val Phe Ile Asp Glu Ile Asp Lys Ile Ser Arg Leu Ser Glu
 210 215 220
 Asn Arg Ser Ile Thr Arg Asp Val Ser Gly Glu Gly Val Gln Gln Ala
 225 230 235 240
 Leu Leu Lys Ile Val Glu Gly Ser Leu Val Asn Ile Pro Pro Lys Gly
 245 250 255
 Gly Arg Lys His Pro Glu Gly Asn Phe Ile Gln Ile Asp Thr Ser Asp
 260 265 270
 Ile Leu Phe Ile Cys Ala Gly Ala Phe Asp Gly Leu Ala Glu Ile Ile
 275 280 285
 Lys Lys Arg Thr Thr Gln Asn Val Leu Gly Phe Thr Gln Glu Lys Met
 290 295 300
 Ser Lys Lys Glu Gln Glu Ala Ile Leu His Leu Val Gln Thr His Asp
 305 310 315 320
 Leu Val Thr Tyr Gly Leu Ile Pro Glu Leu Ile Gly Arg Leu Pro Val
 325 330 335
 Leu Ser Thr Leu Asp Ser Ile Ser Leu Glu Ala Met Val Asp Ile Leu
 340 345 350
 Gln Lys Pro Lys Asn Ala Leu Ile Lys Gln Tyr Gln Gln Leu Phe Lys
 355 360 365

Met Asp Glu Val Asp Leu Ile Phe Glu Glu Glu Ala Ile Lys Glu Ile
370 375 380

Ala Gln Leu Ala Leu Glu Arg Lys Thr Gly Ala Arg Gly Leu Arg Ala
385 390 395 400

Ile Ile Glu Asp Phe Cys Leu Asp Ile Met Phe Asp Leu Pro Lys Leu
405 410 415

Lys Gly Ser Glu Val Arg Ile Thr Lys Asp Cys Val Leu Lys Gln Ala
420 425 430

Glu Pro Leu Ile Ile Ala Lys Thr His Ser Lys Ile Leu Pro
435 440 445

<210> 293

<211> 524

<212> PRT

<213> Helicobacter pylori

<400> 293

Met Arg Asp Phe Asn Asn Ala Gln Ile Thr Arg Leu Lys Val Arg Gln
1 5 10 15

Asn Ala Val Phe Glu Lys Leu Asp Leu Glu Phe Lys Asp Gly Leu Ser
20 25 30

Ala Ile Ser Gly Ala Ser Gly Val Gly Lys Ser Val Leu Ile Ala Ser
35 40 45

Leu Leu Gly Ala Phe Gly Leu Lys Glu Ser Asn Ala Ser Asn Ile Glu
50 55 60

Val Glu Leu Ile Ala Pro Phe Leu Asp Thr Glu Glu Tyr Gly Ile Phe
65 70 75 80

Arg Glu Asp Glu His Glu Pro Leu Val Ile Ser Val Ile Lys Lys Glu
85 90 95

Lys Thr Arg Tyr Phe Leu Asn Gln Thr Ser Leu Ser Lys Asn Thr Leu
100 105 110

Lys Ala Leu Leu Lys Gly Leu Ile Lys Arg Leu Ser Asn Asp Arg Phe
115 120 125

Ser Gln Asn Glu Leu Asn Asp Ile Leu Met Leu Ser Leu Leu Asp Gly
130 135 140

Tyr Ile Gln Asn Glu Asn Lys Ala Phe Ser Pro Leu Leu Gly Ala Leu
 145 150 155 160
 Glu Glu Lys Phe Thr Arg Leu Glu Lys Leu Glu Lys Glu Arg Arg Leu
 165 170 175
 Leu Glu Asp Lys Lys Arg Phe Gln Lys Asp Leu Glu Glu Arg Leu Asn
 180 185 190
 Phe Glu Lys Met Lys Leu Glu Arg Leu Asp Leu Lys Glu Asp Glu Tyr
 195 200 205
 Glu Arg Leu Leu Glu Gln Lys Lys Leu Leu Ser Ser Lys Glu Lys Leu
 210 215 220
 Asn Asp Lys Ile Ala Leu Ala Leu Glu Val Leu Glu Asn Thr His Lys
 225 230 235 240
 Ile Thr His Ala Leu Glu Ser Val Gly His Ser Ala Glu Phe Leu Lys
 245 250 255
 Ser Ala Leu Leu Glu Ala Ser Ala Leu Leu Glu Lys Glu Gln Ala Lys
 260 265 270
 Leu Glu Glu Cys Glu Arg Leu Asp Ile Glu Lys Val Leu Glu Arg Leu
 275 280 285
 Gly Met Leu Ser Gly Ile Ile Lys Asp Tyr Gly Ser Ile Met His Ala
 290 295 300
 Lys Glu Arg Leu Gly His Val Lys Asn Glu Leu His Asn Leu Lys Glu
 305 310 315 320
 Ile Asp Ser His Cys Glu Thr Tyr His Lys Glu Ile Glu Arg Leu Lys
 325 330 335
 Thr Glu Cys Leu Lys Leu Cys Glu Glu Ile Ser Gly Phe Arg Lys Glu
 340 345 350
 Tyr Leu Ala Gly Phe Asn Ala Leu Leu Ser Ala Lys Ala Lys Asp Leu
 355 360 365
 Leu Leu Lys Ser Pro Ser Leu Val Leu Glu Asp Ala Pro Met Ser Glu
 370 375 380
 Lys Gly Ala Gln Lys Leu Val Leu Asn Leu Gln Asn Ser Gln Leu Glu
 385 390 395 400
 Thr Leu Ser Ser Gly Glu Tyr Ser Arg Leu Arg Leu Ala Phe Met Leu
 405 410 415

Leu Glu Met Glu Phe Leu Lys Asp Phe Lys Gly Val Leu Val Leu Asp
420 425 430

Glu Met Asp Ser Asn Leu Ser Gly Glu Glu Ser Leu Ala Val Ser Lys
435 440 445

Ala Leu Glu Thr Leu Ser Ser His Ser Gln Ile Phe Ala Ile Ser His
450 455 460

Gln Val His Ile Pro Ala Leu Ala Lys Asn His Ile Leu Val Phe Lys
465 470 475 480

Glu Asn His Lys Ser Leu Ala Lys Thr Leu Asn Asn Glu Glu Arg Val
485 490 495

Leu Glu Ile Ala Arg Met Ile Gly Gly Ser Glu Asn Ile Glu Ser Ala
500 505 510

Ile Ser Phe Ala Lys Glu Lys Leu Lys Ala Gln Glu
515 520

<210> 294

<211> 161

<212> PRT

<213> Helicobacter pylori

<400> 294

Met Pro Asp Glu Leu Arg Ala Glu Lys Ser Phe Pro Ser Lys Pro Tyr
1 5 10 15

Asp Ser Leu Lys Asn Lys Ser Glu Phe Asp Arg Val Tyr Gln Lys Gly
20 25 30

Phe Lys Lys His Asn Pro Phe Phe Ser Leu Phe Val Leu Asp Leu Ser
35 40 45

Gln Glu Pro Pro Lys Glu Lys Ala Gly Phe Lys Asp Pro Leu Phe Cys
50 55 60

Arg Leu Lys Asp Lys Lys Thr Leu Tyr Leu Leu Gly Leu Ser Val Ser
65 70 75 80

Lys Lys Val Gly Asn Ala Val Lys Arg Asn Leu Ile Lys Arg Arg Leu
85 90 95

Arg Ser Leu Thr Leu Lys His Ala Ala Leu Cys Gln Gly Leu Ala Leu
100 105 110

Val Phe Val Pro Arg Ser Asp Cys Tyr His Leu Asp Phe Trp Ala Leu
115 120 125

Glu Lys His Phe Leu Glu Met Leu Thr Ser Ile Lys Asn Tyr Met Asn
130 135 140

Lys Ala Leu Lys Asp Leu Lys Lys Gly Ile Thr His Thr Tyr Ala Lys
145 150 155 160

Gln

<210> 295

<211> 746

<212> PRT

<213> Helicobacter pylori

<400> 295

Met Leu Lys Leu Ala Ser Lys Thr Ile Cys Leu Ser Leu Ile Gly Ser
1 5 10 15

Phe Thr Ala Val Glu Ala Phe Gln Lys His Gln Lys Asp Gly Phe Phe
20 25 30

Ile Glu Ala Gly Phe Glu Thr Gly Leu Leu Gln Gly Thr Gln Thr Lys
35 40 45

Glu Gln Thr Ile Ala Thr Thr Gln Glu Lys Pro Lys Pro Lys Pro Lys
50 55 60

Pro Lys Pro Ile Thr Pro Gln Ser Thr Tyr Gly Lys Tyr Tyr Ile Ser
65 70 75 80

Gln Ser Thr Val Leu Lys Asn Ala Thr Glu Leu Phe Ala Glu Asp Asn
85 90 95

Ile Thr Asn Leu Thr Phe Tyr Ser Leu Thr Pro Val Tyr Val Thr Ala
100 105 110

Tyr Asn Gln Glu Ser Ala Glu Glu Ala Gly Tyr Gly Asp Ser Ser Leu
115 120 125

Ile Met Ile Gln Asn Phe Leu Pro Tyr Asn Leu Asn Asn Ile Glu Leu
130 135 140

Ser Tyr Thr Asp Asn Gln Gly Asn Val Val Ser Leu Gly Val Ile Glu
145 150 155 160

Thr Ile Pro Lys Gln Ser Gln Ile Ile Leu Pro Ala Ser Leu Phe Asn
165 170 175

Asp Pro Gln Leu Asn Ala Asp Gly Phe Gln Gln Leu Gln Thr Ala Thr
180 185 190

Thr Arg Phe Ser Asp Ala Ser Thr Gln Asn Leu Phe Asp Lys Leu Ser
195 200 205

Lys Val Thr Thr Asn Leu Gln Met Thr Tyr Ile Asn Tyr Asn Gln Phe
210 215 220

Ser Ser Gly Asn Gly Ser Gly Ser Lys Pro Pro Cys Pro Pro Tyr Glu
225 230 235 240

Asn Gln Glu Asn Cys Thr Ala Lys Val Pro Pro Phe Thr Ser Gln Asp
245 250 255

Ala Lys Asn Leu Thr Asn Leu Met Leu Asn Met Met Ala Val Phe Asp
260 265 270

Ser Lys Ser Trp Glu Asp Ala Val Lys Asn Ala Pro Phe Gln Phe Ser
275 280 285

Asp Asn Asn Leu Ser Ala Pro Cys Tyr Ser Asn Tyr Ser Thr Cys Val
290 295 300

Asn Pro Tyr Asn Asp Gly Leu Val Asp Pro Lys Leu Ile Ala Lys Asn
305 310 315 320

Lys Gly Asp Glu Tyr Asn Ile Glu Asn Gly Gln Thr Gly Ser Val Ile
325 330 335

Leu Thr Pro Gln Asp Val Ile Tyr Ser Tyr Arg Val Thr Asn Asn Leu
340 345 350

Tyr Val Asn Leu Leu Pro Pro Arg Gly Gly Asp Leu Gly Leu Gly Ser
355 360 365

Gln Tyr Gly Gly Pro Asn Gly Pro Gly Asp Asp Gly Thr Asn Phe Gly
370 375 380

Ala Leu Gly Ile Leu Ser Pro Phe Leu Asp Pro Glu Ile Leu Phe Gly
385 390 395 400

Lys Glu Leu Asn Lys Val Ala Ile Met Gln Leu Arg Asp Ile Ile His
405 410 415

Glu Tyr Gly His Thr Leu Gly Tyr Thr His Asn Gly Asn Met Thr Tyr
420 425 430

Gln Arg Val Arg Met Cys Glu Glu Asn Asn Gly Pro Glu Glu Arg Cys
435 440 445

Lys Gly Gly Lys Ile Glu Gln Val Asp Gly Gln Glu Val Gln Val Phe
450 455 460

Asp Asn Gly His Glu Val Arg Asp Thr Asp Gly Ser Phe Tyr Asp Val
465 470 475 480

Cys Ser Arg Phe Gly Gly Gln Asn Gln Pro Ala Phe Pro Ser Ser Tyr
485 490 495

Pro Asn Ser Ile Tyr Thr Asp Cys Ser Gln Val Pro Ala Gly Leu Ile
500 505 510

Gly Val Thr Ser Ala Val Trp Gln Gln Leu Ile Asp Gln Asn Ala Leu
515 520 525

Pro Val Asp Tyr Thr Asn Leu Ser Ser Gln Thr Asn Tyr Leu Asn Ala
530 535 540

Ser Leu Asn Thr Gln Asp Phe Ala Thr Thr Met Leu Ser Ala Ile Ser
545 550 555 560

Gln Ser Leu Ser Ser Thr Arg Ser Ser Ala Thr Thr Tyr Arg Thr Ser
565 570 575

Lys Thr Ser Arg Pro Phe Gly Ala Pro Leu Leu Gly Val Asn Leu Lys
580 585 590

Met Gly Tyr Gln Lys Tyr Phe Asn Asp Tyr Leu Gly Leu Ser Ser Tyr
595 600 605

Gly Ile Ile Lys Tyr Asn Tyr Ala Gln Ala Asn Asn Glu Lys Ile Gln
610 615 620

Gln Leu Ser Tyr Gly Val Gly Met Asp Val Leu Phe Asp Phe Ile Thr
625 630 635 640

Asn Tyr Thr Asn Glu Lys Asn Pro Lys Asn Asn Leu Thr Lys Lys Val
645 650 655

Phe Thr Ser Ser Leu Gly Val Phe Gly Gly Leu Arg Gly Leu Tyr Asn
660 665 670

Ser Tyr Tyr Leu Leu Asn Gln Tyr Lys Gly Ser Gly Asn Leu Asn Val
675 680 685

Thr Gly Gly Leu Asn Tyr Arg Tyr Lys His Ser Lys Tyr Ser Val Gly
690 695 700

Ile Ser Val Pro Leu Val Gln Leu Lys Ser Arg Val Val Ser Ser Asp
705 710 715 720

Gly Ala Thr Thr Asn Ser Ile Thr Leu Asn Glu Gly Gly Ser His Phe
725 730 735

Lys Val Phe Phe Asn Tyr Gly Trp Ile Phe
740 745

<210> 296

<211> 303

<212> PRT

<213> Helicobacter pylori

<400> 296

Met Lys Lys Ile Ile Leu Ala Cys Leu Met Ala Phe Val Gly Ala Asn
1 5 10 15

Leu Ser Ala Glu Pro Lys Trp Tyr Ser Lys Ala Tyr Asn Lys Thr Asn
20 25 30

Thr Gln Lys Gly Tyr Leu Tyr Gly Ser Gly Ser Ala Thr Ser Lys Glu
35 40 45

Ala Ser Lys Gln Lys Ala Leu Ala Asp Leu Val Ala Ser Ile Ser Val
50 55 60

Val Val Asn Ser Gln Ile His Ile Gln Lys Ser Arg Val Asp Asn Lys
65 70 75 80

Leu Lys Ser Ser Asp Ser Gln Thr Ile Asn Leu Lys Thr Asp Asp Leu
85 90 95

Glu Leu Asn Asn Val Glu Ile Val Asn Gln Glu Val Gln Lys Gly Ile
100 105 110

Tyr Tyr Thr Arg Val Arg Ile Asn Gln Asn Leu Phe Leu Gln Gly Leu
115 120 125

Arg Asp Lys Tyr Asn Ala Leu Tyr Gly Gln Phe Ser Thr Leu Met Pro
130 135 140

Lys Val Cys Lys Gly Val Phe Leu Gln Gln Ser Lys Ser Met Gly Asp
145 150 155 160

Leu Leu Ala Lys Ala Met Pro Ile Glu Arg Ile Leu Lys Ala Tyr Ser
165 170 175

Val Pro Val Gly Ser Leu Glu Asn Tyr Glu Lys Ile Tyr Tyr Gln Asn
180 185 190

Ala Phe Lys Pro Lys Val Gln Ile Thr Phe Asp Asn Asn Gly Asp Ala
195 200 205

Glu Ile Lys Ser Ala Leu Ile Ser Ala Tyr Ala Arg Val Leu Thr Pro
210 215 220

Ser Asp Glu Glu Lys Leu Tyr Gln Ile Lys Asn Glu Val Phe Thr Asp
225 230 235 240

Ser Ala Asn Gly Ile Thr Arg Ile Arg Val Val Val Ser Ala Ser Asp
245 250 255

Cys Gln Gly Thr Pro Val Leu Asn Arg Ser Leu Glu Val Asp Glu Lys
260 265 270

Asn Lys Asn Phe Ala Ile Thr Arg Leu Gln Ser Leu Leu Tyr Lys Glu
275 280 285

Leu Lys Asp Tyr Ala Asn Lys Glu Gly Gln Gly Asn Thr Gly Leu
290 295 300

<210> 297

<211> 1211

<212> PRT

<213> Helicobacter pylori

<400> 297

Met Lys Glu Asn Lys Ala Phe Thr His Leu His Leu His Thr Glu Tyr
1 5 10 15

Ser Leu Leu Asp Gly Ala Asn Lys Ile Lys Ile Leu Ala Lys Arg Val
20 25 30

Lys Glu Leu Gly Met Lys Ser Val Ser Val Thr Asp His Gly Asn Met
35 40 45

Phe Gly Ala Ile Asp Phe Tyr Thr Ser Met Lys Lys Glu Gly Ile Lys
50 55 60

Pro Ile Ile Gly Met Glu Ala Tyr Ile His Asn Asp Asp Asn Leu Ser
65 70 75 80

ser Lys Glu Thr Lys Gln Arg Phe His Leu Cys Leu Phe Ala Lys Asn
85 90 95

Gln Glu Gly Tyr Glu Asn Leu Met Phe Leu Ser Ser Met Ala Tyr Leu
100 105 110

Glu Gly Phe Tyr Tyr Phe Pro Arg Ile Asn Lys Lys Leu Leu Lys Glu
115 120 125

His Ser Lys Gly Ile Ile Ala Ser Ser Ala Cys Leu Gln Gly Glu Val
130 135 140

Asn Tyr His Leu Asn Thr Asn Asn Glu Arg Asn Arg Lys Tyr Gly Ala
145 150 155 160

Lys Gly Tyr Asp Glu Ala Lys Lys Ile Ala Cys Glu Tyr Gln Glu Ile
165 170 175

Phe Glu Asp Asp Phe Tyr Leu Glu Ile Met Arg His Gly Ile Leu Asp
180 185 190

Gln Arg Phe Ile Asp Glu Gln Val Ile Lys Met Ser Leu Glu Thr Gly
195 200 205

Leu Lys Ile Ile Ala Thr Asn Asp Thr His Tyr Thr Met Pro Asn Asp
210 215 220

Ala Lys Ala Gln Glu Val Ala Met Cys Val Ala Met Gly Lys Thr Leu
225 230 235 240

Asn Asp Lys Gly Arg Leu Lys His Ser Val His Glu Phe Tyr Ile Lys
245 250 255

Ser Pro Glu Glu Met Ala Lys Leu Phe Ala Asp Ile Pro Glu Ala Leu
260 265 270

Glu Asn Thr Gln Glu Ile Ala Asp Lys Cys Val Leu Glu Ile Asp Leu
275 280 285

Lys Asp Asp Lys Lys Asn Pro Pro Thr Pro Pro Ser Phe Lys Phe Thr
290 295 300

Lys Ala Tyr Ala Gln Asn Glu Gly Leu Asn Phe Glu Asp Asp Ala Ser
305 310 315 320

Tyr Phe Ala Tyr Lys Ala Arg Glu Gly Leu Lys Glu Arg Leu Val Leu
325 330 335

Val Pro Lys Glu Lys His Asp Gln Tyr Lys Glu Arg Leu Glu Lys Glu
340 345 350

Ile Glu Val Ile Thr Asn Met Lys Phe Pro Gly Tyr Met Leu Ile Val
355 360 365

Trp Asp Phe Ile Arg Tyr Ala Lys Glu Met Gly Ile Pro Val Gly Pro
370 375 380

Gly Arg Gly Ser Ala Ala Gly Ser Leu Val Ala Phe Ala Leu Lys Ile
385 390 400

Thr Asp Ile Asp Pro Leu Lys Tyr Asp Leu Leu Phe Glu Arg Phe Leu
405 410 415

Asn Pro Glu Arg Ile Ser Met Pro Asp Ile Asp Thr Asp Phe Cys Gln
420 425 430

Arg Arg Arg Lys Glu Ile Ile Glu Tyr Met Ile Glu Lys Tyr Gly Lys
435 440 445

Tyr Asn Val Ala Gln Val Ile Thr Phe Asn Lys Met Leu Ala Lys Gly
450 455 460

Val Ile Arg Asp Val Ala Arg Val Leu Asp Met Pro Tyr Lys Glu Ala
465 470 475 480

Asp Asp Phe Ala Lys Leu Ile Pro Asn Arg Leu Gly Ile Thr Leu Lys
485 490 495

Gly Tyr Glu Lys Asn Gly Glu Phe Ile Glu Gly Ala Trp Glu Leu Glu
500 505 510

Pro Lys Ile Lys Glu Leu Val Glu Ser Asn Glu Leu Ala Lys Gln Val
515 520 525

Trp Glu Tyr Ser Leu Asn Leu Glu Asn Leu Asn Arg Asn Ala Gly Val
530 535 540

His Ala Ala Ala Leu Val Val Asp Ser Gln Lys Glu Leu Trp His Lys
545 550 555 560

Thr Pro Leu Phe Ala Ser Glu Lys Thr Gly Gly Ile Val Thr Gln Tyr
565 570 575

Ser Met Lys Tyr Leu Glu Pro Val Asp Leu Ile Lys Phe Asp Phe Leu
580 585 590

Gly Leu Lys Thr Leu Thr Val Ile Asp Asp Ala Leu Lys Ile Ile Lys
595 600 605

Thr Gln His Lys Ile Ser Val Asp Phe Leu Ser Leu Asp Met Asp Asp
610 615 620

Pro Lys Val Tyr Lys Thr Ile Gln Ser Gly Asp Thr Val Gly Ile Phe
625 630 635 640

Gln Ile Glu Ser Gly Met Phe Gln Gly Leu Asn Lys Arg Leu Arg Pro
645 650 655

Ser Ser Phe Glu Asp Ile Ile Ala Ile Ile Ala Leu Gly Arg Pro Gly
660 665 670

Pro Met Glu Ser Gly Met Val Asp Asp Phe Val Asn Arg Lys His Gly
675 680 685

Val Glu Pro Ile Ala Tyr Ala Phe Lys Glu Leu Glu Pro Ile Leu Lys
690 695 700

Pro Thr Tyr Gly Thr Ile Val Tyr Gln Glu Gln Val Met Gln Ile Val
705 710 715 720

Gln Thr Ile Gly Gly Phe Ser Leu Gly Glu Ala Asp Leu Ile Arg Arg
725 730 735

Ala Met Gly Lys Lys Asp Ala Gln Ile Met Ala Asp Asn Lys Ala Lys
740 745 750

Phe Val Glu Gly Ala Lys Asn Leu Gly His Asp Gly Gln Lys Ala Ala
755 760 765

Asn Leu Trp Asp Leu Ile Val Lys Phe Ala Gly Tyr Gly Phe Asn Lys
770 775 780

Ser His Ser Ala Ala Tyr Ala Met Ile Thr Phe Gln Thr Ala Tyr Leu
785 790 795 800

Lys Thr Tyr Tyr Lys His Glu Phe Met Ala Ala Met Leu Thr Ser Glu
805 810 815

Ser Asn Lys Ile Glu Ser Val Ala Arg Tyr Ile Asp Glu Val Arg Ala
820 825 830

Leu Glu Ile Glu Val Met Pro Pro His Ile Asn Ser Ser Met Gln Asp
835 840 845

Phe Ser Val Ala Glu Phe Lys Asn Gln Lys Gly Glu Leu Glu Lys Lys
850 855 860

Ile Val Phe Gly Leu Gly Ala Ile Lys Gly Val Gly Gly Glu Pro Ile
865 870 875 880

Lys Asn Ile Ile Glu Glu Arg Ala Lys Gly Asp Tyr Lys Ser Leu Glu
885 890 895

Asp Phe Ile Ser Arg Val Asp Phe Ser Lys Leu Thr Lys Lys Ser Leu
900 905 910

Glu Pro Leu Val Lys Ser Gly Ser Leu Asp Asn Leu Gly Tyr Thr Arg
915 920 925

Lys Thr Met Leu Ala Asn Leu Asp Leu Ile Cys Asp Ala Gly Arg Ala
930 935 940

Lys Asp Lys Ala Asn Glu Met Met Gln Gly Gly Asn Ser Leu Phe Gly
945 950 955 960

Ala Met Glu Gly Gly Thr Lys Glu Gln Val Val Leu Asp Met Ile Asp
965 970 975

Leu Gly Glu His Asp Ala Lys Thr Leu Leu Glu Cys Glu Tyr Glu Thr
980 985 990

Leu Gly Ile His Val Ser Gly Asn Pro Leu Asp Glu Phe Lys Glu Glu
995 1000 1005

Ile Lys Gly Phe Lys Asn Leu Val Lys Ser Ile Asp Ile Glu Glu
1010 1015 1020

Leu Glu Ile Gly Ser Gln Ala Tyr Leu Leu Gly Lys Ile Met Glu
1025 1030 1035

Val Lys Lys Lys Ile Gly Lys Arg Ser Gly Lys Pro Tyr Gly Ile
1040 1045 1050

Ala Asp Ile Leu Asp Arg Tyr Gly Lys Phe Glu Leu Met Leu Phe
1055 1060 1065

Glu Lys Gln Leu Asn Ala Leu Glu Glu Leu Asp Ile Asn Lys Pro
1070 1075 1080

Leu Val Phe Lys Cys Lys Ile Glu Glu Gln Glu Glu Val Val Arg
1085 1090 1095

Leu Arg Leu Phe Glu Ile Leu Asp Leu Glu Ser Ala Arg Glu Val
1100 1105 1110

Lys Ile Pro Lys Ala Arg Tyr Lys Asp Pro Glu Lys Gln Lys Glu
1115 1120 1125

Glu Val Arg Glu Ile Pro Pro Met Glu Met Leu Ala Ser Ser Ser
1130 1135 1140

Cys Ser Leu Ala Ile Val Leu Glu Asn Asp Val Lys Lys Glu Phe
1145 1150 1155

Leu Arg Gln Ile Lys Glu Ser Ala Leu Lys His Gln Gly Lys Arg
1160 1165 1170

Pro Leu Tyr Leu Ile Ile Lys Asp Lys Asp Lys Gln Phe Lys Ile
1175 1180 1185

Gln Ser Asp Leu Met Val Asn Glu Lys Ile Lys Asp Asp Phe Lys
1190 1195 1200

Gly Leu Glu Trp Arg Asp Leu Ala
1205 1210

<210> 298

<211> 186

<212> PRT

<213> Helicobacter pylori

<400> 298

Met Thr Leu Leu Val Gly Leu Gly Asn Pro Thr Leu Arg Tyr Ala His
1 5 10 15

Thr Arg His Asn Ala Gly Phe Asp Ile Leu Asp Ser Leu Val Ser Glu
20 25 30

Leu Asp Leu Ser Phe Thr Phe Ser Pro Lys His Asn Ala Phe Leu Cys
35 40 45

Val Tyr Lys Asp Phe Ile Phe Leu Lys Pro Gln Thr Tyr Met Asn Leu
50 55 60

Ser Gly Glu Ser Val Leu Ser Ala Lys Asn Phe Tyr Lys Thr Lys Glu
65 70 75 80

Leu Leu Ile Val His Asp Asp Leu Asp Leu Pro Leu Gly Val Val Arg
85 90 95

Phe Lys Asn Gly Gly Gly Asn Gly Gly His Asn Gly Leu Lys Ser Ile
100 105 110

Asp Leu Leu Cys Ser Asn Ser Tyr Tyr Arg Leu Arg Val Gly Ile Ser
115 120 125

Lys Gly Ile Gly Val Ile Glu His Val Leu Ser Lys Phe His Lys Asn
130 135 140

Glu Glu Pro Leu Lys Asn Ala Ala Phe Glu His Ala Lys Asn Ala Leu
145 150 155 160

Lys Phe Phe Ile Glu Ser His Asp Phe Asn Ala Met Gln Asn Arg Phe
165 170 175

Thr Leu Lys Lys Pro Leu Lys Ile Glu Ser
180 185

<210> 299

<211> 479

<212> PRT

<213> Helicobacter pylori

<400> 299

Met Lys Lys Ser Leu Cys Leu Ser Phe Phe Leu Thr Phe Ser Asn Pro
1 5 10 15

Leu Gln Ala Leu Val Ile Glu Leu Leu Glu Glu Ile Lys Thr Ser Pro
20 25 30

His Lys Gly Thr Phe Lys Ala Lys Val Leu Asp Ser Lys Lys Pro Arg
35 40 45

Gln Val Leu Gly Val Tyr Asn Ile Ser Pro His Lys Lys Leu Thr Leu
50 55 60

Thr Ile Thr His Ile Ser Thr Ala Ile Val Tyr Gln Pro Leu Asp Glu
65 70 75 80

Lys Leu Ser Leu Glu Thr Thr Leu Asn Pro Asn Arg Pro Thr Ile Pro
85 90 95

Arg Asn Thr Gln Ile Val Phe Ser Ser Lys Glu Leu Lys Glu Ser His
100 105 110

Pro His Gln Met Pro Ser Leu Asn Ala Pro Met Gln Lys Pro Gln Asn
115 120 125

Lys Pro His Ser Ser Gln Gln Pro Ser Gln Asn Phe Ser Tyr Pro Glu
130 135 140

Pro Lys Leu Gly Ser Lys Asn Ser Lys Asn Ser Leu Leu Gln Pro Leu
145 150 155 160

Ala Ile Pro Ser Lys Ile Ser Pro Thr Asn Glu Thr Gln Thr Pro Thr
165 170 175

Asn Asp Thr Lys Pro Pro Leu Lys His Ser Ser Glu Asp Gln Glu Ser
180 185 190

Asn Leu Phe Ile Thr Pro Pro Thr Glu Lys Thr Leu Pro Asn Asn Thr
195 200 205

Ser Asn Ala Asp Ile Ser Glu Asn Asn Glu Ser Asn Glu Asn Lys Asp
210 215 220

Asn Val Glu Lys Gln Ala Ile Arg Asp Ala Asn Ile Lys Glu Phe Ala
225 230 235 240

Cys Gly Lys Trp Val Tyr Asp Asp Glu Asn Leu Gln Ala Tyr Arg Pro
245 250 255

Ser Ile Leu Lys Arg Val Asp Glu Asp Lys Gln Thr Ala Thr Asp Ile
260 265 270

Thr Pro Cys Asp Tyr Ser Thr Ala Glu Asn Lys Ser Gly Lys Ile Ile
275 280 285

Thr Pro Tyr Thr Lys Ile Ser Val His Lys Thr Glu Pro Leu Glu Glu
290 295 300

Pro Gln Thr Phe Glu Ala Lys Asn Asn Phe Ala Ile Leu Gln Ala Arg
305 310 315 320

Ser Ser Thr Glu Lys Cys Lys Arg Ala Arg Ala Arg Lys Asp Gly Thr
325 330 335

Thr Arg Gln Cys Tyr Leu Ile Glu Glu Pro Leu Lys Gln Ala Trp Glu
340 345 350

Ser Glu Tyr Glu Ile Thr Thr Gln Leu Val Lys Ala Ile Tyr Glu Arg
355 360 365

Pro Lys Gln Asp Asp Gln Val Glu Pro Thr Phe Tyr Glu Thr Ser Glu
370 375 380

Leu Ala Tyr Ser Ser Thr Arg Lys Ser Glu Ile Thr His Asn Glu Leu
385 390 395 400

Asn Leu Asn Glu Lys Phe Met Glu Phe Val Glu Val Tyr Glu Gly His
405 410 415

Tyr Leu Asn Asp Ile Ile Lys Glu Ser Ser Glu Tyr Lys Glu Trp Val
420 425 430

Lys Asn His Val Arg Phe Lys Glu Gly Val Cys Met Ala Leu Glu Ile
435 440 445

Glu Glu Gln Pro Arg Ala Lys Ser Thr Pro Leu Ser Ile Glu Asn Ser
450 455 460

Arg Val Val Cys Val Lys Lys Gly Asn Tyr Leu Phe Asn Glu Val
465 470 475

<210> 300

<211> 271

<212> PRT

<213> Helicobacter pylori

<400> 300

Met Asn Ala Phe Lys Arg Ile Ile Ser Val Gly Val Ile Ala Leu Gly
1 5 10 15

Leu Phe Asn Leu Leu Asp Ala Lys His His Lys Glu Lys Lys Glu Asn
20 25 30

His Lys Ile Thr Arg Glu Leu Lys Val Gly Ala Asn Pro Val Pro His
35 40 45

Ala Gln Ile Leu Gln Ser Val Val Asp Asp Leu Lys Glu Lys Gly Ile
50 55 60

Lys Leu Val Ile Val Ser Phe Thr Asp Tyr Val Leu Pro Asn Leu Ala
65 70 75 80

Leu Asn Asp Gly Ser Leu Asp Ala Asn Tyr Phe Gln His Arg Pro Tyr
85 90 95

Leu Asp Arg Phe Asn Leu Asp Arg Lys Met His Leu Val Gly Leu Ala
100 105 110

Asn Ile His Val Glu Pro Leu Arg Phe Tyr Ser Gln Lys Ile Thr Asp
115 120 125

Ile Lys Asn Leu Lys Lys Gly Ser Val Ile Ala Val Pro Asn Asp Pro
130 135 140

Ala Asn Gln Gly Arg Ala Leu Ile Leu Leu His Lys Gln Gly Leu Ile
145 150 155 160

Ala Leu Lys Asp Pro Ser Asn Leu Tyr Ala Thr Glu Phe Asp Ile Val
165 170 175

Lys Asn Pro Tyr Asn Ile Lys Ile Lys Pro Leu Glu Ala Ala Leu Leu
180 185 190

Pro Lys Val Leu Gly Asp Val Asp Gly Ala Ile Ile Thr Gly Asn Tyr
195 200 205

Ala Leu Gln Ala Lys Leu Thr Gly Ala Leu Phe Ser Glu Asp Lys Asp
210 215 220

Ser Pro Tyr Ala Asn Leu Ile Ala Ala Arg Glu Asp Asn Ala Gln Asp
225 230 235 240

Glu Ala Ile Lys Thr Leu Ile Glu Ala Leu Gln Ser Glu Lys Thr Arg
245 250 255

Lys Phe Ile Leu Asp Thr Tyr Lys Gly Ala Ile Ile Pro Ala Phe
260 265 270

<210> 301

<211> 588

<212> PRT

<213> Helicobacter pylori

<400> 301

Met Lys Asn Leu Arg Tyr Lys Leu Leu Leu Phe Val Phe Ile Gly Phe
1 5 10 15

Trp Gly Leu Leu Ala Leu Asn Leu Phe Ile Leu Ser Val Lys Asn Gln
20 25 30

Glu Tyr Tyr Glu Lys Leu Ala Glu Arg Asn Met Thr Lys Lys Glu Phe
35 40 45

Leu Val Pro Thr Arg Gly Asn Ile Thr Asp Arg Asn Asp Glu Phe Leu
50 55 60

Ala Thr Asn Glu Leu Val Phe Gly Val Phe Leu Pro Ser Gly Leu Lys
65 70 75 80

Gln Lys Asp Leu Leu Glu Lys Ile Glu Ile Ile Gln Lys Phe Phe Pro
85 90 95

Asn Phe Ser Lys Glu Thr Leu Leu Asn Asn Tyr Gln Lys Glu Asn Ser
100 105 110

Leu Tyr Asn His Asn Leu Ile Lys Val Val Gly Phe Ile Pro Tyr Ala
115 120 125

Thr Met Gln Pro Leu Tyr Ala Lys Leu Ile Gln Thr Gln Gly Ile Phe
130 135 140

Ala Leu Pro Leu Asp Lys Arg Tyr Tyr Pro Asn Asn Ala Leu Ala Ser
145 150 155 160

His Val Leu Gly Tyr Val Gly Val Ala Ser Leu Gln Asp Leu Lys Asp
165 170 175

Asp Glu Glu Asn Gln Tyr Ser Gln Ile Val Gly Lys Thr Gly Ile Glu
 180 185 190
 Lys Glu Tyr Asn Lys Leu Leu Gln Gly Lys Val Gly Tyr Lys Ile Met
 195 200 205
 Arg Val Asn Ala Leu Asn Gln Glu Leu Ala Thr Leu Glu Val Val Leu
 210 215 220
 Pro Ser Thr Asn Asn His Leu Gln Leu Ser Leu Asp Lys Arg Leu Gln
 225 230 235 240
 Lys Glu Ala Asp Lys Leu Phe Glu Asn Lys Arg Gly Ala Ile Leu Val
 245 250 255
 Met Asp Ala Glu Asn Gly Glu Leu Leu Val Ala Gly Ser Tyr Pro Glu
 260 265 270
 Tyr Asn Leu Asn Asp Phe Val Gly Gly Ile Ser Gln Asp Lys Trp Gln
 275 280 285
 Lys Leu Gln Asp Asp Ile Tyr Asn Pro Leu Leu Asn Arg Phe Ala Asn
 290 295 300
 Ala Leu Tyr Pro Pro Gly Ser Val Val Lys Met Gly Val Gly Leu Ser
 305 310 315 320
 Phe Leu Glu Asn Leu His Ile Thr Glu Asn Thr Thr Ile Pro Thr Pro
 325 330 335
 Pro Phe Ile Glu Val Gly Lys His Lys Phe Arg Asp Trp Lys Lys Thr
 340 345 350
 Gly His Gly Asn Ser Asn Leu Tyr Lys Ala Ile Arg Glu Ser Val Asp
 355 360 365
 Val Tyr Phe Tyr Lys Phe Gly Leu Glu Ile Ser Ile Glu Lys Leu Ser
 370 375 380
 Lys Thr Leu Arg Glu Val Gly Phe Gly Glu Lys Thr Gly Val Asp Leu
 385 390 395 400
 Pro Asn Glu Phe Val Gly Ile Val Pro Asp Asn Leu Trp Lys Leu Lys
 405 410 415
 Arg Phe Asn Gln Asp Trp Arg Val Gly Asp Thr Leu Ile Thr Ala Ile
 420 425 430
 Gly Gln Gly Ser Phe Leu Ala Thr Pro Leu Gln Val Leu Ala Tyr Thr
 435 440 445

Gly Leu Ile Ala Thr Gly Lys Leu Ala Thr Pro His Phe Ala Ile Asn
450 455 460

Asn Lys Gln Pro Leu Lys Asp Pro Leu Asn Ser Phe Gln Lys Lys Lys
465 470 475 480

Leu Gln Ala Leu Arg Val Gly Met Tyr Glu Val Cys Asn His Lys Asp
485 490 495

Gly Thr Ala Tyr His Ser Thr Arg Gly Ser Lys Ile Thr Leu Ala Cys
500 505 510

Lys Thr Gly Thr Ala Gln Val Val Glu Ile Ala Gln Asn Ile Val Asn
515 520 525

Arg Met Lys Glu Lys Asp Met Glu Tyr Phe His Arg Ser His Ala Trp
530 535 540

Ile Thr Ala Phe Leu Pro Tyr Glu Lys Pro Lys Tyr Ala Ile Thr Ile
545 550 555 560

Leu Val Glu His Gly Glu Gly Gly Ser Lys Leu Gly Gly Leu Leu Val
565 570 575

Lys Met Ser Asn Lys Leu Tyr Glu Leu Gly Tyr Leu
580 585

<210> 302

<211> 206

<212> PRT

<213> Helicobacter pylori

<400> 302

Met Phe Ser Gly Leu Ile His Gln Ile Ala Lys Val Lys Ser Phe His
1 5 10 15

Asn Asn Ile Leu Asn Ile Glu Ser Asp Leu Asn Pro Lys Leu Gly Asp
20 25 30

Ser Ile Ala Ile Asn Gly Ala Cys Leu Thr Ala Ile Glu Ser Ser Lys
35 40 45

Thr His Phe Ser Val Glu Leu Ser Gln Lys Thr Gln Asn Ser Val Ala
50 55 60

Leu Glu Asn Tyr Lys Asp Leu Val His Ile Glu Pro Ala Leu Lys Ala
65 70 75 80

· Hp 04-04-03.ST251

Asp Ala Ser Leu Asp Gly His Phe Val Gln Gly His Ile Asp Ala Ile
85 90 95

Gly Val Ile Glu Lys Ile Ile His Asn Ala Asn Gln Val Asp Phe Phe
100 105 110

Ile Ser Ala Ser Glu Glu Thr Leu Leu Leu Cys Val Glu Gln Gly Ser
115 120 125

Ile Ala Val Asp Gly Val Ser Leu Thr Leu Ser Lys Val Glu Glu Lys
130 135 140

Gly Phe Trp Leu Thr Ile Ile Pro Tyr Thr Leu Glu Asn Thr Leu Phe
145 150 155 160

Lys Ala Tyr Lys Leu Lys Arg Arg Val Asn Ile Glu Thr Asp Met Leu
165 170 175

Val Arg Ser Val Ala Ser Ile Leu Lys Lys Thr Lys Gly Phe Glu Lys
180 185 190

Asn Phe Ser Trp Asn Glu Ala Asp Ala Leu Thr Leu Gly Tyr
195 200 205

<210> 303

<211> 40

<212> PRT

<213> Helicobacter pylori

<400> 303

Lys Lys Ser Glu Arg Phe Lys Ile Glu Leu Lys Pro Phe Lys Lys Arg
1 5 10 15

Pro Asn Arg Gly Ala His Arg Arg Ala Leu Phe Gln Ala Tyr Arg Ser
20 25 30

Gly Phe Ala Phe Arg Arg Ser His
35 40

<210> 304

<211> 17

<212> PRT

<213> Helicobacter pylori

<400> 304

Trp Phe Ala Lys Lys Asp Phe Ser Ala Trp Ser Ala Thr Lys Arg Ala
1 5 10 15

Phe

<210> 305

<211> 68

<212> PRT

<213> Helicobacter pylori

<400> 305

Asn Leu Gln Thr His Leu Lys Arg Leu Lys Arg Ser Glu Phe Val Gly
1 5 10 15

Gln Lys Gly Ile Arg Gly His Gly Glu Val Phe Phe Lys Arg Asn Phe
20 25 30

Asn Ala Gln Pro Tyr Leu Ile Gly Phe Thr Gly Leu Asp Phe Trp Gln
35 40 45

Thr Phe Arg Leu Ala Cys Glu Cys Asp Gly Phe Asp Cys His Gly Phe
50 55 60

Asn Gly Val Leu
65

<210> 306

<211> 29

<212> PRT

<213> Helicobacter pylori

<400> 306

Thr Gln Ala Ile Ile Leu Lys Lys Asn Gln Ala Trp Gly Arg Gly Trp
1 5 10 15

Ile Met Arg Gly Val Ala Ser Ile Ile Asn Ser Arg Glu
20 25

<210> 307

<211> 48

<212> PRT

<213> Helicobacter pylori

<400> 307

Ala Met Trp Ile Leu Leu Lys Thr Ser Lys Thr Arg Asn Ser Lys Lys
1 5 10 15

Ile Val Trp Asn Leu Ser Lys Gly Leu Met Ser Gln Ser Pro Leu Ser
20 25 30

Leu Pro Leu Phe Ile Thr Leu Gly Ala Leu Ser Pro Leu Lys Lys Lys
35 40 45

<210> 308

<211> 23

<212> PRT

<213> Helicobacter pylori

<400> 308

Lys Lys Lys Lys Ser Lys Asn Ser Lys Asn Ser Pro Trp Ala Trp Lys
1 5 10 15

Cys Leu Ser Met Cys Gly Val
20

<210> 309

<211> 31

<212> PRT

<213> Helicobacter pylori

<400> 309

Lys Lys Leu Ile Lys Ser Leu Ala Leu Lys Lys Asp Thr Ala Ile Val
1 5 10 15

Met Lys Ser Thr Pro Asn Thr Ala Lys Ser Gly Lys Ile Arg Ala
20 25 30

<210> 310

<211> 24

<212> PRT

<213> Helicobacter pylori

Hp 04-04-03.ST251

<400> 310

Arg Gly Ala Thr Pro Pro Arg Lys Lys Thr Leu Phe Leu Lys Lys Pro
1 5 10 15

Ser Val Leu Ser Arg Pro Asn Ser
20

<210> 311

<211> 18

<212> PRT

<213> Helicobacter pylori

<400> 311

Ser Ala Gln Pro Pro Ser Leu Lys Arg Ser Leu Gly Gly Leu Lys Ala
1 5 10 15

Met Ala

<210> 312

<211> 14

<212> PRT

<213> Helicobacter pylori

<400> 312

Lys His Asp His Gly Phe Trp Val Arg His Ser Arg Glu Phe
1 5 10

<210> 313

<211> 20

<212> PRT

<213> Helicobacter pylori

<400> 313

Ala Lys Asn Thr Ala Leu Lys Ser Leu Ala Leu Gly Ile Arg Ala Met
1 5 10 15

Ala Met Cys Met
20

<210> 314

<211> 63

<212> PRT

<213> Helicobacter pylori

<400> 314

Arg Phe Glu Arg Gln Asn Leu Ser Leu Arg Tyr Gly Ser Ile Gly Leu
1 5 10 15

Gln Gln Leu Phe Ile His Arg Lys Pro His Tyr Gln Asn Lys Ser Asn
20 25 30

Gly Asn Leu Cys Gly Phe Asp Tyr His His Arg Leu Ile Arg Ala Ser
35 40 45

Gln Trp Val Leu Gln His Ser Lys Ser Ala Gln Gln Thr Gln Arg
50 55 60

<210> 315

<211> 49

<212> PRT

<213> Helicobacter pylori

<400> 315

Ser Ser Val Ser Ser Lys Lys Pro Ala Lys Asn Ser Leu Thr Arg Phe
1 5 10 15

Leu Ser Ser Gln Gly Ile Ile Leu Thr Gly Ala Met Asn Thr Leu Lys
20 25 30

Thr Ile Cys Ile Ser Leu Asn Pro Cys Arg Leu Phe Tyr Met Pro Leu
35 40 45

Leu

<210> 316

<211> 34

<212> PRT

<213> Helicobacter pylori

<400> 316

Lys Trp Asn Ile Ser Thr Pro Lys Pro Pro Pro Lys Asn Gly Ala Ile
1 5 10 15

Gly Trp Gly Ile Ile Ser Leu Leu Ser Lys Thr Ile Leu Ile Ile Leu
20 25 30

Gly Ile

<210> 317

<211> 27

<212> PRT

<213> Helicobacter pylori

<400> 317

Lys Thr Arg Trp Ile Pro Thr Glu Lys Trp Arg Asn Ser Thr Met Glu
1 5 10 15

Ala Ala Arg Arg Pro Phe Phe Arg Pro Phe Asn
20 25

<210> 318

<211> 76

<212> PRT

<213> Helicobacter pylori

<400> 318

Lys Asn Phe Arg Ala His Asp Phe Phe Glu Arg Arg Asp Cys Gln Tyr
1 5 10 15

Phe Tyr Ser Val Trp Arg Arg Ala Met Gly Asp Ser Ser Ser Tyr His
20 25 30

Ala Ser Gly Trp Ala Lys Leu Arg Gly Gly Ser Gly Ser Gly Phe Tyr
35 40 45

Gly Tyr Arg Leu Gly Arg Cys Leu Asp Glu Tyr Asp Thr Ala Phe Leu
50 55 60

Gly Phe Ala Arg Phe Ser His Cys Gly Phe Gly Arg
65 70 75

<210> 319

<211> 24

<212> PRT

<213> Helicobacter pylori

<400> 319

Lys Ala Arg Leu Lys Arg Phe Gln Ile Ile Pro Leu Ile Ser Ala Glu
1 5 10 15

Lys Ala Met Leu Gln Ala Met Arg
20

<210> 320

<211> 17

<212> PRT

<213> Helicobacter pylori

<400> 320

Arg Ala Pro Phe Arg Arg Glu Pro Trp Arg Leu Gly Gly Cys Cys Asn
1 5 10 15

Leu

<210> 321

<211> 23

<212> PRT

<213> Helicobacter pylori

<400> 321

Phe Thr Arg His Lys Gln Thr Ser Arg Ser Lys Arg Ser Lys Ser Leu
1 5 10 15

Ser Val Lys Asn Gly Val Arg
20

<210> 322

<211> 26

<212> PRT

<213> Helicobacter pylori

<400> 322

Phe Phe Ser Tyr Ile Gln Tyr Glu Arg Arg Ser Ser Gly Tyr His Arg
1 5 10 15

Ala Trp Pro Phe Phe Arg Glu Arg Phe Asp
20 25

<210> 323

<211> 21

<212> PRT

<213> Helicobacter pylori

<400> 323

Arg Asp Leu Leu Ala Ile Pro Gln Arg Phe Ala Arg Lys Gln Ala Phe
1 5 10 15

Lys Lys Pro Ser Leu
20

<210> 324

<211> 11

<212> PRT

<213> Helicobacter pylori

<400> 324

Lys Ser Pro Lys Lys Ala Thr Lys Lys Arg Phe
1 5 10

<210> 325

<211> 13

<212> PRT

<213> Helicobacter pylori

<400> 325

Ala Leu Glu Gln Arg Asp Glu Arg Phe Thr Arg Gly Gly
1 5 10

<210> 326

<211> 101

<212> PRT

<213> Helicobacter pylori

Hp 04-04-03.ST251

<400> 326

Pro Ile Ser Cys Lys Ala Pro Lys Phe Val Val Ser Leu Cys Asn Ser
1 5 10 15

Gly Met Pro Leu Asp Leu Gly Pro Trp Lys Gly Lys Thr Ala Thr Lys
20 25 30

Ser Leu Ser Asn Ser Leu Phe Leu Lys Arg Ser Lys Asn Ser Leu Trp
35 40 45

Val Leu Lys Thr Ile Ala Leu Ala Leu Thr Phe Leu Cys Ser Ser Leu
50 55 60

Met Ala Glu Ile Leu Ile Thr Ala Leu Pro Lys Leu Pro Phe Lys Ile
65 70 75 80

Leu Ser Pro Pro Leu Ala Ala Lys Gly Ser Leu Thr Gly Arg Lys Ile
85 90 95

Ser Val Phe Arg Leu
100

<210> 327

<211> 15

<212> PRT

<213> Helicobacter pylori

<400> 327

Lys Ser Ile Thr Ser Arg Gln Ala Ile Lys Pro Ile Leu Arg Ala
1 5 10 15

<210> 328

<211> 38

<212> PRT

<213> Helicobacter pylori

<400> 328

Phe Lys Thr Leu Val Glu Leu Phe Lys Ser Gln Ile Pro Gly Ala Phe
1 5 10 15

Arg Lys His Ser His Pro Arg His Ser Asn Phe Ser Val Phe Lys Lys
20 25 30

Ser Gly Lys Ser Gly Val
35

<210> 329

<211> 31

<212> PRT

<213> Helicobacter pylori

<400> 329

Asn Ala Ile Met Lys Pro Lys Lys Pro Gln Tyr Leu Lys Asn Ser Leu
1 5 10 15

Asn Ser Ser Asn Phe Met Ile Thr Pro Leu Leu Lys Ser Lys Pro
20 25 30

<210> 330

<211> 16

<212> PRT

<213> Helicobacter pylori

<400> 330

Ile Lys Ala Leu Lys Pro Ser Leu Phe Glu Arg Leu Asn Ser Leu Asn
1 5 10 15

<210> 331

<211> 62

<212> PRT

<213> Helicobacter pylori

<400> 331

Ala Met Leu Phe Phe Arg Phe Val Thr Val Ser Pro Thr Tyr Ala Gln
1 5 10 15

Pro Ala Pro Gln Val Leu Glu Val Thr Val Pro Asp Gly Val Pro Arg
20 25 30

Arg Leu Pro Ser Leu Pro Phe Ser Trp His Thr Pro Lys Glu Ser Phe
35 40 45

Thr Asn Ala Ala Gly Ile Leu Ser Lys Ser Phe Thr Thr Ala
50 55 60

<210> 332

<211> 35

<212> PRT

<213> Helicobacter pylori

<400> 332

Gly Leu Phe Gln Asn Leu Thr Pro His Ser Lys Thr Pro Arg Ser Leu
1 5 10 15

Arg Arg Ala Asn Ala Leu Lys Gln Lys Arg Val Leu Thr Pro His Leu
20 25 30

Leu Ala Cys
35

<210> 333

<211> 37

<212> PRT

<213> Helicobacter pylori

<400> 333

Phe Val Gly Pro Gln Glu Val Pro Pro Ile Ala Thr Pro Lys Lys Asn
1 5 10 15

Pro Lys Cys Lys Phe Ser Arg Leu Lys Ile Ala Gly Leu Asn Asn Thr
20 25 30

Ser Val Pro Ala Pro
35

<210> 334

<211> 97

<212> PRT

<213> Helicobacter pylori

<400> 334

Ile Arg Ala Phe Phe Lys Gly Val Asn Leu Ala Asn Phe Ile Asp Tyr
1 5 10 15

Gly Arg Asp Ser Arg Ile Phe Gly Ser Asp Asp Phe Ile Ser Gly Val
20 25 30

Ser Gly Ser Gly Glu Phe Ala Cys Lys Lys Thr Pro Val Phe Gly Tyr
35 40 45

Phe Ala Ile Asp Leu Lys Ile Pro Phe Ala Asn Gly Cys Leu Val Val
50 55 60

Leu Ser Ile Gln Pro Phe Lys Arg Pro Ser His Gln Ile Ala Val Arg
65 70 75 80

Lys Thr Pro Val Phe Lys Arg Val Gln Phe Ala Gly Ile Lys Thr Arg
85 90 95

Leu

<210> 335

<211> 41

<212> PRT

<213> Helicobacter pylori

<400> 335

Lys Phe Phe Ser Asn His Leu Arg Arg Lys Val Val Phe Ile Asp Ile
1 5 10 15

Ser Leu His Val Asn Ala Phe Leu Ala His Ser Asn Lys Ser His Ser
20 25 30

Met Gln Gln Ser Val Lys Ala Ile Phe
35 40

<210> 336

<211> 14

<212> PRT

<213> Helicobacter pylori

<400> 336

Ser Val Gly Val Lys Lys Ser Pro Pro Asn Ser Thr Ser Ala
1 5 10

<210> 337

<211> 66

<212> PRT

<213> Helicobacter pylori

Hp 04-04-03.ST251

<400> 337

Thr Leu Thr Cys Lys Lys Val Ala Ser Lys Arg Ala Leu Ile Cys Ala
1 5 10 15

Leu Ile Ser Leu Thr Leu Asn Thr Ser Thr Ser Ser Pro Phe Tyr Ser
20 25 30

Lys Arg Val Arg Ser Leu Lys Ser Pro Lys Asn Met Ile Lys Thr Lys
35 40 45

Asn Pro Thr Pro Ala Ser His Asn Ala Phe Cys Met Gly Val Gly Lys
50 55 60

Val Ile
65

<210> 338

<211> 63

<212> PRT

<213> Helicobacter pylori

<400> 338

Ala Ser Met Ser Leu Ser Asn Pro Val Pro Leu Gly Ile Ala Ala Val
1 5 10 15

Thr Pro Thr Ile Phe Ser Ser Phe Leu Ala Asn Ser Lys Arg Val Leu
20 25 30

Glu Tyr Ala Ser Val Gly Asp Lys Ile Ala Leu Leu Asp Phe Leu Asp
35 40 45

Lys Pro Val Ser Lys Ser Lys Gly Pro Thr Pro Cys His Phe Ser
50 55 60

<210> 339

<211> 85

<212> PRT

<213> Helicobacter pylori

<400> 339

Ile Phe Leu Ser Asn Thr Ser Leu Cys Met Gly Arg Thr Asn Cys Asn
1 5 10 15

Thr Lys Ser Asn Glu Asn Ala Leu Ala Ser Leu Asn Ser Thr Ser Lys
20 25 30

Lys Ser Met His Ser Lys Arg Ala Leu Leu Lys Ser Phe Asn Phe Ser
35 40 45

Cys Ala Phe Leu Ser Met Gly Met Glu Leu Ser Ile Pro Thr Ser Ser
50 55 60

Ile Ser Cys Trp Ile Cys Arg Leu Ser Ala Ile Lys Lys Phe Pro Val
65 70 75 80

Glu Gln Pro Lys Ser
85

<210> 340

<211> 83

<212> PRT

<213> Helicobacter pylori

<400> 340

Arg Asp Phe Gln Val Leu Lys His Arg Leu His Pro Phe Phe Ile
1 5 10 15

Phe Thr Gln Gln Ala Met Ile His Lys Asn Ser Asp Gln Ile Ile Leu
20 25 30

Asn Gly Ser Val Gln Gln Arg Ser Asp His Arg Arg Ile His Ala Pro
35 40 45

Thr His Arg Ala Gln Asn Leu Ser Val Ser Asp Phe Phe Phe Gln Ser
50 55 60

Cys Asp Phe Ser Leu Ser Glu Met Leu His Pro Pro Ser Phe Phe Thr
65 70 75 80

Ala Ala Asn

<210> 341

<211> 39

<212> PRT

<213> Helicobacter pylori

<400> 341

Ile Ile His Met Arg Gly Asp His Ser His His Met Pro Ser Phe Phe
1 5 10 15

Hp 04-04-03.ST251

Gln Arg Phe Lys Lys Thr Lys Arg Cys His Arg Ser Ala Ile Thr Gly
20 25 30

Val Phe Lys Thr Ile His Asp
35

<210> 342

<211> 44

<212> PRT

<213> Helicobacter pylori

<400> 342

Ile Ile Ile Pro Ala Val Leu Ala Asn Asp His Ala His Ile Asn Leu
1 5 10 15

Arg Leu Gly Val Asp Lys Lys Arg Ala Ser Phe Leu Asp Ile Glu Lys
20 25 30

Gly Lys Ser Gly Arg Phe Ala Ile Phe His Ala Asp
35 40

<210> 343

<211> 25

<212> PRT

<213> Helicobacter pylori

<400> 343

Lys Asn Arg Pro Ser Lys Asn Pro Leu Ala Gln Asn Ala Val Val Ser
1 5 10 15

Ala Leu Ala Pro Gly Lys Thr Ser Tyr
20 25

<210> 344

<211> 22

<212> PRT

<213> Helicobacter pylori

<400> 344

Lys Pro Ser Ser Val Trp Ile Tyr Lys Pro Ile Ile Arg Gly Lys Asn
1 5 10 15

Ile Gln Thr Ile Pro Ser
20

<210> 345

<211> 49

<212> PRT

<213> Helicobacter pylori

<400> 345

Ser Ser Val Ser Ser Lys Lys Pro Ala Lys Asn Ser Leu Thr Arg Phe
1 5 10 15

Leu Ser Ser Gln Gly Ile Ile Leu Thr Gly Ala Met Asn Thr Leu Lys
20 25 30

Thr Ile Cys Ile Ser Leu Asn Pro Cys Arg Leu Phe Tyr Met Pro Leu
35 40 45

Leu

<210> 346

<211> 43

<212> PRT

<213> Helicobacter pylori

<400> 346

Arg Ala Arg Ser Arg Ser Leu Leu Gly Phe Phe Leu Leu Lys Ala Ser
1 5 10 15

Cys Lys Thr Pro His Lys Ser Leu Asn Phe His Leu Ser Asn Ser Lys
20 25 30

Gln Gly Lys Trp Arg Ile Lys Ser Phe Trp Lys
35 40

<210> 347

<211> 87

<212> PRT

<213> Helicobacter pylori

<400> 347

Val Ser Glu Ile Leu Ser Thr Leu Val Ser Pro Ser Lys Leu Pro Glu
 1 5 10 15
 Glu Pro Lys Ala Lys Leu Met Arg Trp Gly Ala Ser Ala Pro Phe Leu
 20 25 30
 Gly Ser Asn Cys Lys Arg Gly Gly Phe Met Pro Ala Ser Asp Pro Ser
 35 40 45
 Leu Leu Lys Cys Lys Arg Pro Pro Ser Asn Thr Leu Gly Leu Ala Ala
 50 55 60
 Asp Pro Pro Thr Asn Ser Pro Gly Ser Gly Thr Ile Thr Leu Lys Phe
 65 70 75 80
 His Ser Ala Pro Pro Leu Leu
 85

<210> 348

<211> 36

<212> PRT

<213> Helicobacter pylori

<400> 348

Leu Pro Asn Leu Asn Lys Ile Ser Ser Ser Ser Phe Thr Lys Tyr Thr
 1 5 10 15
 Ser Lys Thr Ser Gly Leu Met Trp His Ser Leu Lys Gly Phe His Phe
 20 25 30
 Pro Phe Lys Ala
 35

<210> 349

<211> 26

<212> PRT

<213> Helicobacter pylori

<400> 349

Ser Arg Phe Arg Glu Arg Val Ala Ala Leu Phe Thr Lys Arg Ala Gln
 1 5 10 15
 Arg Lys Arg Phe Arg His Ser Phe Ile Ala
 20 25

<210> 350

<211> 41

<212> PRT

<213> Helicobacter pylori

<400> 350

Asn Ile His Trp Pro His Ala Pro Asn Arg Ser Leu Leu Asn Pro Lys
1 5 10 15

Ile Val Ala Gly Asn Pro Ser Ser Leu Glu Tyr Arg Phe Ala Leu Asn
20 25 30

Ser Pro Gln Lys Ala Pro Gln His Arg
35 40

<210> 351

<211> 101

<212> PRT

<213> Helicobacter pylori

<400> 351

Pro Ile Ser Cys Lys Ala Pro Lys Phe Val Val Ser Leu Cys Asn Ser
1 5 10 15

Gly Met Pro Leu Asp Leu Gly Pro Trp Lys Gly Lys Thr Ala Thr Lys
20 25 30

Ser Leu Ser Asn Ser Leu Phe Leu Lys Arg Ser Lys Asn Ser Leu Trp
35 40 45

Val Leu Lys Thr Ile Ala Leu Ala Leu Thr Phe Leu Cys Ser Ser Leu
50 55 60

Met Ala Glu Ile Leu Ile Thr Ala Leu Pro Lys Leu Pro Phe Lys Ile
65 70 75 80

Leu Ser Pro Pro Leu Ala Ala Lys Gly Ser Leu Thr Gly Arg Lys Ile
85 90 95

Ser Val Phe Arg Leu
100

<210> 352

<211> 27

<212> PRT

<213> Helicobacter pylori

<400> 352

Glu Ser Leu Val Leu Lys Pro Ile Leu Gly Lys Arg Arg Cys Lys Gly
1 5 10 15

Cys Cys Pro Pro Ser Lys Pro Leu Leu Ala Leu
20 25

<210> 353

<211> 28

<212> PRT

<213> Helicobacter pylori

<400> 353

Gly Ser Asn Glu Arg Ser His Lys Glu Arg Leu Ser Ile Gln Thr His
1 5 10 15

Arg Ile Ala Ser Arg Asp Phe Asp Ile Cys Pro Leu
20 25

<210> 354

<211> 92

<212> PRT

<213> Helicobacter pylori

<400> 354

Leu Gly Gly Asn Lys Ser Phe Thr Leu Tyr Ser His His Thr Ser Gln
1 5 10 15

Pro Phe Phe Ser Lys Arg Leu Ala Thr Cys Ser Lys Thr Ser Leu Ser
20 25 30

Lys Gln Gly Leu Phe Val Arg Leu Ser Met Lys Lys Ala Ser Gly Thr
35 40 45

Pro His Phe Leu Cys Arg Leu Lys His Gln Ser Gly Arg Phe Ser Ile
50 55 60

Met Val Phe Arg Arg Phe Phe Pro Leu Leu Gly Thr Asn Ser Thr Phe
65 70 75 80

Ser Ile Ala Ser Lys Ala Thr Ser Leu Lys Val Phe
85 90

<210> 355

<211> 33

<212> PRT

<213> Helicobacter pylori

<400> 355

Ala Phe Val Leu Lys Pro Cys Lys Lys Ala Cys Ser Trp Ser Phe Lys
1 5 10 15

Phe Ser Leu Ala Asn Ser Thr Leu Glu Ser Lys Leu Leu Tyr Ser Phe
20 25 30

Lys

<210> 356

<211> 62

<212> PRT

<213> Helicobacter pylori

<400> 356

Glu Ser Ile Ser Ser Leu Ile Leu Ser Lys Ile Met Ile Val Ser Leu
1 5 10 15

Met Glu Tyr Pro Ile Lys Val Ser Lys Ala Ala Ile Thr Ser Lys Phe
20 25 30

Ile Ser Ile Leu Lys Thr Ile Thr Glu Leu Ala Thr Lys Ile Thr Ser
35 40 45

Cys Thr Ser Ala Met Thr Leu Ala Lys Ala Lys Arg His Ser
50 55 60

PCT/EP 2004/004255

